CHAPTER 2—Descriptive Statistics: Tabular and Graphical Methods and Descriptive Analytics

§2.1 CONCEPTS

2.1 Constructing either a frequency or a relative frequency distribution helps identify and quantify patterns that are not apparent in the raw data.

LO02-01

2.2 Relative frequency of any category is calculated by dividing its frequency by the total number of observations. Percent frequency is calculated by multiplying relative frequency by 100.

LO02-01

2.3 Answers and examples will vary.


LO02-01

§2.1 METHODS AND APPLICATIONS

2.4 a.


Test		Relative	Percent
Respons	Frequenc	Frequenc	Frequenc
е	У	У	У
Α	100	0.4	40%
В	25	0.1	10%
С	75	0.3	30%
D	50	0.2	20%

b.



- **2.5 a.** $\binom{100}{250} \cdot 360$ degrees = 144 degrees for response (a)
 - **b.** $\binom{25}{250}$ 360 degrees = 36 degrees for response (b)

c.




LO02-01

- **2.6** a. Relative frequency for product x is 1 (0.15 + 0.36 + 0.28) = 0.21
 - **b.** Frequency= relative frequency N. For W, this is $0.15 \cdot 500 = 75$ So we have

product W X Y Z frequency 75 105 180 140

c.




d. Degrees for W would be 0.15 • 360 = 54; for X: 75.6; for Y: 129.6; for Z: 100.8.






Relative Frequency $^{14}/_{30} = 0.467$ 2.7 Rating a. **Frequency** Outstanding 14 $^{10}/_{30} = 0.333$ 10 Very Good $^{5}/_{30} = 0.167$ Good 5 $^{1}/_{30} = 0.033$ 1 Average $^{0}/_{30} = 0.000$ Poor 0 $\Sigma = 30$

b.




c.




2.8 a. Frequency Distribution for Sports League Preference

Sports League	Frequency	Percent Frequency	Percent
MLB	11	0.22	22%
MLS	3	0.06	6%
NBA	8	0.16	16%
NFL	23	0.46	46%
NHL	5	0.10	10%
	50		

b.





c.



d. The most popular league is NFL and the least popular is MLS.

2.9








LO02-01

2.10 Comparing the pie chart above with chart for 2014 in the textbook shows that between 2005 and 2014, the three U.S. manufacturers, Chrysler, Ford and GM have all lost market share, while Japanese and other imported models have increased market share.

2.11 Comparing Types of Health Insurance Coverage Based on Income Level







- **2.12** a. Percent of calls that are require investigation or help = 28.12% + 4.17% = 32.29%
 - **b.** Percent of calls that represent a new problem = 4.17%
 - c. Only 4% of the calls represent a new problem to all of technical support, but one-third of the problems require the technician to determine which of several previously known problems this is and which solutions to apply. It appears that increasing training or improving the documentation of known problems and solutions will help.

LO02-02

§2.2CONCEPTS


- **2.13 a.** We construct a frequency distribution and a histogram for a data set so we can gain some insight into the shape, center, and spread of the data along with whether outliers exist.
 - **b.** A frequency histogram represents the frequencies for the classes using bars while in a frequency polygon the frequencies are represented by plotted points connected by line segments.
 - **c.** A frequency ogive represents a cumulative frequency distribution while the frequency polygon represents a frequency distribution. Also, in a frequency ogive, the points are plotted at the upper class boundaries; in a frequency polygon, the points are plotted at the class midpoints.

LO02-03

- **2.14 a.** To find the frequency for a class, you simply count how many of the observations have values that are greater than or equal to the lower boundary and less than the upper boundary.
 - **b.** Once you determine the frequency for a class, the relative frequency is obtained by dividing the class frequency by the total number of observations (data points).
 - **c.** The percent frequency for a class is calculated by multiplying the relative frequency by 100.


2.15 a. Symmetrical and mound shaped:

One hump in the middle; left side is a mirror image of the right side.




b. Double peaked:

Two humps, the left of which may or may not look like the right one, nor is each hump required to be symmetrical




c. Skewed to the right:

Long tail to the right



d. Skewed to the left:

Long tail to the left



§2.2 METHODS AND APPLICATIONS

- **2.16** a. Since there are 28 points we use 5 classes (from Table 2.5).
 - **b.** Class Length (CL) = (largest measurement smallest measurement) / #classes = (46 17) / 5 = 6 (we have rounded up to the integer level since the data are recorded to the nearest integer.)
 - **c.** The first class's lower boundary is the smallest measurement, 17.

The first class's upper boundary is the lower boundary plus the Class Length, 17 + 6 = 23

The second class's lower boundary is the first class's upper boundary, 23


Continue adding the Class Length (width) to lower boundaries to obtain the 5 classes:

$$17 \le x < 23 \mid 23 \le x < 29 \mid 29 \le x < 35 \mid 35 \le x < 41 \mid 41 \le x \le 47$$

d. Frequency Distribution for Values

							cumulative	cumulative	
	lower	upper	midpoint	width	frequency	percent	frequency	percent	
	17	< 23	20	6	4	14.3	4	14.3	
	23	< 29	26	6	2	7.1	6	21.4	
	29	< 35	32	6	4	14.3	10	35.7	
	35	< 41	38	6	14	50.0	24	85.7	
	41	< 47	44	6	4	14.3	28	100.0	
_					28	100.0			






f. See output in answer to **d**.

Chapter 02 - Descriptive Statistics: Tabular and Graphical M	ethod
- 10	


2.17 a. and b.Frequency Distribution for Exam Scores

							relative	cumulative	cumulative
lowe				widt					
r		upper	midpoint	h	frequency	percent	frequency	frequency	percent
50	<	60	55	10	2	4.0	0.04	2	4.0
60	<	70	65	10	5	10.0	0.10	7	14.0
70	<	80	75	10	14	28.0	0.28	21	42.0
80	<	90	85	10	17	34.0	0.34	38	76.0
90	<	100	95	10	12	24.0	0.24	50	100.0
					50	100.0			

c.



d.



- **2.18 a.** Because there are 60 data points of design ratings, we use six classes (from Table 2.5).
 - **b.** Class Length (CL) = (Max Min)/#Classes = (35 20) / 6 = 2.5 and we round up to 3, since the data are recorded to the nearest integer.
 - **c.** The first class's lower boundary is the smallest measurement, 20.

The first class's upper boundary is the lower boundary plus the Class Length, 20 + 3 = 23


The second class's lower boundary is the first class's upper boundary, 23

Continue adding the Class Length (width) to lower boundaries to obtain the 6 classes:

d. Frequency Distribution for Bottle Design Ratings

							cumulative	cumulative
lower		upper	midpoint	width	frequency	percent	frequency	percent
20	<	23	21.5	3	2	3.3	2	3.3
23	<	26	24.5	3	3	5	5	8.3
26	<	29	27.5	3	9	15	14	23.3
29	<	32	30.5	3	19	31.7	33	55
32	<	35	33.5	3	26	43.3	59	98.3
35	<	38	36.5	3	1	1.7	60	100
-		-			60	100		


e. Distribution shape is skewed left.



2.19 a& b. Frequency Distribution for	for Ratings
---------------------------------------	-------------

					relative		cumulative relative	cumulative
 lower		upper	midpoint	width	frequency	percent	frequency	percent
20	<	23	21.5	3	0.033	3.3	0.033	3.3
23	<	26	24.5	3	0.050	5.0	0.083	8.3
26	<	29	27.5	3	0.150	15.0	0.233	23.3
29	<	32	30.5	3	0.317	31.7	0.550	55.0
32	<	35	33.5	3	0.433	43.3	0.983	98.3
35	<	38	36.5	3	0.017	1.7	1.000	100.0
					1.000	100		

c.



LO02-03

2.20 a. Omitting Dr. Dre leaves us with the annual earnings of 24 celebrities, ranging from 30 to 115 million. We will use five classes (from Table 2.5).

The first class's lower boundary is the smallest measurement, 30.

Using class length = 18, as prescribed in the problem, the first class's upper boundary is the lower boundary plus the class length, 30 + 18 = 48


The second class's lower boundary is the first class's upper boundary, 48.

Continue adding the Class Length (width) to lower boundaries to obtain the 5 classes:

Frequency Distribution for *Earnings* (omitting Dr. Dre)


						<u> </u>	,				
							cumulative	cumulative			
lower		upper	midpoint	width	frequency	percent	frequency	percent			
30	<	48	39	18	6	25	6	25			
48	<	66	57	18	8	33.3	14	58.3			
66	<	84	75	18	7	29.2	21	87.5			
84	<	102	93	18	1	4.2	22	91.7			
102	<	120	111	18	2	8.3	24	100			
					24	100					

Chapter 02 - Descriptive Statistics: Tabular and Graphical Method



b. See table in part (a) for cumulative distributions.

c.



d. The first class's lower boundary is the smallest measurement, 30. Using the suggested class length of 120, the first class's upper boundary is the lower boundary plus the class length, 30 + 120 = 150
The second class's lower boundary is the first class's upper boundary, 150

Continue adding the Class Length (width) to lower boundaries to obtain the 5 classes:

Frequency Distribution for Earnings (including Dr. Dre)

		•			J	,	cumulative	cumulative
lower		upper	midpoint	width	frequency	percent	frequency	percent
30	<	150	90	120	24	96	24	96
150	<	270	210	120	0	0	24	96
270	<	390	330	120	0	0	24	96
390	<	510	450	120	0	0	24	96
510	≤	630	570	120	1	4	25	100
					25	100		

- **2.21 a.** The video game satisfaction ratings are concentrated between 40 and 46.
 - **b.** Shape of distribution is slightly skewed left. Recall that these ratings have a minimum value of 7 and a maximum value of 49. This shows that the responses from this survey are reaching near to the upper limit but significantly diminishing on the low side.

c.	Class:	1	2	3	4	5	6	7	
	Ratings:	34 <x≤36< th=""><th></th><th>38<x≤40< th=""><th></th><th>42<x≤44< th=""><th>44<x≤46< th=""><th>46<x≤48< th=""><th></th></x≤48<></th></x≤46<></th></x≤44<></th></x≤40<></th></x≤36<>		38 <x≤40< th=""><th></th><th>42<x≤44< th=""><th>44<x≤46< th=""><th>46<x≤48< th=""><th></th></x≤48<></th></x≤46<></th></x≤44<></th></x≤40<>		42 <x≤44< th=""><th>44<x≤46< th=""><th>46<x≤48< th=""><th></th></x≤48<></th></x≤46<></th></x≤44<>	44 <x≤46< th=""><th>46<x≤48< th=""><th></th></x≤48<></th></x≤46<>	46 <x≤48< th=""><th></th></x≤48<>	
d.	CumFreq:	1	4	13	25	45	61	65	


LO02-03

- **2.22 a.** The bank wait times are concentrated between 4 and 9 minutes. (You might make a slightly different choice.)
 - **b.** The shape of distribution is slightly skewed right. Waiting time has a lower limit of 0 and stretches out to the high side where there are a few people who have to wait longer.
 - **c.** The class length is 1 minute.
 - d. Frequency Distribution for Bank Wait Times

							cumulative	cumulative
		ирре						
lower	<	r	midpoint	width	frequency	percent	frequency	percent
-0.5	<	0.5	0	1	1	1%	1	1%
0.5	<	1.5	1	1	4	4%	5	5%
1.5	<	2.5	2	1	7	7%	12	12%
2.5	<	3.5	3	1	8	8%	20	20%
3.5	<	4.5	4	1	17	17%	37	37%
4.5	<	5.5	5	1	16	16%	53	53%
5.5	<	6.5	6	1	14	14%	67	67%
6.5	<	7.5	7	1	12	12%	79	79%
7.5	<	8.5	8	1	8	8%	87	87%
8.5	<	9.5	9	1	6	6%	93	93%
9.5	<	10.5	10	1	4	4%	97	97%
10.5	<	11.5	11	1	2	2%	99	99%
11.5	<	12.5	12	1	1	1%	100	100%

100

- **2.23** a. The trash bag breaking strengths are concentrated between 48 and 53 pounds.
 - **b.** The shape of distribution is symmetric and bell shaped.
 - **c.** The class length is 1 pound.
 - **d.** Class: 46<47 47<48 48<49 49<50 50<51 51<52 52<53 53<54 54<55 Cum Freq. 2.5% 5.0% 15.0% 35.0% 60.0% 80.0% 90.0% 97.5% 100.0%




LO02-03

2.24 a. With 30 values, we will use 5 classes. Note that (Max - Min) / # Classes = (2500 - 485) / 5 = 403. For convenience, we will use classes of length 500 and begin the first class at 250. We obtain the 5 classes:

Frequency Distribution for MLB Team Values

 lower		upper	midpoint	width	frequency	percent
250	<	750	500	500	20	66.7
750	<	1250	1000	500	7	23.3
1250	<	1750	1500	500	1	3.3
1750	<	2250	2000	500	1	3.3
 2250	<	2750	2500	500	1	3.3
					30	99.9

The distribution is skewed right. While the valuations under \$750 million, a few franchises valuations.




Copyright © 2016 McGraw-Hill Education. All rights reserved. No reproduction or distribution without the prior written consent of McGraw-Hill Education


b. Again, we will use 5 classes. Note that (Max - Min) / #Classes = (461 - 159) / 5 = 60.4. For convenience, we will use classes of length 75 and begin the first class at 150. We obtain the 5 classes:

Frequency Distribution for MLB Team Revenues

 lower		upper	midpoint	width	frequency	percent	
150	<	225	187.5	75	17	56.7	
225	<	300	262.5	75	10	33.3	
300	<	375	337.5	75	2	6.7	
375	<	450	412.5	75	0	0	
 450	<	525	487.5	75	1	3.3	
					30	100	



c.



2.25 a. We will use 6 classes since n = 40. Note that (Max - Min) / #Classes = (958 - 57) / 6 = 150.2. For convenience, we will use classes of length 175 and begin the first class at 0. We obtain the 6 classes:

Frequency Distribution for Best Small Company Sales

lower	upper	midpoint	width	frequency
0	< 175	87.5	175	9
175	< 350	262.5	175	7
350	< 525	437.5	175	3
525	< 700	612.5	175	6
700	< 875	787.5	175	12
875	< 1050	962.5	175	3
				40

b. We will again use 6 classes. Note that (Max - Min)/#Classes = (75 - 4) / 6 = 11.8. For convenience, we will use classes of length 15 and begin the first class at 0. We obtain the 6 classes:

612.5

787.5

962.5

437.5


class midpoints in \$millions

87.5

262.5

Frequency Distribution for Best Small Company Sales Growth

lower	upper	midpoint	width	frequency
0	< 15	7.5	175	16
15	< 30	22.5	175	17
30	< 45	37.5	175	5
45	< 60	52.5	175	1
60	< 75	67.5	175	0
75	< 90	82.5	175	1
				40




LO02-03

2.26 a. Frequency Distribution for Annual Savings in \$000

				_	<u>width</u> =factor	<u>frequency</u> =height
lowe			widt			
r	upper	midpoint	h	frequency	base	factor
0	< 10	5.0	10	162	10 / 10 =1.0	162 / 1.0 =162.0
10	< 25	17.5	15	62	15 / 10 =1.5	62 / 1.5 =41.3
25	< 50	37.5	25	53	25 / 10 =2.5	53 / 2.5 =21.2
50	< 100	75.0	50	60	50 / 10 =5.0	60 / 5.0 =12
100	< 150	125.0	50	24	50 / 10 =5.0	24 / 5.0 =4.8
150	< 200	175.0	50	19	50 / 10 =5.0	19 / 5.0 =3.8
200	< 250	225.0	50	22	50 / 10 =5.0	22 / 5.0 =4.4
250	< 500	375.0	250	21	250 / 10 =25.0	21 / 25.0 =0.8
500				37		
				460		

2.26 b. and **2.27**



2-19

LO02-03

§2.3CONCEPTS

2.28 The horizontal axis spans the range of measurements, and the dots represent the measurements.


LO02-04

2.29 A dot plot with 1,000 points is not practical. Group the data and use a histogram.

LO02-03, LO02-04

§2.3 METHODS AND APPLICATIONS


2.30



The distribution is concentrated between 0 and 2 and is skewed to the right. Eight and ten are probably high outliers.

LO02-04


2.31



Most growth rates are no more than 71%, but 4 companies had growth rates of 87% or more.

LO02-04

2.32



The distribution is slightly skewed to the left and centered near 45 home runs.

hapter 02 - Descriptive S	andres. Tabular alla	Grapinear Medioc	•	
		2.21		

§2.4 CONCEPTS

2.33 Both the histogram and the stem-and-leaf show the shape of the distribution, but only the stem-and-leaf shows the values of the individual measurements.

LO02-03, LO02-05

- 2.34 Several advantages of the stem-and-leaf display include that it:
 - -Displays all the individual measurements.
 - -Puts data in numerical order
 - -Is simple to construct

LO02-05

2.35 With a large data set (e.g., 1,000 measurements) it does not make sense to use a stem-and-leaf because it is impractical to write out 1,000 data points. Group the data and use a histogram.

LO02-03, LO02-05

§2.4 METHODS AND APPLICATIONS

2.36 Stem Unit = 10, Leaf Unit = 1 Revenue Growth in Percent

Frequency	Stem	Leaf
1	2	8
4	3	0 2 3 6
5	4	2 2 3 4 9
5	5	1 3 5 6 9
2	6	3 5
1	7	0
1	8	3
1	9	1
20		

2.37 Stem Unit = 1, Leaf Unit = .1 **Profit Margins (%)**

Frequency	Stem	Leaf	
2	10	4 4	
0	11		
1	12	6	
3	13	2 8 9	
4	14	0 1 4 9	
4	15	2 2 8 9	
4	16	1 1 4 8	
0	17		
0	18		
0	19		
0	20		
0	21		
1	22	2	
0	23		
0	24		
$\frac{1}{20}$	25	2	
20			

LO02-05

2.38 Stem Unit = 1000, Leaf Unit = 100 *Sales(\$mil)*

Frequency	Stem	Le	eaf				
5	1	2	4	4	5	7	
5	2	0	4	7	7	8	
4	3	3	3	5	7		
2	4	2	6				
1	5	4					
2	6	0	8				
1	7	9					

LO02-05

- **2.39** a. The Payment Times distribution is skewed to the right.
 - **b.** The Bottle Design Ratings distribution is skewed to the left.

LO02-05

- **2.40 a.** The distribution is symmetric and centered near 50.7 pounds.
 - **b.** 46.8, 47.5, 48.2, 48.3, 48.5, 48.8, 49.0, 49.2, 49.3, 49.4

2.41 Stem unit = 10, Leaf Unit = 1 Home Runs

		Le	af	Stem	Le	eaf						
Roger	Μá	ar:	is		Ва	abe	∋ I	Rut	h			
			8	0								
	6	4	3	1								
	8	6	3	2	2	5						
		9	3	3	4	5						
				4	1	1	6	6	6	7	9	
				5	4	4	9					
			1	6	0							

The 61 home runs hit by Maris would be considered an outlier for him, although an exceptional individual achievement.

LO02-05

2.42 a. Stem unit = 1, Leaf Unit = 0.1 Bank Customer Wait Time

Frequency	Stem	Le	eaf	•															
2	0	4	8																
6	1	1	3	4	6	8	8												
9	2	0	2	3	4	5	7	8	9	9									
11	3	1	2	4	5	6	7	7	8	8	9	9							
17	4	0	0	1	2	3	3	3	4	4	5	5	5	6	7	7	8	9	
15	5	0	1	1	2	2	3	4	4	5	6	6	7	8	8	8			
13	6	1	1	2	3	3	3	4	5	5	6	7	7	8					
10	7	0	2	2	3	4	4	5	7	8	9								
7	8	0	1	3	4	6	6	7											
6	9	1	2	3	5	8	9												
3	10	2	7	9															
1	11	6																	
$10\overline{0}$																			

b. The distribution of wait times is fairly symmetrical, maybe with a slight skew to the right.

: U.T.	Video Game Satisfaction Ratings
	• U. T

Frequenc y	Stem	Leaf
1	36	0
0	37	
3	38	0 0 0
4	39	0 0 0 0
5	40	0 0 0 0 0
6	41	0 0 0 0 0
6	42	0 0 0 0 0
8	43	0 0 0 0 0 0 0
12	44	0 0 0 0 0 0 0 0 0 0
9	45	0 0 0 0 0 0 0 0
7	46	0 0 0 0 0 0
3	47	0 0 0
1	48	0
<u>1</u> 65	'	•

- **b.** The video game satisfaction ratings distribution is slightly skewed to the left.
- **c.** Since 19 of the 65 ratings (29%) are below the "very satisfied" level of 42, it would *not* be accurate to say that almost all purchasers are very satisfied.

LO02-05

§2.5CONCEPTS

2.44 Contingency tables are used to study the association between two variables.

LO02-06

2.45 We fill each cell of the contingency table by counting the number of observations that have both of the specific values of the categorical variables associated with that cell.

LO02-06

2.46 A row percentage is calculated by dividing the cell frequency by the total frequency for that particular row and by expressing the resulting fraction as a percentage.

A column percentage is calculated by dividing the cell frequency by the total frequency for that particular column and by expressing the resulting fraction as a percentage.

Row percentages show the distribution of the column categorical variable for a given value of the row categorical variable.

Column percentages show the distribution of the row categorical variable for a given value of the column categorical variable.

§2.5 METHODS AND APPLICATIONS

2.47 Cross tabulation of Brand Preference vs. Rola Purchase History

Brand		Purchase	d Rola?	
Preference		No	Yes	Total
Koka	Observed	14	2	16
	% of row	87.5%	12.5%	100%
	% of column	66.7%	10.5%	40%
	% of total	35.0%	5.0%	40%
Rola	Observed	7	17	24
	% of row	29.2%	70.8%	100%
	% of column	33.3%	89.5%	60%
	% of total	17.5%	42.5%	60%
Total	Observed	21	19	40
	% of row	52.5%	47.5%	100%
	% of column	100.0%	100.0%	100%
	% of total	52.5%	47.5%	100%

- **a.** 17 shoppers who preferred Rola-Cola had purchased it before.
- **b.** 14 shoppers who preferred Koka-Cola had not purchased Rola before.
- c. If you have purchased Rola previously you are more likely to prefer Rola. If you have not purchased Rola previously you are more likely to prefer Koka.

LO02-06

2.48 Cross tabulation of Brand Preference vs. Sweetness Preference

Brand		Swee	tness Preference		
Preference		Very Sweet	Sweet	Not So Sweet	Total
Koka	Observed	6	4	6	16
	% of row	37.5%	25.0%	37.5%	100%
	% of column	42.9%	30.8%	46.2%	40%
	% of total	15.0%	10.0%	15.0%	40%
Rola	Observed	8	9	7	24
	% of row	33.3%	37.5%	29.2%	100%
	% of column	57.1%	69.2%	53.8%	60%
	% of total	20.0%	22.5%	17.5%	60%
Total	Observed	14	13	13	40
	% of row	35.0%	32.5%	32.5%	100%
	% of column	100.0%	100.0%	100.0%	100%
	% of total	35.0%	32.5%	32.5%	100%

- a. 8 + 9 = 17 shoppers who preferred Rola-Cola also preferred their drinks Sweet or Very Sweet.
- **b.** 6 shoppers who preferred Koka-Cola also preferred their drinks not so sweet.
- **c.** Rola drinkers may prefer slightly sweeter drinks than Koka drinkers.

2.49 Cross tabulation of Brand Preference vs. Number of 12-PacksConsumed Monthly

Brand		(
Preference		0 to 5	6 to 10	>10	Total
Koka	Observed	12	3	1	16
	% of row	75.0%	18.8%	6.3%	100%
	% of column	60.0%	17.6%	33.3%	40%
	% of total	30.0%	7.5%	2.5%	40%
Rola	Observed	8	14	2	24
	% of row	33.3%	58.3%	8.3%	100%
	% of column	40.0%	82.4%	66.7%	60%
	% of total	20.0%	35.0%	5.0%	60%
Total	Observed	20	17	3	40
	% of row	50.0%	42.5%	7.5%	100%
	% of column	100.0%	100.0%	100.0%	100%
	% of total	50.0%	42.5%	7.5%	100%

- **a.** 8 + 14 = 22 shoppers who preferred Rola-Cola purchase 10 or fewer 12-packs.
- **b.** 3 + 1 = 4 shoppers who preferred Koka-Cola purchase 6 or more 12-packs.
- c. People who drink more cola seem more likely to prefer Rola.

LO02-06


2.50 a. 16%, 56%


b.	Row Percentage Table	Watch Tennis	Do Not Watch Tennis	Total
	Drink Wine	40%	60%	100%
	Do Not Drink Wine	6.7%	93.3%	100%

c.	Column Percentage Table	Watch Tennis	Do Not Watch Tennis
	Drink Wine	80%	30%
	Do Not Drink Wine	20%	70%
	Total	100%	100%

d. People who watch tennis are more likely to drink wine than those who do not watch tennis.







LO02-01, LO02-06

2.51 a.

TV Violence

TV Quality	Increased	Not Increased	Total
Worse	362	92	454
Not Worse	359	187	546
Total	721	279	1000

b. Row percentages

_	-						
	١١.	,	١/	io	וםו	n	$\sim c$
	v	,	v	ı			

TV Quality	Increased	Not Increased	Total
Worse	79.7%	20.3%	100%
Not Worse	65.8%	34.2%	100%


c. Column percentages


TV Violence

TV Quality	Increased	Not Increased
Worse	50.2%	33.0%
Not Worse	49.8%	67.0%
Total	100.0%	100.0%

d. Those people who think TV violence has increased are more likely to think TV quality has gotten worse.


e.







LO02-01, LO02-06

2.52 a. As income rises the percent of people seeing larger tips as appropriate also rises.








b. People who have left at least once without leaving a tip are more likely to think a smaller tip is appropriate.

Chapter 02 - Descriptive Statistics: Tabular and Graphical Method



LO02-01, LO02-06

§2.6 CONCEPTS

2.53 A scatterplot is used to look at the relationship between two quantitative variables.


LO02-07

2.54 On a scatter plot, each value of *y* is plotted against its corresponding value of *x*. On a times series plot, each individual process measurement is plotted against its corresponding time of occurrence.

LO02-07


§2.6 METHODS AND APPLICATIONS

2.55 As the number of copiers increases, so does the service time.





LO02-07


2.56 The scatterplot shows that the average rating for taste is related to the average rating for preference in a positive linear fashion. This relationship is fairly strong.



2.56 (*cont.*) The scatterplots below show that average convenience, familiarity, and price are all approximately linearly related to average preference in a positive, positive, and negative fashion (respectively). These relationships are not as strong as the one between taste and preference.







LO02-07

§2.7 CONCEPTS

2.58 When the vertical axis does not start at zero, the bars themselves will not be as tall as if the bars had started at zero. Hence, the relative differences in the heights of the bars will be more pronounced.

LO02-08

2.59 Examples and reports will vary.

LO02-08

§2.7 METHODS AND APPLICATIONS

2.60 The administration's compressed plot indicates a steep increase of nurses' salaries over the four years, while the union organizer's stretched plot shows a more gradual increase of the same salaries over the same time period.

LO02-08

- **2.61 a.** No. The graph of the number of private elementary schools is showing only a very slight (if any) increasing trend when scaled with public schools.
 - **b.** Yes. The graph of the number of private elementary schools is showing strong increasing trend, particularly after 1950.
 - **c.** The line graph is more appropriate because it shows growth.
 - **d.** Neither graph gives an accurate understanding of the changes spanning a half century. Because of the very large difference in scale between private and public schools, a comparison of growth might be better described using percent increase.

LO02-08

§2.8CONCEPTS

- 2.62 (1) A gauge allows us to visualize an organization's key performance indicators in way that is similar to an automobile speedometer.
 - (2) A bullet graph displays a measure of performance as a horizontal (or vertical) bar that extends into ranges representing qualitative measures of performance. Many bullet graphs compare the measure of performance (bar) to a target or objective.
 - (3) A treemap displays information in a series of clustered rectangles. The sizes of the rectangles represent values of a first variable, and the colors of the rectangles represent a second variable.
 - (4) A sparkline is a line chart that shows the pattern of variation of variable (usually over time).

LO02-09

2.63 Data drill down is a version of data discovery which reveals more detailed data that underlie a higher level data summary.

LO02-09


§2.8 METHODS AND APPLICATIONS


2.64 The company has met the targets for revenue and customer satisfaction, but has not met the targets for profit, average order size, and new customers.

2.65 The ozone level is higher in Chicago because the corresponding rectangle is more nearly red.

LO02-089


2.66





LO02-09

2.67



Copyright © 2010 McGraw-Hill Education. An rights reserved. No reproduction of distribution without the prior written consent of McGraw-Hill Education.


2.68


	Α	В	С	D	E	F	G	Н	1	J
1	Monthly C	losing Price								
2			Jan.	Feb.	Mar.	Apr.	May	June	July	
3	Stock 1		103.91	98.74	87.42	85.97	75.62	71.10	65.20	
4	Stock 2		213.14	218.84	201.76	197.41	191.10	181.49	174.88	
5	Stock 3		59.34	65.28	61.14	68.97	73.42	75.81	78.25	
6	Stock 4		90.72	95.51	98.41	99.95	98.78	106.20	110.44	
7	Stock 5		325.26	311.10	314.75	286.15	276.24	259.88	248.67	
8										
9										
10										
11										
12										
13										
14										
15										
16										
17										
10	Sheet1 (+)					1 1				

LO02-089

Supplementary Exercises

2.69





Copyright

ı without the prior written consent of McGraw-Hill

Reports will vary but should mention that although Liberty sales declined, this is not surprising since Liberty was one of 4 models in 2006 but one of 6 in 2011. As the dealer's second most popular model in 2011, it is still an important part of his sales.

LO02-01

2.70

Mechanical Quality					
class	midpoint	frequency			
1.5 < 2.5	2	6			
2.5 < 3.5	3	16			
3.5 < 4.5	4	9			
4.5 < 5.5	5	1			
		22			


The most common mechanical quality rating is 3 while only one, the Lexus, got a 5.


2.71


Design Quality						
class	midpoint	frequency	rel freq			
1.5 < 2.5	2	4	.125			
2.5 < 3.5	3	23	.71875			
3.5 < 4.5	4	3	.09375			
4.5 < 5.5	5	2	.0625			
	'	32	1 0000			

The majority of the cars (23 of 32) received a design rating of 3.

2.72










The US and Europe have very similar mechanical quality ratings although the US ratings are slightly lower than the European ones. The Pacific Rim cars overwhelmingly receive ratings of 3.

2-37

2.73







All three regions have a majority of models rated 3 in design. Europe has the only models with ratings of 5, but like the Pacific Rim, it also has models rated 2, unlike the US.

2.74 Rows: Region Columns: Mech quality

	Among the best	Better than most	About average	The rest	All
United States	0.00	3 30.00	40.00	30.00	10 100.00
Pacific Rim	1 8.33	2 16.67	8 66.67	1 8.33	12 100.00
Europe	0.00	40.00	40.00	20.00	10 100.00
All	1 3.13	9 28.13	16 50.00	6 18.75	32 100.00

Pacific Rim cars are likely to be about average in mechanical quality. European cars are the most likely to be above average (40% vs 30% for US and 25% for Pacific Rim).

2.75 See table in 2.74 and the bar charts in 2.72


2.76 Rows: Region Columns: Design quality


	Among the best	Better than most	About average	The rest	All
United States	0.00	20.00	80.00	0.00	10 100.00
Pacific Rim	0.00	1 8.33	9 75.00	2 16.67	12 100.00
Europe	20.00	0.00	6 60.00	20.00	10 100.00


2-38

All three regions tend to receive average design ratings, but the Pacific Rim region seems weakest in design. Only one model (8%) received a rating above average. In the US, 2 models (20%) received above average ratings and in Europe, 2 (20%) received "among the best" ratings.

2.77 See the table in 2.76.








Same observations as in 2.76.

2.78 a. Frequency Distribution for *Model Age*

							Cumulative	Cumulative
Lower		Upper	Midpoint	Width	Frequency	Percent	Frequency	Percent
17	<	19	18	2	3	6	3	6
19	<	21	20	2	2	4	5	10
21	<	23	22	2	3	6	8	16
23	<	25	24	2	5	10	13	26
25	<	27	26	2	8	16	21	42
27	<	29	28	2	15	30	36	72
29	<	31	30	2	10	20	46	92
31	<	33	32	2	4	8	50	100
					50	100		

While the 2^{K} rule suggests using 6 classes, we are using 8 as suggested in the problem.




without the prior written consent of McGraw-Hill

c. This distribution is skewed to the left.


LO02-03

2.79



LO02-03


2.80 26% of the perceived ages are below 25. This is probably too high.



LO02-04

2.81 a & b & c. See table in 2.78

d.




- **e.** 36 out of 50 = 72%
- **f.** 8 out of 50 = 16%

LO02-03

2.82 a. (1) There are 50 charities in the list, so we will use 6 classes. The maximum private support is 3870 while the minimum is 235. Class length: (3870 - 235)/6 = 605.8. For convenience, we will use a length of 650 and make the first class have lower limit 200. We get:

classes	Midpoint	Frequency	Percent frequency
200 < 850	525	40	80
850 < 1500	1175	6	12
1500 < 2150	1825	3	6
2150 < 2800	2475	0	0
2800 < 3450	3125	0	0
3450 < 4100	3775	1	2






2.82 a. (2)

classes	Midpoint	Frequency	Percent frequency
200 < 3700	1950	43	86
3700 < 7200	5450	6	12
7200 < 10,700	8950	0	0
10,700 < 14,200	12,450	0	0
14,200 < 17,700	15,950	0	0
17,700 < 21,200	19,450	1	2

percent frequency




2.82 a. (3)

classes	Midpoint	Frequency	Percent frequency
77 < 81	79	1	2
81 < 85	83	8	16
85 < 89	87	8	16
89 < 93	91	9	18
93 < 97	95	6	12
97 < 101	99	18	36



percent freq




2-42

Copyright © 2016 McGraw-Hill Education. All rights reserved. No reproduction or distribution without the prior written consent of McGraw-Hill Education.


- **2.82 b.** The histograms depicting private support and total revenues are quite skewed to the right while the histogram depicting fundraising efficiencies is skewed to the left.
- 2.83 Distribution has one high outlier and with or without the outlier is skewed right.
- 2.84 Stem Unit = 1, Leaf Unit = 0.1 **Shots Missed**.

Frequency	Stem	L€	eat	f			
1	5	0					
2	6	0					
4	7	0	0				
9	8	0	0	0	0	0	
15	9	0	0	0	0	0	0
15	10	0	0	0	0	0	
10	11	0	0				
8	12	0					
7	13	0					
6	14	0					
5	15	0	0				
3	16	0					
2	17	0					
<u>1</u> 30	18	0					
30							




The time series plot shows that the player is improving over time. Therefore the stem-and-leaf display does not predict how well the player will shoot in the future.


2.85 a. Stock funds: \$60,000; bond funds: \$30,000; govt. securities: \$10,000



b. Stock funds: \$78,000 (63.36%); Bond funds: \$34,500 (28.03%); Govt. securities: \$10,600 (8.61%)



c. Stock funds: \$73,860; Bond funds: \$36,930; Govt. securities: \$12,310



LO02-01

2.86 The graph indicates that Chevy trucks far exceed Ford and Dodge in terms of resale value, but the y-axis scale is misleading.

LO02-08

INTERNET EXERCISES

2.87 Answers will vary depending on which poll(s) the student refers to.

LO02-01 - LO02-08