

Organ Systems Overview



Time Allotment: 11/2 hours (rat dissection: 1 hour; if performing reproductive system dissection,

1/2 hour each for male and female; dissectible human torso model: 1/2 hour).



Multimedia Resources: See Appendix B for Guide to Multimedia Resource Distributors.

Homeostasis (FHS: 20 minutes, VHS, DVD, 3-year streaming webcast) Homeostasis: The Body in Balance (HRM: 26 minutes, VHS, DVD) Practice Anatomy Lab™ 3.0 (PAL) (PE: DVD, website)



Solutions:

Bleach Solution, 10%

Measure out 100 milliliters of household bleach. Add water to a final volume of 1 liter.

Laboratory Materials

Ordering information is based on a lab size of 24 students, working in groups of 4. A list of supply house addresses appears in Appendix A.

Dissectible human torso model or 6–12 blunt probes 6–12 dissecting trays

cadaver Disposable gloves, soap, and sponges 6–12 forceps 6–12 freshly killed or preserved rats

6–12 scissors Twine or large dissecting pins

6–12 dissecting trays

Lab disinfectant or 10% bleach solution

Advance Preparation

- 1. Make arrangements for appropriate storage and disposal of dissection materials. Check with the Department of Health or the Department of Environmental Protection, or their counterparts, for state regulations.
- 2. Designate a disposal container for organic debris, set up a dishwashing area with hot soapy water and sponges, and provide lab disinfectant such as Wavicide-01 (Carolina) or bleach solution for washing down the lab benches.
- 3. Set out safety glasses and disposable gloves for dissection of freshly killed animals (to protect students from parasites) and for dissection of preserved animals.
- 4. Decide on the number of students in each dissecting group (a maximum of four is suggested, two is probably best). Each dissecting group should have a dissecting pan, dissecting pins, scissors, blunt probe, forceps, twine, and a preserved or freshly killed rat.
- 5. Preserved rats are more convenient to use unless small mammal facilities are available. If live rats are used, they may be killed a half-hour or so prior to the lab by administering an overdose of ether or chloroform. To do this, remove each rat from its cage and hold it firmly by the skin at the back of its neck. Put the rat in a container with cotton soaked in ether or chloroform. Seal the jar tightly and wait until the rat ceases to breathe.
- 6. Set out dissectible human torso models and a dissected human cadaver if available.

Comments and Pitfalls

- 1. Remind students that the rats are serving as model organisms for the human body. It is therefore important when working with rats to model the same types of behaviors we would use if working with a human cadaver. While excitement and enthusiasm are encouraged, students should be careful not to act in ways that might appear inappropriate or disrespectful of the specimens in the classroom.
- Students may be overly enthusiastic when using the scalpel and cut away organs they are supposed to locate and identify. Therefore, use scissors to open the body. Have blunt probes available as the major dissecting tool.
- 3. Be sure the lab is well ventilated, and encourage students to take fresh air breaks if the preservative fumes are strong. If the dissection animal will be used only once, it can be rinsed to remove most of the excess preservative.
- 4. Organic debris may end up in the sinks, clogging the drains. Remind the students to dispose of all dissection materials in the designated container.
- 5. Inferior vena cava and aorta may be difficult to distinguish in uninjected specimens.

Answers to Pre-Lab Quiz (p. 15)

1. The cell 4. urinary

2. c, organ 5. diaphragm

3. nervous

Answers to Activity Questions

Activity 5: Examining the Human Torso Model (pp. 23-24)

- 2. From top to bottom, the organs pointed out on the torso model are: *brain, thyroid gland, trachea, lung, heart, diaphragm, liver, stomach, spleen, large intestine, greater omentum, small intestine*
- 3. Dorsal body cavity: brain, spinal cord

Thoracic cavity: aortic arch, bronchi, descending aorta (thoracic region), esophagus, heart, inferior vena cava, lungs, trachea

Abdominopelvic cavity: adrenal gland, descending aorta (abdominal region), greater omentum, inferior vena cava, kidneys, large intestine, liver, mesentery, pancreas, rectum, small intestine, spleen, stomach, ureters, urinary bladder

Note: The diaphragm separates the thoracic cavity from the abdominopelvic cavity.

4. Digestive: esophagus, liver, stomach, pancreas, small intestine, large intestine (including rectum)

Urinary: kidneys, ureters, urinary bladder

Cardiovascular: aortic arch, heart, descending aorta, inferior vena cava

Endocrine: pancreas, adrenal gland, thyroid gland

Reproductive: none

Respiratory: lungs, bronchi, trachea

Lymphatic/Immunity: *spleen* Nervous: *brain*, *spinal cord*

Answers to Group Challenge (p. 24)

Some possible answers to the questions are listed below. Student answers may vary.

1. Which is the "odd organ"?		Why is it the odd one out?				
Stomach Small intestine		The teeth are an accessory structure of the digestive system whereas				
Teeth	Oral cavity	the oral cavity, stomach, and small intestine are part of the digestive				
		tract.				
2. Which is the "odd organ"?		Why is it the odd one out?				
Thyroid gland	Spleen	The thyroid gland is not an organ of the lymphatic system.				
Thymus	Lymph nodes					
3. Which is the "odd organ"?		Why is it the odd one out?				
Ovaries Uterus		The prostate gland is not a part of the female reproductive system.				
Prostate gland Uterine tubes						
4. Which is the "odd organ"?		Why is it the odd one out?				
Stomach	Esophagus	The esophagus is in the thorax whereas the stomach, small intestine,				
Small intestine	Large intestine	and large intestine are in the abdominopelvic cavity.				

NAME		

R E V I	E W	SHE	ΕT	
	EX	E R C I	SE	


Organ Systems Overview

1. Use the key below to indicate the body systems that perform the following functions for the body; note that some responses are used more than once. Then, circle the organ systems (in the key) that are present in all subdivisions of the ventral body cavity.

Key:	a.	cardiovascular	d.	integumentary	g.	nervous	j.	skeletal	
	b.	digestive	e.	lymphatic/immunity	h.	reproductive	k.	urinary	
	c.	endocrine	f.	muscular	i.	respiratory			
K; urin	ary		1.	rids the body of nitroge	n-co	ntaining wastes			
c; endo	crine	2	2.	is affected by removal o	of the	e thyroid gland			
j; skele	tal		3. provides support and the levers on which the muscular system acts						
a; card	iova	scular	4. includes the heart						
h; reproductive			5. has a menstrual cycle in females						
d; integ	jume	ntary	6.	protects underlying org	ans f	rom drying out and fr	om n	nechanical damage	
e; lymp	hatio	c/immunity	7.	protects the body; destr	oys l	pacteria and tumor cel	ls		
b; diges	stive		8.	breaks down ingested for	ood i	nto its building block	5		
i; respiratory			9. removes carbon dioxide from the blood						
a; card	iova	scular	10	. delivers oxygen and nu	trien	ts to the tissues			
f; musc	ular		11	. moves the limbs; facilit	ates	facial expression			
k; urino	ary		12	. conserves body water o	r elir	ninates excesses			
c; endo	crine	2		h; reproductive 1	3. f	acilitate conception ar	ıd ch	ildbearing	
c; endo	crine	2	14	. controls the body by me	eans	of chemical molecule	s call	ed hormones	
d; integ	jume	ntary	15	. is damaged when you c	ut yo	our finger or get a seve	ere su	ınburn	

۷.	Osing the above key, cho	use i	the organ system to wit	ich each of the followi	ing s	ets of organs of body structures belongs.
	e; lymphatic/immunity	1.	thymus, spleen, lymphatic vessels	d; integumentary	5.	epidermis, dermis, and cutaneous sense organs
	j; skeletal	2.	bones, cartilages, tendons	h; reproductive	6.	testis, ductus deferens, urethra
	c; endocrine	3.	pancreas, pituitary adrenals,	b; digestive	7.	esophagus, large intestine, rectum
	i; respiratory	4.	trachea, bronchi,	f; muscular	8.	muscles of the thigh, postural mutscles
3.	Using the key, place the f	ollo	wing organs in their pr	oper body cavity. Som	e res	ponses may be used more than once.
	Key: a. abdominopelvic		b. cranial	c. spinal		d thoracic
	a; abdominopelvic 1	. st	omach <u>a; abdo</u>	minopelvic 4. liver		<i>d; thoracic</i> 7. heart
	d; thoracic 2	. es	ophagus <u>c; spina</u>	5. spina	l cor	d <u>d; thoracic</u> 8. trachea
	a; abdominopelvic 3	. la	rge intestin e ; <u>abdomino</u>	ppelvic 6. urina	ry bl	adder <i>a; abdominopelvic</i> 9. rectum
4.	Using the organs listed in listed below.	que	stion 3 above, record, b	by number, which wou	ıld be	e found in the abdominopelvic regions
	3, 6, 9	_ 1.	. hypogastric region	1, 3, 4		4. epigastric region
	3	2. right lumbar region 3,			5. left iliac region	
	3	_ 3.	. umbilical region	1, 3		6. left hypochondriac region
5.	The levels of organization	of a	living body include <u>ce</u>	ell	, <u></u> t	issue,
	<u>organ</u>	,	, <u>organ system</u>	, and organi	ism.	
6.	Define organ. A body par	<u>rt (o</u>	r structure) that is mad	le up of two or more tis	ssue	types and performs a specific body function
	(e.g., the stomach, the kid	lney)	<u>)</u>			

7. Using the terms provided, correctly identify all of the body organs provided with leader lines in the drawings shown below. Then name the organ systems by entering the name of each on the answer blank below each drawing.



8. Why is it helpful to study the external and internal structures of the rat? <u>Many of the external and internal structures are similar to those in the human. Studying the rat can help you to understand your own structure.</u>