


PROBLEM 1.21

KNOWN: Long, 30mm-diameter cylinder with embedded electrical heater; power required to maintain a specified surface temperature for water and air flows.

FIND: Convection coefficients for the water and air flow convection processes, h_w and h_a , respectively.

SCHEMATIC:



ASSUMPTIONS: (1) Flow is cross-wise over cylinder which is very long in the direction normal to flow.

ANALYSIS: The convection heat rate from the cylinder per unit length of the cylinder has the form

$$q' = h(\pi D) (T_s - T_\infty)$$

and solving for the heat transfer convection coefficient, find

$$h = \frac{q'}{\pi D (T_s - T_\infty)}.$$

Substituting numerical values for the water and air situations:

$$\text{Water} \quad h_w = \frac{28 \times 10^3 \text{ W/m}}{\pi \times 0.030 \text{ m} (90 - 25)^\circ \text{ C}} = 4,570 \text{ W/m}^2 \cdot \text{K} <$$

$$\text{Air} \quad h_a = \frac{400 \text{ W/m}}{\pi \times 0.030 \text{ m} (90 - 25)^\circ \text{ C}} = 65 \text{ W/m}^2 \cdot \text{K}. <$$

COMMENTS: Note that the air velocity is 10 times that of the water flow, yet

$$h_w \approx 70 \times h_a.$$

These values for the convection coefficient are typical for forced convection heat transfer with liquids and gases. See Table 1.1.