

Chapter 1. Supply Chain Focused Manufacturing Planning and Control.....	5
I. Summary.....	5
II. Chapter Outline.....	6
III. Suggested Teaching Strategy.....	7
IV. Solutions to Discussion Questions.....	8
Chapter 2. Forecasting Demands.....	17
I. Summary.....	17
II. Chapter Outline.....	18
III. Suggested Teaching Strategy.....	19
IV. Solutions to Discussion Questions.....	20
Chapter 3. Sales and Operations Planning /Aggregate Production Planning.....	46
I. Summary.....	46
II. Chapter Outline.....	47
III. Suggested Teaching Strategy.....	48
IV. Solutions to Discussion Questions.....	49
V. Solution to Embedded Case.....	77
Chapter 4. Master Production Scheduling (MPS).....	84
I. Summary.....	84
II. Chapter Outline.....	85
III. Suggested Teaching Strategy.....	86
IV. Solutions to Discussion Questions.....	87
Chapter 5. Supply Chain Focused Inventory Management.....	99
I. Summary.....	99
II. Chapter Outline.....	100
III. Suggested Teaching Strategy.....	101

IV. Solutions to Discussion Questions.....	102
Chapter 6. Material Requirements Planning Production System (MRP).....	143
I. Summary.....	143
II. Chapter Outline.....	144
III. Suggested Teaching Strategy.....	145
IV. Solutions to Discussion Questions.....	146
Chapter 7. Just-In-Time (JIT)/ Lean Production.....	182
I. Summary.....	182
II. Chapter Outline.....	183
III. Suggested Teaching Strategy.....	184
IV. Solutions to Discussion Questions.....	185
Chapter 8. Push and Pull Production Systems.....	193
I. Summary.....	193
II. Chapter Outline.....	194
III. Suggested Teaching Strategy.....	195
IV. Solutions to Discussion Questions.....	196
V. Solutions to Exercises.....	199
Chapter 9. Capacity Management.....	208
I. Summary.....	208
II. Chapter Outline.....	209
III. Suggested Teaching Strategy.....	210
IV. Solutions to Discussion Questions.....	211
Chapter 10. Production Planning and Control for Remanufacturing.....	222
I. Summary.....	222
II. Chapter Outline.....	223

III. Suggested Teaching Strategy.....	224
IV. Solutions to Discussion Questions.....	225
Chapter 11. Supply Chain Focused Outsourcing.....	232
I. Summary.....	232
II. Chapter Outline.....	233
III. Suggested Teaching Strategy.....	234
IV. Solutions to discussion questions.....	235
V. Solutions to MICROFUSE, INC. Case.....	246
Chapter 12. Manufacturing Focused Supply Chain Integration.....	258
I. Summary.....	258
II. Chapter Outline.....	259
III. Suggested Teaching Strategy.....	260
IV. Solutions to Discussion Questions.....	261
Appendix.....	268
I. Corrections to the Problems in the Text Book.....	268

# Chapter 1. Supply Chain Focused Manufacturing Planning and Control

## I. Summary

This chapter focuses on introducing the basic concept of a manufacturing planning and control system (MP&CS). A manufacturing planning and control system (MP&CS) has the objective of ensuring that the desired products are manufactured at the right time in the right quantities and are meeting quality specifications in the most cost-efficient manner. In the 1970s, the push manufacturing concept dominated MP&CS thinking. Decades after the 1970s, other concepts regarding MP&CS were introduced such as the lean philosophy, adaptive manufacturing, and flexible manufacturing. This chapter and book focuses on manufacturing planning and control system (MP&CS) in the context of supply chain and supply chain management. It introduces the MP&C framework which emphasizes the integration of the activities involved with the delivery of the product to the customer.

The manufacturing planning and control (MP&C) framework is composed of manufacturing planning, and control activities at strategic, tactical, operational levels emphasizing the integration of decision making and information flows between the different levels. The manufacturing planning and control (MP&C) framework is designed to create a highly integrated value chain linking the suppliers, manufacturer, and the customers. This value chain is driven by the customers. In this value chain, exists close relationships between the suppliers and manufacturer have who share the gains among the member of the chain equitably.

While newer manufacturing practices have been introduced, the MP&C framework does not require the old practices to be fully supplanted. Rather, the blending of the current and past manufacturing with a focus on integration is encouraged to increase the value of the supply chain without sacrificing the interests of the ultimate customer and supplying organizations.

## II. Chapter Outline

- The Global Trends in the Manufacturing's Competitive Environment and MP&CS
- The Manufacturing Planning and Control (MP&C) Framework
- Manufacturer–Supplier Relationship Types
  - *Arms-length transactional relationship*
  - *Strategic relationship*
- Relationship Quality
- Historical Perspective of Manufacturing Planning and Control Systems
  - *Push Manufacturing*
  - *Lean (Pull) Manufacturing*
  - *Flexible Manufacturing*
  - *Adaptive Manufacturing*
- Different Manufacturing Environments
  - *Make to stock (MTS)*
  - *Make to order (MTO)*
  - *Assemble to order (ATO)*
  - *Engineering to order (ETO)*

### III. Suggested Teaching Strategy

As the introductory chapter, the emphasis should be on explaining the basic concepts and describing the manufacturing environments in which these concepts are put into use. This would include going over the history of manufacturing control in detail with some interesting historical anecdotes. The details regarding the various systems are covered in the later chapters. Thus, only brief introductions for these would be sufficient. On the other hand, the more emphasis should be put on explaining the different manufacturing environments as these concepts will be used as the foundations of many of the later episodes.

#### IV. Solutions to Discussion Questions

1. *Write a brief memo to your immediate manager discussing why the study of supply chain–focused manufacturing planning and control is important in today's competitive manufacturing environment.*

To: Mr. Rogers

From: Bob Miller

Title: Memo about supply chain–focused manufacturing planning and control

The importance of implementing a competitive supply chain–focused manufacturing planning and control has become important to the company's bottom line because of the changes in our company's competitive environment and internal operation practices.

*In regard to competitive environment:*

The average lifecycle of our flagship product category has been reduced by 15% over the last 5 years. Moreover, the demand patterns have become increasingly difficult to forecast as a result of increased variability. The product variety demanded by the ultimate customer has also increased.

The consequences on operations are the need to decrease manufacturing lead time and increase manufacturing flexibility.

*In regard to internal operational policies:*

Compared to 10 years ago, the fabrication value added by internal manufacturing has decreased to 40%~60% while the portion of the end production value attributed to the value-added components and assemblies purchased have increased to 40%~60%. Thus, it has become more important to manage the quality delivered by the supply chain and coordinate the material flow along the supply chain.

The manufacturing planning and control system (MP&CS) has the objective of ensuring that the desired products are manufactured at the right time in the right quantities and are meeting quality specifications in the most cost-efficient manner. In the position of our company, the study and implementation of an efficient supply chain–focused

manufacturing planning and control system is essential for our company to gain a competitive advantage in our competitive market.

*Difficulty Level: Moderate*

2. *Discuss the relationship between the manufacturing planning and control system and the supply chain.*

The manufacturing planning and control system determines the flow of material through the value adding activities to make the product. The current trend is having a significant amount of the end product's value composed of components and sub-assemblies manufactured externally along the supply chain. The performance of the supply chain has become an important driver of competitive advantage in the market place. Thus, the manufacturing planning and control system is required to extend beyond the internal boundaries of the company towards the suppliers along the supply chain. The current MP&C framework's emphasis on integration and information sharing are the result of this situation.

For this purpose, the manufacturing planning and control system requires building and managing relationships with the suppliers along the supply chain beyond the traditional arm's length relationships commonly employed by manufactures. Rather than having an adversarial relationship in which the parties try to increase one's profit at the expense of others along the supply chain, important relationships are encouraged to take a win-win attitude. The parties share information and integrate planning and control to maximize the overall supply chain profitability and the gains are distributed equitably along the supply chain.

*Difficulty Level: Easy*

3. *Discuss in detail the manufacturing planning and control process given in Figure 1.*

The Manufacturing planning and control (MP&C) framework consists of the hierarchal planning system based on multiple level planning processes and the information system that provide the input for those processes on various levels. The MP&C framework is composed of 3 planning levels based on the degree of aggregation. The highest level of aggregation consists of the strategic planning process and aggregate planning process. These processes are closely connected to the business strategy of the company in determining the manufacturing activities across a longer planning horizon.

The next level of aggregation consists of the tactical planning process and master production scheduling (MPS) process. These processes try to determine the manufacturing timing of the actual end items during the predetermined planning horizon. The lowest level of aggregation consists of operational planning process and materials requirements planning (MRP) process. These processes try to determine the actual material and resource needed to fulfill the plans made in the higher levels. These processes generate plans that are then used on the shop floor to perform manufacturing activities. The feedback from each processes are stored and provided for future use by the information system.

*Difficulty Level: Easy*

4. Consider a durable product that you have recently purchased. Classify the product in terms of the positioning strategy and manufacturing technology.

Example durable product: Electric Iron

- Relative Production Complexity: Low

In terms of technology, the value of the product does not come from chasing the early adapters chasing new technology. The product has been available for a long time. It has matured as a product even with the occasional introduction of newer technology such as fire protection circuits or a steaming function.

- Relative Demand Variability: Low

The product has become more of a commodity in which price has become a stronger competitive advantage rather than any other factors. Considering that there are no drivers for owning more than one per household and no real performance motivation for replacing existing products, the variability in demand is relatively low.

- Thus, an electric Iron could be classified as Make-To-Stock product.

*Difficulty Level: Easy*

5. *Define lean manufacturing. Give as much detail as possible.*

Lean manufacturing can be defined as the utilization of manufacturing activities that embody the lean manufacturing philosophy. It is the systematic elimination of waste and the implementation of the concepts of continuous flow and customer pull. The ultimate goal of lean manufacturing is to create a process that is highly responsive to the customers' needs with the minimum cost possible.

For this goal, the following elements not only are required to be implemented but also required to be embedded within the manufacturing organization.

1. Specifying value and focusing on value adding activities
2. Identify and map the value stream of the product
3. Efficient flows of material and information
4. Pull philosophy
5. Quality perfection orientation

The 7 types of lean wastes are the following: overproduction, waiting, transportation, inventory, motion, over-processing, defective units.

While the popularity of Lean manufacturing has risen over the past few decades, it is not a cure-all solution for all environments. Rather, it has been shown that it performs better in an environment with low product variability and relatively stable customer demand.

*Difficulty Level: Easy*

6. *Discuss the difference between push and pull manufacturing systems. Which manufacturing system requires a higher level of management expertise? Give specific examples in your response.*

The basic characteristic that differentiates push from pull manufacturing is the location in which the manufacturing decisions originate from. In push manufacturing, the decisions and timing of manufacturing activities are determined by the plan developed by higher management. This plan is based on forecasts and management expertise. The objective of the plan is to maximize the utilization of resources, raw materials, and throughput cost. As a consequence, push manufacturing tends to carry high levels of inventory and the lead times tend to be relatively long.

In pull manufacturing, the decisions and timing of manufacturing activities are in response to customer demand. In order to sustain this system, responsiveness and flexibility is required to be built into the organization's processes and culture. Contrary to push manufacturing, pull manufacturing tends to carry less inventory and the lead times tend to be relatively shorter.

When comparing the two systems in regard to management expertise requirements, push manufacturing requires higher level of management expertise as all plans originates from management compared to pull manufacturing. In order for push manufacturing to be efficient, the management's ability to forecast accurately is essential as the longer lead times and the lack of communication between processes make the process rigid and cumbersome. Push manufacturing also requires higher degree of management observation and control over the processes. It is difficult to quickly identify problems and even more difficult to correct them in a timely manner compared to pull manufacturing. In contrary, pull manufacturing require higher skill and responsibility at the shop floor level as the individual processes have more autonomy.

*Difficulty Level: Moderate*

7. *What is the impact of return on asset (ROA) on manufacturing operational excellence?*

ROA is a measure of manufacturing effectiveness based on the profit margin and asset turnover. The profit margin measures operating efficiency but is difficult to use as a comparison as it lacks a point of comparison. Depending on several factors including the company's strategic investments, the same figure could mean different things to different companies. This weakness is compensated by using asset turnover. The asset turnover measures how well the manufacturing organization is utilizing its capital assets. Thus, it provides a standardizing effect as the profit margin is evaluated based on the amount of the company's investment in assets.

*Difficulty Level: Easy*

8. *Josh, Inc. is faced with the choice of either producing a newly designed product, XX-30, to stock in anticipation of demand or to customer order. The demand for the product is expected to be 5,000 units per week. Josh decided to produce XX-30 in lots of 500 units. The cost of holding the average unit in inventory per year is \$50 times the average inventory level. If Josh, Inc. produces to order, it must discount its unit price on all sales \$5 for each week that the first customer to order has to wait before the product is delivered. Should Josh, Inc. produce to stock or to order?*

When everything is equal, the decision is dependent on the difference between the cost of holding inventory and sales discount. It is assumed that the forecast is reliable and the stock out cost is negligible.

The average inventory level would be lot size divided by 2. Thus, the cost of holding the average unit in inventory per year is

$$\frac{500}{2} \times \$50 = \$12,500$$

The discount is \$5 for all products sold. The annual demand is 5,000 units per week \* 52 weeks = 260,000 units. Assuming that the make to order policy does not incur inventory holding costs, the discount cost is 260,000 units \* \$5 = \$1,300,000

Thus, comparing the cost for both policies, the make to stock policy is more cost effective given all things equal. This supports the classification based on the positioning strategy and manufacturing technology. Make to stock and make to order policies both are suited to low relative product complexity. However, each policy is more effective in different demand environments. The make to stock is more suited to the stable demand environment. Assuming that the demand of the product is accurately forecasted and thus there is less variation, X-33 can be classified being suitable for make to stock which is supported by the calculations.

*Difficulty Level: Moderate*

9. Consider a firm that produces a product that costs \$300 each at the rate of 10,000 units per week. From the time that production begins, it takes four weeks to complete. The raw material cost is \$180. All of the raw materials are added to the product at the time each product is started. Assuming that labor and overhead costs are added in equal parts over the four-week processing period for each unit, determine the average value of work-in-process inventory for the firm.

If the product takes 4 weeks to manufacture and a new lot of product is started every week, the firm is carrying 4 lots corresponding to each weekly stage at any week.

1	2	3	4	1	2	3	4				
	1	2	3	4	1	2	3	4			
		1	2	3	4	1	2	3	4		
			1	2	3	4	1	2	3	4	

---

Weeks

Labor and overhead costs per week:

$$\frac{(\$300 - \$180)}{4 \text{ weeks}} \times 10,000 = \$30 \times 10,000 = \$300,000$$

WIP inventory

- Week 1:  $\$180 \times 10,000 + \$300,000 = \$2,100,000$
- Week 2:  $\$180 \times 10,000 + \$300,000 \times 2 = \$2,400,000$
- Week 3:  $\$180 \times 10,000 + \$300,000 \times 3 = \$2,700,000$
- Week 4:  $\$180 \times 10,000 + \$300,000 \times 4 = \$3,000,000$

The average value of work-in-process inventory for the firm:

$$\$2,100,000 + \$2,400,000 + \$2,700,000 + \$3,000,000 = \$10,200,000$$

*Difficulty Level: Moderate*

# Chapter 2. Forecasting Demands

## I. Summary

This chapter focuses on introducing the concept of customer demands forecasting in the manufacturing environment to the readers. Forecasting customer demands is the process of estimating future demands based on the past or historical data and other factors such as price increase or new product introduction to the market that the managers think would affect the competitive environment the firm is positioned in. Having the ability to generate the most accurate predictions of future demand is essential since this information drives all of the key business functions' plans. This is truer for firms that utilize push manufacturing or have a make to stock (MTS) policy. These firms operate their manufacturing activities based on the plans formulated using forecasted information. As the actual visibility between the activities and the customers is low compared to pull manufacturing, the activities are almost wholly dependent on the manufacturing plans. Thus, it could be said that the efficiency of the manufacturing processes is dependent on the firm's ability to generate accurate forecasts.

Forecasts are made using both statistic techniques to process historical data and the management's intuitive predictions or judgments in regard to other factors not contain in the statistical data. The former is called Quantitative forecasts while the latter is called Qualitative forecasts. The chapter introduces the conceptual framework for the process of forecasting. It starts with determining the forecast purpose, the forecast interval, and choosing the forecasting technique most appropriate. Once the foundation for developing a forecast model has been laid and the appropriate data has been collected and sorted, the oldest portion of the data is used to initialize the forecast model's parameters. The remaining data is then used to generate a time series forecast model using the most current data. Once the forecast model has been completed and adjusted based on management's judgments, it can be used to predict the future customer demands.

The chapter provides a brief introduction to the readers concerning the individual statistical forecast techniques. This includes the following techniques: linear regression, simple moving average, weighted moving average, and exponential smoothing.

## II. Chapter Outline

- Introduction to Forecasting
- The Conceptual Forecasting Framework
- Measures of Forecast Accuracy
  - *Mean error (BIAS)*
  - *Mean absolute deviation (MAD)*
- Forecasting Approaches
  - *Quantitative forecasts*
  - *Qualitative forecasts*
- Components of time series forecast
  - *Trend*
  - *Seasonality*
  - *Cyclical*
  - *Irregular variations*
  - *Random fluctuation*
- Quantitative Forecasting Techniques
  - *Linear regression*
  - *Simple moving average*
  - *Weighted moving average*
  - *Simple exponential smoothing*
  - *Trend-enhanced exponential smoothing*
  - *Seasonality-enhanced exponential smoothing*
  - *Trend and seasonality exponential smoothing*

### III. Suggested Teaching Strategy

For this chapter, the focus should be on two things. The first is about understanding the demand patterns and identifying the pattern components. After examining the historical demand data gathered, it should be evident what forecasting technique should be used. In addition, it should be evident how the data should be partitioned to initialize and build the model. The second is getting comfortable with the practical working of the various forecasting techniques especially the exponential forecasting techniques. The exponential forecasting techniques have many components that are timing sensitive regarding which period data should be used. Thus, repeated practice with problems and detailed step by step examples are recommended.

#### IV. Solutions to Discussion Questions

1. Grey's Audiovisual rents audio and visual equipment to musicians for local concerts. The company is interested in forecasting the rentals for the d2-console so that it can make sure the d2-console is on hand when needed. The d2-console data for the last 10 months are shown here.

MONTH	DEMAND	MONTH	DEMAND
Jan.	23	June	28
Feb	24	July	32
March	32	Aug.	35
April	26	Sept.	26
May	31	Oct.	24

- a. Prepare a forecast for months 6 through 10 by using three- and five-month moving averages. What is the forecast for month 11?

The simple moving average techniques treats the data equally by weighting all data the same.

3-month moving average forecast for month 6:

$$\frac{\text{Demand } \sum \text{ for month } 3, 4, \wedge 5}{3} = \frac{32 + 26 + 31}{3} = 29.67$$

3-month moving average forecast for month 11:

$$\frac{35 + 26 + 24}{3} = 28.33$$

5-month moving average forecast for month 6:


$$\frac{\text{Demand } \sum \text{ for month } 1, 2, 3, 4, \wedge 5}{5} = \frac{23 + 24 + 32 + 26 + 31}{5} = 27.20$$

5-month moving average forecast for month 11:

$$\frac{28 + 32 + 35 + 26 + 24}{5} = 29.00$$

Month	1	2	3	4	5	6	7	8	9	10	11
Deman	23	24	32	26	31	28	32	35	26	24	

<b>d</b>											
<b>3-month moving average forecast</b>						29.67	28.33	30.33	31.67	31.00	28.33
<b>5-month moving average forecast</b>						27.20	28.20	29.80	30.40	30.40	29.00



- b. Calculate the mean absolute deviation (for periods 6–10) for each forecasting method.

MAD for 3-month moving average forecast:

$$\frac{1}{5} \sum_{i=6}^{10} (|D_i - F_i|) = \frac{(1.67 + 3.67 + 4.67 + 5.67 + 7)}{5} = 4.53$$

MAD for 5-month moving average forecast:

$$\frac{1}{5} \sum_{i=6}^{10} (|D_i - F_i|) = \frac{(0.8 + 3.8 + 5.2 + 4.4 + 6.4)}{5} = 4.12$$

- c. What are your recommendations for Gray's?

The MAD value of the 5-month moving average forecast is slightly smaller than the 3-month moving average forecast's MAD. Considering that a smaller MAD value equates to closer to the actual demand, 5-month moving average forecast method is a better choice.

*Difficulty Level: Moderate*

2. Sales for the past 12 months at Bell, Inc. are given below.

MONTH	SALES (\$ MILLIONS)	MONTH	SALES (\$ MILLIONS)
January	10	July	26
February	12	August	31
March	14	September	27
April	16	October	18
May	18	November	16
June	23	December	14

- a. Use a three-month moving average to forecast the sales for the months May through December.

3-month moving average forecast for month 5:


$$\frac{\text{Demand } \sum \text{ for month } 2, 3, \wedge 4}{3} = \frac{12 + 14 + 16}{3} = 14$$

- b. Use a four-month moving average to forecast the sales for the months May through December.

4-month moving average forecast for month 5:

$$\frac{\text{Demand } \sum \text{ for month } 1, 2, 3, \wedge 4}{3} = \frac{10 + 12 + 14 + 16}{3} = 13$$

Month	1	2	3	4	5	6	7	8	9	10	11	12
Demand	10	12	14	16	18	23	26	31	27	18	16	14
3-month moving average forecast					14.00	16.00	19.00	22.33	26.67	28.00	25.33	20.33
4-month moving average forecast					13.00	15.00	17.75	20.75	24.50	26.75	25.50	23.00



- c. Compare the performance of the two methods by using the bias and MAD as the performance criterion. Which method do you recommend?

Bias for 3-month moving average forecast:

$$\frac{1}{8} \sum_{i=5}^{12} (D_i - F_i) = \frac{(4 + 7 + 7 + 8.67 + 0.33 - 10 - 9.3 - 6.3)}{8} = 0.167$$

MAD for 3-month moving average forecast:

$$\frac{1}{8} \sum_{i=5}^{12} (|D_i - F_i|) = \frac{(4 + 7 + 7 + 8.67 + 0.33 + 10 + 9.3 + 6.3)}{8} = 6.58$$

Bias for 4-month moving average forecast:

$$\frac{1}{8} \sum_{i=5}^{12} (D_i - F_i) = \frac{(5 + 8 + 8.25 + 10.25 + 2.5 - 8.75 - 9.5 - 9)}{8} = 0.844$$

MAD for 4-month moving average forecast:

$$\frac{1}{8} \sum_{i=5}^{12} (|D_i - F_i|) = \frac{(5 + 8 + 8.25 + 10.25 + 2.5 + 8.75 + 9.5 + 9)}{8} = 7.66$$

Comparing 3-month and 4-month moving average forecast techniques, the 3-month moving average forecast result in both lower Bias and MAD than the 4-month moving average forecast.

Bias:  $0.167 < 0.6844$

MAD:  $6.58 < 7.66$

Thus, the 3-month moving average forecast technique should be used for forecasting.

*Difficulty Level: Moderate*

3. Nelson Fabricators sells a portable EKG machine. The sales manager requires a weekly forecast of the portable EKG machine so that he can schedule production. The manager uses exponential smoothing with  $\alpha = 0.30$ .

WEEK	ACTUAL PRODUCTION
1	535
2	689
3	601
4	768
5	433

- a. Forecast the number of machines for week 6 made at the end of week 4.

Using a Simple Exponential Smoothing Model, forecasts can only be made one time period ahead of the time the forecast is being made with any accuracy since the most recent information is not incorporated.

Thus, you cannot forecast for week 6 made at the end of week 4 using Simple Exponential Smoothing.

- b. Forecast the number of machines at the end of week 5.

Since week 1 is the first data point, the forecast for week 1 ( $ESF_0$ ) should be initialized to be the same as the actual demand for week 1.

- $ESF_0 = 535$
- $ESF_1 = 0.3 \times D_1 + 0.7 \times ESF_0 = 535$
- $ESF_2 = 0.3 \times D_2 + 0.7 \times ESF_1 = 581.2$
- $ESF_3 = 0.3 \times D_3 + 0.7 \times ESF_2 = 587.14$
- $ESF_4 = 0.3 \times D_4 + 0.7 \times ESF_3 = 641.398$
- $ESF_5 = 0.3 \times D_5 + 0.7 \times ESF_4 = 578.89$

Thus, the forecast for week 6 made at the end of week 5 is 578.89 or 579 units.

- c. Calculate the bias and MAD for parts a and b. Why is one of the forecasts more accurate than the other?

The bias of the forecast for week 6 made at the end of week 5 is 29.25

The MAD the forecast for week 6 made at the end of week 5 is 112.61

Forecasting at week 6 is more accurate than making one at the end of week 4 is more accurate because it incorporates more recent information which is especially important for simple exponential smoothing.

*Difficulty Level: Easy*

4. Consider the sales data for Bell, Inc. given in Problem 2.

- a. Use a three-month weighted moving average to forecast the sales for the months April through December. Use weights of (3/6), (2/6), and (1/6), giving more weight to more recent data.

3-month weighted moving average forecast for month 4:

$$\frac{\text{Demand for month 1} * \frac{1}{6} + \text{Demand for month 2} * \frac{2}{6} + \text{Demand for month 3} * \frac{3}{6}}{3} = \frac{10 * \frac{1}{6} + 12 * \frac{2}{6} + 14 * \frac{3}{6}}{3}$$


3-month weighted moving average forecast for month 12:

$$\frac{\text{Demand for month 9} * \frac{1}{6} + \text{Demand for month 10} * \frac{2}{6} + \text{Demand for month 11} * \frac{3}{6}}{3} = \frac{27 * \frac{1}{6} + 18 * \frac{2}{6} + 16 * \frac{3}{6}}{3}$$

- b. Use exponential smoothing with  $\alpha = 0.30$  to forecast the sales for the months April through December. The forecast for January was \$12 million.

- $ESF_0 = 12$
- $ESF_1 = 0.3 \times D_1 + 0.7 \times ESF_0 = 11.4$
- $ESF_2 = 0.3 \times D_2 + 0.7 \times ESF_1 = 11.58$
- $ESF_3 = 0.3 \times D_3 + 0.7 \times ESF_2 = 12.306$
- $ESF_4 = 0.3 \times D_4 + 0.7 \times ESF_3 = 13.41$
- $ESF_5 = 0.3 \times D_5 + 0.7 \times ESF_4 = 14.78994$

Month	1	2	3	4	5	6	7	8	9	10	11	12
Demand	10	12	14	16	18	23	26	31	27	18	16	14
3-month weighted moving average				16.67	19.33	22.00	26.17	31.33	36.67	38.50	32.17	24.50
Exponential smoothing( $ESF_t$ )				12.31	13.41	14.79	17.25	19.88	23.21	24.35	22.45	20.51



c. Compare the performance of the two methods by using the bias and MAD as the performance criteria. Which performance method is the most reasonable? Why?

Bias of the 3-month weighted moving average forecast:

$$\frac{1}{9} \sum_{i=4}^{12} (D_i - F_i) = \frac{(-0.67 - 1.33 + 1 - 0.17 - 0.33 - 9.67 - 20.5 - 16.17 - 10.5)}{8} = -6.48$$

MAD of 3-month moving average forecast:

$$\frac{1}{9} \sum_{i=4}^{12} (|D_i - F_i|) = \frac{(0.67 + 1.33 + 1 + 0.17 + 0.33 + 9.67 + 20.5 + 16.17 + 10.5)}{8} = 6.7$$

Bias of exponential smoothing

$$\frac{1}{9} \sum_{i=4}^{12} (D_i - F_i) = \frac{(3.69 + 4.59 + 8.21 + 8.75 + 11.12 + 3.79 - 6.35 - 6.44 - 6.51)}{8} = 2.32$$

MAD of exponential smoothing

$$\frac{1}{9} \sum_{i=4}^{12} (D_i - F_i) = \frac{(3.69 + 4.59 + 8.21 + 8.75 + 11.12 + 3.79 + 6.35 + 6.44 + 6.51)}{8} = 6.61$$

The exponential smoothing generates better forecasts as the MAD values are better ( $6.61 < 6.7$ ) and the bias value is smaller and positive. Unlike the 3-month moving average method, exponential smoothing under-estimates the demand. The 3-month moving average method over-estimates the demand.

*Difficulty Level: Moderate*

5. A toy manufacturer recently introduced a new computer game. Management is interested in estimating future sales volume to determine whether it should continue to carry the new game or replace it with another game. At the end of April, the average monthly sales volume of the new game was 500 games and the trend was +50 games per month. The actual sales volume figures for May, June, and July are 560, 600, and 620, respectively. Use trend-adjusted exponential smoothing with  $\alpha = 0.2$  and  $\beta = 0.1$  to forecast usage for June, July, and August.

Forecast for May:

- Step 1:  $\bar{F}_4 = 500$  (initialization)
- Step 2:  $T_4 = 50$  (initialization)
- Step 3:  $F_5 = \bar{F}_4 + T_4 = 550$

Forecast for June:


- Step 1:  $\bar{F}_5 = \alpha \times D_5 + (1 - \alpha)(\bar{F}_4 + T_4) = \alpha \times D_5 + (1 - \alpha)F_5 = 552$
- Step 2:  $T_5 = \beta(\bar{F}_5 - \bar{F}_4) + (1 - \beta)T_4 = 50.2$
- Step 3:  $F_6 = \bar{F}_5 + T_5 = 602.2$

Forecast for July:

- Step 1:  $\bar{F}_6 = \alpha \times D_6 + (1 - \alpha)(\bar{F}_5 + T_5) = \alpha \times D_6 + (1 - \alpha)F_6 = 601.76$
- Step 2:  $T_6 = \beta(\bar{F}_6 - \bar{F}_5) + (1 - \beta)T_5 = 50.156$
- Step 3:  $F_7 = \bar{F}_6 + T_6 = 651.916$

Forecast for August:

- Step 1:  $\bar{F}_7 = \alpha \times D_7 + (1 - \alpha)(\bar{F}_6 + T_6) = \alpha \times D_7 + (1 - \alpha)F_7 = 645.5328$
- Step 2:  $T_7 = \beta(\bar{F}_7 - \bar{F}_6) + (1 - \beta)T_6 = 49.51768$
- Step 3:  $F_8 = \bar{F}_7 + T_7 = 695.05048$



*Difficulty Level: Moderate*

6. At the end of April, the average monthly use of an ATM was 320 customers and the trend was +100 customers per month. The actual use rates for May, June, and July are 880, 910, and 990, respectively. Use trend-adjusted exponential smoothing with  $\alpha = 0.3$  and  $\beta = 0.2$  to forecast the ATM usage for June, July, and August.

Forecast for May:

- Step 1:  $\bar{F}_4 = 320$  (initialization)
- Step 2:  $T_4 = 100$  (initialization)
- Step 3:  $F_5 = \bar{F}_4 + T_4 = 420$

Forecast for June:


- Step 1:  $\bar{F}_5 = \alpha \times D_5 + (1 - \alpha)(\bar{F}_4 + T_4) = \alpha \times D_5 + (1 - \alpha)F_5 = 558$
- Step 2:  $T_5 = \beta(\bar{F}_5 - \bar{F}_4) + (1 - \beta)T_4 = 127.6$
- Step 3:  $F_6 = \bar{F}_5 + T_5 = 685.6$

Forecast for July:

- Step 1:  $\bar{F}_6 = \alpha \times D_6 + (1 - \alpha)(\bar{F}_5 + T_5) = \alpha \times D_6 + (1 - \alpha)F_6 = 752.92$
- Step 2:  $T_6 = \beta(\bar{F}_6 - \bar{F}_5) + (1 - \beta)T_5 = 141.064$
- Step 3:  $F_7 = \bar{F}_6 + T_6 = 893.984$

Forecast for August:

- Step 1:  $\bar{F}_7 = \alpha \times D_7 + (1 - \alpha)(\bar{F}_6 + T_6) = \alpha \times D_7 + (1 - \alpha)F_7 = 922.7888$
- Step 2:  $T_7 = \beta(\bar{F}_7 - \bar{F}_6) + (1 - \beta)T_6 = 146.82496$
- Step 3:  $F_8 = \bar{F}_7 + T_7 = 1069.61376$




*Difficulty Level: Moderate*

7. The number of knee surgeries performed at New Albany Surgical Hospitals (NASH) has increased steadily over the past five years. The hospital's administration is seeking the best method to forecast the demand for such surgeries in years 6 through 9. The data for the past five years are shown below.

YEAR	DEMAND
1	350
2	429
3	642
4	765
5	899

NASH's administration is considering alternative exponential forecasting methods. Use the first three years to initialize your methods. All methods must be tested and compared using the same years. Use the bias and MAD as the performance criteria to determine the best knee surgery forecasting method for periods 6 through 9.

Demand Graph:



It is evident from the demand pattern that there is a strong trend component to the demand. At this point, an exponential smoothing model with trend or regression model could be used. However, with the current data point limitations of only 6 points, the regression model is not suitable. Thus, an exponential smoothing model with trend should be used.



Since the model is built using month 4 and 5's data, the initialization starts with the base forecast made at month 3 ( $\bar{F}_3$ ) and the trend at month 3 ( $T_3$ ).

The smoothing constants are set as the following for a MAD value of 95.73.

$$\alpha = 0.4 \quad \beta = 0.5$$

Forecast for Month 4

- Step 1:  $\bar{F}_3 = \frac{1}{3} \sum_{i=1}^3 d_i = 473.6666667$  (initialization)
- Step 2:  $T_3 = \frac{1}{3} \sum_{i=1}^3 (d_{i+1} - d_i) = 146$  (initialization)
- Step 3:  $F_4 = \bar{F}_3 + T_3 = 619.67$

Forecast for Month 5:

- Step 1:  $\bar{F}_4 = \alpha \times D_4 + (1 - \alpha)(\bar{F}_3 + T_3) = 677.8$
- Step 2:  $T_4 = \beta(\bar{F}_4 - \bar{F}_3) + (1 - \beta)T_3 = 175.067$
- Step 3:  $F_5 = \bar{F}_4 + T_4 = 852.87$

Forecast for Month 6:

- Step 1:  $\bar{F}_5 = \alpha \times D_5 + (1 - \alpha)(\bar{F}_4 + T_4) = \alpha \times D_5 + (1 - \alpha)F_5 = 871.32$
- Step 2:  $T_5 = \beta(\bar{F}_5 - \bar{F}_4) + (1 - \beta)T_4 = 184.29$
- Step 3:  $F_6 = \bar{F}_5 + T_5 = 1055.61$

Forecast for Month 7:

Since there is no more historical data, steps 1 and 2 can be skipped over.

- Step 3:  $F_7 = \bar{F}_5 + 2 \times T_5 = 1239.906667$

Forecast for Month 8:

Since there is no more historical data, steps 1 and 2 can be skipped over.

- Step 3:  $F_8 = \bar{F}_5 + 3 \times T_5 = 1424.2$

Forecast for Month 9:

Since there is no more historical data, steps 1 and 2 can be skipped over.

- Step 3:  $F_9 = \bar{F}_5 + 4 \times T_5 = 1608.49$

*Difficulty Level: Moderate*

8. The following data are for computer sales in units at an electronics store over the past five weeks:

WEEK	DEMAND
1	56
2	59
3	53
4	60
5	63

Use trend-adjusted exponential smoothing with  $\alpha = 0.2$  and  $\beta = 0.2$  to forecast sales for weeks 3 through 6. Assume that the smoothed average is 55 units and that the average trend was +6 units per week just before week 1.

Forecast for week 1:

- Step 1:  $\bar{F}_0 = 55$  (initialization)
- Step 2:  $T_0 = 6$  (initialization)
- Step 3:  $F_1 = \bar{F}_0 + T_0 = 61$

Forecast for week 2:

- Step 1:  $\bar{F}_1 = \alpha \times D_1 + (1 - \alpha)(\bar{F}_0 + T_0) = 60$
- Step 2:  $T_1 = \beta(\bar{F}_1 - \bar{F}_0) + (1 - \beta)T_0 = 5.8$
- Step 3:  $F_2 = \bar{F}_1 + T_1 = 65.8$

Forecast for week 3:

- Step 1:  $\bar{F}_2 = \alpha \times D_2 + (1 - \alpha)(\bar{F}_1 + T_1) = 64.44$
- Step 2:  $T_2 = \beta(\bar{F}_2 - \bar{F}_1) + (1 - \beta)T_1 = 5.528$
- Step 3:  $F_3 = \bar{F}_2 + T_2 = 69.968$

Forecast for week 4:

- Step 1:  $\bar{F}_3 = \alpha \times D_3 + (1 - \alpha)(\bar{F}_2 + T_2) = 66.5744$
- Step 2:  $T_3 = \beta(\bar{F}_3 - \bar{F}_2) + (1 - \beta)T_2 = 4.84928$
- Step 3:  $F_4 = \bar{F}_3 + T_3 = 71.42368$


Forecast for week 5:

- Step 1:  $\bar{F}_4 = \alpha \times D_4 + (1 - \alpha)(\bar{F}_3 + T_3) = 69.138944$

- Step 2:  $T_4 = \beta(\bar{F}_4 - \bar{F}_3) + (1 - \beta)T_3 = 4.3923328$
- Step 3:  $F_5 = \bar{F}_4 + T_4 = 73.53$

Forecast for week 6:

- Step 1:  $\bar{F}_5 = \alpha \times D_5 + (1 - \alpha)(\bar{F}_4 + T_4) = 71.42502144$
- Step 2:  $T_5 = \beta(\bar{F}_5 - \bar{F}_4) + (1 - \beta)T_4 = 3.971081728$
- Step 3:  $F_6 = \bar{F}_5 + T_5 = 75.39610317$



*Difficulty Level: Moderate*

9. The demand for refurbished cell phones is experiencing a decline. The company wants to monitor cell phone demand closely. The trend-adjusted exponential smoothing method is used with  $\alpha = 0.1$  and  $\beta = 0.2$ . At the end of December, the updated estimate for the average number of cell phones sold in January was 340 and the updated trend for January was 52 per month. The following table shows the actual sales history for January, February, and March. Generate forecasts for February, March, and April.

MONTH	UNITS SOLD
January	168
February	198
March	230

Forecast for Month 1:

- Step 1:  $\bar{F}_0 = 340$  (initialization)
- Step 2:  $T_0 = 52$  (initialization)
- Step 3:  $F_1 = \bar{F}_0 + T_0 = 392$

Forecast for Month 2:


- Step 1:  $\bar{F}_1 = \alpha \times D_1 + (1 - \alpha)(\bar{F}_0 + T_0) = 369.6$
- Step 2:  $T_1 = \beta(\bar{F}_1 - \bar{F}_0) + (1 - \beta)T_0 = 47.52$
- Step 3:  $F_2 = \bar{F}_1 + T_1 = 417.12$

Forecast for Month 3:

- Step 1:  $\bar{F}_2 = \alpha \times D_2 + (1 - \alpha)(\bar{F}_1 + T_1) = 395.208$
- Step 2:  $T_2 = \beta(\bar{F}_2 - \bar{F}_1) + (1 - \beta)T_1 = 43.1376$
- Step 3:  $F_3 = \bar{F}_2 + T_2 = 438.3456$

Forecast for Month 4:

- Step 1:  $\bar{F}_3 = \alpha \times D_3 + (1 - \alpha)(\bar{F}_2 + T_2) = 417.51104$
- Step 2:  $T_3 = \beta(\bar{F}_3 - \bar{F}_2) + (1 - \beta)T_2 = 38.970688$
- Step 3:  $F_4 = \bar{F}_3 + T_3 = 456.481728$




*Difficulty Level: Moderate*

10. Consider the quarterly data below:


QUARTER	YEAR 1	YEAR 2	YEAR 3
1	3,000	3,300	3,502
2	1,700	2,100	2,448
3	900	1,500	1,768
4	4,400	5,100	5,882
Total	10,000	12,000	13,600

a. Use intuition and judgment to estimate quarterly demand for the fourth year.



The data shows seasonality and trend

- Quarter 1 year 4: 3,600
- Quarter 2 year 4: 2,700
- Quarter 3 year 4: 1,900
- Quarter 4 year 4: 6,600



b. Now use a three-period moving average to forecast year 4. Are any of the quarterly forecasts different from what you thought you would get in part (a)?

Considering there is a seasonality component, treat each quarter for each year as a series of data points.

E.g. Quarter 1 year 1, Quarter 1 year 2, Quarter 1 year 3, Quarter 1 year 4.

3-month moving average forecast for month Quarter 1 year 4:

$$\frac{\text{Demand } \sum \text{ for all quarter 1s}}{3} = \frac{3000 + 3300 + 3501}{3} = 3267.33$$

3-month moving average forecast for month Quarter 2 year 4:


$$\frac{\text{Demand } \sum \text{ for all quarter 2s}}{3} = \frac{1700 + 2100 + 2448}{3} = 2082.67$$

3-month moving average forecast for month Quarter 3 year 4:

$$\frac{\text{Demand } \sum \text{ for all quarter 3s}}{3} = \frac{900 + 1500 + 1768}{3} = 1389.33$$

3-month moving average forecast for month Quarter 4 year 4:

$$\frac{\text{Demand } \sum \text{ for all quarter 4s}}{3} = \frac{4400 + 5100 + 5882}{3} = 5127.33$$




The forecast tend to be lower than the intuitive judgment. The difference is larger for Quarter 4 year 4 than the other predictions.

*Difficulty Level: Easy*

11. The manager of Pat's Organic Farm must make the annual purchasing plans for rakes, gloves, and other gardening items. One of the items the company stocks is Lean-feed for chickens. The sales of this item are seasonal, with peaks in the spring, summer, and fall months. Quarterly demand (in cases) for the past two years is as follows:

QUARTER	YEAR 1	YEAR 2
1	40	60
2	350	440
3	290	320
4	210	280
Total	890	1,100

If the expected sales for Lean-feed are 1,150 cases for year 3, use the adjusted exponential smoothing model to prepare a forecast for each quarter of the year. Make the appropriate initialization assumptions.



Use a seasonality adjusted exponential smoothing model. As two years' worth of data is available and the seasonality repeats annually, the first year can be used to initialize the model. The second year's data can be used to build the model.

#### Initialization

Base value:

$$\bar{F}_4 = ESF_4 = \frac{1}{4} \sum_{i=1}^4 D_i = 222.5$$

Seasonality Index:

$$S_i = \frac{D_i}{\bar{F}_4} \quad S_1 = 0.18 \quad S_2 = 1.573 \quad S_3 = 1.303 \quad S_4 = 0.943820225$$

Forecast for quarter 1 year 2:

$$F_{5,2} = \bar{F}_4 \times S_1 = 40$$

Building with constant  $\alpha = 0.2$   $\gamma = 0.2$  MAD=34.81

Base value at quarter 1 year 2:

$$\bar{F}_5 = \alpha \left( \frac{D_5}{S_1} \right) + (1 - \alpha) \bar{F}_4 = 244.75$$

Seasonality Index at quarter 1 year 2:

$$S_5 = \gamma \left( \frac{D_5}{\bar{F}_5} \right) + (1 - \gamma) S_1 = 0.193$$

Forecast for quarter 2 year 2:

$$F_{6,2} = \bar{F}_5 \times S_2 = 385$$

Base value at quarter 2 year 2:

$$\bar{F}_6 = \alpha \left( \frac{D_6}{S_2} \right) + (1 - \alpha) \bar{F}_5 = 237.76$$

Seasonality Index at quarter 2 year 2:

$$S_6 = \gamma \left( \frac{D_6}{\bar{F}_6} \right) + (1 - \gamma) S_2 = 1.53602115$$

Forecast for quarter 3 year 2:

$$F_{7,3} = \bar{F}_6 \times S_3 = 309.89$$

Base value at quarter 3 year 2:  $\bar{F}_7 = 239.31$

Seasonality Index at quarter 3 year 2:  $S_7 = 1.31$

Forecast for quarter 4 year 2:  $F_{8,4} = 225.87$


Base value at quarter 4 year 2:  $\bar{F}_8 = 250.78$

Seasonality Index at quarter 7 year 2:  $S_8 = 0.98$

Forecasting at the end of the data

Forecast for quarter 1 year 3:  $F_{9,1} = 48.36$

Beyond quarter 1 year 3, it is difficult for the model to forecast with accuracy as there is no trend to increase the base value after  $\bar{F}_8$ .




*Difficulty Level: Difficult*

12. The Textron company in Mt. Vernon, Texas, asked you to develop quarterly forecasts of combine sales for next year. Combine sales are seasonal, and the data on the quarterly sales for the last four years are as follows:

QUARTER	YEAR 1	YEAR 2	YEAR 3	YEAR 4
1	55	85	178	256
2	37	23	101	193
3	89	130	145	209
4	110	156	167	167

Lisa Williams estimates the total demand for the next year at Textron. Use the seasonally adjusted exponential smoothing model to develop the forecast for each quarter. Use the appropriate assumptions to initialize the model.

Demand Graph:




From the graph, it can be seen that the demand shows both trend and seasonality. Thus the exponential smoothing model will include both.

The first year is used to initialize the model and the remainder is used to build the model.

The constants are set to  $\alpha = 0.2$   $\gamma = 0.8$   $\beta = 0.2$  MAD=54.845 Bias=4.926.

The following tables show the calculations.

Periods	Years	Quarters	Demand	Base value	Seasonality Index	Trend	Forecast
1	1	1	55		0.7560137	-18	
2		2	37		0.5085911	52	
3		3	89		1.2233677	21	
4		4	110	72.75	1.5120275	18.3333	
5	2	1	85	80.6864	0.9939722	16.2539	68.8603
6		2	23	73.5937	0.3517397	11.5846	49.303
7		3	130	80.1278	1.5426008	10.5745	104.204
8		4	156	84.7368	1.7752021	9.3814	137.144
9	3	1	178	103.605	1.5732416	11.2788	93.5508
10		2	101	140.313	0.646203	16.3646	40.4093
11		3	145	131.05	1.1936793	11.2391	241.691
12		4	167	123.655	1.4354688	7.5122	252.592
13	4	1	256	131.468	1.8724419	7.57243	206.357
14		2	193	164.908	1.0655205	12.7459	89.8483
15		3	209	166.944	1.2402685	10.604	212.062
16		4	167	156.823	1.1390098	6.45895	254.865
17	5	1					305.736
18		2					180.862
19		3					218.535
20		4					208.05




*Difficulty Level: Difficult*

13. Demand for car washes at Jenny's Car Wash has been as follows:

MONTH	NUMBER OF WASHES
January	410
February	460
March	570
April	520
May	590
June	510
July	600
August	620

Compare the performance of at least three exponential smoothing models using the bias and MAD as the performance criteria. Make the appropriate initiating assumptions. Which method do you recommend?




Initializing assumptions:  $\bar{F}_0 = D_1 = 410$

1) Simple Exponential smoothing ( $\alpha=0.4$ )

Bias= 53.49    MAD= 59.93

2) Simple Exponential smoothing ( $\alpha=0.7$ )

Bias= 35.27    MAD= 53.43



### 3) Exponential smoothing with Trend

Initializing assumptions

Use the first 3 weeks to initialize the model.

$$\alpha = 0.5 \quad \beta = 0.7$$

- Step 1:

$$\bar{F}_3 = \frac{1}{3} \sum_{i=1}^3 D_i = 480$$

- Step 2:

$$T_3 = \frac{1}{2} \sum_{i=2}^3 (D_i - D_{i-1})$$

- Step 3:  $F_4 = \bar{F}_3 + T_0 = 560$


Forecast for week 5:

- Step 1:  $\bar{F}_4 = \alpha \times D_4 + (1 - \alpha)(\bar{F}_3 + T_3) = 540$
- Step 2:  $T_4 = \beta(\bar{F}_4 - \bar{F}_3) + (1 - \beta)T_3 = 66$
- Step 3:  $F_5 = \bar{F}_4 + T_4 = 606$

Forecast for week 6:

- Step 1:  $\bar{F}_5 = \alpha \times D_5 + (1 - \alpha)(\bar{F}_4 + T_4) = 598$
- Step 2:  $T_5 = \beta(\bar{F}_5 - \bar{F}_4) + (1 - \beta)T_4 = 60.4$

- Step 3:  $F_6 = \bar{F}_5 + T_5 = 658.4$



Bias= -26.35 MAD= 32.054

- 4) As the performance measures are better than the others, Exponential smoothing with Trend could result in more accurate forecasts.

*Difficulty Level: Moderate*

14. Mrs. Cole's Bakery bakes and distributes bread throughout central Indiana. The company wants to expand operations by locating another plant in Ohio. The size of the new plant will be a function of the expected demand for baked goods within the area served by the plant. The company wants to estimate the relationship between the manufacturing cost per loaf and the number of loaves sold in a year to determine the demand for bread and, thus, the size of the new plant. The following data have been collected:


PLANT	COST PER THOUSAND LOAVES (Y)	THOUSANDS OF LOAVES SOLD (X)
1	\$515	208.9
2	457	232
3	567	125
4	500	182
5	543	115.8
6	631	126.5
7	432	294
8	450	207.0
9	502	132.2
10	503	183.0
Total		

- a. Develop a regression equation to forecast the cost per loaf as a function of the number of loaves produced.

$x$ =THOUSANDS OF LOAVES SOLD (X)

$y$ =COST PER THOUSAND LOAVES (Y)

$$y = -0.8289x + 659.74$$



- b. What are the correlation coefficient and the coefficient of determination?

Correlation coefficient = -0.800439533

Coefficient of determination:  $R^2 = 0.6407$

- c. Comment on your regression equation in light of these measures.

64% of the time, an increase of 1,000 loaves sold will decrease the cost per thousand loaves by 0.8289.

- d. Estimate the manufacturing cost per loaf for a plant producing 160,000 loaves per year.

As x is THOUSANDS OF LOAVES SOLD, x becomes 160.

$$y = -0.8289x + 659.74 = -0.8289 \times (160) + 659.74 = \$527.08$$

The cost per loaf is \$0.517 (\$527.08/1,000).

*Difficulty Level: Moderate*