## https://selldocx.com/products/test-bank-calculate-with-confidence-1e-Inc

**Chapter 02: Decimals** 

## **Gray Morris: Calculate with Confidence, 1st Canadian Edition**

## **COMPLETION**

1.	answe 1/64 =		$\sim$	decimal. Express the answer to the nearest thousandth; if the e a 0 to the left of the decimal.
	PTS:	1	REF:	Page 34
2.	answe			decimal. Express the answer to the nearest thousandth; if the e a 0 to the left of the decimal.
	ANS:	0.277		
	PTS:	1	REF:	Page 34
3.	mixed		_	imal to a fraction. Reduce to the lowest terms. If the answer is a acce between the whole number and the fraction.
	ANS:	7 1/40		
	PTS:	1	REF:	Page 35
4.	number 30 000	er greater than	n 999, a	imal to a fraction. Reduce to the lowest terms. If the answer has a a space is to be put after the thousands place, for example 6 000 or
	ANS:	1/10 000		
	PTS:	1	REF:	Page 35
5.		fy the decima .128 =	l with t	the largest value in the following set.
	ANS:	0.6		
	PTS:	1	REF:	Pages 26–27
6.		fy the decima .67, 0.86:		the largest value in the following set.
	ANS:	0.86		

	PTS: 1	REF: Pages 26–27
7.	Round off the follo 3.539 =	owing decimal to the nearest tenth.
	ANS: 3.5	
	PTS: 1	REF: Pages 32–33
8.	Round off the follo 0 to the left of the 0.6253 =	owing decimal to the nearest thousandth; if the answer is less than 1, place decimal.
	ANS: 0.625	
	PTS: 1	REF: Pages 32–33
9.	Perform the indica $64.1 - 0.009 = $	ted operation with decimals. Express the answer to the nearest thousandth
	ANS: 64.091	
	PTS: 1	REF: Pages 27–28
10.		ted operation with decimals. Express the answer to the nearest thousandth s than 1, place a 0 to the left of the decimal.
	ANS: 0.523	
	PTS: 1	REF: Pages 27–28
11.		ted operation with decimals. Express the answer to the nearest thousandth s than 1, place a 0 to the left of the decimal.
	ANS: 0.078	
	PTS: 1	REF: Page 29
10	Divide 41- 6-11	1 1

a

12. Divide the following decimal. Express the answer to the nearest hundredth; if the answer is less than 1, place a 0 to the left of the decimal.

$$0.1 \div 0.375 =$$

ANS: 0.27

PTS: 1 REF: Page 32

13. Change the following to a decimal. Express the answer to the nearest ten-thousandth; if the answer is less than 1, place a 0 to the left of the decimal.

	ANS:	0.0125		
	PTS:	1	REF:	Pages 23–24
14.	left of	the the largest the decimal. 0.749:	numbe	er in the following set. If the answer is less than 1, place a 0 to the
	ANS:	0.75		
	PTS:	1	REF:	Pages 26–27
15.		te the largest, 1.25, 1.09: _		er in the following set.
	ANS:	1.25		
	PTS:	1	REF:	Pages 26–27
16.		rm the indicate - 0.76 =	-	ration with decimals. Express the answer to the nearest hundredth.
	ANS:	1.74		
	PTS:	1	REF:	Pages 27–28
17.		m the indicate $-6.055 = $	-	ration with decimals. Express the answer to the nearest thousandth.
	ANS:	3.068		
	PTS:	1	REF:	Pages 27–28
18.	space		fter the	ration with decimals. If the answer has a number greater than 999, a thousands place, for example 6 000 or 30 000.
	ANS:	5 000		
	PTS:	1	REF:	Pages 31–32
19.	Perfor	m the indicat	ed ope	ration with decimals. Express the answer to the nearest thousandth.

66.66 × 3.33 = \_\_\_\_

ANS: 221.978

PTS: 1 REF: Page 30

20. Change the following decimal to a fraction. Reduce the result to its lowest terms. 0.010 =\_\_\_\_\_

	ANS: 1/100		
	PTS: 1	REF: Pages 34–35	
21.	Change the follo	wing decimal to a fraction. Reduce the result to its lowest terms.	
	ANS: 3/500		
	PTS: 1	REF: Pages 34–35	
22.	Round off the following left of the decime 0.52 =	lowing decimal to the nearest tenth. If the answer less than 1, place a 0 to l.	the
	ANS: 0.5		
	PTS: 1	REF: Pages 34–35	
23.	Round off the fo	lowing decimal to the nearest hundredth.	
	ANS: 2.46		
	PTS: 1	REF: Page 33	
24.	Round off the fo	lowing decimal to the nearest tenth.	
	ANS: 28.7		
	PTS: 1	REF: Page 33	
25.	Round off the fo	lowing decimal to the nearest tenth.	
	ANS: 1.5		
	PTS: 1	REF: Page 33	
26.	Round off the fo 0 to the left of th 0.3333 =		ce a
	ANS: 0.333		

PTS: 1

REF: Page 33

27.	A patient weighed 75.4 kilograms (kg) in February. In March the patient gained 1.6 kg. In April the patient gained 2.2 kg. How much did the patient weigh in April? Express the answer to the nearest tenth kg
	ANS: 79.2
	PTS: 1 REF: Pages 27–28
28.	A patient weighed 55.4 kilograms (kg) before getting ill. After a lengthy recovery, the patient weighed 49.7 kg. How many kilograms did the patient lose? Express the answer to the nearest tenth kg
	ANS: 5.7
	PTS: 1 REF: Pages 27–28
29.	A medication vial holds 7 millilitres (mL) of medication. If 1.4 mL are withdrawn from the vial, how many mL are left in the vial? mL
	ANS: 5.6
	PTS: 1 REF: Pages 27–28
30.	A patient is brought into the emergency department with a body temperature of 35.6° C. If the normal body temperature is 37° C, how many degrees Celsius below normal is the patient's temperature? Express answer to the nearest tenth° C
	ANS: 1.4
	PTS: 1 REF: Pages 27–28
31.	A patient received 25.2 milligrams (mg) of medication in tablet form. Each tablet contained 4.2 mg of medication. How many tablets (tabs) were given to the patient? tablet(s)
	ANS: 6
	PTS: 1 REF: Page 32
32.	A patient received 0.375 mg of a medication for 2 days, 0.125 mg for 3 days, and 0.0625 mg for 4 days. What is the total mg of medication taken? Express the answer to the nearest thousandth mg
	ANS: 1.375
	PTS: 1 REF: Page 27   Pages 29–30
33.	The health care provider ordered 1.5 tablets of a medication to be given to a patient four times a day for 21 days. How many tablets were prescribed? tablet(s)
	ANS: 126

	PTS: 1 REF: Pages 29–30
34.	One dose of vaccine is 1.25 mL. How many mL of vaccine is needed to vaccinate 55 patients in a clinic? Express the answer to the nearest tenth mL
	ANS: 68.8
	PTS: 1 REF: Pages 29–30
35.	The health care provider has ordered a 2 200-calorie (cal) diet for a patient. If the calories are spread evenly among three meals, how many calories will the patient be allowed to have at each meal? Express the answer as a whole number; do NOT include a decimal cal
	ANS: 733
	PTS: 1 REF: Page 31