https://selldocx.com/products

#est-bank-conection-1e-goshaw

Name____

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

State whether the following represents a function.

1) Set A: students attending Laughlin Community College Set B: social security number of the student

1) _____

A) Yes

B) No


2) $y = x^3 - 2x + 4$ A) Yes

B) No

State whether the graph represents a function.

3)


3)



B) No

4)

4)



B) No

Evaluate the function at the indicated value.

5)
$$f(x) = -7x^2 + 6x + 9$$
; $f(3)$

A) -36

C) 6

5) _____

6)
$$f(x) = x^2 - 4x + 6$$
; $f(a + h)$

A) $a^2 + 2ah + h^2 - 4a - 4h + 6$

B)
$$a^2 + h^2 - 4a + h + 6$$

C)
$$a^2 + h^2 - 4a - 4h + 6$$

D)
$$a^2 + 2ah + h^2 - 4a + 6$$

Simplify the difference quotient for the given function.

7)
$$f(x) = -3x + 6 + x^2$$

A) $-3 + a^2 + 2a + h$

B)
$$-3 + 2a + h$$

C)
$$-3a + 2ah + h$$

D)
$$-3a + h + 6$$

8)
$$f(x) = 8x^3$$

A) $24a^2 + 24ah + 8h$

B)
$$24a^2 + 24ah + 8h^2$$

C) 24a²


D)
$$24a^2 + h$$

Choose the graph that matches the equation.


9)
$$y = 5x - 3$$

A)







B)








D)




10)
$$y = -4x - 6$$

A)












C)




D)









A) slope 5; (0, -2)




B) slope 2; (0, -5)



C) slope -2; (0, 5)





D) slope **-**2; (0, 5)





Graph the function.


12)
$$f(x) = |x| - 5$$



































D)



Find the domain and range of the function.

15)
$$f(x) = |x + 4| + 2$$

- A) domain: reals; range: $y \ge 2$
- C) domain: reals; range: reals
- B) domain: reals; range: $y \le 2$
- D) domain: $x \ge 4$; range: $y \ge 2$

16)
$$f(x) = 2 - |x|$$

- A) domain: $x \le 2$; range: reals
- C) domain: reals; range: $y \le 2$
- B) domain: reals; range: reals
- D) domain: reals; range: $y \ge 2$

Solve the problem.

17) A moving firm charges a flat fee of \$35 plus \$30 per hour. Write a function describing the total cost in dollars of using the moving firm for x hours.

A)
$$C(x) = 30x - 35$$

B)
$$C(x) = 30x + 35$$

C)
$$C(x) = 35x + 30$$

D)
$$C(x) = 35x - 30$$

- 18) The cost C, in dollars, to produce graphing calculators is given by the function C(x) = 52x + 3000, where x is the number of calculators produced. What is the cost to produce 2800 calculators?
 - A) \$145,600 B) \$142,600
- C) \$148,600
- D) \$148,950

15)

16)

17)

18)

| 19) A construction company uses the f | unction $S(t) = 30,000 - 2000t$ to determine | 19) |
|--|--|-----|
| the salvage value S(t) of their trucks t years after it is purchases. What was | | |
| the initial value of the truck and ho | w long until it depreciates completely? | |
| A) \$20000; 15 years | B) \$32,000; 16 years | |
| C) \$30,000; 15 years | D) \$30,000; 30 years | |
| 20) Midtown Delivery Service delivers packages which cost \$1.90 per package 20) | | |
| to deliver. The fixed cost to run the delivery truck is \$60 per day. If the | | 20) |
| company charges \$6.90 per package, how many packages must be delivered | | |
| company charges 40.50 per package | e, now many packages must be delivered | |
| daily to break even? | e, now many packages must be derivered | |
| | B) 31 packages | |

Answer Key

Testname: UNIT 0 TOPIC 1 QUIZ

- 1) A
- 2) A
- 3) A
- 4) B
- 5) A
- 6) A
- 7) B
- 8) B
- 9) A
- 10) B
- 11) D
- 12) A
- 13) B
- 14) A
- 15) A
- 16) C
- 17) B
- 18) C
- 19) C
- 20) D


MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.


Choose the graph that matches the equation.


1)
$$y = (x + 2)^2$$

A)
















2)
$$y = (x - 7)^2 + 1$$

A)







B)








D)




Determine the vertex of the quadratic function. Graph the function and state the domain and range.


3)
$$y = (x + 6)^2$$




A) vertex: (6, 0)domain: reals range: $y \le 0$




B) vertex: (-6, 0) domain: reals range: $y \ge 0$



C) vertex: (0, 6)domain: reals range: $y \ge 6$




D) vertex: (6, 0)domain: reals range: $y \ge 0$




4) $y = x^2 + 6$


4) _____




A) vertex: (0, 6)domain: reals range: $y \le 6$




B) vertex: (0, -6) domain: reals range: $y \ge -6$




C) vertex: (0, 6) domain: reals range: $y \ge 6$




D) vertex: (6, 0)domain: reals range: $y \ge 0$




5) _____




A) vertex: (0, 5)domain: reals range: $y \le 5$




B) vertex (-5, 0)domain: reals range: $y \ge 0$



C) vertex: (0, -5) domain: reals range: $y \le -5$




D) vertex: (0, -5) domain: reals range: $y \ge -5$




Determine the point of inflection of the cubic function and graph the function.


6) $y = (x + 7)^3$









B) (0, 7)



C) (7, 0)





D) (-7, 0)




7)
$$y = x^3 + 5$$

7)







B) (0, 5)



C) (0, 5)




D) (5, 0)




8) $y = x^3 - 3$


8) _____




A) (0, -3)




B) (-3, 0)




C) (0, -3)




D) (0, 3)




9) $y = (x - 6)^3 - 4$







B) (-6, -4)



C) (6, -4)




D) (6, -4)



Draw the graph of the square-root function. State the domain and range.


10) $f(x) = \sqrt{x-5}$

10) _____




A) domain: $x \ge -5$


range: $y \ge 0$




B) domain: $x \ge 0$




C) domain: $x \ge 0$ range: $y \ge -5$




D) domain: $x \ge 5$







A) domain: $x \ge -3$ range: $y \ge 0$




B) domain: $x \ge 3$ range: $y \ge 0$




C) domain: $x \ge 0$ range: $y \ge -3$




D) domain: $x \ge 0$ range: $y \ge 3$




12) $y = 6 + \sqrt{2 - x}$




A) domain: $x \le -2$ range: $y \ge 6$




B) domain: $x \ge -2$ range: $y \ge 6$



C) domain: $x \ge 2$ range: $y \ge 6$



D) domain: $x \le 2$ range: $y \ge 6$



Solve the problem.

- 13) Market supply and market demand, in hundreds of thousands, for a certain book are given by S(x) = x 5 and $D(x) = \sqrt{2x + 5}$, where x is the cost of the book. Find the equilibrium point and interpret its meaning.
 - A) Supply equals demand if the cost of the book is \$10.
 - B) Supply equals demand if the cost of the book is \$5.
 - C) The company will break even if the cost of the book is \$5.
 - D) The company will break even if the cost of the book is \$2 or \$10.
- 14) The time T in seconds for a pendulum of length L feet to make one swing is given by $T = 2\pi \sqrt{\frac{L}{37}}$. Find the time for a pendulum of length 2.4 ft to make one swing. Use 3.14 for π and round to the nearest tenth of a second.
 - A) 1.6 sec
- B) 2.2 sec
- C) 2.4 sec
- D) 1.0 sec
- 15) The height, in feet, of an object t seconds after being thrown upward from a hot air balloon is given by:

15) ___

13)

$$h(t) = -16.1t^2 + 6.3t + 800,$$

Predict the height of the object after 5.5 seconds.

- A) 278.32 ft
- B) 347.63 ft
- C) 746.10 ft
- D) 0 ft
- 16) A company uses the quadratic model $y = -11x^2 + 350x$ to estimate the number of units (y) of a new product that will be sold x weeks after its release. How many units of the product can they expect to sell 8 weeks after release?
- 16) _____

17) _

- A) 3504 units
- B) 2888 units
- C) 2712 units
- D) 2096 units
- 17) John owns a hotdog stand. He has found that his profit can be modeled by $P(x) = -x^2 + 56x + 75$, where x is the number of hotdogs sold. How many hotdogs must he sell to maximize his profit?
 - A) 56 hotdogs

B) 28 hotdogs

C) 47 hotdogs

D) 75 hotdogs

18) In one U.S. city, the quadratic function $A(x) = 0.0041x^2 - 0.48x + 36.42$ models the median age, A, at which men were first married x years after 1900. Find the vertex of the equation and interpret its meaning.

18) _____

- A) (59, 20.9); The median age at which men were first married reached a minimum of 20.9 years in 1959.
- B) (59, 22.4); The median age at which men were first married reached a minimum of 22.4 years in 1959.
- C) (71, 27.1); The median age at which men were first married reached a maximum of 27.1 years in 1971.
- D) (59, 22.4); The median age at which men were first married reached a maximum of 22.4 years in 1959.

19) April shoots an arrow upward into the air at a speed of 32 feet per second from a platform that is 30 feet high. The height of the arrow after t seconds is given by the function $h(t) = -16t^2 + 32t + 30$. What is the maximum height of the arrow?

19) _____

20) _____

A) 29 ft

B) 16 ft

C) 30 ft

D) 46 ft

A function f(x) is given. By using your graphing calculator to estimate the x-intercepts of the graph of the function, estimate the real solutions to the equation f(x) = 0. Round solutions to three decimal places if necessary.

20) $f(x) = x^4 - 13x^2 - 48$

A) x = -16, 3

B) x = 4

C) $x = -\sqrt{3}, \sqrt{3}$

D) x = -4, 4

Answer Key

Testname: UNIT 0 TOPIC 2 QUIZ

- 1) C
- 2) C
- 3) B
- 4) C
- 5) C
- 6) D
- 7) C
- 8) C
- 9) C
- 10) D
- 11) C
- 12) D
- 13) A
- 14) A
- 15) B
- 16) D
- 17) B
- 18) B
- 19) D
- 20) D