https://selldocx.com/products

MULTIPLE CHOICE Choose the one alternative that best completes the statement or apswer4 the question.

Decide whether the given number is a solution to the equation preceding it.

A) Yes

B) No

Answer: A

2) p - 3 = 4; 7

A) Yes

B) No

Answer: A

3) 9m + 8 = 46; 4

A) No

B) Yes

Answer: A

4) 6y + 9(y - 6) = 81; 9

A) No

B) Yes

Answer: B

5) 7p + 5p - 4 = 32; 3

A) No

B) Yes

Answer: B

6) $(x - 5)^2 = 81; 4$

A) Yes

B) No

Answer: B

7) $\sqrt{4x+6} = 4$; $\frac{5}{2}$

A) No

B) Yes

Answer: B

8) $\frac{-9}{x} + \frac{1}{-8} = 1; -8$

A) Yes

B) No

Answer: A

Solve the equation.

9) 4z + 12 = 3z + 4

A) {16}

B) {-16}

C) {-8}

D) {8}

Answer: C

10) 9x - 8x = 17

A) {-17}

B) {17}

C) {0}

(-1)

Answer: B

11) 10y = 3y + 8 + 6y

A) {8}

B) {80}

C) {-8}

D) {-80}

12)
$$-5a + 5 + 6a = 14 - 21$$

A) {40}

B) {-40}

C) {12}

D) {-12}

Answer: D

13) 13(8c - 2) = 4c - 2

A)
$$\left\{\frac{28}{25}\right\}$$

B) $\left\{-\frac{6}{25}\right\}$

C) $\left\{\frac{1}{18}\right\}$

D) $\left\{\frac{6}{25}\right\}$

Answer: D

14) 3(y + 3) = 4(y - 8)

A) {23}

B) {41}

C) {-23}

D) {-41}

Answer: B

15) 4(2z - 2) = 7(z + 4)

A) {36}

B) {24}

C) {-20}

D) {20}

Answer: A

16) -5x + 7(2x - 2) = -1 - 4x

B) $\left\{ -\frac{15}{13} \right\}$

C) {1}

D) {- 3}

Answer: C

17) $\frac{x}{3}$ - 5 = $\frac{x}{5}$ + 1

A)
$$\left\{ -\frac{15}{2} \right\}$$

B) {45}

C) {- 6}

D) {9}

Answer: B

18) $\frac{5}{2}x - \frac{1}{4} = \frac{x}{4} - \frac{1}{8}$

A)
$$\left\{\frac{5}{12}\right\}$$

B) $\left\{\frac{1}{22}\right\}$

C) {- 12}

D) $\left\{\frac{1}{18}\right\}$

Answer: D

Solve the equation. Identify the equation as an identity, an inconsistent equation, or a conditional equation.

- 19) 16m + 4 = 2(5m + 29)
 - A) Conditional, {-10}
 - C) Inconsistent, Ø

B) Identity, {all real numbers}

D) Conditional, {9}

Answer: D

20) 3(8t + 10) = 6(2t + 3)

A) Identity, {all real numbers}

C) Inconsistent, Ø

B) Conditional, {-1}

D) Conditional, {-4}

Answer: B

21) 4(4f - 18) = 16f - 72

A) Conditional, {1}

C) Conditional, {all real numbers}

B) Inconsistent, Ø

D) Identity, {all real numbers}

22)
$$2(4g - 8) - 8g + 16 = 0$$

- A) Conditional, {1}
- C) Identity, {all real numbers}

Answer: C

23)
$$20k + 71 = 4(5k + 17)$$

- A) Inconsistent, {all real numbers}
- C) Identity, {all real numbers}

Answer: D

$$24) - 25s - 45 + 5(5s + 10) = 0$$

- A) Inconsistent, {all real numbers}
- C) Inconsistent, Ø

Answer: C

25)
$$7x + 10x = -9x$$

- A) Conditional, {26}
- C) Inconsistent, Ø

Answer: D

26)
$$\frac{-8x}{x} = -8$$

- A) Conditional, {-8}
- C) Identity, {all real numbers}

Answer: B

27)
$$\frac{x(x+8)}{x+8} = x$$

- A) Conditional, {8}
- C) Inconsistent, Ø

Answer: B

28)
$$\frac{2}{m-4} - \frac{9}{m+4} = \frac{9}{m^2-16}$$

- A) Inconsistent, Ø
- C) Conditional, {5}

Answer: C

29)
$$\frac{2y+3}{y} = \frac{3}{2}$$

- A) Conditional, {-6}
- B) Identity, $\{x \mid x \neq 0\}$
- C) Inconsistent, Ø
- D) Conditional, $\{\sqrt{2}\}$

B) Conditional, Ø

B) Inconsistent, Ø

D) Inconsistent, Ø

B) Identity, {all real numbers}

D) Conditional, {all real numbers}

D) Conditional, Ø

B) Identity, {all real numbers}

D) Conditional, {0}

B) Identity, $\{x \mid x \neq 0\}$

D) Inconsistent, Ø

B) Identity, $\{x \mid x \neq -8\}$

D) Identity, {all real numbers}

B) Identity, {all real numbers}

D) Conditional, {-5}

30)
$$1 - \frac{3}{2x} = \frac{7}{4}$$

- A) Conditional, {-2}
- C) Inconsistent, Ø

Answer: A

31)
$$\frac{5-a}{a} + \frac{3}{4} = \frac{7}{a}$$

- A) Conditional, (-8)
- C) Conditional, $\left\{\sqrt{\frac{29}{20}}\right\}$

Answer: A

32)
$$\frac{x}{2x+2} = \frac{-2x}{4x+4} + \frac{2x-3}{x+1}$$

- A) Identity, $\{x \mid x \neq -1\}$
- B) Conditional, {3}
- C) Inconsistent, Ø

D) Inconsistent, Ø

B) Identity, $\left\{ x \mid x \neq -\frac{1}{2} \right\}$

B) Identity, {all real numbers}

D) Conditional, {2}

D) Conditional, $\left\{\frac{3}{2}\right\}$

Answer: B

33)
$$\frac{x+3}{8} - \frac{x-3}{2} = 3$$

- A) Inconsistent, Ø
- C) Conditional, (- 3)

Answer: C

34)
$$\frac{1}{6} + \frac{6}{x} = \frac{1}{7} + \frac{7}{x}$$

- A) Conditional, $\left\{\frac{1}{42}\right\}$
- C) Identity, {all real numbers}

Answer: D

35)
$$\frac{1}{t} + \frac{1}{5t} + \frac{1}{7t} = 9$$

- A) Identity, $\{t \mid t \neq 0\}$
- C) Conditional, $\left\{ \frac{43}{315} \right\}$

- B) Conditional, {0}
- D) Identity, {all real numbers}
- B) Inconsistent, Ø
- D) Conditional, {42}
- B) Conditional, $\left\{\frac{47}{315}\right\}$
- D) Inconsistent, Ø

36)
$$\frac{5x}{x-5} - \frac{4}{x} = \frac{20}{x^2 - 5x}$$

- A) Conditional, $\left\{\frac{4}{5}\right\}$
- C) Inconsistent, Ø

- B) Conditional, $\left\{\pm \frac{4}{5}\right\}$
- D) Identity, {all real numbers}

Answer: A

37)
$$\frac{1}{x+6} + \frac{4}{x+5} = \frac{-1}{x^2 + 11x + 30}$$

- A) Identity, {all real numbers}
- C) Conditional, {5}

- B) Inconsistent, Ø
- D) Conditional, {-6}

Answer: B

Use a calculator to help solve the equation. Round approximate answers to three places.

- 38) x + 285.992 = 226.288
 - A) {0.791}

B) {1.264}

- C) {-59.704}
- D) {512.28}

Answer: C

- 39) -251.031 = 621.153 + x
 - A) {-2.474}
- B) {-872.184}
- C) {-0.404}
- D) {370.122}

Answer: B

- 40) -355.825x = -478.128
 - A) {1.344}

- B) {170,129.896}
- C) {-122.303}
- D) {0.744}

Answer: A

- 41) $\frac{x}{233.998} = -750.29$
 - A) {-0.312}
- B) {-175,566.36}
- C) {-3.206}
- D) {-516.292}

Answer: B

- 42) $(x + 1.4)^2 = (x 4.5)^2$
 - A) Ø

- B) {-1.550}
- C) {1.550}

D) {2.950}

Answer: C

- 43) (1.84×10^4) x + 6.4×10^3 = 7.6×10^2
 - A) {-0.307}
- B) {-0.378}
- C) {0.389}

D) {0.378}

Answer: A

- 44) -2.7q + 1.4 = -12.1 1.2q
 - A) {5.000}

B) {-15}

C) {9}

D) {5.444}

Answer: C

- 45) $2x + \frac{2}{5} = \frac{x 10}{3}$
 - A) {-1.94}

- B) {-1.04}
- C) $\{-2.64\}$

D) {-2.24}

46)
$$\pi$$
 - 2.7x = 5(x - $\sqrt{3}$) + 5
A) {1.183}

B) {-0.317}

C) {0.883}

D) {0.083}

Solve the absolute value equation.

B) {16}

C) {4}

D) {-4}

Answer: A

Answer: C

48)
$$| x | = -11.2$$

A) $\{12,544\}$

B) {11.2}

C) Ø

D) {-11.2}

49) | b - 4 | = 4 A) {8}

B) $\{-8, 0\}$

C) Ø

D) {8, 0}

Answer: D

A) Ø

B)
$$\left\{ \frac{1}{8}, -\frac{17}{8} \right\}$$

C) $\left\{-\frac{1}{6}, \frac{17}{6}\right\}$

D) $\left\{ \frac{1}{6}, -\frac{17}{6} \right\}$

Answer: D

51)
$$| t + 5 | = 0$$

A) $\{5\}$

B) $(-\infty, 5] \cup [-5, \infty)$

C) Ø

D) {-5}

Answer: D

52)
$$| 4x | = 0$$

A) $\{0, 4\}$

B) {0}

C) {-4, 4}

D) $\{-4, 0\}$

Answer: B

53)
$$| 8x | = 5$$

A) $\left\{ -\frac{5}{8} \right\}$

B) $\left\{-\frac{8}{5}, \frac{8}{5}\right\}$

C) $\left\{-\frac{5}{8}, \frac{5}{8}\right\}$

D) $\left\{\frac{5}{8}\right\}$

Answer: C

54)
$$| x + 5 | - 4 = 13$$

Answer: C

A) {-12, 12}

B) {-4, 12}

C) {-22, 12}

D) {14, 12}

55) $\frac{1}{5}|x - 12| = 14$

A) {82}

B) {82, -58}

C) {-58}

D) {58, -82}

Answer: B

56)
$$4|x + 8| - 2 = 0$$

A) $\left\{-\frac{15}{2}\right\}$

B) $\left\{-\frac{15}{2}, -\frac{17}{2}\right\}$ C) $\left\{-\frac{17}{2}\right\}$

D) $\left\{-\frac{15}{2}, \frac{17}{2}\right\}$

Solve the equation.

57)
$$\frac{p}{3} - \frac{3p}{8} = 3$$

Answer: B

Answer: B

59)
$$2(x + 2) = 2 - 4(x + 2)$$

A) $\left\{\frac{5}{3}\right\}$

A)
$$\left\{\frac{5}{3}\right\}$$

B) {10}

C)
$$\left\{\frac{1}{6}\right\}$$

D)
$$\left\{-\frac{5}{3}\right\}$$

Answer: D

60)
$$\frac{5}{m+4} + \frac{6}{m} = \frac{2m+4}{m^2+4m}$$

A)
$$\left\{-\frac{20}{9}, 20\right\}$$

B)
$$\left\{-\frac{20}{9}\right\}$$

C)
$$\left\{\frac{20}{9}\right\}$$

D)
$$\left\{\pm \frac{20}{9}\right\}$$

Answer: B

61)
$$\frac{5-x}{x} + \frac{3}{4} = \frac{7}{x}$$

A)
$$\left\{\sqrt{\frac{29}{20}}\right\}$$

Answer: C

62)
$$\frac{x}{2x+2} = \frac{-2x}{4x+4} + \frac{2x-3}{x+1}$$

C)
$$\left\{\frac{3}{2}\right\}$$

D)
$$\left\{ -\frac{12}{5} \right\}$$

Answer: B

63)
$$\frac{1}{5}$$
(20x - 25) = $\frac{1}{2}$ (10x - 8)

D)
$$\left\{\frac{1}{20}\right\}$$

Answer: A

64)
$$\frac{9x-8}{5} + \frac{4x+1}{2} = 3$$

A)
$$\left\{\frac{7}{19}\right\}$$

B)
$$\left\{ \frac{51}{38} \right\}$$

C)
$$\left\{\frac{1}{2}\right\}$$

D)
$$\left\{ \frac{41}{38} \right\}$$

65) $x^2 + 7x + 2 = x^2 - 6$ A) $\left\{ \frac{12}{7} \right\}$ C) $\left\{ -\frac{8}{12} \right\}$

Answer: C

B) Inconsistent, Ø

D) Identity, {all real numbers}

66) $6x^2 + 7x - 1 = x(7 + 6x) - 1$

A) $\left\{\frac{4}{3}\right\}$ C) $\left\{-\frac{4}{3}\right\}$

B) Identity, {all real numbers}

D) Inconsistent, Ø

Answer: B

Solve the problem.

67) The temperature, t, in degrees Fahrenheit, of water being heated is 67 + $\frac{1}{3}$ m where m is the number of minutes

since heating began. How long will it take for the temperature of the water to reach 70 degrees Fahrenheit?

A) 9 min

B) 3 min

C) 6 min

D) 18 min

Answer: A

68) Mark has \$75 to spend on salmon at \$5.00 per pound and/or chicken at \$3.00 per pound. If he buys s pounds of salmon and c pounds of chicken, the equation 5s + 3c = 75 must be satisfied. How much salmon did Mark buy if he bought 5 pounds of chicken?

A) 12 lb

B) 16 lb

C) 19 lb

D) 17 lb

Answer: A

69) Yearly sales at a certain department store follow the model y = 85 - 13.254x where y is the total sales in thousands of dollars and x is the number of years after 1992. In what year will the sales first be less than \$35,000?

A) 1996

96 B) 1995

C) 1990

D) 1989

Answer: B

70) A repair company's charge for repairing a certain type of copy machine fits the model y = 47.38 + 0.617x where y is the number of dollars charged and x is the number of minutes the repair person is on the job. How many minutes would it take for the cost of repair to reach \$120? (Round to the nearest minute.)

A) 118 min

B) 12 min

C) 271 min

D) 187 min

Answer: A

71) When going more than 38 miles per hour, the gas mileage of a certain car fits the model y = 43.81 - 0.395x where x is the speed of the car in miles per hour and y is the miles per gallon of gasoline. Based on this model, at what speed will the car average 15 miles per gallon? (Round to nearest whole number.)

A) 98 mph

B) 48 mph

C) 149 mph

D) 73 mph

72) The temperature of water in a certain lake on a day in October can be determined by using the model y = 15.2 - 0.537x where x is the number of feet down from the surface of the lake and y is the Celsius temperature of the water at that depth. Based on this model, how deep in the lake is the water 8 degrees? (Round to the nearest foot.)

A) 32 ft

B) 69 ft

C) 13 ft

D) 43 ft

Answer: C

73) In the following formula, y is the minimum number of hours of studying required to attain a test score of x: $y = \frac{0.35x}{100.5 - x}$. How many hours of study are needed to score 87? Round to the nearest hundredth of an hour.

A) 2.26 hr

B) 6.02 hr

C) 101.09 hr

D) 22.60 hr

Answer: A

74) Suppose a cost-benefit model is given by $y = \frac{4.4x}{100 - x}$, where y is the cost in thousands of dollars for removing x percent of a given pollutant. Find the cost of removing 40% to the nearest dollar.

A) \$666

B) \$1760

C) \$2933

D) \$4400

Answer: C

75) Median family income in Country X between 1990 and 1999 can be modeled by f(x) = 1174.6(x - 1990) + 35,265, where x is the year. Determine symbolically when the median income was \$42,092.

A) $x \approx 1994$

B) $x \approx 2000$

C) $x \approx 1998$

D) x ≈ 1996

Answer: D

Solve the formula for the specified variable.

76) A =
$$\frac{1}{2}$$
bh for b

A) b = $\frac{2A}{h}$

B) b = $\frac{Ah}{2}$

C) b = $\frac{A}{2h}$

D) $b = \frac{h}{2A}$

Answer: A

77) $S = 2\pi rh + 2\pi r^2$ for h

A) h = S - r

B) $h = 2\pi(S - r)$

C) $h = \frac{S}{2\pi r} - 1$

D) h = $\frac{S - 2\pi r^2}{2\pi r}$

Answer: D

78) $V = \frac{1}{3}Bh \text{ for } B$

A) B = $\frac{3V}{h}$

B) B = $\frac{h}{3V}$

C) B = $\frac{V}{3h}$

D) B = $\frac{3h}{V}$

Answer: A

79) I = $\frac{nE}{nr + R}$ for n

A) $n = \frac{-R}{Ir - F}$

B) $n = \frac{IR}{Ir + F}$

C) n = IR(Ir - E)

D) $n = \frac{-IR}{Ir - E}$

80)
$$P = s_1 + s_2 + s_3$$
 for s_3

A)
$$s_3 = s_1 + P - s_2$$

B)
$$s_3 = P - s_1 - s_2$$

B)
$$s_3 = P - s_1 - s_2$$
 C) $s_3 = s_1 + s_2 - P$

D)
$$s_3 = P + s_1 + s_2$$

Answer: B

81)
$$F = \frac{9}{5}C + 32$$
 for C

A)
$$C = \frac{5}{F - 32}$$

B)
$$C = \frac{F - 32}{9}$$

C)
$$C = \frac{9}{5}(F - 32)$$
 D) $C = \frac{5}{9}(F - 32)$

D) C =
$$\frac{5}{9}$$
 (F - 32)

Answer: D

82)
$$A = \frac{1}{2}h(b_1 + b_2)$$
 for b_1

A)
$$b_1 = \frac{(b_2)^2 A - h}{h}$$
 B) $b_1 = \frac{A - h(b_2)}{2h}$ C) $b_1 = \frac{2A - (h)(b_2)}{h}$ D) $b_1 = \frac{h(b_2) - 2A}{h}$

B)
$$b_1 = \frac{A - h(b_2)}{2h}$$

C)
$$b_1 = \frac{2A - (h)(b_2)}{h}$$

D)
$$b_1 = \frac{h(b_2) - 2A}{h}$$

Answer: C

83)
$$a + b = s + r$$
 for s

A)
$$S = \frac{a+b}{s}$$

B)
$$s = \frac{a}{s} + b$$

C)
$$s = r(a + b)$$

D)
$$s = a + b - r$$

Answer: D

84)
$$A = P(1 + nr)$$
 for r

A)
$$r = \frac{P - A}{Pn}$$

B)
$$r = \frac{A}{n}$$

C)
$$r = \frac{A - P}{Pn}$$

D)
$$r = \frac{Pn}{A - P}$$

Answer: C

85)
$$R = nE - nr$$
, for n

A)
$$n = R + nr - E$$

B)
$$n = \frac{R}{F - r}$$

C)
$$n = R - E + r$$

D)
$$n = \frac{R + nr}{E}$$

Answer: B

Use the appropriate formula to solve the problem.

- 86) The length of a rectangular billboard is 7 inches more than the width. The perimeter of the billboard is 138 inches. Find the width of the billboard.
 - A) 7 in.

C) 34 in.

D) 31 in.

Answer: D

- 87) The perimeter of a rectangle is 30 cm. One side is 9 cm longer than the other side. Find the lengths of the sides.
 - A) 6 cm, 15 cm
- B) 8 cm, 17 cm
- C) 3 cm, 12 cm
- D) 3 cm, 9 cm

Answer: C

- 88) The perimeter of a rectangle is 38 m. If the width were doubled and the length were increased by 5 m, the perimeter would be 60 m. What are the length and width of the rectangle?
 - A) width 4 m, length 9 m

B) width 9 m, length 9 m

C) width 6 m, length 13 m

D) width 13 m, length 6 m

Answer: C

89)	89) Using the interest rate formula $A = \frac{2pf}{b(q+1)}$, find A to the nearest percent when $p = 12$, $f = \$177$, $b = \$1000$,				
	q = 24. A) 17%	B) 18%	C) 15%	D) 16%	
	Answer: A	05			
90)	Using the interest rate formula $A = \frac{2pf}{b(q+1)}$, find f to the nearest dollar when $A = 11\%$, $p = 12$, $b = \$2900$, $q = 12$				
	A) \$183 Answer: C	B) \$170	C) \$173	D) \$195	
91)) The area of a trapezoid is 88 square feet. If the bases are 8 and 14 feet, find the height of the trapezoid.				
	$[A = \frac{1}{2}(B + b)h]$				
	A) 1.5 ft	B) 16 ft	C) 8 ft	D) 4 ft	
	Answer: C				
92)) A circle has a circumference of A) 7 m	42π meters. Find the radius (B) 11 m	of the circle. (C = $2\pi r = \pi d$) C) 42 m	D) 21 m	
	Answer: D				
93)) Find the corresponding Celsius A) 264.2°C	s temperature for a temperatu B) 68.1°C	re of 129°F. Round to the nea C) 174.6°C	rest tenth, if necessary. D) 53.9°C	
	Answer: D				
94)) Find the corresponding Fahrenheit temperature for a temperature of 23°C. Round to the nearest tenth, if necessary.				
	A) -5°F	B) 73.4°F	C) 99°F	D) 30.6°F	
	Answer: B				
95)	5) Levi borrowed \$3859 at 14% simple interest for 4 months. How much will the interest amount to? What is the total amount that Levi will have to pay back at the end of 4 months? Round answers to the nearest cent if necessary.				
	A) \$135.07; \$3994.07	B) \$180.09; \$4039.09	C) \$225.11; \$4084.11	D) \$181.60; \$4040.60	
	Answer: B				
	e problem.				
96)) If Gloria received a 4% raise an A) \$23,000	id is now making \$23,920 a ye B) \$24,000	ear, what was her salary before C) \$22,920	re the raise? D) \$21,920	
	Answer: A				
97)	7) Stevie bought a stereo for \$275 and put it on sale at his store at a 50% markup rate. What was the retail price of the stereo?				
	A) \$550.00	B) \$412.50	C) \$312.50	D) \$375.00	
	Answer: B				

98)	On Monday, an investor bough much did the investor pay for t A) \$1350.00			•		
	Answer: C					
99)	Mardi received an inheritance obonds at 8%. Her total annual A) \$54,200					
	Answer: B					
100)	6%. He made a total of \$720 in	Walt made an extra \$9000 last year from a part-time job. He invested part of the money at 9% and the rest at 6%. He made a total of \$720 in interest. How much was invested at 6%?				
	A) \$6000	B) \$4500	C) \$7000	D) \$3000		
	Answer: D					
101)	At the end of the day, a storeke tax of 5%. What amount of sale	es tax had been collected?	-	e of goods and the sales		
	A) \$70	B) \$65	C) \$60	D) \$75		
	Answer: A					
102)	A square plywood platform ha length of a side.	s a perimeter which is 6 time	s the length of a side, decreas	ed by 6. Find the		
	A) 5	B) 1	C) 3	D) 2		
	Answer: C					
103)	03) A rectangular Persian carpet has a perimeter of 248 inches. The length of the carpet is 28 inches more than the width. What are the dimensions of the carpet?					
	A) 76 in., 104 in.	B) 96 in., 124 in.	C) 48 in., 76 in.	D) 110 in., 138 in.		
	Answer: C					
104)	A triangular lake-front lot has the third side is 400 feet longer	•	9	ne shortest side, while		
	A) 100 ft, 200 ft, 300 ft Answer: D	B) 500 ft, 600 ft, 900 ft	C) 500 ft, 500 ft, 500 ft	D) 400 ft, 500 ft, 800 ft		
105)	A bakery owner sells rectangul	ar birthday cakes that are 5 in	nches longer than they are wi	de. To increase his		
·	v cake is 66 in. ² smaller					
	A) length = 16 in.; width = 8 in.C) length = 15 in.; width = 10 in.		B) length = 17 in.; width = 11 in.D) length = 14 in.; width = 9 in.			
	Answer: C					
106)	A circular hole is filled with colacross and requires 2.2 bags of your answer to the nearest inch	concrete in order to fill it to g	round level. What is the dept	h of the hole? Round		
	makes 1800 in. ³ of material.)		11 1 22	·		
	A) 22 in.	B) 16 in.	C) 20 in.	D) 13 in.		
	Answer: B					

107) Jay drove 308 kilometers at the average rate of 77 kilometers per hour. How long did the trip take?					
	A) 3 hours	B) $\frac{1}{4}$ hour	C) 5 hours	D) 4 hours	
	Answer: D				
108)	Janet drove 325 kilometers and	I the trip took 5 hours. How f	ast was Janet traveling?		
	A) $\frac{1}{65}$ kph	B) 65 kph	C) 1625 kph	D) 66 kph	
	Answer: B				
109)	Jill is 13.5 kilometers away from			me. Jill walks at 1.5	
	A) 9 kilometers per hour		B) 6 kilometers per hour		
	C) 3 kilometers per hour		D) 2.25 kilometers per hour		
	Answer: C				
110)	From a point on a river, two bomiles per hour. In how many h		•	our and the other at 6	
	A) 8 hours	B) 6 hours	C) 12 hours	D) 3 hours	
	Answer: D				
111)	111) Candy and Delvis are riding bicycles in the same direction. Candy is traveling at the speed of 5 miles per hour and Delvis is traveling at the speed of 7 miles per hour. In 2 hours, what is the distance between them?				
	A) 120 miles	B) 168 miles	C) 4 miles	D) 24 miles	
	Answer: C				
112)	From a point on a straight road other at 45 miles per hour. In h		475 miles apart?	s per hour and the	
	A) 6 hours		B) 4 hours		
	C) Not enough information Answer: D		D) 5 hours		
	Allswei. D				
113) From a point on a straight road, John and Fred ride bicycles in opposite directions. John rides 10 miles per hour and Fred rides 13 miles per hour. In how many hours will they be 115 miles apart?					
	A) Not enough informationC) 4 hours		B) 6 hours D) 5 hours		
	Answer: D		D) 5 Hours		
	Allswei. D				
114) From a point on a river, two boats are driven in opposite directions, one at 9 miles per hour and the other at 10 miles per hour. In how many hours will they be 57 miles apart?					
	A) 4 hr	B) 1 hr	C) 5 hr	D) 3 hr	
	Answer: D				
115)	115) Sarah and Shakina are running in a 4-lap, 1 mile race. Shakina is exactly one lap behind at the moment when Sarah completes her second lap. If Sarah averages 0.19 miles per minute for her last two laps, what must				
	Shakina's average speed be in (A) 0.13 mi/min	order for her to just pull ever B) 0.38 mi/min	with Sarah at the finish line? C) 0.25 mi/min	D) 0.29 mi/min	
	Answer: D				

116)	An airplane flies from Metro City to Gotham with a tailwind that increases its normal speed by 120 mph. On the return trip, the plane must fly against this wind, which decreases its normal speed by the same amount. The flight from Metro City takes 1.70 hours and the return trip takes 3.48 hours. How far is it from Metro City to Gotham?					
	A) 800 mi	B) 920 mi	C) 1100 mi	D) 1000 mi		
	Answer: A					
117)	17) Helen Weller invested \$10,000 in an account that pays 10% simple interest. How much additional money must be invested in an account that pays 13% simple interest so that the average return on the two investments amounts to 11%?					
	A) \$5000	B) \$6000	C) \$10,000	D) \$7000		
	Answer: A					
118)	Carl participates in a bowling	tournament. After completinç	$g^{\frac{2}{3}}$ of the games, his average	score per game is 200.		
	What must his average score b Round your answer to the near		order for his overall game ave	rage to be 223.33?		
	A) 265	B) 259	C) 270	D) 277		
	Answer: C	·	·	·		
119)	A student earned scores of 85, on the seventh test to produce	an 86 average?				
	A) 81	B) 78	C) 80	D) 79		
	Answer: B					
120)	20) Jim had grades of 67 and 88 on two chemistry tests. What is the lowest score he can get on the third test to maintain an average of 75?					
	A) 70	B) 77.5	C) 75	D) 77		
	Answer: A					
121)	121) In the first two weeks of school, Jill studied 20 hours and 15 hours, respectively. How many hours must she study during the third week to give her an average of 20 hours per week?					
	A) 20 hours	B) 27.5 hours	C) 17.5 hours	D) 25 hours		
	Answer: D					
122)	122) Over the past two weeks, Jane earned \$156 and \$290 respectively, at her part time job. What must she earn in the third week to bring her three-week average earnings to \$200 per week?					
	A) \$323.00	B) \$154.00	C) \$223.00	D) \$200		
	Answer: B					
123)	123) Bill needs an average of 75 on four tests in science to make the honor roll. What is the lowest score he can receive on the fourth test if his first three scores are 61, 82, and 60?					
	A) 97	B) 67.7	C) 75	D) 69.5		
	Answer: A					
124)	Liz ran 30 mi, 34 mi, and 38 mi an average of 30 miles per wee	_	any miles must she run the fo	urth week to give her		
	A) 33 mi	B) 18 mi	C) 34 mi	D) 30 mi		
	Answer: B					

125) It is necessary to have a 40% antifreeze solution in the radiator of a certain car. The radiator now has 40 liter 20% solution. How many liters of this should be drained and replaced with 100% antifreeze to get the desired and replaced with 100% antifreeze to get the desired and replaced with 100% antifreeze to get the desired and replaced with 100% antifreeze to get the desired and replaced with 100% antifreeze to get the desired and replaced with 100% antifreeze to get the desired and replaced with 100% antifreeze to get the desired and replaced with 100% antifreeze to get the desired and replaced with 100% antifreeze to get the desired and replaced with 100% antifreeze to get the desired and replaced with 100% antifreeze to get the desired and replaced with 100% antifreeze to get the desired and replaced with 100% antifreeze to get the desired and replaced with 100% antifreeze to get the desired and replaced with 100% antifreeze to get the desired and replaced with 100% antifreeze to get the desired and replaced with 100% antifreeze to get the desired and replaced with 100% antifreeze to get the desired and replaced with 100% antifreeze to get the 100% antifreeze to get the 100% and					
	strength? A) 20 L	B) 10 L	C) 16 L	D) 13.3 L	
	Answer: B				
126)	26) A chemist makes a mixture of concentrated hydrochloric acid and distilled water so that the ratio of acid to water is 7 : 3. If he starts with 28 L of acid, how much water is mixed with the acid?				
	A) 12 L	B) 35 L	C) 23 L	D) 49 L	
	Answer: A				
127)	How many liters of a 50% alcoh	nol solution must be mixed w	vith 40 liters of a 70% solution	to get a 60% solution?	
	A) 4 L	B) 40 L	C) 8 L	D) 80 L	
	Answer: B				
128)	128) In a chemistry class, 4 liters of a 4% silver iodide solution must be mixed with a 10% solution to get a 6% solution. How many liters of the 10% solution are needed?				
	A) 2.0 L	B) 3.0 L	C) 1.0 L	D) 4.0 L	
	Answer: A				
129)	A merchant has coffee worth \$4 get a mixture that can be sold for	or \$12 a pound. How many p	ounds of the \$4 coffee should	l be used?	
	A) 67.5 lb	B) 135 lb	C) 45 lb	D) 22.5 lb	
	Answer: C				
130)	130) Tim and Judy mix two kinds of feed for pedigreed dogs. They wish to make 19 pounds of feed worth \$0.27 per pound by mixing one kind worth \$0.22 per pound with another worth \$0.41 per pound. How many pounds of the cheaper kind should they use in the mix? (Round to the nearest pound.)				
	A) 16 lb	B) 14 lb	C) 10 lb	D) 5 lb	
	Answer: B	,	,	,	
131)	131) A contractor mixes concrete from bags of pre-mix for small jobs. How many bags with 7% cement should he mix with 3 bags of 37% cement to produce a mix containing 12% cement?				
	A) 17 bags	B) 23 bags	C) 15 bags	D) 18 bags	
	Answer: C				
132) Anne and Nancy use a metal alloy that is 20.75% copper to make jewelry. How many ounces of a 19% alloy must be mixed with a 24% alloy to form 80 ounces of the desired alloy?					
	A) 52 oz	B) 33 oz	C) 54 oz	D) 28 oz	
	Answer: A				
133)	133) Martha can rake the leaves in her yard in 5 hours. Her brother can do the job in 7 hours. How long will it take them to do the job working together?				
	A) $\frac{35}{12}$ hr	B) $\frac{1}{35}$ hr	C) $\frac{35}{2}$ hr	D) $\frac{1}{12}$ hr	
	Answer: A				

134) One maid can clean the house in 3 hours. Another maid can do the job in 5 hours. How long will it take them to					
do the job working to	gether?				
A) $\frac{1}{8}$ hr	B) $\frac{15}{8}$ hr	C)	D) $\frac{15}{2}$ hr		
Answer: B					
135) Frank can type a report in 2 hours. James takes 4 hours to type it. How long will it take the two of them typing together?					
A) $\frac{1}{6}$ hr	B)	C) 4 hr	D) $\frac{4}{3}$ hr		

Answer: D

136) An experienced accountant can prepare a tax return in 8 hours. A novice accountant can do the job in 11 hours. How long will it take them to do the job working together?

A)
$$\frac{1}{10}$$
 hr

B)
$$\frac{88}{3}$$
 hr

C)
$$\frac{1}{88}$$
 hr

D)
$$\frac{88}{19}$$
 hr

Answer: D

137) A water tank can be filled in 5 minutes and emptied in 9 minutes. If the drain is accidentally left open when the tank is being filled, how long does it take to fill the tank?

A)
$$\frac{45}{4}$$
 min

B)
$$\frac{1}{45}$$
 min

C)
$$\frac{45}{14}$$
 min

D)
$$\frac{1}{14}$$
 min

Answer: A

138) Two machines are turned on at 8:00 A.M. If one can produce 39 items each hour and the other can produce 43 items each hour, at what time will they produce a total of 574 items?

Answer: B

139) Two machines are turned on at 8:00 A.M. If one can produce 36 items each hour and the other can produce 33 items each hour, at what time will they produce a total of 138 items?


A) 9:00 A.M.

B) 11:30 A.M.

C) 11:00 A.M.

D) 10:00 A.M.

Write the ordered pair for each point shown in the xy plane. 140)



A)
$$A = (2, 22), B = (7, -5)$$

C) $A = (3, 7), B = (2, 7)$


C)
$$A = (3, 7), B = (2, 7)$$

Answer: B

B)
$$A = (3, 2), B = (-5, 7)$$

D)
$$A = (3, 2), B = (7, -5)$$

141)




C)
$$C = (-3, 5), D = (-5, 6)$$

B)
$$C = (-3, -5), D = (5, -5)$$

D)
$$C = (-3, 5), D = (6, -5)$$

142)




A)
$$E = (-6, 4), G = (-5, -7)$$

B) E = (4, 4), G = (-5, -7)C) E = (-6, -5), G = (4, -5)D) E = (-6, 4), G = (-7, -5)

Answer: D

143)




A)
$$G = (4, -7), H = (6, -3)$$

C)
$$G = (4, 6), H = (-7, 6)$$

B)
$$G = (-7, 24), H = (6, -3)$$

D)
$$G = (4, -7), H = (-3, 6)$$

144)



A)
$$A = (4, 0), B = (3, 0)$$

C)
$$A = (4, 0), B = (0, 3)$$

B) A = (0, 4), B = (0, 3)

D)
$$A = (0, 4), B = (3, 0)$$

Answer: C

Name the quadrant in which the point is located, or the axis on which it lies .

145) (4,5)

- A) Quadrant IV
- B) Quadrant II
- C) Quadrant III
- D) Quadrant I

Answer: D

Answer: D

146) (-3, 9)

A) Quadrant IV

- B) Quadrant III
- C) Quadrant I
- D) Quadrant II

147) (-11, -19)

- A) Quadrant I
- B) Quadrant II
- C) Quadrant III
- D) Quadrant IV

Answer: C

- 148) (6, -14)
 - A) Quadrant III
- B) Quadrant II
- C) Quadrant I
- D) Quadrant IV

Answer: D

- 149) (-4, 0)
 - A) y-axis Answer: D

- B) Quadrant II
- C) Quadrant III
- D) x-axis

150) (0, -17)

- A) Quadrant III
- B) x-axis
- C) y-axis

D) Quadrant II

Answer: C

Find the distance between the points, and find the midpoint of the line segment joining them.

- 151) (1, 8) and (5, 2)
 - A) $2\sqrt{13}$; (3, 5)
- B) $2\sqrt{13}$; (5, 3)
- C) 2; (6, 10)
- D) 2; (-4, 6)

A)
$$2\sqrt{29}$$
; (2, 0)

C)
$$2\sqrt{29}$$
; $(0, 2)$

Answer: A

B)
$$\sqrt{a^2 + 9}$$
; $\left(\frac{17}{2}a, \frac{15}{2}\right)$ C) $a + 3$; $(a, 3)$

D)
$$\sqrt{a^2 + 9}$$
; $\left(\frac{15}{2}, \frac{17}{2}\right)$

Answer: B

154)
$$(\pi, 0)$$
 and $(\pi/4, 1)$

A)
$$\frac{\sqrt{9\pi^2 + 1}}{4}$$
; $\left(\frac{3\pi}{8}, \frac{1}{2}\right)$

C)
$$\frac{\sqrt{9\pi+16}}{4}$$
; $\left(\frac{5\pi}{8}, \frac{1}{2}\right)$

Answer: D

B)
$$\frac{\sqrt{9\pi^2 + 16}}{4}$$
; $\left(\frac{5\pi}{4}, \frac{1}{2}\right)$

D)
$$\frac{\sqrt{9\pi^2 + 16}}{4}$$
; $\left(\frac{5\pi}{8}, \frac{1}{2}\right)$

Find the center and radius of the circle.

155)
$$x^2 + y^2 = 144$$

A) Center: (0, 0); radius: 144

C) Center: (1, 1); radius: 12

Answer: B

156)
$$(x - 4)^2 + y^2 = 64$$

A) Center: (0, 4); radius: 8

C) Center: (0, -4); radius: 64

Answer: B

B) Center: (4, 0); radius: 8 D) Center: (-4, 0); radius: 64

157) $(x - 4)^2 + (y + 9)^2 = 9$

A) Center: (-9, 4); radius: 9

C) Center: (4, -9); radius: 9

Answer: B

D) Center: (-9, 4); radius: 3

158) $(x + 3)^2 + (y - 1)^2 = 81$

A) Center: (1, -3); radius: 81

C) Center: (-3, 1); radius: 9

Answer: C

D) Center: (1, -3); radius: 9

159)
$$(x - 3)^2 + (y - 7)^2 = 25$$

A) Center: (7, 3); radius: 5

C) Center: (-7, -3); radius: 5

Answer: B

D) Center: (-3, -7); radius: 25

160)
$$x^2 + (y - 3)^2 = 9$$

A) Center: (3, 0); radius: 3

C) Center: (0, 3); radius: 3

Answer: C

D) Center: (-3, 0); radius: 3

161)
$$y^2 = 25 - (x + 10)^2$$

A) Center: (-10, 0); radius: 5

C) Center: (10, 0); radius: 25

Answer: A

162)
$$x^2 = 16 - (y + 5)^2$$

A) Center: (-5, 0); radius: 16

C) Center: (5, 0); radius: 16

Answer: B

163)
$$(x - 9)^2 = 4 - (y + 7)^2$$

A) Center: (-9, 7); radius: 4

C) Center: (7, -9); radius: 4

Answer: B

164)
$$(y + 5)^2 = 9 - (x + 8)^2$$

A) Center: (5, 8); radius: 9

C) Center: (8, 5); radius: 3

Answer: B

B) Center: (0, -10); radius: 25

D) Center: (0, 10); radius: 5

B) Center: (0, -5); radius: 4

D) Center: (0, 5); radius: 4

B) Center: (9, -7); radius: 2

D) Center: (-7, 9); radius: 2

B) Center: (-8, -5); radius: 3 D) Center: (-5, -8); radius: 9

Write the standard equation for the circle.

165) Center at (7, -1), radius 3

A)
$$(x - 1)^2 + (y + 7)^2 = 3$$

C)
$$(x + 1)^2 + (y - 7)^2 = 3$$

Answer: D

Answer: C

B)
$$(x + 7)^2 + (y - 1)^2 = 9$$

D)
$$(x - 7)^2 + (y + 1)^2 = 9$$

166) Center at (-8, 0), radius 7

A)
$$x^2 + (y - 8)^2 = 7$$

B)
$$x^2 + (y + 8)^2 =$$

C)
$$(x + 8)^2 + v^2 = 49$$

B)
$$x^2 + (y + 8)^2 = 7$$
 C) $(x + 8)^2 + y^2 = 49$ D) $(x - 8)^2 + y^2 = 49$

167) Center at (2, 3), radius $\sqrt{3}$

A)
$$(x + 2)^2 + (y + 3)^2 = 3$$

C)
$$(x - 2)^2 + (y - 3)^2 = 3$$

Answer: C

B)
$$(x + 3)^2 + (y + 2)^2 = 9$$

D)
$$(x - 3)^2 + (y - 2)^2 = 9$$

168) Center at $\left[6, -\frac{1}{2}\right]$, radius $\frac{1}{3}$

A)
$$\left[x + \frac{1}{2}\right]^2 + \left(y - 6\right)^2 = \frac{1}{3}$$

C)
$$(x + 6)^2 + \left(y - \frac{1}{2}\right)^2 = \frac{1}{9}$$

Answer: D

B)
$$\left[x - \frac{1}{2}\right]^2 + \left(y + 6\right)^2 = \frac{1}{3}$$

D)
$$(x - 6)^2 + \left(y + \frac{1}{2}\right)^2 = \frac{1}{9}$$

169) Center at (-7, -5), passing through (-4, -1)

A)
$$(x + 5)^2 + (y + 7)^2 = 9$$

C)
$$(x - 5)^2 + (y - 7)^2 = 9$$

B)
$$(x + 7)^2 + (y + 5)^2 = 25$$

D)
$$(x - 7)^2 + (y - 5)^2 = 25$$

170) Center (3, 22), passing through the origin

A)
$$(x - 3)^2 + (y - 22)^2 = 493$$

C)
$$(x - 3)^2 + (y - 22)^2 = 22$$

Answer: A

171) Center (3, 2), passing through (0, 2)

A)
$$(x - 2)^2 + (y - 3)^2 = 3$$

C)
$$(x - 3)^2 + (y - 2)^2 = 9$$

Answer: C

172) Center (16, 18), passing through (16, 0)

A)
$$(x - 18)^2 + (y - 16)^2 = 256$$

C)
$$(x - 18)^2 + (y - 16)^2 = 18$$

Answer: D

B)
$$(x - 22)^2 + (y - 3)^2 = 493$$

D)
$$(x - 22)^2 + (y - 3)^2 = 22$$

B) $(x - 2)^2 + (y - 3)^2 = 9$

D)
$$(x - 3)^2 + (y - 2)^2 = 3$$

B)
$$(x - 16)^2 + (y - 18)^2 = 256$$


D)
$$(x - 16)^2 + (y - 18)^2 = 324$$

Graph the equation.

173)
$$x^2 + y^2 = 4$$




A)




B)



C)





D)





Answer: C

174) $(x - 6)^2 + (y - 5)^2 = 9$











175)
$$x^2 + (y - 2)^2 = 36$$




A)




B)



C)




D)




Answer: D


176)
$$(x - 1)^2 + y^2 = 16$$









B)




C)





D)





177)
$$(x - 5)^2 + (y - 3)^2 = 1$$















178) $x^2 + y^2 - 4x - 6y + 4 = 0$













179) $x^2 + y^2 + 6x + 2y + 6 = 0$










Answer: C

Write the standard equation for the circle.

180)



A)
$$x^2 + y^2 = 36$$


Answer: A

A)
$$x^2 + y^2 = 36$$
 B) $x^2 + y^2 = 6$ C) $x^2 + y^2 = 16$ D) $x^2 + y^2 = 12$

C)
$$x^2 + y^2 = 16$$

D)
$$x^2 + y^2 = 12$$

181)



A)
$$(x - 3)^2 + (y + 2)^2 = 4$$


C)
$$(x + 3)^2 + (y - 2)^2 = 16$$

Answer: B

B)
$$(x - 3)^2 + (y + 2)^2 = 16$$

D)
$$(x + 3)^2 + (y - 2)^2 = 4$$

182)




A)
$$(x + 2)^2 + (y - 3)^2 = 25$$

C)
$$(x - 2)^2 + (y + 3)^2 = 5$$

B)
$$(x + 2)^2 + (y - 3)^2 = 5$$

D)
$$(x - 2)^2 + (y + 3)^2 = 25$$

183)




A)
$$x^2 + (y - 2)^2 = 36$$

B)
$$(x + 2)^2 + y^2 = 36$$

A)
$$x^2 + (y - 2)^2 = 36$$
 B) $(x + 2)^2 + y^2 = 36$ C) $x^2 + (y + 2)^2 = 36$ D) $x^2 + (y + 2)^2 = 6$

D)
$$x^2 + (y + 2)^2 = 6$$

184)



Answer: C

A)
$$(x + 2)^2 + y^2 = 6$$

B)
$$(x + 2)^2 + y^2 = 36$$


A)
$$(x + 2)^2 + y^2 = 6$$
 B) $(x + 2)^2 + y^2 = 36$ C) $(x - 2)^2 + y^2 = 36$ D) $x^2 + (y + 2)^2 = 36$

D)
$$x^2 + (y + 2)^2 = 36$$


Answer: B

Find the x- and y-intercepts for the equation. Then graph the equation.


185)
$$15y - 3x = -6$$




A)
$$(-\frac{2}{5}, 0), (0, 2)$$




B)
$$(-2, 0), (0, -\frac{2}{5})$$




C)
$$\left(-\frac{2}{5}, 0\right), (0, -2)$$





D)
$$(2, 0), (0, -\frac{2}{5})$$





186)
$$-6x - 36y = 36$$
























Answer: C

188)
$$2x - 10y = 0$$
 $10y = 0$
 $10y = 0$
 $10y = 0$
 $10y = 0$












Answer: C

$$189) \ \frac{11}{5} x + \frac{4}{5} y = 4$$





A)
$$\left(-\frac{20}{11}, 0\right), (0, 5)$$







C)
$$\left(-\frac{20}{11}, 0\right), (0, -5)$$







190)
$$y = 7x + 5$$








B)
$$\left(-\frac{7}{5}, 0\right)$$
, $(0, 7)$


















A) (-0.6, 0), (0, 0.3)






C) (0.3, 0), (0, 0.6)






 $Graph\ the\ equation\ in\ the\ rectangular\ coordinate\ system.$


193) y = -1









B)



C)




D)




Answer: C


194) x = 1









B)




C)





D)





195)
$$y + 2 = 0$$
















A)




B)




C)




D)




197)
$$4 - x = 3$$




A)




B)



C)




D)



Find the solution to the given equation by reading the accompanying graph.

198)
$$2.9x - 9.28 = 0$$



$$y = 2.9x - 9.28$$

A) {-2.9}

B) {2.9}


C) {-3.2}

D) {3.2}

Answer: D

199)
$$\frac{2}{5}$$
x + 24 = 0

$$y = \frac{2}{5}x + 24$$



C)
$$\{-\frac{1}{60}\}$$

Answer: A

Use a graphing calculator to estimate the solution of the equation to two decimal places.

200) 5.93x - 425 = 0

A) {0.02}

B) {71.73}

C) {0.01}

D) {71.67}

Answer: D

201) 2.5(1.9x + 7.9) - 9.25(1.7x - 3.27) = 0

A) {0.42}

B) {2.44}

C) {4.56}


D) {2.37}

Answer: C

Solve the problem.

	P			
202)	The cost, c, in dollars of car ren	tal is $c = 6 + \frac{1}{4}m$, where m is	the number of miles driven. I	Estimate the cost of car
	rental if the number of miles do A) About 14 dollars Answer: A	riven is 32. B) About 33.5 dollars	C) About 10 dollars	D) About 19 dollars
203)	The population p, in thousands	s, of one town can be approxi	mated by p = 4 + $\frac{7}{2}$ d where d	I is the number of years
	since 1985. Estimate the popula A) About 44,000	ation of the town in the year 1 B) About 36,000	994. C) About 36	D) About 40,000
	Answer: B			
204)	The value, v, in hundreds of do	ollars, of Juan's computer is a	opproximated by $v = -\frac{1}{2}t + 8$,	where t is the number
	of years since he first bought th A) \$700	ne computer. Estimate the val B) \$900	ue of the computer 2 years af C) \$760	ter it was purchased. D) \$600
	Answer: A			
205)	During the month of January 1 approximated by d = -2t + 70, v on January 28th. A) 42 inches			
	Answer: C	b) 22 inches	C) 14 menes	D) 19 litches
	7 ti i Swei . O			
206)	The cost, T, in hundreds of dol	lars, of tuition at one commu	nity college is given by T = 3	$+\frac{3}{4}$ c, where c is the
	number of credits for which a s A) About \$1300	student registers. Estimate the B) About \$2200	e cost of tuition if a student re C) About \$1000	gisters for 13 credits. D) About \$1800
	Answer: A			
207)	Alison sets aside \$40 each mon she may spend b dollars on boo if she spends \$34 on CDs.			_
	A) \$74	B) \$13	C) \$6	D) \$17
	Answer: C			
208)	In one U.S. town the annual co	nsumption, b, of beef (in kg p	er person) can be estimated b	by b = $-\frac{1}{3}$ t + 25, where
	t is the number of years since 1 A) About 21 kg per person C) About 29 kg per person	975. Estimate the beef consur	nption in the year 1988. B) About 15 kg per person D) About 18 kg per person	
	Answer: A		D, Model to kg per person	

209)



The graph shows the amount of gas in a 200-gallon tank after x minutes have elapsed. (i) Is the gas entering or leaving the tank? (ii) Find the x-intercept and the y-intercept.


- A) Leaving; x-intercept is 0 and y-intercept is 200
- C) Leaving; both intercepts are 0

- B) Entering; both intercepts are 0
- D) Entering; x-intercept is 200 and y-intercept is 0

Answer: B

210) The graph shows an idealized linear relationship for the average monthly payments to retirees from 1995 through 1999. Find the midpoint of the line segment to estimate the payment for 1997.

Average Monthly Payments to Retiree



1995 1997 1999

a = \$452; b = \$488

- A) 470 dollars
- B) 18 dollars
- C) 488 dollars
- D) 500 dollars

Find the slope of the line containing the pair of points.

A)
$$\frac{7}{5}$$

B)
$$-\frac{5}{7}$$

C)
$$-\frac{7}{5}$$

D)
$$\frac{5}{7}$$

Answer: A

C)
$$-\frac{1}{11}$$

D)
$$\frac{1}{11}$$

Answer: D

A)
$$\frac{15}{8}$$

B)
$$-\frac{15}{8}$$

C)
$$-\frac{8}{15}$$

D)
$$\frac{8}{15}$$

Answer: D

214)
$$\left(\frac{1}{8}, \frac{1}{2}\right), \left(\frac{1}{4}, \frac{1}{4}\right)$$

A) 2

B) No slope

C) -1

D) -2

Answer: D

A) 0

B) No slope

C) 7

D) -7

Answer: B

A) 0 Answer: A B) 14

C) -14

D) No slope

Find the equation of the line through the given pair of points. Solve it for y if possible. 217) (-5, -9), (-2, -1)

A)
$$x = -5$$

B)
$$y = \frac{7}{2}x + \frac{17}{2}$$

C)
$$y = -10x - 59$$

D)
$$y = \frac{8}{3}x + \frac{13}{3}$$

Answer: D

A)
$$y = 15x + 99$$

B)
$$x = -7$$

C)
$$y = 5x + 29$$

D)
$$y = 3x + 15$$

Answer: C

A)
$$y = 5$$

B)
$$y = 4x - 19$$

C)
$$y = 2x - 11$$

D)
$$y = 8x - 35$$

Answer: A

A)
$$x = 10$$

Answer: B

B)
$$x = 9$$


C)
$$y = 9$$

48

D)
$$y = 10$$

Write an equation in slope-intercept form for the line shown.

221)



A)
$$y = -5x - 4$$


Answer: A

B)
$$y = 5x + 4$$

C)
$$y = -5x + 4$$

D)
$$y = 5x - 4$$

222)



A)
$$y = -x - 2$$


Answer: C

B)
$$y = -x + 2$$

C)
$$y = x - 2$$

D)
$$y = x + 2$$

223)




A)
$$y = -6x$$

B)
$$y = 6x$$

C)
$$y = \frac{x}{-6}$$

D)
$$y = \frac{x}{6}$$

224)



A)
$$y = \frac{1}{2}x + 6$$


B)
$$y = 2x - 6$$

B)
$$y = 2x - 6$$
 C) $y = \frac{1}{2}x - 6$

D)
$$y = 2x + 6$$

Answer: A

225)



A)
$$y = -4x$$


B)
$$y = 4x$$

C)
$$y = \frac{1}{4}x$$

D)
$$y = -\frac{1}{4}x$$

Answer: C

226)



A)
$$y = 6$$

B)
$$x = -6$$

C)
$$x = 6$$

D)
$$y = -6$$

Change the equation to slope-intercept form and identify the slope and y-intercept.

227)
$$11x + 9y = 15$$

A)
$$y = 11x - 15, 11, (0, -15)$$

C)
$$y = \frac{11}{9}x - \frac{5}{3}, \frac{11}{9}, \left[0, -\frac{5}{3}\right]$$

Answer: B

A)
$$y = 2x - 1, 2, (0, -1)$$

C)
$$y = \frac{2}{7}x - \frac{1}{7}, \frac{2}{7}, \left[0, -\frac{1}{7}\right]$$

Answer: C

229)
$$-3x + 6y = 14$$

A)
$$y = \frac{1}{2}x - \frac{7}{3}, \frac{1}{2}, \left[0, -\frac{7}{3}\right]$$

C)
$$y = \frac{1}{2}x + \frac{7}{3}, \frac{1}{2}, \left[0, \frac{7}{3}\right]$$

Answer: C

230)
$$3y - 5x = 7$$

A)
$$y = -\frac{5}{3}x + \frac{7}{3}, -\frac{5}{3}, \left[0, \frac{7}{3}\right]$$

C)
$$y = \frac{3}{5}x + \frac{7}{3}, \frac{3}{5}, \left[0, \frac{7}{3}\right]$$

Answer: B

231)
$$y - 5 = 4(x + 4)$$

A)
$$y = 4x + 11, 4, (0, 11)$$

C)
$$y = \frac{4}{5}x + \frac{16}{5}, \frac{4}{5}, (0, \frac{16}{5})$$

Answer: D

232)
$$y + 8 = \frac{7}{6}(x - 5)$$

A)
$$y = \frac{7}{6}x - \frac{43}{6}, \frac{7}{6}, \left[0, -\frac{43}{6}\right]$$

C)
$$y = \frac{7}{6}x - \frac{53}{6}, \frac{7}{6}, \left[0, -\frac{53}{6}\right]$$

Answer: D

233)
$$y + 13 = 0$$

A)
$$y = -13, -13, (0, -13)$$

C)
$$y = 13, 0, (0, 13)$$

B)
$$y = -\frac{11}{9}x + \frac{5}{3}, -\frac{11}{9}, \left(0, \frac{5}{3}\right)$$

D)
$$y = \frac{11}{9}x + \frac{5}{3}, \frac{11}{9}, \left[0, \frac{5}{3}\right]$$

B)
$$y = \frac{7}{2}x + \frac{1}{2}, \frac{7}{2}, \left[0, \frac{1}{2}\right]$$

D)
$$y = \frac{2}{7}x + \frac{1}{7}, \frac{2}{7}, \left(0, \frac{1}{7}\right)$$

B)
$$y = 2x + \frac{7}{3}, 2, \left[0, \frac{7}{3}\right]$$

D)
$$y = -\frac{1}{2}x + \frac{7}{3}, -\frac{1}{2}, \left(0, \frac{7}{3}\right)$$

B)
$$y = \frac{5}{3}x + \frac{7}{3}, \frac{5}{3}, \left[0, \frac{7}{3}\right]$$

D)
$$y = \frac{5}{3}x - \frac{7}{3}, \frac{5}{3}, \left[0, -\frac{7}{3}\right]$$

B)
$$y = 4x + 9, 4, (0, 9)$$

D)
$$y = 4x + 21, 4, (0, 21)$$

B)
$$y = \frac{7}{6}x + \frac{83}{6}, \frac{7}{6}, \left[0, \frac{83}{6}\right]$$

D)
$$y = \frac{7}{6}x - \frac{83}{6}, \frac{7}{6}, \left[0, -\frac{83}{6}\right]$$

B)
$$y = -13, -13, (0, 0)$$

D)
$$y = -13, 0, (0, -13)$$

Find the equation of the line in slope-intercept form.

234) The line through (2, 2) with slope - $\frac{5}{9}$

A)
$$y = -\frac{5}{9}x + \frac{28}{9}$$
 B) $y = -\frac{5}{9}x + \frac{9}{28}$ C) $y = -\frac{5}{9}x - \frac{28}{9}$ D) $y = -\frac{9}{5}x + \frac{28}{9}$

B)
$$y = -\frac{5}{9}x + \frac{9}{28}$$

C)
$$y = -\frac{5}{9}x - \frac{28}{9}$$

D)
$$y = -\frac{9}{5}x + \frac{28}{9}$$

Answer: A

235) The line through (3, 4) with slope $\frac{3}{2}$

A)
$$y = \frac{3}{2}x - \frac{1}{2}$$

B)
$$y = \frac{2}{3}x - \frac{1}{3}$$

C)
$$y = -\frac{3}{2}x + \frac{1}{2}$$
 D) $y = \frac{3}{2}x + \frac{1}{2}$

D)
$$y = \frac{3}{2}x + \frac{1}{2}$$

Answer: A

236) The line through (5, 3) with slope - $\frac{3}{4}$

A)
$$y = -\frac{3}{4}x + \frac{4}{27}$$

B)
$$y = -\frac{3}{4}x + \frac{27}{4}$$

C)
$$y = -\frac{3}{4}x - \frac{27}{4}$$

A)
$$y = -\frac{3}{4}x + \frac{4}{27}$$
 B) $y = -\frac{3}{4}x + \frac{27}{4}$ C) $y = -\frac{3}{4}x - \frac{27}{4}$ D) $y = -\frac{4}{3}x - \frac{4}{27}$

Answer: B

237) The line through (7, -2) with slope $-\frac{3}{2}$

A)
$$y = -\frac{3}{2}x + \frac{17}{2}$$

B)
$$y = -\frac{2}{3}x - \frac{17}{3}$$

C)
$$y = \frac{3}{2}x - \frac{17}{2}$$

A)
$$y = -\frac{3}{2}x + \frac{17}{2}$$
 B) $y = -\frac{2}{3}x - \frac{17}{3}$ C) $y = \frac{3}{2}x - \frac{17}{2}$

Answer: A

238) The line through (7, -1) with slope - $\frac{4}{5}$

A)
$$y = -\frac{4}{5}x + \frac{27}{5}$$

B)
$$y = -\frac{4}{5}x + \frac{33}{5}$$

C)
$$y = \frac{4}{5}x - \frac{23}{5}$$

A)
$$y = -\frac{4}{5}x + \frac{27}{5}$$
 B) $y = -\frac{4}{5}x + \frac{33}{5}$ C) $y = \frac{4}{5}x - \frac{23}{5}$ D) $y = -\frac{4}{5}x + \frac{23}{5}$

Answer: D

239) The line through (12, -3) with slope $\frac{1}{3}$

A)
$$y = \frac{1}{3}x + \frac{$$

B)
$$y = \frac{1}{3}x - 7$$


C)
$$y = \frac{1}{3}x + 3$$

A)
$$y = \frac{1}{3}x + 1$$
 B) $y = \frac{1}{3}x - 7$ C) $y = \frac{1}{3}x + 3$ D) $y = \frac{1}{3}x - 1$


Answer: B

Use the y-intercept and slope to sketch the graph of the equation.


240) y = 3x + 5




A)




B)



C)




D)




Answer: C


241) y = 4x - 5




A)




B)




C)




D)




242) y = -4x + 3




A)




B)




C)




D)




243) y = -3x - 6




A)




B)




C)




D)




244)
$$y = -7x$$




A)




B)




C)




D)







A)




B)



C)




D)




Answer: C


246)
$$y = \frac{2}{5}x - 2$$




A)




B)




C)




D)




247) -3x - 6y = -9




A)




B)



C)



D)



Answer: B

Find the equation of the line through the given pair of points in standard form using only integers.

248) (3, 1) and (-2, 6)

A)
$$5x + 5y = 20$$

B)
$$5x - 5y = 20$$

C)
$$6x + 5y = 20$$

D)
$$5x + 5y = -20$$

Answer: A

249) (4, -2) and (-1, 1)

A)
$$3x - 5y = 2$$

B)
$$3x + 5y = 2$$

C)
$$3x + 5y = 5$$

D)
$$3x + 5y = -2$$

A)
$$5x - 7y = -1$$

B)
$$5x - 7y = -19$$

C)
$$5x - 7y = -13$$

D)
$$5x - 4y = -13$$

Answer: C

A)
$$5x - 6y = -27$$

B)
$$5x - 3y = -33$$

C)
$$5x - 6y = -33$$

D)
$$8x - 6y = -33$$

252) (-3, -3) and (5, 8)

Answer: C

A)
$$11x - 8y = -15$$

B)
$$11x - 3y = -9$$

C)
$$8x - 8y = -9$$

D)
$$11x - 8y = -9$$

Answer: D

A)
$$y = 2$$

Answer: B

B)
$$x = 3$$

C)
$$x = -2$$

D)
$$y = 3$$

254)
$$(3, -1)$$
 and $(3, 3)$
A) $y = 3$

B)
$$y = -1$$

C)
$$x = -1$$

D)
$$x = 3$$

Answer: D

A)
$$-5x - 3y = -15$$

B)
$$-5x + 3y = 15$$

C)
$$5x - 3y = 15$$

D)
$$-5x - 3y = 15$$

Answer: D

Find the slope of the line described.

256) A line parallel to 3x + 8y = -4

A)
$$-\frac{1}{2}$$

B)
$$-\frac{3}{8}$$

C)
$$\frac{8}{3}$$

D)
$$\frac{1}{2}$$

Answer: B

257) A line perpendicular to -5x + 5y = 6

A)
$$-\frac{6}{5}$$

C)
$$\frac{6}{5}$$

Answer: D

258) A line perpendicular to the line x = 18.

A)
$$\frac{1}{18}$$

B) undefined

D) 0

Answer: D

259) A line parallel to the line y = 17.

D)
$$\frac{1}{17}$$

Answer: B

Write an equation in standard form using only integers for the line described.

260) The line with slope -7, going through (6, 0)

A)
$$-6x + y = -7$$

B)
$$7x + y = 42$$

C)
$$-7x + y = 6$$

D)
$$6x + y = -7$$

261) The line with slope $\frac{2}{7}$, going through (0, 5)

A)
$$2x + 7y = -35$$

B)
$$2x - 7y = 35$$

C)
$$7x - 2y = -35$$

D)
$$2x - 7y = -35$$

Answer: D

262) The line through (2, 4), parallel to $y = -\frac{4}{9}x + 1$

A)
$$4x - 9y = 44$$

B)
$$4x + 9y = -44$$

C)
$$4x + 9y = 44$$

D)
$$9x + 4y = -44$$

Answer: C

263) The line through (2, 2), parallel to $y = -\frac{2}{3}x + 1$

A)
$$2x - 3y = 10$$

B)
$$3x + 2y = -10$$

C)
$$2x + 3y = 10$$

D)
$$2x + 3y = -10$$

Answer: C

264) The line through (0, 4), perpendicular to $y = \frac{9}{8}x + 2$

A)
$$8x - 9y = 36$$

B)
$$8x + 9y = -36$$

C)
$$8x + 9y = 36$$

D)
$$9x + 8y = -36$$

Answer: C

265) The line through (0, 3), perpendicular to $y = -\frac{8}{5}x - 1$

A)
$$-5x + 8y = -24$$

B)
$$-5x + 8y = 24$$

C)
$$8x - 5y = -24$$

D)
$$-5x - 8y = 24$$

Answer: B

266) The line perpendicular to x = 1 and containing (10, -7)

A)
$$y = 10$$

B)
$$y = -7$$

C)
$$x = 10$$

D)
$$x = -7$$

Answer: B

267) The line parallel to y = 0 and containing (6, 4)

A)
$$x = 6$$

B)
$$x = -4$$

C)
$$y = 4$$

D)
$$y = -6$$

Answer: C

Solve the problem.

268) Find the value of k so that the graph of 17y - kx = 4 and the line containing the points (5, -8) and (2, 4) are parallel.

A)
$$k = -67$$

B)
$$k = -68$$

C)
$$k = -67.5$$

D)
$$k = -70$$

Answer: B

269) Find the value of k so that the graph of 9y + kx = 4 and the line containing the points (5, -8) and (2, 4) are parallel.

A)
$$k = 34$$

B)
$$k = 36.5$$

C)
$$k = 36$$

D)
$$k = 37$$

Answer: C

270) Find the value of k so that the graph of 19y + kx = 4 and the line containing the points (5, -8) and (2, 4) are perpendicular.

A)
$$k = 76$$

B)
$$k = -4.75$$

C)
$$k = 4.75$$

D)
$$k = -76$$

	Find the value of k so that the g perpendicular.	graph of $13y + kx = 4$ and the	line containing the points (5,	-8) and (2, 4) are
	A) k = -3.25 Answer: A	B) k = 52	C) $k = 3.25$	D) k = -52
•				
	Find the value of k so that the $\mathfrak g$	graph of 5y + kx = 4 and the li	ine containing the points (5, -	8) and (-2, -4) are
	A) k = 11.25 Answer: B	B) $k = -8.75$	C) $k = 8.75$	D) k = -11.25
•	Wilswell B			
273)	Find the value of a for the line t	hat passes through (a, -7) ar	d (4, a) and has a slope of 6.	
	A) $-\frac{18}{7}$	B) $-\frac{17}{5}$	C) $\frac{31}{7}$	D) $\frac{17}{7}$
	' 7	' 5	7 1	' 7
	Answer: D			
274)	Find the value of a for the line t	hat passes through (a, -8) ar	nd (-5, -2) and is perpendicul	ar to y = ax + 1.
	A) 0	B) - 8	C) 1	D) $\frac{3}{5}$
	Answer: C			
275)	Decide whether or not the poin	ts are the vertices of a right t	riangle.	
	(-9, -1), (-4, -1), (-4, 7)	3	J	
	A) No		B) Yes	
	Answer: B			
276)	Decide whether or not the poin	ts are the vertices of a right t	riangle.	
	(-1, 0), (1, 4), (3, 3)	•		
	A) No		B) Yes	
	Answer: B			
277)	Decide whether or not the poin	ts are the vertices of a right t	riangle.	
	(-5, 0), (1, 2), (5, -10)	a. a a . a a a g a		
	A) No		B) Yes	
	Answer: B			
278)	Decide whether or not the poin	ts are the vertices of a right t	riangle.	
	(-9, 8), (-3, 10), (-4, 5)	_	-	
	A) No		B) Yes	
	Answer: A			
	Decide whether or not the poin	ts are the vertices of a right t	riangle.	
	(7, 11), (13, 13), (19, 6) A) No		B) Yes	
	Answer: A		,	
280)	Decide whether or not the poin	ts are the vertices of a right t	riangle.	
	(-2, 4), (9, -7), (11, -5) A) No	3	B) Yes	
	A) No Answer: B		D) 163	

281) Decide whether or not the points are the vertices of a parallelogram.

$$(-12, -10), (-10, 0), (3, 7), (1, -3)$$

A) Yes

B) No

Answer: A

282) Decide whether or not the points are the vertices of a rectangle.

(-10, -4), (-1, -18), (13, -9), (4, 5)

A) Yes

B) No

Answer: A

283) Decide whether or not the points are the vertices of a square.

(-10, -6), (-8, 4), (7, 9), (4, 1)

A) No

B) Yes

Answer: A

284) Decide whether or not the points are the vertices of a rhombus.

(-7, -1), (2, -10), (16, -3), (7, 8)

A) Yes

B) No

Answer: B

285) Fahrenheit temperature F is a linear function of Celsius temperature C. The ordered pair (0, 32) is an ordered pair of this function because 0°C is equivalent to 32°F, the freezing point of water. The ordered pair (100, 212) is also an ordered pair of this function because 100°C is equivalent to 212°F, the boiling point of water. Use the two given points and the point-slope formula to write F as a function of C. Find the Fahrenheit temperature of the inside of a car that is 15° C.

A) $F = \frac{5}{9}C + 32$; 46.7°F B) $F = \frac{9}{5}C - 32$; 50°F C) $F = \frac{9}{5}C + 32$; 59°F D) $F = \frac{5}{9}C - 32$; 54.3°F

Answer: C

286) A faucet is used to add water to a large bottle that already contained some water. After it has been filling for 5 seconds, the gauge on the bottle indicates that it contains 28 ounces of water. After it has been filling for 13 seconds, the gauge indicates the bottle contains 68 ounces of water. Let w be the amount of water in the bottle t seconds after the faucet was turned on. Write a linear equation that models the amount of water in the bottle in terms of x.

A) w = 5t + 55


B) $W = \frac{1}{5}t + 27$ C) W = -5t + 53 D) W = 5t + 3

Answer: D

287) A driver wants to gauge the fuel efficiency of her vehicle at speeds of 30 mph and above. She notices that traveling at an average speed of 45 mph results in a rating of 35 mpg, whereas, at an average speed of 60 mph, her car rates 25 mpg. Find an equation to model the gas mileage, m, as a function of average speed s mph.

A) $m = -\frac{2}{3}s + 65$

288) The graph shows the relationship between the area A of a rectangle and the length L, if the width is fixed. Find a formula for that function.



A)
$$A = 8L$$

B)
$$A = 2L$$

C)
$$A = 48L$$

D)
$$A = 6L$$

Answer: A

289) At \$10 per ticket, the Casper Coyotes will fill all 7000 seats in the assembly hall. The manager knows that for every \$1 increase in the price, 100 tickets will go unsold. Write the number of tickets sold, n, as a function of the ticket price, p. How much money will be taken in if the tickets are \$15 each? Hint: Find the equation of the line through (10, 7000), (11, 6900), (12, 6800), etc.

A)
$$n = -200p - 15,000; -$18,000$$

B)
$$n = -100p - 7100, -\$8600$$

C)
$$n = -100p + 8000;6500$$

D)
$$n = 200p + 1700; $4700$$

Answer: C

290) An office manager will spend a total of \$20,000 on copiers at \$2000 each and boxes of paper at \$50 each. Write the number of copiers purchased, c, as a function of the number of boxes of paper purchased, b. Find and interpret the slope. Hint: Start with standard form.

A)
$$c = -\frac{200}{5}b + 10$$
; If b increases by 5, then c decreases by 200.

B)
$$c = -\frac{5}{200}b + 10$$
; If b increases by 200, then c decreases by 5.

C)
$$c = \frac{5}{200}b + 10$$
; If b decreases by 200, then c increases by 5.

D)
$$c = \frac{200}{5}b + 10$$
; If b decreases by 5, then c increases by 200.

Answer: B

291) Find all points on the line through (-1, 7) and (15, -1) that lie between these two points and have integral coordinates.

The distance d from the point (x_1, y_1) to the line Ax + By = C is given by the formula $d = \frac{\left|Ax_1 + By_1 - C\right|}{\sqrt{A^2 + B^2}}$. Find the exact

distance from the given point to the given line.

292)
$$(-7, 3), 6x + 8y = 3$$

A)
$$\frac{21}{5}$$

B)
$$\frac{3}{2}$$

C)
$$\frac{21}{10}$$

Answer: C

293)
$$(-6, 3), 3x - 4y = 4$$

A)
$$\frac{2}{5}$$

C)
$$\frac{26}{5}$$

D)
$$\frac{34}{5}$$

Answer: D

294)
$$(3, 6), y = 5x - 8$$

A)
$$\frac{13\sqrt{26}}{26}$$

B)
$$\frac{29\sqrt{26}}{26}$$

C)
$$\frac{17\sqrt{26}}{26}$$

D)
$$\frac{1\sqrt{26}}{26}$$

Answer: D

295)
$$(-5, 7), y = -2x + 3$$

A)
$$\frac{0\sqrt{5}}{5}$$

B)
$$\frac{14\sqrt{5}}{5}$$


C)
$$\frac{6\sqrt{5}}{5}$$

D)
$$\frac{20\sqrt{5}}{5}$$

Answer: C

Use the scatter diagram to determine whether there is a linear relationship, a nonlinear relationship, or no relationship between the variables.

296)




A) Nonlinear

B) No relationship

C) Linear

Answer: C

297)



5 5	18								
Grade Point Average	2.5	3.0	2.7	3.2	3.9	2.0	3.5	3.1	3.6
A) Yes	•								B) No

301)

Height (inches)	57	60	72	59	63	65	66	68	61
Time (seconds)	32.9	40.1	35.7	41.8	47.4	37.3	39.1	41.5	32.8
A) No	'							B)	Yes

Answer: A

302)

Foot Length (cm)	29	31	33	26	28	37	25	30	32	
Forearm Length (cm)	30	30	33	25	28	37	24	31	31	-
A) Yes										B) No

Answer: A

Draw a line that you think fits the data, and then use the line to determine the unknown quantity. 303)


y(1.7) = ?

A) 1.9 Answer: B B) 3.5

C) 6.5

D) 5.5

304)



y(?) = 6.3

A) 3.9

B) 7.2

C) 1.7

D) 0.8

Solve the problem using your calculator.

305) Ten students in a graduate program were randomly selected. Their grade point averages (GPAs) when they entered the program were between 3.5 and 4.0. The following data were obtained regarding their GPAs on entering the program versus their current GPAs. Use linear regression to find a linear function that predicts a student's current GPA as a function of his or her entering GPA.

Entering GPA	Current GPA
3.5	3.6
3.8	3.7
3.6	3.9
3.6	3.6
3.5	3.9
3.9	3.8
4.0	3.7
3.9	3.9
3.5	3.8
3.7	4.0

A)
$$y = 3.67 + 0.0313x$$

B)
$$y = 2.51 + 0.329x$$

C)
$$y = 5.81 + 0.497x$$

D)
$$y = 4.91 + 0.0212x$$

Answer: A

306) The paired data below consist of the test scores of 6 randomly selected students and the number of hours they studied for the test. Use linear regression to find a linear function that predicts a student's score as a function of the number of hours he or she studied.

Hours						
Score	64	86	69	86	59	87

A)
$$y = 67.3 + 1.07x$$

B)
$$y = 33.7 - 2.14x$$

C)
$$y = 33.7 + 2.14x$$

D)
$$y = -67.3 + 1.07x$$

Answer: A

307) The paired data below consist of the costs of advertising (in thousands of dollars) and the number of products sold (in thousands). Use linear regression to find a linear function that predicts the number of products sold as a function of the cost of advertising.

A)
$$y = 26.4 + 1.42x$$

B)
$$y = -26.4 - 1.42x$$

C)
$$y = 55.8 + 2.79x$$

D)
$$y = 55.8 - 2.79x$$

Answer: C

308) The paired data below consist of the temperatures on randomly chosen days and the amount a certain kind of plant grew (in millimeters). Use linear regression to find a linear function that predicts a plant's growth as a function of temperature.

A)
$$y = 14.6 + 0.211x$$

B)
$$y = -14.6 - 0.211x$$
 C) $y = 7.30 + 0.122x$

C)
$$y = 7.30 + 0.122x$$

D)
$$y = 7.30 - 0.112x$$

309) A study was conducted to compare the average time spent in the lab each week versus course grade for computer students. The results are recorded in the table below. Use linear regression to find a linear function that predicts a student's course grade as a function of the number of hours spent in lab.

Number of hours spent in lab	Grade (percent)
10	96
11	51
16	62
9	58
7	89
15	81
16	46
10	51
A) $y = 88.6 - 1.86x$	B) $y = 1.86 + 88.6x$

Answer: A

310) Two separate tests are designed to measure a student's ability to solve problems. Several students are randomly selected to take both tests and the results are shown below. Use linear regression to find a linear function that predicts a student's score on Test B as a function of his or her score on Test A.

Test A									
Test B	73	67	73	59	58	56	58	64	74

A)
$$y = -19.4 - 0.930x$$
 B) $y = 0.930 - 19.4x$ C) $y = -0.930 + 19.4x$ D) $y = 19.4 + 0.930x$

B)
$$y = 0.930 - 19.4x$$

C)
$$y = -0.930 + 19.4x$$

D)
$$y = 19.4 + 0.930x$$

Answer: D

Solve the problem.

311) Ten students in a graduate program were randomly selected. Their grade point averages (GPAs) when they entered the program were between 3.5 and 4.0. The following data were obtained regarding their GPAs on entering the program versus their current GPAs. By using linear regression, the following function is obtained: y = 3.67 + 0.0313x where x is entering GPA and y is current GPA. Use this function to predict current GPA of a student whose entering GPA is 3.6.

Entering GPA	Current GPA
3.5	3.6
3.8	3.7
3.6	3.9
3.6	3.6
3.5	3.9
3.9	3.8
4.0	3.7
3.9	3.9
3.5	3.8
3.7	4.0

A) 3.78

B) 3.40

C) 3.58

D) 3.29

312) The paired data below consist of the test scores of 6 randomly selected students and the number of hours they studied for the test. By using linear regression, the following function is obtained: y = 67.3 + 1.07x where x is number of hours studied and y is score on the test. Use this function to predict the score on the test of a student who studies 10 hours.

Hours 5 10 4 6 10 9 Score 64 86 69 86 59 87

A) 82.3

B) 73.0

C) 83.0

D) 78.0

Answer: D

313) The paired data below consist of the costs of advertising (in thousands of dollars) and the number of products sold (in thousands). By using linear regression, the following function is obtained: y = 55.8 + 2.79x where x is the cost of advertising (in thousands of dollars) and y is number of products sold (in thousands). Use this function to predict the number of products sold (in thousands of dollars) if the cost of advertising is \$11,000.

 Cost
 9
 2
 3
 4
 2
 5
 9
 10

 Number
 85
 52
 55
 68
 67
 86
 83
 73

A) 86.49

B) 93.19

- C) 30,745.8
- D) 83.49

Answer: A

314) The paired data below consist of the temperatures on randomly chosen days and the amount a certain kind of plant grew (in millimeters). By using linear regression, the following function is obtained: y = 14.6 + 0.211x where x is temperature and y is growth in millimeters. Use this function to predict the growth of a plant if the temperature is 58.

Temp 62 76 50 51 71 46 51 44 79 Growth 36 39 50 13 33 33 17 6 16

A) 27.77

B) 27.30

C) 26.84

D) 25.62

Answer: C

315) A study was conducted to compare the average time spent in the lab each week versus course grade for computer students. The results are recorded in the table below. By using linear regression, the following function is obtained: y = 88.6 - 1.86x where x is the number of hours spent in the lab and y is grade on the test. Use this function to predict the grade of a student who spends 13 hours in the lab.

Grade (percent) Number of hours spent in lab 10 96 11 51 16 62 9 58 7 89 15 81 16 46 10 51

A) 67.0

B) 60.4

C) 64.4

D) 75.6

Answer: C

Identify the complex number as real or imaginary.

316) -4i

A) Imaginary

B) Real

Answer: A

317) 7π

A) Imaginary

B) Real

Answer: B

318) -3 + 10i

A) Imaginary

B) Real

Answer: A

319) - $\sqrt{-4}$

A) Imaginary

B) Real

Answer: A

320) - $\sqrt{9}$

A) Imaginary

B) Real

Answer: B

321) i√8

A) Imaginary

B) Real

Answer: A

322) π - 2

A) Real

B) Imaginary

Answer: A

323) 4i + $\sqrt{6}$

A) Real

B) Imaginary

Answer: B

324) $\frac{3-i}{2}$

A) Real

B) Imaginary

Answer: B

Perform the indicated operations and write the answer in the form a + bi, where a and b are real numbers.

325) (7 - 6i) + (4 + 4i)

A) 3 + 10i

B) -11 + 2i

C) 11 + 2i

D) 11 - 2i

Answer: D

326) 4i + (-9 - i)

A) -9 + 5i

B) 9 - 3i

C) 9 - 5i

D) -9 + 3i

A) 2 + 6i

B) 12 - 4i

C) -12 - 4i

D) 12 + 4i

Answer: D

Answer: D

328) (-5 + 7i) - 3 A) 8 - 7i

B) -2 + 7i

C) -2 - 7i

D) -8 + 7i

329) (5 - 9i) + (-2 + 3i) + 2i

A) 3 + 4i

B) 7 - 6i

C) 5 - 4i

D) 3 - 4i

Answer: D

330) 7i + (-4 - i) A) -4 + 6i

B) 4 - 6i

C) -4 + 8i

D) 4 - 8i

Answer: A

331) (6 + 8i) - (-4 + i) A) 2 + 9i

B) 10 - 7i

C) 10 + 7i

D) -10 - 7i

Answer: C

Answer: C

332) $(5 - 3i\sqrt{5}) + (4 + 6i\sqrt{5})$

A) 9 + 9i $\sqrt{5}$

B) 12i√5

C) 9 + 3i $\sqrt{5}$

D) 18i√5

333) $\left(\frac{2}{3} - \frac{3}{5}i\right) - \left(2 - \frac{2}{4}i\right)$ A) $-\frac{4}{3} - \frac{1}{10}i$

B) $-\frac{4}{3} + \frac{1}{10}i$

C) $-\frac{4}{3} + \frac{11}{10}i$

D) $-\frac{4}{3} - \frac{11}{10}i$

Answer: A

334) 7i(6 - 7i)

A) 49 + 42i

B) 42i - 49i²

C) 42i - 49

D) $42i + 49i^2$

335) (7 + 8i)(4 + 7i)

Answer: C

Answer: A

A) 84 - 17i

B) -28 - 81i

C) -28 + 81i

D) $56i^2 + 81i + 28$

336) (9 + 5i)(6 + 2i)

A) $10i^2 + 48i + 54$

B) 44 - 48i

C) 44 + 48i

D) 64 + 12i

Answer: C

337) (9 + 4i)(9 - 3i)

A) 93 - 9i Answer: D B) 69 + 63i

C) $-12i^2 + 9i + 81$

D) 93 + 9i

338) (6 - 8i)(2 - 2i)			
A) -4 + 28i	B) 28 - 4i	C) -4 - 28i	D) 16i ² - 28i + 12
Answer: C			
339) (4 - 2i)(4 + 2i)			
A) 16 + 4i ²	B) 16 - 4i ²	C) 12	D) 20
Answer: D			
340) $(\sqrt{7} - 9i)(\sqrt{7} + 9i)$			
A) 16	B) 7 + 81i	C) 88	D) 7 - 81i
Answer: C			
341) (1 - 8i) ²			
A) 1 + 64i	B) 65 - 16i	C) 1 - 64i	D) -63 - 16i
Answer: D			
Evaluate the indicated power of i.			
342) i ²⁴			
A) -1	B) -i	C) 1	D) i
Answer: C			
343) i ¹⁹			
A) -1	B) 1	C) -i	D) i
Answer: C			
344) i ⁵²			
A) -1	B) i	C) 1	D) -i
Answer: C			
345) i ⁵⁰			
A) i	B) -i	C) 1	D) -1
Answer: D			
346) i ⁶¹			
A) 1	B) -1	C) i	D) -i
Answer: C			
347) i ⁶⁷			
A) -i	B) 1	C) -1	D) i
Answer: A			
348) i ⁻¹⁸			
, A) -i	B) 1	C) i	D) -1

349) i-11

A) -1

B) 1

C) -i

D) i

Answer: D

Find the product of the complex number and its conjugate.

350) 2 + 3i

A) 13

B) 4 - 9i

C) -5

D) 4 + 9i

Answer: A

351) 4 - 6i

A) 16 + 36i

B) 16 - 36i

C) 52

D) -20

Answer: C

352) -7 + 3i

A) 61

B) 59

C) 58

D) 40

Answer: C

353) -4 - 2i A) 23

B) 21

C) 20

D) 12

Answer: C

354) $-5 + i\sqrt{7}$

A) 74 Answer: B

B) 32

C) -24

D) 18

355) 6 + $i\sqrt{3}$ A) 33

B) 45

C) 39

D) 27

Answer: C

356) -5 - i√6

A) -11

B) 19

C) 61

D) 31

Answer: D

357) -i

A) 1 Answer: A B) -i

C) -1

D) i

358) i $\sqrt{2}$

A) $\sqrt{2}$ Answer: D

B) $-\sqrt{2}$

C) -2

D) 2

Write the quotient in the form a + bi.

359) $\frac{8+2i}{6-9i}$

A) $-\frac{2}{9} + \frac{28}{45}i$

B) $-\frac{22}{15} + \frac{28}{45}i$

C) $\frac{10}{39} + \frac{28}{39}i$

D) $\frac{22}{13} + \frac{20}{13}i$

360)
$$\frac{6+3i}{5+2i}$$

A)
$$\frac{24}{29} - \frac{27}{29}i$$

B)
$$\frac{12}{7} - \frac{1}{7}i$$

C)
$$\frac{36}{29} + \frac{3}{29}i$$

D)
$$\frac{8}{7} - \frac{1}{7}i$$

Answer: C

$$361) \; \frac{8 - 3i}{5 + 3i}$$

A)
$$\frac{31}{16} + \frac{39}{16}i$$

B)
$$\frac{49}{34} - \frac{9}{34}i$$

C)
$$\frac{49}{16} + \frac{39}{16}i$$

D)
$$\frac{31}{34} - \frac{39}{34}i$$

Answer: D

$$362) \; \frac{8 - 4i}{5 - 9i}$$

A)
$$\frac{4}{53} + \frac{92}{53}i$$

B)
$$\frac{38}{53} + \frac{26}{53}i$$

C)
$$-\frac{19}{28} + \frac{13}{28}i$$

D)
$$-\frac{1}{14} + \frac{13}{28}i$$

Answer: B

363)
$$\frac{7+3i}{3-6i}$$

A)
$$\frac{1}{15} + \frac{17}{15}i$$

B)
$$-\frac{13}{9} + \frac{17}{27}i$$

C)
$$-\frac{1}{27} + \frac{17}{27}i$$

D)
$$\frac{13}{5} + \frac{11}{5}i$$

Answer: A

$$364) \; \frac{8+4i}{6+7i}$$

A)
$$-\frac{20}{13} - \frac{32}{13}i$$

B)
$$\frac{4}{17} - \frac{16}{17}i$$

C)
$$-\frac{76}{13} - \frac{32}{13}i$$

D)
$$\frac{76}{85} - \frac{32}{85}i$$

Answer: D

365)
$$\frac{-5 + 3i}{i}$$

Answer: D

366)
$$\frac{-8i}{4-i}$$

A)
$$\frac{8}{17} + \frac{32}{17}i$$

B)
$$\frac{8}{17} - \frac{32}{17}i$$

C)
$$\frac{8}{15} - \frac{32}{15}i$$

D)
$$\frac{8}{15} + \frac{32}{15}i$$

Answer: B

Write the expression in the form a + bi, where a and b are real numbers.

367)
$$\sqrt{-25} + \sqrt{-4}$$

368)
$$(\sqrt{-3})^2$$

B) 3i

D) 3

Answer: C

$$369) \, \frac{-8 + \sqrt{-5}}{4}$$

B)
$$-2 - \frac{\sqrt{5}}{4}i$$

C) 2 +
$$\frac{\sqrt{5}}{4}$$
i

D)
$$-2 + \frac{\sqrt{5}}{4}i$$

Answer: D

370)
$$-5 + \sqrt{4^2 - 3(4)(2)}$$

A) $5 - 2i\sqrt{2}$

B)
$$-5 - 2i\sqrt{2}$$

C)
$$-5 + 2i\sqrt{2}$$

D) 5 +
$$2i\sqrt{2}$$

Answer: C

Evaluate the expression $\frac{-b + \sqrt{b^2 - 4ac}}{2a}$ for each choice of a, b, and c.

371)
$$a = 1$$
, $b = 0$, $c = 25$

A) i

B) 5

C) 25i

D) 5i

Answer: D

A) 6i√6

B) $6\sqrt{6}$

C) $12i\sqrt{6}$

D) i√6

Answer: A

A) 5 + 6i Answer: A B) 11

C) -5 + 6i

D) 10 + 12i

374) a = 1, b = 1, c = 2

A) $\frac{1}{2} + \frac{\sqrt{7}}{2}i$

B) $-\frac{1}{2} + \frac{\sqrt{7}}{2}i$

C) $\frac{1}{2} - \frac{\sqrt{7}}{2}$

D) $-\frac{1}{2} - \frac{\sqrt{7}}{2}$

Answer: B

375)
$$4x^2 + 3 = x$$

A) $\sqrt{6}$

B) $\frac{1}{4} + \frac{\sqrt{47}}{4} i$

C) $\frac{1}{8} + \frac{\sqrt{47}}{8}i$

D) 1 - √47

Answer: C

Solve the equation by factoring.

376) $x^2 + 8x + 7 = 0$

A) [-1, 7}

B) {8, 7}

C) {1, 7}

D) {-7, -1}

Answer: D

377) $y^2 + 2y = 15$

A) {3, 5}

B) {-3, -5}

C) {3, -5}

D) {5, -3}

378)
$$10 - n^2 = 3n$$

A) $\{2, 5\}$

Answer: B

379)
$$21 - x^2 + 4x = 0$$

A) $\{3, -7\}$

Answer: B

380)
$$(x + 10)(x - 4) = -13$$

Answer: A

381)
$$x^2 - x = 20$$

Answer: B

382)
$$x^2 + 9x - 22 = 0$$

A) $\{-11, 2\}$

Answer: A

383)
$$5x^2 + 19x - 4 = 0$$

C)
$$\left\{ \frac{1}{5}, -4 \right\}$$

D)
$$\left\{-\frac{1}{5}, 4\right\}$$

Answer: C

$$384) 49x^2 + 28x - 32 = 0$$

A)
$$\left\{ \frac{4}{7}, -\frac{8}{7} \right\}$$

B)
$$\left\{-\frac{8}{49}, -\frac{24}{49}\right\}$$

C)
$$\left\{-\frac{4}{7}, \frac{8}{7}\right\}$$

D)
$$\left\{ \frac{4}{49}, -\frac{8}{49} \right\}$$

Use the square root property to find all real or imaginary solutions to the equation.

385)
$$x^2 = 49$$

Answer: A

Answer: D

386)
$$x^2 - 144 = 0$$

Answer: B

387)
$$6z^2 - 726 = 0$$

C)
$$\{\pm 12\}$$

Answer: B

$$388) -3k^2 + 12 = 0$$

A)
$$\{\pm 4\}$$

C)
$$\{\pm 2\}$$

389)
$$y^2 = 18$$

A) $\{\pm 3\sqrt{2}\}$

Answer: A

B)
$$\{\sqrt{18}\}$$

390) $(x - 14)^2 = 36$ A) $\langle -22 \rangle$

Answer: D

391)
$$(p + 3)^2 = 11$$

A) $\{\pm\sqrt{11} + 3\}$
Answer: D

B)
$$\{-3 \pm i\sqrt{11}\}$$

C)
$$\{\sqrt{11} - \sqrt{3}\}$$

D)
$$\{-3 \pm \sqrt{11}\}$$

392)
$$(8s + 7)^2 = 16$$

A) $\left\{ -\frac{3}{8}i_{,} - \frac{11}{8}i \right\}$

B)
$$\left\{-\frac{3}{8}, 0\right\}$$

C)
$$\left\{ \frac{3}{8}, \frac{11}{8} \right\}$$

D)
$$\left\{ -\frac{3}{8}, -\frac{11}{8} \right\}$$

Answer: D

393)
$$x^2 + 121 = 0$$

A) $\{60.5\}$

Answer: B

394)
$$(x + 16)^2 = -5$$

A) $\{-16 \pm i\sqrt{5}\}$

Answer: A

B)
$$\{-16 \pm \sqrt{5}\}$$

D)
$$\{-4 - \sqrt{5}\}$$

Find the perfect square trinomial whose first two terms are given.

A)
$$x^2 + 14x + 196$$

B)
$$x^2 + 14x + 7$$

C)
$$x^2 + 14x + 14$$

D)
$$x^2 + 14x + 49$$

Answer: D

B)
$$x^2 - 12x + 6$$

C)
$$x^2 - 12x + 36$$

D)
$$x^2 - 12x + 144$$

Answer: C

397)
$$x^2 + \frac{1}{4}x$$

A)
$$x^2 + \frac{1}{4}x + \frac{1}{8}$$

B)
$$x^2 + \frac{1}{4}x + 64$$

C)
$$x^2 + \frac{1}{4}x + \frac{1}{64}$$

D)
$$x^2 + \frac{1}{4}x + \frac{1}{16}$$

Answer: C

398)
$$x^2 - \frac{2}{7}x$$

A)
$$x^2 - \frac{2}{7}x + \frac{4}{49}$$

B)
$$x^2 - \frac{2}{7}x + \frac{2}{49}$$

C)
$$x^2 - \frac{2}{7}x + \frac{1}{49}$$

D)
$$x^2 - \frac{2}{7}x + \frac{1}{7}$$

399)
$$x^2 + \frac{2}{11}x$$

A)
$$x^2 + \frac{2}{11}x + \frac{4}{121}$$
 B) $x^2 + \frac{2}{11}x + \frac{1}{11}$ C) $x^2 + \frac{2}{11}x + \frac{2}{121}$

B)
$$x^2 + \frac{2}{11}x + \frac{1}{11}$$

C)
$$x^2 + \frac{2}{11}x + \frac{2}{121}$$

D)
$$x^2 + \frac{2}{11}x + \frac{1}{121}$$

Answer: D

400)
$$x^2 + 11x$$

A)
$$x^2 + 11x + \frac{11}{4}$$

B)
$$x^2 + 11x + \frac{11}{2}$$

B)
$$x^2 + 11x + \frac{11}{2}$$
 C) $x^2 + 11x + \frac{121}{2}$

D)
$$x^2 + 11x + \frac{121}{4}$$

Answer: D

Find the real or imaginary solutions by completing the square.

401)
$$a^2 + 12a + 11 = 0$$

D)
$$\{\pm\sqrt{11}\}$$

Answer: C

402)
$$z^2 + 10z + 3 = 0$$

A) $\{-5 \pm \sqrt{22}\}$

B)
$$\{5 + \sqrt{22}\}$$

C)
$$\{-10 + \sqrt{22}\}$$

D)
$$\{5 \pm \sqrt{22}\}$$

Answer: A

403)
$$p^2 + 3p - 9 = 0$$

A) $\left\{ \frac{3 + 3\sqrt{5}}{2} \right\}$

$$B) \left\{ \frac{-3 \pm 3\sqrt{5}}{2} \right\}$$

C)
$$\{-3 \pm 3\sqrt{5}\}$$

$$D) \left\{ \frac{-3 - 3\sqrt{5}}{2} \right\}$$

Answer: B

404)
$$9x^2 + 6x - 3 = 0$$

D)
$$\left\{ \frac{1}{3}, -1 \right\}$$

Answer: D

405)
$$7m^2 + 12m = 0$$

A) $\left\{ \pm \frac{12}{7} \right\}$

C)
$$\left\{-\frac{12}{7}, 0\right\}$$

D)
$$\left\{ \frac{12}{7}, 0 \right\}$$

Answer: C

406)
$$x^2 + 4x + 53 = 0$$

A)
$$\{-2 \pm 7i\}$$

B)
$$\{2 \pm 7i\}$$

D)
$$\{-2 \pm i\sqrt{53}\}$$

Answer: A 407) $x^2 + 4x + 40 = 0$

A)
$$\{-2 \pm 2\sqrt{10}\}$$

B)
$$\{-2 \pm 6i\}$$

C)
$$\{2 \pm 6i\}$$

Answer: B

Find the real or imaginary solutions by using the quadratic formula.

408)
$$x^2 - x = 6$$

A) $\{-2, -3\}$

Answer: B

409)
$$x^2 + 3x - 54 = 0$$

A) $\{9, -6\}$

Answer: C

410)
$$3x^2 - 18x + 24 = 0$$

A) $\{0, 2, 4\}$

Answer: B

411)
$$20x^2 + 41x + 20 = 0$$

A) $\left\{ -\frac{4}{5}, -\frac{5}{4} \right\}$

B)
$$\left\{ -\frac{1}{5}, -\frac{1}{4} \right\}$$

C)
$$\left\{ \frac{4}{5}, \frac{5}{4} \right\}$$

D)
$$\left\{ \frac{4}{5}, -\frac{5}{4} \right\}$$

412)
$$4m^2 + 8m + 2 = 0$$

A) $\left\{ \frac{-2 \pm \sqrt{2}}{8} \right\}$

B)
$$\left\{\frac{-2 \pm \sqrt{2}}{2}\right\}$$

C)
$$\left\{ \frac{-8 \pm \sqrt{2}}{2} \right\}$$

D)
$$\left\{\frac{-2 \pm \sqrt{6}}{2}\right\}$$

413)
$$2n^2 = -6n - 3$$

A) $\left\{ \frac{-3 \pm \sqrt{15}}{2} \right\}$

$$B) \left\{ \frac{-3 \pm \sqrt{3}}{2} \right\}$$

C)
$$\left\{ \frac{-6 \pm \sqrt{3}}{2} \right\}$$

D)
$$\left\{ \frac{-3 \pm \sqrt{3}}{4} \right\}$$

414)
$$6x^2 + 8x = -1$$

A) $\left\{ \frac{-4 \pm i\sqrt{10}}{6} \right\}$

$$B) \left\{ \frac{-8 \pm \sqrt{10}}{6} \right\}$$

C)
$$\left\{ \frac{-4 \pm \sqrt{10}}{12} \right\}$$

D)
$$\left\{ \frac{-4 \pm \sqrt{10}}{6} \right\}$$

Answer: D

415)
$$x^2 = 7 - 4x$$

A) $\{-1 \pm \sqrt{11}\}$

B)
$$\{-2 \pm \sqrt{11}\}$$

C)
$$\{2 + \sqrt{11}\}$$

D)
$$\{-2 \pm i\sqrt{11}\}$$

Answer: B

416)
$$x^2 - 14x + 74 = 0$$

A) $\{-7 \pm 5i\}$

C)
$$\{7 \pm 5i\}$$

Answer: C

417)
$$x^2 + 35 = 5x$$

$$C) \left\{ \frac{5 \pm i\sqrt{115}}{2} \right\}$$

D)
$$\left\{ \frac{5 \pm 5i}{2} \right\}$$

Find the real solutions for the given quadratic equation. Round results to two decimal places.

418)
$$3.7x^2 + 12.7x + 2.5 = 0$$

Answer: D

419)
$$6.6x^2 + 2.3x + 8.2 = 0$$

B) No real solutions

C)
$$\{-1.30\}$$

Answer: B

State the value of the discriminant and the number of real solutions.

420)
$$s^2 + 6s + 6 = 0$$

Answer: D

421)
$$t^2 - 10t + 25 = 0$$

Answer: A

422)
$$s^2 + 4s + 8 = 0$$

Answer: D

423)
$$s^2 = -8s - 7$$

Answer: B

424)
$$6x^2 - 54 = 0$$

Answer: C


425)
$$36x^2 + 12x + 1 = 0$$

Answer: D


426)
$$6y^2 = -6y - 2$$

Find the solutions to the equation by reading the graph.

427)
$$x^2 - 4x - 12 = 0$$



$$y = x^2 - 4x - 12$$



$$y = 2x^2 - 5x - 3$$


A)
$$\left\{-3, -\frac{1}{2}, 0\right\}$$

Answer: B

B)
$$\left\{-\frac{1}{2}, 3\right\}$$

D)
$$\left\{ -\frac{1}{2}, 0 \right\}$$

$$429) - x^2 + 4x + 12 = 0$$



$$y = -x^2 + 4x + 12$$

A) {12, 6}

B) {12}

C) {-2, 6, 12}

D) {-2, 6}

Answer: D

For the equation in the form $ax^2 + bx + c = 0$, determine the number of real solutions by examining the graph of $y = ax^2 + bx + c$.

430) $x^2 + 3x - 33 = 0$

A) 1

B) 4

C) 0

D) 2

Answer: D

431) $x^2 + 3x + 18 = 0$

A) 0

B) 1

C) 2

D) 3

Answer: A

432) $-2x^2 + 8x - 12 = 0$

A) 0

C) 1

B) Cannot be determined D) 2

Answer: A

433) $1.7x^2 + 6.46x - 3.655 = 0$

A) 2

C) 1 Answer: A B) 0

D) Cannot be determined

Use the method of your choice to find all real solutions of the equation.

434) $10b^2 + 19b - 7 = -13$

A)
$$\left\{-\frac{2}{3}, -\frac{2}{5}\right\}$$

B)
$$\left\{ \frac{3}{2}, \frac{2}{5} \right\}$$

C)
$$\left\{-\frac{3}{2}, -\frac{2}{5}\right\}$$

D)
$$\left\{ \frac{2}{3}, \frac{5}{2} \right\}$$

Answer: C

435) $2k^2 - 13k - 7 = 0$

B)
$$\left\{-\frac{1}{2}, 2\right\}$$

C)
$$\left\{-\frac{1}{2}, 7\right\}$$

D)
$$\left\{ \frac{1}{13}, -\frac{1}{2} \right\}$$

436)
$$(p + 3)^2 = 19$$

A) $\{-3 \pm \sqrt{19}\}$

B)
$$\{\sqrt{19} - 3\}$$

C)
$$\{\sqrt{19} - \sqrt{3}\}$$

D)
$$\{3 \pm \sqrt{19}\}$$

Answer: A

437)
$$(6t + 6)^2 = 14$$

A) $\{-6 \pm \sqrt{14}\}$

$$B) \left\{ \frac{6 + \sqrt{14}}{6} \right\}$$

$$C) \left\{ \frac{-6 \pm \sqrt{14}}{6} \right\}$$

D)
$$\left\{\frac{\pm\sqrt{8}}{6}\right\}$$

Answer: C

438)
$$9k^2 - 4 = 0$$

B)
$$\left\{ \frac{3}{2}, 0 \right\}$$

C)
$$\left\{\pm \frac{3}{2}\right\}$$

D)
$$\left\{\pm \frac{2}{3}\right\}$$

Answer: D

439)
$$6x^2 + 10x = -1$$

A) $\left\{ \frac{-5 \pm \sqrt{19}}{6} \right\}$

$$B) \left\{ \frac{-10 \pm \sqrt{19}}{6} \right\}$$

$$C) \left\{ \frac{-5 \pm \sqrt{31}}{6} \right\}$$

D)
$$\left\{ \frac{-5 \pm \sqrt{19}}{12} \right\}$$

Answer: A

440)
$$x = 2 + \frac{3}{x}$$

A)
$$\left\{-\frac{2}{3}\right\}$$

B) No real solutions

Answer: D

441)
$$\frac{x+4}{x-7} = \frac{x-3}{x+1}$$

A)
$$\left\{-\frac{1}{3}, \frac{1}{3}\right\}$$

B) {-4, -1, 7, 3}

C) No real solutions

D)
$$\left\{ \frac{17}{15} \right\}$$

Answer: D

$$442) \ \frac{3}{4}x^2 + \frac{1}{2}x + \frac{1}{12} = 0$$

A)
$$\left\{\frac{1}{9}\right\}$$

B)
$$\left\{\frac{1}{3}\right\}$$

C)
$$\left\{ \frac{-6 \pm \sqrt{27}}{18} \right\}$$

D)
$$\left\{-\frac{1}{3}\right\}$$

Answer: D

$$443) \frac{4}{9} x^2 - \frac{4}{3} x = -1$$

A)
$$\left\{\frac{2}{3}\right\}$$

B)
$$\left\{-\frac{3}{2}\right\}$$

C)
$$\left\{ \frac{3 \pm 2\sqrt{2}}{2} \right\}$$

D)
$$\left\{\frac{3}{2}\right\}$$

Solve for the indicated variable.

444) Solve for r.

$$M = \pi r^2 hd$$

A)
$$r = \frac{\pm \sqrt{M\pi hd}}{\pi hd}$$

B)
$$r = \frac{\pm M\sqrt{\pi hd}}{\pi hd}$$

C)
$$r = \frac{\pm \sqrt{\pi Mhd}}{hd}$$

D)
$$r = \pm \sqrt{\pi Mhd}$$

Answer: A

445) Solve for a.

$$A = 2\pi a^2$$

A)
$$a = \sqrt{2\pi A}$$

B)
$$a = \frac{\pm A\sqrt{2\pi}}{2\pi}$$

C)
$$a = \frac{\pm \sqrt{A\pi}}{2}$$

D)
$$a = \frac{\pm\sqrt{2\pi A}}{2\pi}$$

Answer: D

446) Solve for v.

$$Ve = \frac{1}{2}mv^2$$

A)
$$v = \frac{\pm\sqrt{2mVe}}{m}$$

B)
$$V = \pm \sqrt{\frac{Ve}{2m}}$$

C)
$$v = \pm 2 \frac{\sqrt{Ve}}{m}$$

D)
$$V = \pm \sqrt{2Ve}$$

Answer: A

447) Solve for t.

$$rm = t^2 - mt$$

A)
$$t = \frac{m \pm \sqrt{m^2 + 4rm}}{2}$$

C)
$$t = \sqrt{mr - m}$$

B)
$$t = \frac{m \pm \sqrt{m^2 + 4mr}}{2m}$$

D)
$$t = \frac{m \pm \sqrt{m^2 - 4mr}}{4}$$

Answer: A

448) Solve for x.

$$2x^2 - 4xy + 3y^2 = 1$$

A)
$$x = -y \pm 2\sqrt{1 - y^2}$$

B)
$$x = y \pm (1 - y)$$

C)
$$x = -y \pm \sqrt{1 - y^2}$$

C)
$$x = -y \pm \sqrt{1 - y^2}$$
 D) $x = \frac{2y \pm \sqrt{2 - 2y^2}}{2}$

Answer: D

449) Solve for y.

$$2x^2 - 4xy + 3y^2 = 1$$

A) $y = \frac{2x \pm \sqrt{3 - 2x^2}}{3}$

C)
$$y = \frac{2x \pm 2\sqrt{3 - 2x^2}}{3}$$

B)
$$y = \frac{2x \pm 4\sqrt{3 - 2x^2}}{3}$$

D)
$$y = \frac{2x \pm \sqrt{6 - 4x^2}}{3}$$

ve the	problem.			
450) A ladder is resting against a wall. The top of the ladder touches the wall at a height of 15 ft. Find				ght of 15 ft. Find the length of
	_	is 5 ft more than its distance f		
	A) 20 ft	B) 25 ft	C) 30 ft	D) 15 ft
	Answer: B			
451)	A lot is in the shape of	a right triangle. The shorter le	g measures 150 m. The hype	otenuse is 50 m longer than the
		g. How long is the longer leg?		
	A) 150 m	B) 200 m	C) 250 m	D) 300 m
	Answer: B			
452)	the other, the resulting added and subtracted?	rectangle has an area 9 square?	e centimeters less than the a	e dimension and removed from rea of the square. How much is
	A) 12 cm	B) 3 cm	C) 4 cm	D) 9 cm
	Answer: B			
453)		of 49 square inches. If the same ctangle has an area of 45 squar B) 5 in. by 9 in.	-	
	Answer: B	b) 5 III. by 7 III.	C) 3 III. by 4 III.	<i>b)</i> 3 iii. by 10 iii.
454)		nade from a rectangular piece on the volume of the box will be 10		nensions of the rectangular
455)		has dimensions of 25 feet by 17 bw wide can the path be if ther	_ ·	
	A) 6 ft	B) 4 ft	C) 5 ft	D) 6.5 ft
	Answer: B	·	•	·
456)		n so that a border of consistent the rug is 40 square feet, how v B) 4.5 ft		es. If the room is 12 feet by D) 3.5 ft
	Answer: D	, 	-, - ·	, .
457)	in seconds the object h meters?	as been in motion. How long (to the nearest tenth) will it t	•
	A) 4.0 sec	B) 3.8 sec	C) 74.0 sec	D) 21.0 sec

458) The position of an object moving in a straight line is given by $s = t^2 - 8t$, where s is in feet and t is the time in seconds the object has been in motion. How long (to the nearest tenth) will it take the object to move 18 feet?

A) 9.9 sec

B) 19.0 sec

C) 9.7 sec

D) 18.0 sec

Answer: A

459)	A ball is thrown downward from a window in a tall building. Its position at time t in seconds is $s = 16t^2 + 32t$, where s is in feet. How long (to the nearest tenth) will it take the ball to fall 187 feet?			
	A) 3.4 sec Answer: B	B) 2.6 sec	C) 2.4 sec	D) 6.8 sec
460)	If an amount of money, called the principal, P, is deposited into an account that earns interest at a rate r, compounded annually, then in two years that investment will grow to an amount A, given by the formula			
	$A = P(1 + r)^2$. If a principal am A) 14%	ount of \$4000 grows to \$5198 B) 16%	3.40 in two years, what is the C) 12%	interest rate? D) 15%
	Answer: A			
461)	Use a graphing calculator to find the regression equation to find hands of the punt returner, wh	2 2.4 3 4 70 80 65 20 nd a quadratic regression cur the approximate number of to is 6' tall.	ve that expresses the height i seconds that it will take for t	ne ball to reach the
	A) $y = -15.96x^2 + 70.21x - 3$		B) $y = -16.38x^2 + 71.45x - 2$	
	C) $y = -16.38x^2 + 71.45x - 2$	52; -163.5 seconds	D) $y = -15.96x^2 + 70.21x - 3$	3.51; -156.81 seconds
	Answer: A			
462)	The demand equation for a cer P is the price in dollars at which sold produces a weekly revenu	th one is sold. The weekly rev		-
	A) 1281 or 31,219	B) 1187 or 31,219	C) 1281	D) 31,219
	Answer: A			
463)	A barge travels along a river be current is 2.4 mph. If the barge trip, then what is the barge's sp A) 6.8 mph	can make the downstream t	trip in 5.9 hours less than it ca	n travel the upstream
	Answer: A			
464)	Your company uses the quadratic model $y = -11x^2 + 350x$ to represent how many units (y) of a new product will be sold (x) weeks after its release. How many units can you expect to sell in week 18? A) 9864 units B) 6498 units C) 2736 units D) 6102 units			
	Answer: C	,	•	,
465)	Your company uses the quadr who will be signed on (x) week expect to gain in week 30?	ks after the release of your n	ew service. How many new o	ustomers can you
	A) 4365 customers	B) 450 customers	C) 225 customers	D) -1800 customers
	Answer: B			

- 466) A grasshopper is perched on a reed 5 inches above the ground. It hops off the reed and lands on the ground about 7.9 inches away. During its hop, its height is given by the equation $h = -0.3x^2 + 1.75x + 5$, where x is the distance in inches from the base of the reed, and h is in inches. How far was the grasshopper from the base of the reed when it was 3.75 inches above the ground? Round to the nearest tenth.
 - A) 0.6 inches
- B) 6.5 inches
- C) 7.9 inches
- D) 0.8 inches

Answer: B

Write an inequality whose solution set is the interval.

- 467) (-5, -3)
 - A) $-5 \le x \le -3$
- B) -5 < x < -3
- C) -5 < x > -3
- D) -5 > x > -3

Answer: B

- 468) (-∞,8]
 - A) x < 8

B) x > 8

C) x ≥8

D) x ≤8

- Answer: D
- 469) [-2, 8)
 - A) $-2 \le x < 8$
- B) $-2 \le x \le 8$
- C) -2 < x > 8
- D) $-2 < x \le 8$

Answer: A

- 470) (3, ∞)
 - A) x < 3

B) x > 3

C) $x \le 3$

D) $x \ge 3$

Answer: B

- 471) [17, ∞)
 - A) $x \le 17$

B) x < 17

C) x > 17

D) x ≥ 17

Answer: D

- 472) (-∞, 13)
 - A) $x \le 13$

B) x < 13

C) x ≥ 13

D) x > 13

Answer: B

Write the solution set in interval notation.

- 473) $x \ge -3$
 - A) [-3, ∞)

- B) (-3, ∞)
- C) (-∞, -3)
- D) (-∞, -3]

Answer: A

- 474) x < -27
 - A) (-∞, -27)
- B) [-27, ∞)
- C) (-∞, -27]
- D) (-27, ∞)

- Answer: A
- 475) $x > \frac{\pi}{6}$
 - A) $\left(-\infty, \frac{\pi}{6}\right]$
- B) $(-\infty, \frac{\pi}{6})$
- C) $(\frac{\pi}{6}, \infty)$
- D) $\left[\frac{\pi}{6}, \infty\right)$

476) x ≤
$$\sqrt{11}$$

A)
$$(-\infty, \sqrt{11})$$


C)
$$(-\infty, \sqrt{11}]$$

Answer: C

Solve the inequality. Write the solution set using interval notation and graph it. 477) a - 5 < -7







Answer: B

478)
$$10y + 10 > 9y + 19$$

B) (29, ∞)

C) (-∞, 9)

D) (9, ∞)

479) 11a + 1 ≤ 10a - 8

- A) [-9, ∞)
 - -16 -15 -14 -13 -12 -11 -10 -9 -8 -7 -6 -5 -4 -3 -2
- B) (11, ∞)
 - 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18
- C) (-∞, 11)
 - 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18
- D) (-∞, -9]
- -16 -15 -14 -13 -12 -11 -10 -9 -8 -7 -6 -5 -4 -3 -2

Answer: D

480) $-7y + 1 \ge -8y - 5$

- A) (-∞, -7)
 - -14 -13 -12 -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0
- B) (-∞, -6]
 - -13 -12 -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 1
- C) (-7, ∞)
 - -14 -13 -12 -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0
- D) [-6, ∞)
 - -13 -12 -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 1

481) $-4z - 5 \ge -3z - 6$

 $\longleftrightarrow \cdots \longleftrightarrow \cdots \longleftrightarrow$

- A) (-4, ∞)
 - -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2 3
- B) [-1, ∞)
 - -8 -7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6
- C) (-∞, -4]
 - -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2 3
- D) (-∞, 1]
- -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7 8

Answer: D

482) -2 - 7y - 10 ≥ -8y - 17

 $\longleftrightarrow \longleftrightarrow \longleftrightarrow \longleftrightarrow \longleftrightarrow$

A) [-5, ∞)

-12 -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2

B) (-∞, -5]

-12 -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2

C) (-∞, -7)

-14 -13 -12 -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0


D) (-7, ∞)

-14 -13 -12 -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0


483) 42z + 42 > 6(6z + 9)

 $\longleftrightarrow \longleftrightarrow \longleftrightarrow \longleftrightarrow$


A) (2, ∞)



B) (42, ∞)



C) (-∞, 2)




D) (-∞, 42)



Answer: A

484) -4(2x - 4) < -12x + 28

A) (-∞, -12)




B) (3, ∞)




C) (-12, ∞)



D) (-∞, 3)



485)
$$\frac{8x-2}{3} < \frac{13}{4}$$



B) $\left(\frac{47}{32}, \infty\right)$

C) $\left(-\infty, \frac{13}{4}\right)$

D) $\left(-\infty, \frac{47}{32}\right)$

47 32

486)
$$\frac{8x-4}{-9} < -\frac{17}{2}$$

A)
$$\left(\frac{161}{16}, \infty\right)$$


B)
$$\left(-\infty, -\frac{17}{2}\right)$$

C)
$$\left(\frac{161}{2}, \infty\right)$$

$$\frac{161}{2}$$

Solve the inequality by reading the graph.


487)
$$5x - 8.7 > 0$$



$$y = 5x - 8.7$$

Answer: B

488)
$$4x - 3 \ge 2x + 1$$



$$y = 2x + 1$$
 $y = 4x - 3$

Write as a single interval. 489)
$$[-3, \infty) \cup (4, \infty)$$

Answer: D


490) (3,
$$\infty$$
) \cap (10, ∞)

Answer: D

491)
$$(-\infty, 1) \cap (5, \infty)$$

Answer: D

Answer: B



493) 5x - 1 < 4 and x - 2 > -1

-7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7

A) (0, 1)

-7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7

B) {1}

C) [0, 1]

-7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7

D) Ø

Answer: D

494) $4x - 10 \le 18$ and $2x - 1 \ge 13$

7.6.5.4.3.2.101234567

A) (7, ∞)

-7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7

B) [7, ∞)

C) {7}

-7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7

D) (-∞, 7)

-7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7

Answer: C

495) $6x - 4 < 2x \text{ or } -4x \le -12$

-7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7

A) (-∞, 1) ∪ [3, ∞)

-7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7

B) Ø

C) (1, 3)

-7 -6 -5 -4 -3 -2 -1 0 2 3 4 5 6 7

D) [1, 3]

-7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7

- - A) (-∞, ∞)
 - C) [-4, ∞)
 - -7-6-5-4-3-2-10 | 2 3 4 5 6 7
 - Answer: A
- 497) $-26 < 5b + 4 \le -6$
 - A) [-6, -2)
 - C) (-6, -2)
 - Answer: B
- 498) $-11 < -3a + 4 \le 1$
 - A) [1, 5)
 - C) [-5, -1)
 - Answer: A

- B) [-2, ∞)
- D) [-4, -2]

- B) (-6, -2]
- D) [-6, -2]

- B) (1, 5]
- D) (-5, -1]

499) $0 < -3x + 3 \le 12$

-7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7

A) [-3, 1)

B) (-3, 1]

C) [-1, 3) 7.6.5.4.3.2.1.0.1.2.3.4.3.6.7 D) (-1, 3] -7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7

Answer: A

$$500) -1 \le \frac{x+1}{2} \le 3$$

-7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7

A) [-3, 5] -7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7

B) [-5, 3] -7 -6 -3 -4 -3 -2 -1 0 1 2 3 4 5 6 7

C) [-1, 7]

D) (-7, 1)

Answer: A

Solve the absolute value inequality. Write the solution set using interval notation.

- 501) $| x | \le 14$
 - A) $(-\infty, 14]$
- B) [-14, 14]
- C) (-∞, -14]
- D) $(-\infty, -14] \cup [14, \infty)$

Answer: B

- 502) $| 9x 1 | \ge 2$ A) $\left[-\infty, -\frac{1}{9}\right] \cup \left[\frac{1}{3}, \infty\right]$ B) $\left[-\frac{1}{9}, \frac{1}{3}\right]$
- C) $\left[-\infty, -\frac{1}{3}\right] \cup \left[2, \infty\right)$ D) $\left[\frac{1}{3}, \infty\right]$

Answer: A

- 503) | 8x + 8 | < 4A) $\left[-\infty, -\frac{3}{2}\right]$
- B) (-∞, 8)
- C) $\left[-\frac{3}{2}, -\frac{1}{2}\right]$
- D) $\left[-\infty, -\frac{3}{2}\right] \cup \left[-\frac{1}{2}, \infty\right]$

Answer: C

- $504) \mid b + 7 \mid -5 > 18$
 - A) (-30, 16)
- B) $(-\infty, -30) \cup (6, \infty)$
- C) $(-\infty, -30) \cup (16, \infty)$
- D) $(-\infty, -6) \cup (30, \infty)$

505)
$$5|x-2| < 6$$
A) $\left(-\infty, -\frac{16}{5}\right) \cup \left(-\frac{4}{5}, \infty\right)$
C) $\left(\frac{4}{5}, \frac{16}{5}\right)$

B)
$$\left[-\infty, \frac{4}{5}\right] \cup \left[\frac{16}{5}, \infty\right]$$

D) $\left[-\frac{16}{5}, -\frac{4}{5}\right]$

Answer: C

506)
$$2|x-5| \ge 7$$

$$A)\left[-\infty, \frac{17}{2}\right] \cup \left[\frac{3}{2}, \infty\right]$$

$$C)\left[\frac{17}{2}, \frac{3}{2}\right]$$

$$B) \left[-\infty, -\frac{3}{2} \right] \cup \left[-\frac{17}{2}, \infty \right]$$

$$D) \left[-\infty, \frac{3}{2} \right] \cup \left[\frac{17}{2}, \infty \right]$$

Answer: D

507)
$$\left| \frac{x-5}{3} \right| \ge 2$$

A) $(-\infty, -1] \cup [11, \infty)$

Answer: A

508)
$$\left| \frac{7-2x}{7} \right| \le 3$$

A) $\left(-\infty, -7 \right] \cup \left[14, \infty \right)$

B)
$$(-\infty, -7) \cap (14, \infty)$$

Answer: C

$$B)\left(-\infty,\frac{4}{11}\right)\cup\left(\frac{14}{11},\,\infty\right) \qquad \qquad C)\left(\frac{4}{11},\frac{14}{11}\right)$$

$$C)\left[\frac{4}{11},\frac{14}{11}\right]$$

Answer: A

510)
$$5 \le |2x - 6|$$

A) $\left[\frac{1}{2}, \frac{11}{2}\right]$

Answer: B

B)
$$\left[-\infty, \frac{1}{2}\right] \cup \left[\frac{11}{2}, \infty\right]$$
 C) $\left[\frac{11}{2}, \infty\right]$

C)
$$\left[\frac{11}{2}, \infty\right]$$

$$\mathsf{D})\left[-\infty,-\frac{11}{2}\right]\cup\left[5,\,\infty\right)$$

Write an inequality of the form |x - a| < k or of the form |x - a| > k so that the inequality has the given solution set.

511) (-5, 5)

A)
$$| x + 5 | > 0$$

D)
$$| x | > 5$$

Answer: C

512)
$$[-10, 10]$$

A) $|x| \le 10$

C)
$$| x + 10 | \ge 0$$

D)
$$| x - 10 | \ge 0$$

Answer: A

513)
$$(-\infty, -6) \cup (6, \infty)$$

A) $|x + 6| > 0$

514)
$$(-\infty, -5] \cup [5, \infty)$$

A)
$$\mid x \mid \geq 5$$

B)
$$|x - 5| \ge 0$$

D)
$$| x + 5 | \ge 0$$

Answer: A

515)
$$(-\infty, -16) \cup (-2, \infty)$$

A)
$$| x | > -2$$

C)
$$| x + 9 | > 7$$

D)
$$| x + 9 | < 7$$

Answer: C

516)
$$(-\infty, -13] \cup [-3, \infty)$$

A) $| x + 8 | \ge 5$

C)
$$| x + 8 | \le 5$$

D)
$$| x | \ge -3$$

Answer: A

A)
$$| x | < 6$$

C)
$$| x - 1 | < 5$$

D)
$$| x | < -4$$

Answer: C

A)
$$| x | \le -12$$

C)
$$| x + 5 | \le 7$$

D)
$$| x + 5 | \ge 7$$

Answer: C

Write an absolute value inequality that has the given solution set.

519)

-7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7

A)
$$| x - 6 | < 2$$

B)
$$| x + 3 | > 2$$

D)
$$| x - 3 | > 2$$

Answer: B

520)

A) |
$$x | \ge -6$$

Answer: D

Answer: A

B)
$$|x - 3| \ge 2$$

C)
$$| x - 6 | \le 2$$

D)
$$| x + 3 | \ge 2$$

521)

-7 -6 -3 -4 -3 -2 -1 0 1 2 3 4 5 6 7

A)
$$| x + 3 | < 2$$

C)
$$| x - 6 | < 2$$

D)
$$| x - 3 | > 2$$

522)

A) |
$$x | \le -6$$

B)
$$| x - 6 | \le 2$$

C)
$$| x + 3 | \le 2$$

D)
$$| x - 3 | \ge 2$$

523)

A)
$$| x - 3 | \ge 0$$

B) |
$$x | \ge 3$$

C)
$$| x - 3 | \le 0$$

D)
$$\mid x \mid \leq 3$$

Answer: B

524)

A)
$$| x - 7 | > 0$$

C)
$$| x - 7 | < 0$$

Answer: B

525)

A)
$$| x - 5 | < 0$$

B)
$$| x - 5 | > 0$$

Answer: D

526)

A)
$$| x - 4 | \le 0$$

B) |
$$x | \le 4$$

C)
$$| x - 4 | \ge 0$$

D)
$$\mid x \mid \ge 4$$

Answer: B

Find the values of x for which the expression is a real number.

527) $\sqrt{8x - 6}$

B)
$$\left[\frac{4}{3}, \infty\right]$$

C)
$$\left[-\infty, \frac{4}{3}\right]$$

D)
$$\left[\frac{3}{4}, \infty\right]$$

Answer: D

528) $\sqrt{2|x|-4}$

$$A)\left[-\infty, -\frac{1}{2}\right] \cup \left(2, \infty\right) \qquad B)\left[-\frac{1}{2}, 2\right]$$

B)
$$\left(-\frac{1}{2}, 2\right)$$

C)
$$\left(-\infty, -2\right] \cup \left[2, \infty\right)$$

Answer: C

529) $\sqrt{x - 14}$

Answer: A

Solve

e the	problem.					
531)	n omelette costs \$1.25 more than Mario's order of pancakes. After treating his family to breakfast, Mario is re that 4 omelettes and 3 orders of pancakes cost more than \$25 but not more than \$40, including tax of 7% at the day of \$3.50. In what price range is an order of pancakes?					
	A) (\$2.16, \$4.16]	B) (\$2.12, \$4.13]	C) (\$2.16, \$4.16)	D) [\$2.12, \$4.13]		
	Answer: A	-				
	for the three tests above 77?					
	A) (92, ∞)	B) [96, ∞)	C) [95, ∞)	D) (95, ∞)		
	Answer: D					
533)	There is less than \$1100 differe Highbrow is \$4500. Express th A) x > 4500 - 1100	is as an absolute value inequ	uality. Use "x" for the tuition o	•		
	Answer: D	B) X 1100 < 4000	O) X \ 0400	<i>D)</i> <i>X</i>		
	A salesperson has two job offers. Company A offers a weekly salary of \$640 plus commission of 16% of sales. Company B offers a weekly salary of \$1280 plus commission of 8% of sales. What is the amount of sales above which Company A's offer is the better of the two?					
	A) \$4000	B) \$16,000	C) \$8100	D) \$8000		
	Answer: D					
535)	5) Company A rents copiers for a monthly charge of \$160 plus 8 cents per copy. Company B rents copiers for monthly charge of \$320 plus 4 cents per copy. What is the number of copies above which Company A's chare the higher of the two?					
	A) 8000 copies	B) 2000 copies	C) 4000 copies	D) 4100 copies		
	Answer: C					
536)	A car rental company has two \$.09 per mile. If you plan to rer Rate 2?					
	A) more than 900 miles		B) more than 450 miles			
	C) more than 1000 miles		D) more than 1800 miles			
	Answer: A					
537)	A bag of marbles has twice as many blue marbles as green marbles, and the bag has at least 51 marbles in it. At least how many green marbles does it have?					
	A) At least 18 green marbles		B) At least 17 green marble D) At least 26 green marble			
	C) At least 34 green marbles Answer: B)	D) At least 20 green marble	<i>\$</i> 5		
	Allswei. b					
538)	receive credit for the class. Wh	has 1152 points in his math class. He must have 90% of the 1400 points possible by the end of the term to seive credit for the class. What is the minimum number of additional points he must earn by the end of the m to receive credit for the class?				
	A) 248 points	B) 1037 points	C) 1260 points	D) 108 points		
	Answer: D					

- 539) The inequality |T 54| ≤16 describes the range of monthly average temperatures T in degrees Fahrenheit at a City X. (i) Solve the inequality. (ii) If the high and low monthly average temperatures satisfy equality, interpret the inequality.
 - A) $38 \le T \le 70$; The monthly averages are always within 16° of 54° F.
 - B) T \leq 70; The monthly averages are always less than or equal to 70°F.
 - C) $25 \le T$; The monthly averages are always greater than or equal to $25^{\circ}F$.
 - D) $25 \le T \le 83$; The monthly averages are always within 29° of 54°F.

Answer: A

- 540) The inequality |T 37| ≤ 7.2 describes the range of monthly average temperatures T in degrees Fahrenheit at a City X. (i) Solve the inequality. (ii) If the high and low monthly average temperatures satisfy equality, interpret the inequality.
 - A) $33.3 \le T \le 40.7$; The monthly averages are always within 3.7° of 37° F.
 - B) $29.8 \le T \le 44.2$; The monthly averages are always within 7.2° of 37°F.
 - C) $-44.2 \le T \le 51.4$; The monthly averages are always within 14.4° of 37° F.
 - D) $-40.7 \le T \le 44.4$; The monthly averages are always within 7.4° of 37°F.

Answer: B