https://selldocx.com/products

/tesh-hanek-ess Deticlopon area hits Sologyuae of embley and griss a dinical-approach-5e-chiego

Chiego: Essentials of Oral Histology and Embryology, 5th Edition

MULTIPLE CHOICE

- 1. Mitochondria produce which chemical for intracellular energy?
 - a. ADP
 - b. ATP
 - c. RNA
 - d. DNA

ANS: B

	Feedback
Α	Mitochondria generate energy through ATP, not ADP, production.
В	Correct. Mitochondria produce energy via ATP.
С	Mitochondria generate energy through ATP, not RNA, production.
D	Mitochondria generate energy through ATP, not DNA, production.

DIF: Recall REF: pp. 2-3 OBJ: 1

- 2. Each tissue originates from mesoderm, EXCEPT one. Which is the EXCEPTION?
 - a. Bone
 - b. Liver
 - c. Blood
 - d. Muscle

ANS: B

	Feedback
Α	Bone tissue develops from mesodermal cells.
В	Correct. Liver tissue is produced by endodermal cells.
С	Blood develops from mesodermal cells.
D	Muscle tissue develops from mesodermal cells.

DIF: Recall REF: p. 6 OBJ: 3

- 3. Which chemical is called the second messenger?
 - a. aDNA
 - b. mRNA
 - c. dGMP
 - d. cAMP

ANS: D

		Feedback
-	,	cAMP is the second messenger; aDNA is not.
E	8	cAMP is the second messenger; mRNA is not.
C		cAMP is the second messenger; dGMP is not.

Correct. cAMP transmits information to the intracellular organelles when activated by surface receptors on the plasma membrane.

DIF: Recall REF: p. 3 OBJ: 3

- 4. Which cellular component facilitates protein synthesis?
 - a. Ribosomes
 - b. Lysosomes
 - c. Mitochondria
 - d. Plasmalemma

ANS: A

	Feedback
Α	Correct. Ribosomes synthesize protein.
В	Lysosomes facilitate the breakdown of intracellular and extracellular substances.
С	Mitochondria generate energy.
D	The plasmalemma provides a protective barrier and regulates the transport of
	substances to and from the cell.

DIF: Comprehension REF: p. 2 OBJ: 1

- 5. Which organelle produces microtubules?
 - a. Nucleus
 - b. Centriole
 - c. Golgi apparatus
 - d. Endoplasmic reticulum

ANS: B

	Feedback
Α	Centrioles generate microtubules; the nucleus does not.
В	Correct. Centrioles produce microtubules.
С	Centrioles generate microtubules; the Golgi apparatus does not.
D	Centrioles generate microtubules; the endoplasmic reticulum does not.

DIF: Recall REF: p. 3 OBJ: 1

- 6. Which phase of the cell cycle is characterized as the initial resting stage?
 - a. S phase
 - b. G1 phase
 - c. G2 phase
 - d. Prophase

ANS: B

	Feedback
Α	The S phase is characterized as the stage in which DNA synthesis is complete.
В	Correct. The G1 phase is the initial resting stage.
С	The G2 phase is characterized by post-DNA duplication.

	Prophase is characterized by four specific structural changes.
	DIF: Recall REF: p. 4 OBJ: 1
7.	Posttranslational modifications to proteins produced by the rough endoplasmic reticulum are accomplished by a. mitochondria b. Golgi apparatus c. messenger RNA d. smooth endoplasmic reticulum
	ANS: B

	Feedback
Α	The Golgi apparatus is responsible for posttranslational alterations; mitochondria
	are not.
В	Correct. The Golgi apparatus makes alterations to proteins produced by the
	rough endoplasmic reticulum.
С	The Golgi apparatus is responsible for posttranslational alterations; mRNA is
	not.
D	The Golgi apparatus is responsible for posttranslational alterations; the smooth
	endoplasmic reticulum is not.

DIF: Recall REF: p. 2 OBJ: 1

- 8. The _____ provides an ideal environment for the implantation and growth of the embryo.
 - a. ovary
 - b. uterine tube
 - c. myometrium
 - d. endometrium

ANS: D

	Feedback
Α	The ovary is the female reproductive organ, in which the ova or eggs are
	produced.
В	The uterine tube conducts the egg from the ovary to the uterus.
С	The myometrium is the smooth muscle that lines the uterus.
D	Correct. The endometrium provides the ovum with the nourishment necessary
	for implantation and growth.

DIF: Comprehension REF: pp. 6-9 OBJ: 3

- 9. Intercalated disks are present in which type of muscle?
 - a. Cardiac
 - b. Smooth
 - c. Skeletal
 - d. Voluntary

ANS: A

	Feedback
Α	Correct. Cardiac is the only type of muscle tissue with intercalated disks.
В	Intercalated disks are not present in smooth muscle.
С	Intercalated disks are not present in skeletal muscle.
D	Intercalated disks facilitate the involuntary contractions of cardiac muscle.

DIF: Recall REF: p. 15 OBJ: 4

- 10. Developmental abnormalities are not associated with which number of chromosomes?
 - a. 44
 - b. 45
 - c. 46
 - d. 47

ANS: C

	Feedback
Α	Developmental abnormalities are associated with less than the normal number of
	chromosomes (46).
В	Developmental abnormalities are associated with less than the normal number of
	chromosomes (46).
С	Correct. The normal human cell has 46 total chromosomes.
D	Developmental abnormalities are associated with more than the normal number
	of chromosomes (46).

DIF: Comprehension REF: p. 16 OBJ: 4

- 11. Which best describes diapedesis?
 - a. Programmed cell death and fragmentation
 - b. A protective mechanism in the immunologic defense of the body
 - c. The development of a cartilage disk in the neck of each long bone
 - d. The migration of leukocytes between endothelial cells to the site of infection

ANS: D

	Feedback
Α	Apoptosis is cell death and fragmentation into membrane-bound particles.
В	The lymphatic system is an immunologic defense mechanism.
С	The epiphyseal plate is a developmental disk of cartilage.
D	Correct. Diapedesis is a process whereby leukocytes migrate between
	endothelial cells to the site of infection.

DIF: Comprehension REF: p. 12 OBJ: 4

- 12. T cells, B cells, NK cells, and macrophages are produced in the ______.
 - a. spleen
 - b. cerebellum
 - c. lymph nodes
 - d. bone marrow

	Feedback						
Α	Immune system cells (T cells, B cells, NK cells, and macrophages) are produced						
	in the bone marrow, not the spleen.						
В	Immune system cells (T cells, B cells, NK cells, and macrophages) are produced						
	in the bone marrow, not the cerebellum.						
С	Immune system cells (T cells, B cells, NK cells, and macrophages) are produced						
	in the bone marrow, not the lymph nodes.						
D	Correct. Bone marrow is the site of formation for T cells, B cells, NK cells, and						
	macrophages.						

DIF: Recall REF: p. 12 OBJ: 4

- 13. Which represent the first change in shape of the embryo's body from a flat sheet of cells?
 - a. Formation of the embryonic disk.
 - b. Formation of neural folds.
 - c. Formation of cartilage.
 - d. Migration of myoblasts from the myotome.

ANS: B

	Feedback							
Α	The embryonic disk forms from a small inner cell mass within the blastocyst.							
	This occurs prior to the formation of the three primordial layers, long before the							
	embryo acquires a three-dimensional shape.							
В	Correct. The neural folds can be seen during the third prenatal week. The lateral							
	edges of the neural plate begin to elevate as folds arise dorsally.							
С	Cartilage first appears in the fifth week.							
D	Muscle cells have begun migrating from the myotome by the 10th prenatal							
	week.							

DIF: Comprehension REF: pp. 10-11 OBJ: 3

- 14. Myotome produces which of the following types of tissue?
 - a. Connective
 - b. Muscle
 - c. Nerve
 - d. Epithelial

ANS: B

	Feedback						
Α	Connective tissue develops from somites as fibroblasts migrating from either						
	side of the neural tube.						
В	Correct. Myoblasts have begun migrating from the myotome by the 10th						
	prenatal week. They gradually differentiate into elongated, multinucleated						
	muscle fibers.						
С	Nerve is derived from both the cranial and trunk neural crest. When the anterior						
	neural tube closes, it shows three dilations that form the primary brain vesicles.						

Skin has an epidermis, a surface cell layer that develops from the surface of ectodermal cells, and a dermis, which arises from the underlying mesoderm.

DIF: Comprehension REF: p. 15 OBJ: 3

- 15. Which type of bone formation occurs through a tight matrix of collagen fibers, which slowly calcify into bone?
 - a. Endochondral
 - b. Intramembranous
 - c. Epiphyseal
 - d. Interstitial growth

ANS: B

	Feedback									
Α	Bone replaces cartilage during endochondral bone development. A small blood									
	vessel enters the cartilage shaft, the cartilage calcifies and disintegrates in the									
	center, and a marrow space is formed.									
В	Correct. Intramembranous bone formation is the direct transformation of									
	connective tissue into bone. It is much simpler for bone cells to organize in this									
	manner and to form spicules of bone through coalescence with neighboring									
	spicules until a bony plate is formed.									
С	The epiphyseal plate is a developing cartilage disk that remains in the neck of									
	each long bone and bone forms on either side. It will remain as long as the bone									
	is forming.									
D	Cartilage develops and expands by interstitial growth, which is growth within									
	the cartilage matrix by each cartilage cell enlarging and forming matrix around									
	each cell.									

DIF: Comprehension REF: p. 14 OBJ: 4

- 16. Blood cells arise from cells called
 - a. neuroblasts.
 - b. fibroblasts.
 - c. osteoblasts.
 - d. angioblasts.

ANS: D

	Feedback						
Α	Neuroblasts are primitive nerve cells that develop into adult neurons.						
В	Connective tissue develops from the somites as fibroblasts migrating from either						
	side of the neural tube.						
С	Osteoblasts will form bone.						
D	Correct. The cardiovascular system originates from cells termed angioblasts,						
	which arise from angiogenic clusters from the visceral mesoderm located in the						
	walls of the yolk sac during the third week. The outer cells organize into a series						
	of elongating tubes and the inner cells become blood cells.						

DIF: Recall REF: p. 15 OBJ: 3

- 17. Each of the following is a derivative of ectoderm EXCEPT one. Which is the EXCEPTION?
 - a. Tooth enamel
 - b. Tooth dentin
 - c. Epidermis
 - d. Nervous system

ANS: B

	Feedback							
A	Tooth enamel is derived from ectoderm.							
В	Correct. Tooth dentin is derived from mesoderm. Muscle and connective tissue							
	derivatives such as: bone, cartilage, blood, pulp, cementum, and the periodontal							
	ligament are also derived from mesoderm.							
С	The epidermis, hair, and nails are derived from ectoderm.							
D	The nervous system, sensory epithelium of the eye, ear, and nose, and epithelium							
	of the sinuses, oral and nasal cavities, and intraoral glands are all derived from							
	epithelium.							

DIF: Comprehension REF: p. 9 OBJ: 3

- 18. Which hormone is produced by the placenta?
 - a. Follicle-stimulating hormone (FSH)
 - b. Prolactin
 - c. Progesterone
 - d. Adrenocorticotropic hormone (ACTH)

ANS: C

	Feedback
Α	Follicle-stimulating hormone (FSH) is secreted by the anterior lobe of the
	pituitary gland.
В	Prolactin is produced by the anterior lobe of the pituitary gland.
С	Correct. The placenta produces hormones such as human chorionic
	gonadotropin, placental growth factor, human placental lactogen, and
	progesterone and estrogen.
D	Adrenocorticotropic hormone (ACTH) is produced by the anterior lobe of the
	pituitary gland.

DIF: Comprehension REF: p. 16 OBJ: 4

TRUE/FALSE

1. The ovum contains twice as many chromosomes as its parent cell.

ANS: F DIF: Comprehension REF: p. 4

OBJ: 1

2. The cell may contain more than one nucleolus.

		ANS: T	DIF:	Recall	REF: p. 2	OBJ:	1	
	3.	The information in mRNA is translated by ribosomes located on the surface of the rough endoplasmic reticulum.						
		ANS: T OBJ: 1	DIF:	Comprehensio	on	REF:	p. 2	
	4.	Spindles present during mitosis are attached to centromeres.						
		ANS: F OBJ: 1	DIF:	Comprehensio	on	REF:	p. 4	
	5.	DNA replication tal	replication takes place during the G1 phase of the cell cycle.					
		ANS: F OBJ: 1	DIF:	Comprehensio	on	REF:	p. 4	
	6.	Fertilization takes p	olace in	n the distal par	rt of the uterine tube.			
		ANS: T	DIF:	Recall	REF: p. 7	OBJ:	3	
	7.	Endoderm and ectoderm are the first two germ layers to develop.						
		ANS: T OBJ: 3	DIF:	Comprehensio	on	REF:	p. 6 p. 9	
	8.	Melanocytes are res	sponsil	le for skin pigment.				
		ANS: T	DIF:	Recall	REF: p. 10	OBJ:	1	
9. The embryonic skeleton first forms as bone.					oone.			
		ANS: F OBJ: 3	DIF:	Comprehensio	on	REF:	p. 12	
	10.	The umbilical system carries oxygenated blood.						
		ANS: T OBJ: 4	DIF:	Comprehensio	on	REF:	p. 15	
	11.	The foramen ovale closes during the third week of prenatal life.						
		ANS: F OBJ: 4	DIF:	Comprehension	on	REF:	p. 15	
	12.	Before the development of the vascular system, the vitelline system provides nutrients to the embryo.						
		ANS: T OBJ: 4	DIF:	Comprehension	on	REF:	p. 15	

13.	Smooth muscle is consciously controlled.					
	ANS: F OBJ: 4	DIF:	Comprehensio	on	REF: p. 15	
14.	4. The cardiovascular system originates from chondroblasts.					
	ANS: F OBJ: 4	DIF:	Comprehensio	REF: p. 15		
15.	Tissues are most susceptible to teratogens during the proliferative period.					
	ANS: F	DIF:	Recall	REF: p. 17	OBJ: 4	
16.	6. The foramen ovale is an opening between the right and left atria of the hear					
	ANS: T OBJ: 4	DIF:	Comprehensio	on	REF: p. 15	