https://selldocx.com/products/test-bank-fundamentals-of-physics-11e-halliday

Chapter: Chapter 1 Learning Objectives:

- LO 1.1.0 Solve problems related to measuring things, including length.
- LO 1.1.1 Identify the base quantities in the SI system.
- LO 1.1.2 Name the most frequently used prefixes for SI units.
- LO 1.1.3 Change units (here for length, area, and volume) by using chain-link conversions.
- LO 1.1.4 Explain that the meter is defined in terms of the speed of light in a vacuum.
- LO 1.2.0 Solve problems related to time.
- LO 1.2.1 Change units for time by using chain-link conversions.
- LO 1.2.2 Use various measures of time, such as for motion or as determined on different clocks.
- LO 1.3.0 Solve problems related to mass.
- LO 1.3.1 Change units for mass by using chain-link conversions.
- LO 1.3.2 Relate density to mass and volume when the mass is uniformly distributed

Multiple Choice

- 1. $(5.0 \times 10^{4}) \times (3.0 \times 10^{6}) =$
- A) 1.5×10^9
- B) 1.5×10^{10}
- C) 1.5×10^{11}
- D) 1.5×10^{12}
- E) 1.5×10^{13}

Ans: C

Difficulty: Easy Section: 1-1

Learning Objective 1.1.0

- 2. $(5.0 \times 10^{4}) \times (3.0 \times 10^{-6}) =$
- A) 1.5×10^{-3}
- B) 1.5×10^{-1}
- C) 1.5×10^{1}
- D) 1.5×10^{3}
- E) 1.5×10^{5}

Ans: B

Difficulty: Easy Section: 1-1

3.
$$5.0 \times 10^5 + 3.0 \times 10^6 =$$

- A) 8.0×10^{5}
- B) 8.0×10^6
- C) 5.3×10^5
- D) 3.5×10^{5}
- E) 3.5×10^6

Ans: E

Difficulty: Easy Section: 1-1

Learning Objective 1.1.0

4.
$$(7.0 \times 10^6)/(2.0 \times 10^{-6}) =$$

- A) 3.5×10^{-12}
- B) 3.5×10^{-6}
- C) 3.5
- D) 3.5×10^6
- E) 3.5×10^{12}

Ans: E

Difficulty: Easy Section: 1-1

Learning Objective 1.1.0

- 5. The SI base units have the dimensions of:
- A) mass, weight, time
- B) length, density, time
- C) mass, length, time
- D) weight, length, time
- E) mass, length, speed

Ans: C

Difficulty: Easy Section: 1-1

Learning Objective 1.1.1

- 6. The SI base unit for mass is:
- A) gram
- B) pound
- C) kilogram
- D) ounce
- E) kilopound

Ans: C

Difficulty: Easy Section: 1-1

Learning Objective 1.1.1

- 7. A nanosecond is:
- A) 10^9 s
- B) 10^{-9} s
- C) 10⁻⁶ s
- D) 10^{-15} s
- E) 10^{-12} s

Ans: B

Difficulty: Easy Section: 1-1

Learning Objective 1.1.2

- 8. A gram is:
- A) 10^{-6} kg
- B) 10^{-3} kg
- C) 1 kg
- D) 10^3 kg
- E) 10^6 kg

Ans: B

Difficulty: Easy Section: 1-1

Learning Objective 1.1.2

- 9. 1 mi is equivalent to 1609 m so 55 mph is:
- A) 15 m/s
- B) 25 m/s
- C) 81 m/s
- D) 123 m/s
- E) 1500 m/s

Ans: B

Difficulty: Medium

Section: 1-2

- 10. In 1866, the U. S. Congress defined the U. S. yard as exactly 3600/3937 international meter. This was done primarily because:
- A) length can be measured more accurately in meters than in yards
- B) the meter is more stable than the yard
- C) this definition relates the common U. S. length units to a more widely used system
- D) there are more wavelengths in a yard than in a meter

E) the members of this Congress were exceptionally intelligent

Ans: C

Difficulty: Easy Section: 1-1

Learning Objective 1.1.0

- 11. Which of the following is closest to a yard in length?
- A) 0.01 m
- B) 0.1 m
- C) 1 m
- D) 100 m
- E) 1000 m

Ans: C

Difficulty: Easy Section: 1-1

Learning Objective 1.1.0

- 12. There is no SI base unit for area because:
- A) an area has no thickness; hence no physical standard can be built
- B) we live in a three (not a two) dimensional world
- C) it is impossible to express square feet in terms of meters
- D) area can be expressed in terms of square meters
- E) area is not an important physical quantity

Ans: D

Difficulty: Easy Section: 1-1

Learning Objective 1.1.0

- 13. 1 m is equivalent to 3.281 ft. A cube with an edge of 1.5 ft has a volume of:
- A) $1.2 \times 10^{2} \text{ m}^{3}$
- $\stackrel{\frown}{B}$ 9.6 × 10⁻² m³
- C) 10.5 m^3
- $\stackrel{\frown}{D}$ 9.5 × 10⁻² m³
- E) 0.21 m^3

Ans: B

Difficulty: Medium

Section: 1-1

 14. A sphere with a radius of 1.7 cm has a volume of: A) 2.1 × 10⁻⁵ m³ B) 9.1 × 10⁻⁴ m³ C) 3.6 × 10⁻³ m³ D) 0.11 m³ E) 21 m³
Ans: A Difficulty: Medium Section: 1-1 Learning Objective 1.1.3
 15. A sphere with a radius of 1.7 cm has a surface area of: A) 2.1 × 10⁻⁵ m² B) 9.1 × 10⁻⁴ m² C) 3.6 × 10⁻³ m² D) 0.11 m² E) 36 m²
Ans: C Difficulty: Medium Section: 1-1 Learning Objective 1.1.3
16. A right circular cylinder with a radius of 2.3 cm and a height of 1.4 m has a volume of: A) 23 m^3 B) 0.23 m^3 C) $9.3 \times 10^{-3} \text{ m}^3$ D) $2.3 \times 10^{-3} \text{ m}^3$ E) $7.4 \times 10^{-4} \text{ m}^3$
Ans: D Difficulty: Medium Section: 1-1 Learning Objective 1.1.3
17. A right circular cylinder with a radius of 2.3 cm and a height of 1.4 cm has a total surface area of: A) 1.7×10^{-3} m ² B) 3.2×10^{-3} m ² C) 2.0×10^{-3} m ² D) 5.3×10^{-3} m ² E) 7.4×10^{-3} m ²

Ans: D
Difficulty: Medium

Section: 1-1

Learning Objective 1.1.3

- 18. A cubic box with an edge of exactly 1 cm has a volume of:
- A) 10^{-9} m³
- \dot{B}) 10^{-6} m^3
- C) 10^{-3} m³
- D) 10^3 m^3
- E) 10^6 m^3

Ans: B

Difficulty: Easy Section: 1-1

Learning Objective 1.1.3

- 19. A square with an edge of exactly 1 cm has an area of:
- A) 10^{-6} m^2
- B) 10^{-4} m²
- C) 10⁻² m²
- D) 10^2 m^2
- E) 10^4 m^2

Ans: B

Difficulty: Easy Section: 1-1

Learning Objective 1.1.3

- 20. The SI standard of length is based on:
- A) the distance from the north pole to the equator along a meridian passing through Paris
- B) wavelength of light emitted by Hg¹⁹⁸
- C) wavelength of light emitted by Kr⁸⁶
- D) a precision meter stick in Paris
- E) the speed of light

Ans: E

Difficulty: Easy Section: 1-1

- 21. Which of the SI standard units is NOT based on a constant of nature?
- A) The meter, because the speed of light can vary from place to place.
- B) The second, because cesium cannot be found everywhere.
- C) The kilogram, because it is based on an arbitrary piece of metal.
- D) The kilogram, because the gram is the standard unit.
- E) The meter, because it is defined in terms of the speed of light in vacuum, and there is no perfect vacuum anywhere.

Ans: C.

Difficulty: Easy Section: 1-1

Learning Objective 1.1.4

- 22. The number of significant figures in 0.00150 is:
- A) 2
- B) 3
- C) 4
- D) 5
- E) 6

Ans: B

Difficulty: Easy Section: 1-1

Learning Objective 1.1.0

- 23. The number of significant figures in 15.0 is:
- A) 1
- B) 2
- C) 3
- D) 4
- E) 5

Ans: C

Difficulty: Easy Section: 1-1

Learning Objective 1.1.0

- 24. $3.2 \times 2.7 =$
- A) 9
- B) 8
- C) 8.6
- D) 8.64
- E) 8.640

Ans: C

Difficulty: Easy Section: 1-1

- 25. 1.513 + 27.3 =
- A) 29
- B) 28.8
- C) 28.9
- D) 28.81
- E) 28.813

Ans: B

Difficulty: Easy Section: 1-1

Learning Objective 1.1.0

- 26. The SI standard of time is based on:
- A) the daily rotation of the Earth
- B) the frequency of light emitted by Kr⁸⁶
- C) the yearly revolution of the Earth about the sun
- D) a precision pendulum clock
- E) none of these

Ans: E

Difficulty: Easy Section: 1-2

Learning Objective 1.2.0

- 27. Six million seconds is approximately:
- A) One day
- B) Ten days
- C) Two months
- D) One year
- E) Ten years

Ans: C

Difficulty: Easy Section: 1-2

- 28. Metric time is defined so that one day equals 10 hours; one hour equals 100 minutes; and one minute equals 100 seconds. One metric second equals how many normal seconds?
- A) 0.60
- B) 0.864
- C) 1.00
- D) 1.16
- E) 1.67

Ans: B

Difficulty: Medium

Section: 1-2

Learning Objective 1.2.2

- 29. Which of the following weighs about a pound on Earth?
- A) 0.05 kg
- B) 0.5 kg
- C) 5 kg
- D) 50 kg
- E) 500 kg

Ans: B

Difficulty: Easy Section: 1-3

Learning Objective 1.3.0

- 30. If $1 u = 1.66 \times 10^{-27} \text{ kg}$, 1 gram =
- A) 1.66 x 10⁻²⁴ u
- B) $1.66 \times 10^{24} \text{ u}$
- C) $1.66 \times 10^{27} \text{ u}$
- D) $6.02 \times 10^{26} \text{ u}$
- E) $6.02 \times 10^{23} \text{ u}$

Ans: E

Difficulty: Easy Section: 1-3

Learning Objective 1.3.1

- 31. One tonne (metric ton) is 1000 kg. How many grams are there in one tonne?
- A) 10^{-6}
- B) 10⁻³
- C) 1
- D) 10^{3}
- E) 10^6

Ans: E

Difficulty: Easy Section: 1-3

- 32. Two girders are made of the same material. Girder A is twice as long as girder B and has a cross-sectional area that is twice as great. The ratio of the mass density of girder A to the mass density of girder B is:
- A) 4

- B) 2 C) 1
- D) 1/2
- E) 1/4

Ans: C

Difficulty: Easy Section: 1-3

Learning Objective 1.3.2

- 33. The unit of mass density might be:
- A) pound per cubic foot
- B) gram per liter
- C) kilogram per meter
- D) cubic kilogram per meter
- E) cubic meter per kilogram

Ans: B

Difficulty: Easy Section: 1-3

Learning Objective 1.3.2

- 34. A sphere has a radius of 21 cm and a mass of 1.9 kg. Its mass density is about:
- A) $4.9 \times 10^{-5} \text{ kg/m}^3$
- B) $2.1 \times 10^{-4} \text{ kg/m}^3$
- C) $2.0 \times 10^{-2} \text{ kg/m}^3$
- \overrightarrow{D}) 16 kg/m³
- E) 49 kg/m^3

Ans: E

Difficulty: Medium

Section: 1-3

Learning Objective 1.3.2

- 35. During a short interval of time the speed v in m/s of an automobile is given by $v = at^2 + bt^3$, where the time t is in seconds. The units of a and b are respectively:
- A) $m \cdot s^2$; $m \cdot s^4$
- B) $s^3/m; s^4/m$
- C) m/s^2 ; m/s^3
- D) m/s^3 ; m/s^4
- E) m/s^4 ; m/s^5

Ans: D

Difficulty: Medium

Section: 1-2

- 36. Suppose A = BC, where A has the dimensions L/M and C has the dimensions L/T. Then B has the dimension:
- A) T/M
- B) L^2/TM
- C) TM/ L^2
- D) L^2T/M
- E) M/L^2T

Ans: A

Difficulty: Medium

Section: 1-3

Learning Objective 1.3.0

- 37. Suppose $A = B^n C^m$, where A has dimensions LT, B has dimensions $L^2 T^{-1}$, and C has dimensions LT^2 . Then the exponents n and m have the values:
- A) 2/3; 1/3
- B) 2; 3
- C) 4/5; -1/5
- D) 1/5; 3/5
- E) 1/2; 1/2

Ans: D

Difficulty: Medium

Section: 1-2