

1. The two types of stimuli provided to infants are called experience-expectant and experience-dependent.
- a. True
 - b. False

ANSWER: True

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.01 - Discuss the differences between development and learning.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

2. At birth, the brain is packed with an estimated 100 billion neurons, many of which die due to lack of stimulation.
- a. True
 - b. False

ANSWER: True

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

3. At birth, the brain weighs about 25 percent of an adult's brain and triples in size by the age of 24 months, being about 75 percent that of an adult's brain.
- a. True
 - b. False

ANSWER: True

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

4. Insulin is a substance that protects, coats, and insulates neurons, helping connect impulses from one neuron to another.
- a. True
 - b. False

ANSWER: False

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

5. You, as the caregiver, do ultimately affect a child's neurological growth through activities and interactions with the child.
- a. True
 - b. False

ANSWER: True

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.03 - Deconstruct typical patterns of cognitive/language development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

6. The gestation period for a human being is actually not long enough because other species can walk soon after birth takes place.
- a. True
 - b. False

ANSWER: True

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

7. Newborns never sleep more than 10 hours each day.
- a. True
 - b. False

ANSWER: False

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

8. As long as a baby is awake, belly lying should be encouraged to develop chest muscles that are important in normal development.
- a. True
 - b. False

ANSWER: True

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

9. Some theorists contend that child development is the result of heredity and natural biological processes or development mostly depends on learning. This is better known as_____.
- a. nurture vs nature
 - b. parents vs environment
 - c. nature vs nurture
 - d. time vs space

ANSWER: c

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.01 - Discuss the differences between development and learning.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

10. The nervous system is made up of the following the:
- a. brain, the skull, and the spinal cord.
 - b. brain, the eyes, and the ears.
 - c. brain, the stem, and the spinal cord.
 - d. stem, the spine, and the bones.

ANSWER: c

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

11. _____ influences affect a child's development.
- a. Social
 - b. Cultural
 - c. Environmental
 - d. All of the above

ANSWER: d

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.01 - Discuss the differences between development and learning.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

12. What is initially responsible for the basic wiring in the brain?

- a. Genes
- b. Environment
- c. Food
- d. Sleep

ANSWER: a

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

13. At birth the brain is packed with an estimated _____ neurons, whose job is to store and transmit information.

- a. 100
- b. 100 thousand
- c. 100 million
- d. 100 billion

ANSWER: c

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

14. Neuron pathways that seem to wait for new experience to be activated are called

- a. experience-expectant.
- b. experience-dependent.
- c. the command center.
- d. milestones.

ANSWER: b

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

15. Growth spurts and plateaus are normal for development of height, weight, and activity; therefore, the caregiver should keep careful records and consult with _____ and _____ regarding body development.
- a. parents; health professionals
 - b. aunts; uncles
 - c. parents; grandparents
 - d. friends; neighbors

ANSWER: a

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.03 - Deconstruct typical patterns of cognitive/language development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

16. This Piaget theory of cognitive development involves the infant understanding his or her body and how it relates to other things in the environment.
- a. Sensorimotor
 - b. Preoperational
 - c. Operational
 - d. Formal

ANSWER: a

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.03 - Deconstruct typical patterns of cognitive/language development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

17. Grasping and pointing are examples of which group of movement milestones?
- a. Crawling
 - b. Standing
 - c. Gross
 - d. Fine

ANSWER: d

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

18. According to milestones for progressive motor development, children can sit alone and begin to crawl between the ages of
- a. 8 to 10 weeks.
 - b. 10 to 12 weeks.
 - c. 13 to 16 months.
 - d. 6 to 8 months.

ANSWER: d

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

19. A condition where breathing momentarily stops during REM periods of sleep is called
- a. sleep deprivation.
 - b. a neural system.
 - c. sleep apnea.
 - d. SIDS.

ANSWER: c

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

20. Regarding toilet training in toddlers, which of the following statements is *not* true?
- a. Heap lots of positive attention on success and take as much attention away from mistakes as possible.
 - b. The less attention brought to accidents, the better.
 - c. Take note of any 24-hour periods of no bowel movements or signs of diarrhea.
 - d. Shame the child into getting it perfect.

ANSWER: d

POINTS: 1

REFERENCES: Bloom's: Understanding

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

21. _____ involves changing schemes to better fit the requirements of a task or new information.

- a. Adaptation
- b. Accommodation
- c. Assimilation
- d. Equilibrium

ANSWER: b

POINTS: 1

REFERENCES: Bloom's: Understanding

LEARNING OBJECTIVES: ITCT.SWIM.17.02.01 - Discuss the differences between development and learning.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

22. _____ involves using schemes that have direct interaction with the environment; for example, grasping and dropping an object over and over again).

- a. Adaptation
- b. Accommodation
- c. Assimilation
- d. Equilibrium

ANSWER: a

POINTS: 1

REFERENCES: Bloom's: Understanding

LEARNING OBJECTIVES: ITCT.SWIM.17.02.01 - Discuss the differences between development and learning.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

23. Babies can focus well at a distance of 12 inches, which is the normal distance of

- a. breast-feeding.
- b. their toes.
- c. a baby mobile.
- d. their fingers.

ANSWER: a

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.01 - Discuss the differences between development and learning.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

24. Piaget's theory introduced the concept of _____, which involves changes in behavior to help children within their environment.
- a. anxiety
 - b. application
 - c. adaptation
 - d. approval

ANSWER: c

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.01 - Discuss the differences between development and learning.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

25. Caregivers should provide a rich variety of visual stimulation and experience for infants and toddlers because
- a. it is part of their job.
 - b. these stimuli produce geniuses.
 - c. these stimuli develop the essential perceptual skills that are prerequisite to a child performing higher cognitive and academic tasks.
 - d. these stimuli are fun but have no significant development benefits.

ANSWER: c

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.03 - Deconstruct typical patterns of cognitive/language development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

26. Infants who are placed _____ tend to have lower incidences of SIDS-related deaths.
- a. on their bellies
 - b. on their backs
 - c. on their sides
 - d. snuggled near a blanket

ANSWER: b

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

27. When one part of the brain is damaged another takes over. This is known as

- a. pruning.
- b. plasticity.
- c. stimulation .
- d. development.

ANSWER: b

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.01 - Discuss the differences between development and learning.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

28. Often thought to be the most important part of the brain, it is the slowest growing and largest part.

- a. The cerebral cortex
- b. Midbrain
- c. Hindbrain
- d. Cerebrum

ANSWER: d

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.01 - Discuss the differences between development and learning.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

29. The nervous system is made up of the brain, the spinal cord, and _____ (nerve cells), which store and transmit information.

ANSWER: neurons

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.01 - Discuss the differences between development and learning.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

30. The _____ is the cumulative sequences and patterns that represent progressive, refined changes that move a child from simple to more complex physical, cognitive, language, social, and emotional growth and maturity.

ANSWER: Development

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.01 - Discuss the differences between development and learning.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

31. The _____ coating protects the transfer of information from one neuron to another.

ANSWER: myelin

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.01 - Discuss the differences between development and learning.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

32. At birth, the baby's head is not fused but has _____ in front and back. The back one closes after a few months, but the front one stays soft for almost two years.

ANSWER: soft spots

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

33. Physical development progresses from large muscle activity, or _____ motor control, to small muscle, or _____ motor control.

ANSWER: gross, fine

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

34. Six organized patterns of physical responses that relate to levels of arousal are known as _____ and are quiet sleep, active sleep, drowsiness, quiet alert, active alert, and crying.

ANSWER: states

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

35. The incidence of _____ is very low, with only two infants per thousand deaths between one week and one year of age.

ANSWER: SIDS

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

36. _____ is the basic sounds of language and how they combine to make words.

ANSWER: Phonology

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.03 - Deconstruct typical patterns of cognitive/language development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

37. Blending babble with real words is known as _____.

ANSWER: jargon

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.03 - Deconstruct typical patterns of cognitive/language development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

38. _____ concept refers to the process of adaptation; when one part of the brain is damaged, another part of the brain takes over the functions of the damaged area.

ANSWER: brain plasticity

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.01 - Discuss the differences between development and learning.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

39. The _____ is comprised of complex systems that interact with each other and with other parts of the body to create all thoughts, feelings, actions, and reactions

ANSWER: brain

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.01 - Discuss the differences between development and learning.

NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

40. What are the differences between development and learning?

ANSWER: Development is the cumulative sequence and patterns that represent progressive, refined changes that move a child from simple to more complex physical, cognitive, language, social and emotional growth and maturity. Learning is the acquisition of knowledge and skills through systemic study, instruction, practice and/or experiences.

POINTS: 1

REFERENCES: Bloom's: Understanding

LEARNING OBJECTIVES: ITCT.SWIM.17.02.01 - Discuss the differences between development and learning.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

41. Provide an example of a language rich environment that stimulates brain development in babies.

ANSWER: The use of American Sign and the introduction to “Baby Signs.”
POINTS: 1
REFERENCES: Bloom’s: Understanding
LEARNING OBJECTIVES: ITCT.SWIM.17.02.03 - Deconstruct typical patterns of cognitive/language development between birth and thirty-six months of age.
NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

42. List the three areas of the brain and define their functions.

ANSWER: Hindbrain: regulating automatic functions, such as breathing, digestion, alertness, balance and movement. Midbrain: connect the hindbrain to the forebrain, send messages. Forebrain: produces complex thoughts, emotional responses, decision making, reasoning and communication.
POINTS: 1
REFERENCES: Bloom’s: Remembering
LEARNING OBJECTIVES: ITCT.SWIM.17.02.01 - Discuss the differences between development and learning.
NATIONAL STANDARDS: United States - NAEYC 1 - Promoting Child Development and Learning

43. Why might it be difficult to diagnose an infant’s hearing loss?

ANSWER: Both hearing and deaf infants go through the natural stages of cooing and babbling. A hearing child tends to increase their activity while a deaf or hard of hearing child tends to decrease their vocal activity. Therefore hearing problems often are not able to be detected until a child is seven months old.
POINTS: 1
REFERENCES: Bloom’s: Understanding
LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.
NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

44. What is the difference between overt and internal learning?

ANSWER: Changes in a response to a stimulus either can be observable to another person (overt) or can occur internally without obvious change in observable behavior (internal).
POINTS: 1
REFERENCES: Bloom’s: Remembering
LEARNING OBJECTIVES: ITCT.SWIM.17.02.03 - Deconstruct typical patterns of cognitive/language development between birth and thirty-six months of age.
NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

45. List the five senses that newborns use to process the world around them.

ANSWER: listening, seeing, tasting, touching, and Smelling

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.01 - Discuss the differences between development and learning.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

46. Describe the four basic components of language development.

ANSWER: The four basic components of language development for young children include (1) phonology: the basic sounds of the language and how they combine to make sounds, (2) semantics: what words mean, (3) syntax: how to combine words into understandable phrases and sentences, (4) pragmatics: how to engage in communication with others that is socially acceptable and effective.

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.03 - Deconstruct typical patterns of cognitive/language development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

47. Provide an overview of Jean Piaget's six substages of the sensorimotor stage of cognitive development.

ANSWER: The sensorimotor stage of cognitive development occurs from birth to about age two. Piaget identified six substages. Reflex (Substage 1): reflex actions become more organized. Differentiation (Substage 2): repeats own actions, begins to coordinate actions, such as hearing and looking. Reproduction (Substage 3): intentionally repeats interesting actions. Coordination (Substage 4): intentionally acts as a means to an end and develops concepts of object permanence. Experimentation (Substage 5): experiments through trial and error. Representation (Substage 6): carries out mental trial and error and develops symbols.

POINTS: 1

REFERENCES: Bloom's: Understanding

LEARNING OBJECTIVES: ITCT.SWIM.17.02.03 - Deconstruct typical patterns of cognitive/language development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

48. Name the major milestones for motor development from birth to three years of age.

ANSWER: (1) stability, (2) locomotion, and (3) manipulation. At around six weeks, infants begin to hold their heads steady and erect. By two months, they lift their upper bodies by their arms and can roll from side to back. From three to four months, babies begin grasping palm-size objects and can roll from back to side. From six to eight months, they can sit alone and begin to crawl. Between eight and ten months, babies pull up to stand and perhaps play patty cake. At this time they begin to stand alone, and then begin to walk. From 13 to 16 months, children can build a tower of two cubes, vigorously scribble with a large crayon, and begin to walk up stairs with help. At around 20 to 24 months, toddlers begin to jump in place and kick objects. By 26 to 30 months, children begin to climb, stand on one foot, and have some interest in toilet learning. Usually at around 36 months, the child can jump and independently use the toilet.

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning

49. Describe three of the twelve levels exploratory play.

ANSWER: (1) Mouthing: Indiscriminate mouthing of materials. (2) Simple manipulation: Visually guided manipulation at least 5 seconds in duration that cannot be coded in any other category. (3) Functional: Visually guided manipulation that is particularly appropriate for a certain object and involves the intentional extraction of some unique piece of information. (4) Relational: Bringing together and integrating two or more materials in an inappropriate manner, that is, in a manner not initially intended by the manufacturer. (5) Functional-relational: Bringing together and integrating two objects in an appropriate manner, that is, in a manner intended by the manufacturer. (6) Inactive naming: Approximate pretense activity but without confirming evidence of actual pretense behavior. (7) Pretend self: Pretense behavior directed toward self in which pretense is apparent. (8) Pretend other: Pretense behavior directed away from child toward other. (9) Substitution: Using a "meaningless" object in a creative or imaginative manner or using an object in a pretense act in a way that differs from how it has previously been used by the child. (10) Sequence pretend: Repetition of a single pretense act with minor variation or linking together different pretense schemes. (11) Sequence pretend substitution: Same as sequence pretend except using an object substitution within sequence. (12) Double substitution: Pretense play in which two materials are transformed, within a single act, into something they are not in reality.

POINTS: 1

REFERENCES: Bloom's: Remembering

LEARNING OBJECTIVES: ITCT.SWIM.17.02.02 - Investigate typical patterns of physical development between birth and thirty-six months of age.

NATIONAL STANDARDS: United States - DAP 2 - Teaching to Enhance Development and Learning
United States - NAEYC 1 - Promoting Child Development and Learning