https://selldocx.com/products

/test-bank-general-chemistry-principles-and-modern-applications-10e-petrucci

General Chemistry, 10e Cdn (Petrucci) Chapter 2 Atoms and the Atomic Theory

1) Atoms retain their identity during a chemical reaction.

Answer: TRUE Diff: 1 Type: TF Reference: Section 2-1

2) All matter is composed of atoms.

Answer: TRUE
Diff: 1 Type: TF
Reference: Section 2-1

3) Atoms combine in small, whole-numbered ratios.

Answer: TRUE Diff: 1 Type: TF Reference: Section 2-1

4) All atoms of a given element are identical.

Answer: FALSE Diff: 1 Type: TF Reference: Section 2-1

5) Different ratios of atoms produce different compounds.

Answer: TRUE
Diff: 1 Type: TF
Reference: Section 2-1

6) J. J. Thomson suggested the "plum pudding" model of the atom.

Answer: TRUE Diff: 2 Type: TF Reference: Section 2-2

7) Robert Millikan determined the charge on an electron.

Answer: TRUE Diff: 2 Type: TF Reference: Section 2-2

8) The number of protons and neutrons in the nucleus of a given atom is called the atomic number.

Answer: FALSE Diff: 1 Type: TF Reference: Section 2-3

9) Isotopes have different atomic number (Z) but the same mass number (A).

Answer: FALSE Diff: 2 Type: TF Reference: Section 2-4 10) The vertical columns in the periodic table of the elements are called groups.

Answer: TRUE
Diff: 2 Type: TF
Reference: Section 2-6

- 11) A 25 g sample of sugar is found to contain 51.4% oxygen by mass. Another 250 g sample of the same sugar is also 51.4% oxygen by mass. This is consistent with the:
- A) law of conservation of mass
- B) law of constant composition
- C) law of multiple proportions
- D) first assumption of Dalton's atomic theory
- E) second assumption of Dalton's theory

Answer: B

Diff: 1 Type: MC Reference: Section 2-1

- 12) When a chemical reaction is carried out in a sealed container, the substances may change in color, temperature, or state, but no change in mass is detected. This is evidence of the:
- A) law of conservation of mass
- B) law of constant composition
- C) law of definite proportions
- D) existence of electrons
- E) existence of protons

Answer: A

Diff: 1 Type: MC Reference: Section 2-1

- 13) When decomposed chemically, 73.0 grams of a sample of HCl produce 71.0 g of Cl₂ and 2.0 g of H₂, while 34.0 g of a sample of H₂S produce 32.0 g of S and 2.0 g of H₂. This is an example of the Law:
- A) of Conservation of Mass
- B) of Multiple Proportions
- C) of Definite Proportions
- D) $E = mc^2$
- E) of Simple Whole Numbers

Answer: A

Diff: 1 Type: MC Reference: Section 2-1

- 14) Choose the INCORRECT statement from those given below.
- A) Atoms retain their identity during a chemical reaction.
- B) All matter is composed of atoms.
- C) Atoms combine in small, whole-numbered ratios.
- D) All atoms of a given element are identical.
- E) Different ratios of atoms produce different compounds.

Answer: D

Diff: 1 Type: MC Reference: Section 2-1 15) A 0.920-gram sample of magnesium is allowed to burn in 0.321 g of oxygen gas. The sole product is magnesium oxide. After the reaction, no oxygen remains and 0.809 g of magnesium oxide has been formed. What mass of magnesium is left unreacted?

A) 0.210 g

B) 0.432 g

C) 1.408 g

D) 0.111 g

E) 0.488 g

Answer: B

Diff: 2 Type: MC Reference: Section 2-1

- 16) Dalton's atomic theory is based on several assumptions, which are listed below. Which of these assumptions is strictly correct?
- I) All atoms of the same element are identical.
- II) Atoms are indivisible and unchangeable.
- III) Chemical changes are the result of the combination, separation, and rearrangement of atoms.
- A) I, II, and III are correct.
- B) I and III are correct.
- C) II and III are correct.
- D) I and II are correct.
- E) III is correct.

Answer: E

Diff: 3 Type: MC Reference: Section 2-1

- 17) Choose the INCORRECT statement.
- A) The Law of Constant Composition is the Law of Definite Proportions.
- B) Objects of like charge repel each other.
- C) Electrons were once known as cathode rays.
- D) Alpha particles are the same mass as a helium nucleus.
- E) Gamma rays are the same as electrons.

Answer: E

Diff: 1 Type: MC Reference: Section 2-2

- 18) Which of the following statements is FALSE?
- A) Michael Faraday discovered cathode rays.
- B) J.J. Thomson suggested the "plum pudding" model of the atom.
- C) Robert Millikan determined the charge on an electron.
- D) J. J. Thomson determined the charge-to-mass ratio for electrons.
- E) Michael Faraday determined that cathode rays were the fundamental negatively charged particles and called them electrons.

Answer: E

Diff: 2 Type: MC Reference: Section 2-2

- 19) Which of the following would be unaffected by an electric field?
- A) alpha particles
- B) beta particles
- C) gamma rays
- D) protons
- E) electrons

Answer: C

Diff: 2 Type: MC Reference: Section 2-2

- 20) Choose the correct statement.
- A) Neutrons have no charge and no mass.
- B) An electron has 1/1837 the mass of a proton.
- C) The atomic number is the total number of protons and neutrons in the nucleus.
- D) The charge of a proton is 1837 times the charge of an electron.
- E) Electrons and protons have about the same mass.

Answer: B

Diff: 1 Type: MC Reference: Section 2-3

- 21) Which of the following is a correct feature of the nuclear atom proposed by Rutherford?
- A) All atoms of an element have the same mass.
- B) The atom is mostly empty space.
- C) The number of neutrons and electrons in the atom are equal.
- D) The majority of alpha particles to strike the foil "bounced back."
- E) It is like the "plum pudding" model.

Answer: B

Diff: 1 Type: MC Reference: Section 2-3

- 22) Beta particles:
- A) have a mass of 4 and a charge of +2
- B) are like X-rays
- C) are repelled by a positively charged plate
- D) are electrons
- E) have the same mass as a neutron

Answer: D

Diff: 1 Type: MC Reference: Section 2-3

- 23) Ernest Rutherford is credited with:
- I) the nuclear model of the atom
- II) the identification of alpha and beta particles
- III) the discovery of protons
- IV) the prediction of a third, neutral, subatomic particle
- A) I and II
- B) I and III
- C) I, II, III
- D) II, III, IV
- E) I, II, III, IV

Answer: E

Diff: 2 Type: MC Reference: Section 2-3

- 24) Choose the INCORRECT statement.
- A) Gamma rays are bent by magnetic fields as a ray of positive charges.
- B) Protons and neutrons are found in the nucleus.
- C) Protons and neutrons are close to the same mass.
- D) The atomic number is the proton number.
- E) The mass number is the number of protons plus neutrons.

Answer: A

Diff: 1 Type: MC Reference: Section 2-4

- 25) What is the mass number of the most abundant form of oxygen atom?
- A) 15.9994
- B) 8
- C) 16
- D) 24
- E) 32

Answer: C

Diff: 1 Type: MC Reference: Section 2-4

- 26) Which of these atoms has the greatest number of neutrons in its nucleus?
- A) $^{56}_{25}$ Mn
- B) ⁵⁷₂₇Co
- C) $_{27}^{55}$ Fe
- D) $\frac{56}{28}$ Ni
- E) $\frac{28}{14}$ Si

Answer: A

Diff: 1 Type: MC Reference: Section 2-4

- 27) Choose the information a mass spectrometer is unable to provide.
- A) the relative abundance of two isotopes of potassium
- B) the number of protons in potassium
- C) the atomic mass of a single isotope of potassium
- D) the mass of a proton
- E) the number of stable isotopes of potassium

Answer: B

Diff: 1 Type: MC Reference: Section 2-4

- 28) A species that differs in charge from another atom of the same element:
- I) is called an isotope
- II) has more or less neutrons
- III) has lost or gained electrons
- IV) is called an ion
- V) has the same number of protons
- A) I and II
- B) I and III
- C) II and IV
- D) III and IV
- E) III, IV, V

Answer: E

Diff: 3 Type: MC Reference: Section 2-4

- 29) Which of the following statements is true concerning the masses of individual Cl atoms?
- A) All atoms have a mass of 35.45 u.
- B) Most of the atoms have a mass of 35.45 u.
- C) Some of the atoms have a mass of 35.45 u.
- D) None of the atoms have a mass of 35.45 u.
- E) All atoms have a mass of 17 u.

Answer: D

Diff: 2 Type: MC Reference: Section 2-5

30) A hypothetical element, E, has two stable isotopes:

E-46 = 46.046 u 64.08% E-51 = 50.826 u 35.92%

What is the average atom weight of the element?

- A) 47.76 u
- B) 48.44 u
- C) 49.11 u
- D) 48.50 u
- E) 47.44 u

Answer: A

Diff: 1 Type: MC Reference: Section 2-5

31) A hypothetical element, E, has two stable isotopes.

The element's atomic mass would be closest to which of the elements?

- A) K
- B) Ar
- C) Ca
- D) Sc
- E) Cl

Answer: B

Diff: 2 Type: MC Reference: Section 2-5

- 32) The atomic weight of chlorine is very close to 35.5. This means that:
- A) chlorine occurs with a variable number of protons
- B) a variable number of electrons gives the fractional weight
- C) on the average, an atom of chlorine weighs almost 3 times as much as carbon
- D) the actual weight of a chlorine atom is not known very precisely
- E) chlorine atoms contain half of a proton

Answer: C

Diff: 2 Type: MC Reference: Section 2-5

33) An element has 5 stable isotopes. The mass and percentage of each are:

69.9243	20.52%
71.9217	27.43%
72.9234	7.76%
73.9219	36.54%
75.9214	7.76%

The element is which of the following?

- A) As
- B) Se
- C) Ge
- D) Ga
- E) Zn

Answer: C

Diff: 3 Type: MC Reference: Section 2-5

34) An element has 5 stable isotopes. The mass and percentage of each are:

89.9043	51.46%
90.9053	11.23%
91.9046	17.11%
93.9061	17.40%
95.9082	2.80%

The element is which of the following?

- A) Nb
- B) Y
- C) Sr
- D) Zr
- E) Rb

Answer: D

Diff: 3 Type: MC Reference: Section 2-5

- 35) Which statement below is true?
- A) Metals gain electrons to have a positive charge.
- B) Metals gain electrons to have a negative charge.
- C) Metals lose electrons to have a positive charge.
- D) Nonmetals lose electrons.
- E) Transition metals can gain 2 or more electrons to become metal ions.

Answer: C

Diff: 1 Type: MC Reference: Section 2-6

- 36) Groups, or families, on the periodic table are:
- A) vertical columns of elements with similar properties
- B) horizontal rows of elements with increasing atomic numbers
- C) named for the first elements in the series; such as "actinides"
- D) extremely reactive with each other
- E) elements that all occur naturally in the same state

Answer: A

Diff: 1 Type: MC Reference: Section 2-6

- 37) Which of the following is a metalloid?
- A) mercury
- B) selenium
- C) bismuth
- D) radium
- E) calcium

Answer: B

Diff: 2 Type: MC Reference: Section 2-6

- 38) What is the mass in grams of 1 atom of sulfur (atomic mass = 32.066)?
- A) 1.661×10^{-24} g
- B) 1.931×10^{-25} g
- C) 5.325×10^{-23} g
- D) 5.179×10^{-26} g
- E) 5.989×10^{-23} g
- Answer: C
- Diff: 2 Type: MC
- Reference: Section 2-7
- 39) 31.0 grams of the element phosphorus contain:
- A) 6.02×10^{23} P4 molecules
- B) $31.0 \times (6.02 \times 10^{23})$ P atoms
- C) 6.02×10^{23} P atoms
- D) 31.0 P atoms
- E) 31.0 moles of P
- Answer: C
- Diff: 1 Type: MC Reference: Section 2-8
- 40) How many arsenic atoms are in 5.21 g of arsenic?
- A) 0.0695 atoms
- B) 9.51×10^{22} atoms
- C) 3.14×10^{24} atoms
- D) 2.10×10^{22} atoms
- E) 4.19×10^{22} atoms
- Answer: E
- Diff: 1 Type: MC Reference: Section 2-8
- 41) A cubic centimeter of lead weighs 11.35 g. How many atoms are in the block?
- A) 6.8×10^{24} atoms
- B) 2.4×10^{23} atoms
- C) 3.3×10^{22} atoms
- D) 5.3×10^{22} atoms
- E) 1.1×1025 atoms
- Answer: C
- Diff: 1 Type: MC Reference: Section 2-8

- 42) How many moles are represented by 2.5×10^{15} Na atoms?
- A) 3.8×10^{-10} mol
- B) 1.8×10^{-10} mol
- C) 1.5×10^{39} mol
- D) 4.2×10^{-9} mol
- E) 1.1×10^{14} mol

Answer: D

Diff: 1 Type: MC Reference: Section 2-8

- 43) The natural abundance of calcium in the earth's crust is 3.4% by mass. How many calcium atoms are present in a 1.50 g sample of the earth's crust?
- A) 6.6×10^{23} atoms
- B) 3.1×10^{22} atoms
- C) 7.7×10^{20} atoms
- D) 7.7×10^{22} atoms
- E) 5.1×10^{20} atoms

Answer: C

Diff: 2 Type: MC Reference: Section 2-8

- 44) 57.7 g Ni contains how many atoms?
- A) 6.13×10^{23} atoms
- B) 3.47×10^{23} atoms
- C) 5.92×10^{23} atoms
- D) 1.24×10^{24} atoms
- E) 0.983 atoms

Answer: C

Diff: 2 Type: MC Reference: Section 2-8

- 45) How many atoms of silicon are contained in 8.50×10^{-5} grams?
- A) 1.44×10^{23} atoms
- B) 1.82×10^{18} atoms
- C) 5.02×10^{30} atoms
- D) 5.02×10^{18} atoms
- E) 1.82×10^{20} atoms

Answer: B

Diff: 2 Type: MC Reference: Section 2-8

- 46) If the density of lead is 11.34 g/cm³, how many atoms are in a piece of lead that is 2.00 cm wide, 1.00 m long, and 2.00 mm thick?
- A) 1.32×10^{24} atoms
- B) 1.16×10^{23} atoms
- C) 1.32×10^{23} atoms
- D) 1.16×10^{22} atoms
- E) 6.60×10^{23} atoms
- Answer: A
- Diff: 3 Type: MC Reference: Section 2-8
- 47) How many atoms of rubidium-85 are in 87.2 g of rubidium? Rubidium-85 is 72.2 % abundant.
- A) 5.16×10^{46} atoms
- B) 4.44×10^{23} atoms
- C) 8.51×10^{23} atoms
- D) 6.14×10^{22} atoms
- E) 1.02×10^{24} atoms
- Answer: B
- Diff: 3 Type: MC Reference: Section 2-8
- 48) How many atoms of hydrogen are present in 1.5 lb of hydrogen peroxide, which is 5.93% hydrogen?
- (1 lb = 454 grams)
- A) 2.4×10^{25} atoms
- B) 1.21×10^{25} atoms
- C) 1.2×10^{25} atoms
- D) 2.41×10^{25} atoms
- E) 1.2×10^{20} atoms
- Answer: A
- Diff: 3 Type: MC Reference: Section 2-8
- 49) How many atoms of sulfur are in 280 g of a 50% by mass H₂SO₄ solution?
- A) 8.6×10^{25} atoms
- B) 8.6×10^{23} atoms
- C) 8.0×10^{25} atoms
- D) 8.0×10^{23} atoms
- E) 2.8×10^{29} atoms
- Answer: B
- Diff: 3 Type: MC Reference: Section 2-8

- 50) How many Cu atoms are present in a 75.0 cm length of 20-gauge copper wire? A 20-gauge wire has a diameter of 0.03196 in. Copper's density is 8.92 g/cm³.
- A) 1.31×10^{21}
- B) 3.28×10^{22}
- C) 8.08×10^{21}
- D) 1.04×10^{22}
- E) 2.08×10^{22}
- Answer: B
- Diff: 3 Type: MC Reference: Section 2-8
- 51) How many atoms of lead are required to cover a 33.0 cm by 45.0 cm area with a sheet of lead that is 0.140 mm thick? The density of lead is 11.35 g/cm³.
- A) 6.86×10^{23}
- B) 2.29×10^{26}
- C) 2.29×10^{25}
- D) 6.86×10^{22}
- E) 1.42×10^{26}
- Answer: A
- Diff: 3 Type: MC Reference: Section 2-8
- 52) A 3.214 g sample of magnesium reacts with 8.416 g of bromine. The only product is magnesium bromide. If 1.934 g of magnesium is left unreacted, how much magnesium bromide is formed?
- A) 1.280 g
- B) 5.202 g
- C) 9.696 g
- D) 7.136 g
- E) 3.268 g
- Answer: C
- Diff: 2 Type: BI Reference: Section 2-1
- 53) What mass of magnesium is necessary to make 10.5 g of magnesium bromide if 1.04 g of magnesium makes 7.88 g of magnesium bromide?
- A) 1.39 g
- B) 79.9 g
- C) 1.58 g
- D) 3.66 g
- E) 7.89 g
- Answer: A
- Diff: 2 Type: BI Reference: Section 2-1

- 54) A sample of pure carbon weighing 1.48 g was burned in an excess of air. The mass of carbon dioxide, the sole product, was 5.42 g. In a second experiment, 11.62 g of carbon dioxide was obtained. What mass of carbon was burned in the second experiment?
- A) 42.6 g
- B) 3.17 g
- C) 3.54 g
- D) 0.866 g
- E) 11.6 g
- Answer: B
- Diff: 2 Type: BI Reference: Section 2-1
- 55) A 1.4 g sample of calcium is reacted with 3.2 g of oxygen. The only product after the reaction is 1.96 g of CaO. How many grams of oxygen remains unreacted?
- A) 0.56 g
- B) 0.224 g
- C) 2.64 g
- D) 0.264 g
- E) 0.203 g
- Answer: C
- Diff: 2 Type: BI Reference: Section 2-1
- 56) A certain mass of nickel reacts with sulphur to produce 2.83 g of NiS. The same mass of nickel reacts completely with 0.5 g of oxygen to produce 2.33 g of NiO. How many grams of sulfur reacted in the first reaction?
- A) 0.5 g
- B) 1 g
- C) 1.5 g
- D) 10-1 g
- E) 1.25 g
- Answer: B
- Diff: 2 Type: BI Reference: Section 2-1
- 57) Write the symbol for the radioactive isotope phosphorus-32.
- A) $^{32}_{15}P$
- B) $^{15}_{32}$ Ge
- C) $^{15}_{15}P$
- D) $^{17}_{15}P$
- E) $^{32}_{32}$ Ge
- Answer: A
- Diff: 1 Type: BI Reference: Section 2-4

58) The total number of neutrons in an $^{192}\text{Ir}^{2+}$ cation is A) 115 B) 77 C) 192 D) 75 E) 269 Answer: A Diff: 1 Type: BI Reference: Section 2-4 59) With mass spectral data the ratio of the mass of $^{14}N/^{12}C$ was found to be 1.167. What is the mass of the ¹⁴N atom? A) 14.017 u B) 10.292 u C) 14.004 u D) 17.000 u E) 14.007 u Answer: C Diff: 1 Type: BI Reference: Section 2-4 60) Which is the proper chemical symbol for tungsten? A) Te B) Ti C) Tm D) W E) Tc Answer: D Diff: 1 Type: BI Reference: Section 2-4 61) The total numbers of neutrons, protons, and electrons in ³¹P³- are: A) 15 neutrons, 31 protons, 15 electrons B) 16 neutrons, 15 protons, 18 electrons C) 31 neutrons, 15 protons, 18 electrons D) 15 neutrons, 16 protons, 12 electrons E) 16 neutrons, 16 protons, 18 electrons Answer: B Diff: 1 Type: BI Reference: Section 2-4

62) The total numbers of neutrons, protons, and electrons in 35Cl- are _____.

- A) 17 neutrons, 35 protons, 36 electrons
- B) 35 neutrons, 17 protons, 18 electrons
- C) 18 neutrons, 17 protons, 16 electrons
- D) 18 neutrons, 17 protons, 18 electrons
- E) 17 neutrons, 17 protons, 17 electrons

Answer: D

Diff: 1 Type: BI Reference: Section 2-4

63) The total numbers of neutrons, protons, and electrons in ¹³⁸Ba²⁺ are _____.

- A) 138 neutrons, 56 protons, 54 electrons
- B) 82 neutrons, 56 protons, 54 electrons
- C) 56 neutrons, 82 protons, 80 electrons
- D) 82 neutrons, 56 protons, 58 electrons
- E) 82 neutrons, 82 protons, 82 electrons

Answer: B

Diff: 1 Type: BI Reference: Section 2-4

64) A cation has 13 neutrons and 10 electrons. If it has a charge of +1, what is its correct symbol?

- A) $^{13}_{11}$ Na⁺
- B) $^{24}_{11}$ Na $^{+}$
- C) $\frac{26}{13}$ Al⁺
- D) $^{23}_{10}$ Ne⁺
- E) $^{13}_{10}$ Na⁺

Answer: B

Diff: 1 Type: BI Reference: Section 2-4

65) A cation has 28 neutrons and 21 electrons. If it has a +3 charge, what is its correct symbol?

- A) $^{24}_{28}$ Ni³⁺
- B) $\frac{28}{21}$ Sc³⁺
- C) ${}^{28}_{24}$ Cr $^{3+}$
- D) ${}^{52}_{24}$ Cr $^{3+}$
- E) $^{49}_{21}$ Sc $^{3+}$

Answer: D

Diff: 1 Type: BI Reference: Section 2-4

- 66) An anion has 45 neutrons and 36 electrons. If it has a -1 charge, what is its correct symbol?
- A) $^{45}_{32}$ Br
- B) ${}^{80}_{35}$ Br⁻
- C) $^{90}_{45}$ Rh
- D) $\frac{81}{36}$ Kr⁻
- E) $^{80}_{45}$ Br

Answer: B

Diff: 1 Type: BI Reference: Section 2-4

- 67) How many protons, neutrons, and electrons are in ${}^{24}_{12}\text{Mg}^{2+}_{2}$?
- A) 12 protons, 10 electrons, 12 neutrons
- B) 12 protons, 12 electrons, 12 neutrons
- C) 12 protons, 12 electrons, 24 neutrons
- D) 24 protons, 10 electrons, 12 neutrons
- E) 10 protons, 12 electrons, 24 neutrons

Answer: A

Diff: 1 Type: BI Reference: Section 2-4

- 68) Write the appropriate symbol for the species containing 18 neutrons, 17 protons, and 16 electrons.
- A) $^{18}_{35}\text{Cl}^+$
- B) $^{35}_{18}Ar^{+}$
- C) $^{18}_{17}\text{Ar}^{+}$
- D) $\frac{34}{35}$ Br⁺
- E) $^{35}_{17}\text{Cl}^{+}$

Answer: E

Diff: 1 Type: BI Reference: Section 2-4

- 69) What is the proper $\frac{A}{Z}E$ notation for an ion having 35 protons, 36 electrons and 45 neutrons?
- A) ${}^{45}_{35}\text{Br}^{+}$
- B) $^{80}_{35}$ Br
- C) ${}^{80}_{45} \text{Br}^{+}$
- D) ${}^{45}_{35}$ Br

Answer: B

Diff: 2 Type: BI Reference: Section 2-4

- 70) Write the symbol for the most common ion formed by sulfur.
- A) S-1
- B) S-2
- C) S^{+1}
- D) S^{+2}
- E) requires experimental data

Answer: B

Diff: 2 Type: BI Reference: Section 2-4

- 71) An isotope with mass number 81 has eleven more neutrons than protons. This is an isotope of what element?
- A) T1
- B) Yb
- C) Zr
- D) Br
- E) Nb

Answer: D

Diff: 2 Type: BI Reference: Section 2-4

72) The following ratios of masses were obtained with a mass spectrometer:

$$^{35}_{17}\text{Cl}/^{19}_{9}\text{F} = 1.8406, \ ^{19}_{9}\text{F}/^{12}_{6}\text{C} = 1.5832$$

What is the mass of a ${}_{17}^{35}$ Cl atom in atomic mass units?

- A) 35.45 u
- B) 36.36 u
- C) 13.95 u
- D) 35.00 u
- E) 34.97 u

Answer: E

Diff: 2 Type: BI Reference: Section 2-4

- 73) Copper occurs in an isotopic mixture of 69.09% 63Cu (mass = 62.93 u per atom) and 30.91% 65Cu (mass = 64.93 u per atom). What is the average atomic mass of copper?
- A) 64.00 u
- B) 63.55 u
- C) 63.45 u
- D) 64.31 u
- E) 29.00 u
- Answer: B
- Diff: 2 Type: BI Reference: Section 2-5
- 74) There are two stable isotopes of supposium (Su).

Su-191 = 190.9609 u (27.30%) Su-194 = 193.9633 u (72.70%)

Compute the atomic mass of supposium.

- A) 190.9 u
- B) 194.0 u
- C) 191.8 u
- D) 192.5 u
- E) 193.1 u
- Answer: E
- Diff: 1 Type: BI

Reference: Section 2-5

- 75) Which is the more abundant isotope, Cl-35 or Cl-37?
- A) The two isotopes are equal in abundance.
- B) Cl-37
- C) C1-35
- D) A third unstable isotope is more abundant.
- E) Cl-17

Answer: C

Type: BI Diff: 1 Reference: Section 2-5

- 76) A new element is discovered. It has two isotopes. The relative abundance of the isotopes and their masses are 18% isotope 1, mass 350.0 u and 82% isotope 2, mass 352.0 u. What is the atomic mass of the element?
- A) 351.6
- B) 351.0
- C) 350.4
- D) 352.0
- E) 350.0

Answer: A

Diff: 2 Type: BI Reference: Section 2-5

77) Rubidium possesses two stable forms and has an average mass of 85.5. 85Rb has a mass of 84.9 and a percent abundance of 72.2%. What is the mass of the other form of Rb? A) 86.1 u B) 85.7 u C) 88.3 u D) 87.1 u E) 89.4 u Answer: D Diff: 2 Type: BI Reference: Section 2-5 78) The three naturally occurring isotopes of magnesium are ²⁴Mg (23.985042 u, 78.99%), ²⁵Mg (24.985837, 10.00%), and 26Mg. What is the atomic mass of 26Mg? A) 25.98 u B) 48.67 u C) 23.94 u D) 26.43 u E) 24.31 u Answer: A Diff: 2 Type: BI Reference: Section 2-5 79) The average atomic mass of B is 10.80 u. Boron has only two stable forms ${}^{10}_{5}$ B (10.00 u) and $^{11}_{5}$ B (11.00 u). What is the natural percent abundance of $^{11}_{5}$ B? A) 80% B) 20% C) 1.0% D) 3.8% E) 75% Answer: A Diff: 2 Type: BI Reference: Section 2-5 80) Silver possesses two stable isotopes: 107Ag (106.90 u) and 109Ag (108.90 u). If the average atomic mass of Ag is 107.87 u, what is the percent abundance of 107Ag? A) 48.5% B) 50.0% C) 51.5% D) 46.3% E) 53.8% Answer: C Diff: 2 Type: BI

Reference: Section 2-5

- 81) A certain element contains eleven atoms of mass 95.952 u for every four atoms of mass 98.949 u. Compute the average atomic weight of this element.
- A) 97.451 u
- B) 96.754 u
- C) 98.150 u
- D) 105.16 u
- E) 96.952 u
- Answer: B
- Diff: 3 Type: BI Reference: Section 2-5
- 82) Calculate the percent abundance of the two isotopes of a fictional element, georgium, if it has an average atomic mass of 291.23 u.
 - Go-290
- 289.86 u
- Go-292
- 292.07 u
- A) Go-290, 38% and Go-292, 62%
- B) Go-290, 62% and Go-292, 38%
- C) Go-290, 42% and Go-292, 58%
- D) Go-290, 58% and Go-292, 42%
- E) cannot be determined
- Answer: A
- Diff: 3 Type: BI Reference: Section 2-5
- 83) Magnesium has 3 stable isotopes with masses of 23.98504, 24.98584, and 25.98259 respectively. Mg-25 is 10.13%. What are the percentages of the other two isotopes?
- A) 78.9% and 10.9%
- B) 50% and 50%
- C) 44.9% and 44.9%
- D) 83.6% and 16.4%
- E) 78.9% and 21.1%
- Answer: A
- Diff: 3 Type: BI Reference: Section 2-5
- 84) Lead has 4 stable isotopes with masses of 203.973 (1.48%), 205.9745 (23.6%), 206.9759, and 207.9766 respectively. What are the percentages of the last two isotopes?
- A) 77% and 23%
- B) 50% and 50%
- C) 37% and 38%
- D) 64% and 11%
- E) 24% and 50%
- Answer: E
- Diff: 3 Type: BI Reference: Section 2-5

85) Iodine is a member of the family called
A) metals
B) metalloids
C) noble gasses
D) halogens
E) actinides
Answer: D
Diff: 1 Type: BI
Reference: Section 2-6
86) Sodium is a member of the family called .
A) alkali metals
B) earth alkali metals
C) metalloids
D) actinide metals
E) transition metals
Answer: A
Diff: 2 Type: BI
Reference: Section 2-6
87) Main group elements are those in groups A) 1 and 2
B) 1, 2, and 13 to 18
C) 13 to 18
D) 1 and 18
E) 3 to 12
Answer: B
Diff: 2 Type: BI
Reference: Section 2-6
88) What is the average mass in kilograms of one atom of arsenic?
A) 74.922 kg
B) 0.074922 kg
C) $5.48 \times 10^{-23} \text{ kg}$
D) $1.24 \times 10^{-25} \text{ kg}$
E) $1.24 \times 10^{-22} \text{ kg}$
Answer: D
Diff: 2 Type: BI
Reference: Section 2-7

- 89) What is the mass of a sample containing 1.2 moles of Ni?
- A)49g
- B) 59 g
- C) 34 g
- D) 61 g
- E) 70 g
- Answer: E
- Type: BI Diff: 1 Reference: Section 2-8
- 90) How many moles of Fe is present in 1.2 grams of Fe?
- A) 2.15×10^{-2} mol
- B) 0.215 mol
- C) 4.30×10^{-2} mol
- D) 2.15×10^{-1} mol
- E) 0.430 mol
- Answer: A
- Diff: 2 Type: BI
- Reference: Section 2-8
- 91) 24.9 g of Mn is equivalent to how many moles of Mn?
- A) 2.21 moles
- B) 0.453 moles
- C) 0.461 moles
- D) 0.996 moles
- E) 1.00 mole
- Answer: B
- Diff: 1 Type: BI
- Reference: Section 2-8
- 92) How many moles of lead are present in a piece of lead with a volume of 0.600 cm³? The density of Pb is 11.34 g/cm^3 .
- A) 6.80
- B) 0.0328
- C) 11.0
- D) 0.547
- E) 0.0912
- Answer: B
- Diff: 2 Type: BI Reference: Section 2-8

93) What is the density (g/cm³) of tin if 4.56×10^{20} atoms make a cube 2.31 mm on each side? A) 0.00729 B) 169 C) 3.28 D) 0.0142 E) 7.29 Answer: E Diff: 3 Type: BI Reference: Section 2-8 94) What is the isotopic atomic mass of an isotope if 9.7023×10^{22} atoms weighs 4.0256 g? A) 0.64858 B) 24.305 C) 24.986 D) 13.728 E) 4.0256 Answer: C Diff: 3 Type: BI Reference: Section 2-8 95) What is the atomic weight of an element if 4.00 grams of it contain 2.98×10^{22} atoms? A) 20.2 u B) 80.8 u C) 19.7 u D) 8.08 u E) 2.02 u Answer: B Diff: 3 Type: BI Reference: Section 2-8 96) A solution contains 12.5% NaCl by mass. What mass of solution is required to obtain 1.0×10^{23} Na atoms? A) 0.013 g B) 30 g C) 1.2 g D) 95 g

E) 78 g Answer: E Diff: 3

Type: BI

Reference: Section 2-8

- 97) A lead cube that is 3.00 cm on each side contains 8.91×10^{23} atoms. What is the density of this cube in g/cm³?
- A) 34.1
- B) 11.4
- C) 0.0550
- D) 0.990
- E) 26.7
- Answer: B
- Diff: 3 Type: BI Reference: Section 2-8
- 98) Lead-204 has a relative abundance of 1.48%. What size block of lead (in cubic centimeters) will contain 8.34×10^{21} atoms of lead-204? The density of lead is 11.35 g/cm^3 .
- A) 3.75×10^{-3}
- B) 0.253
- C) 194
- D) 17.1
- E) 16.8
- Answer: D
- Diff: 3 Type: BI Reference: Section 2-8
- 99) Lead-206 has a relative abundance of 23.6%. What size block of lead (in cubic centimeters) will contain 8.34×10^{21} atoms of lead-206? The density of lead is 11.35 g/cm³.
- A) 0.0107
- B) 0.253
- C) 1.07
- D) 0.330
- E) 12.1
- Answer: C
- Diff: 3 Type: BI Reference: Section 2-8
- 100) What is the thickness in mm of the sheet 75.0 cm \times 35.0 cm formed by 7.88 \times 10²³ atoms of lead? The density of lead is 11.35 g/cm³.
- A) 9.10
- B) 0.0910
- C) 1.88×10^4
- D) 0.273
- E) 2.73
- Answer: B
- Diff: 3 Type: BI Reference: Section 2-8