https://selldocx.com/products

Exam/test-bank-human-relations-in-organizations-applications-and-skill-building-13e-barnett

Name			

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

Provide an appropriate response.

1) For f(t) = 3t + 2 and $g(t) = 2 - t^2$, find 4f(3) - g(-3) + g(0).

1) _____

Answer: 53 Explanation:

2) Let T be the set of teachers at a high school and let S be the set of students enrolled at that school. Determine which of the following correspondences define a function. Explain.

2) _____

- (A) A student corresponds to the teacher if the student is enrolled in the teacher's class.
- (B) A student corresponds to every teacher of the school.

Answer: Choice (A) defines a function. To each element (student) of the first set (or domain), there corresponds exactly one element (teacher) of the second set (or range).

Choice (B) does not define a function. An element (student) of the first set (or domain) corresponds to more that one element (teacher) of the second set (or range).

Explanation:

3) If $g(x) = -4x^2 + x - 9$, find g(-2), g(1), and $g(\frac{3}{2})$.

3) _____

Answer: -27, -12, $-\frac{33}{2}$

Explanation:

Solve the problem.

4) The financial department of a company that produces digital cameras arrived at the following price-demand function and the corresponding revenue function:

1)

$$p(x) = 95.4 - 6x$$
 price-demand
 $R(x) = x \cdot p(x) = x(95.4 - 6x)$ revenue function

The function p(x) is the wholesale price per camera at which x million cameras can be sold and R(x) is the corresponding revenue (in million dollars). Both functions have domain $1 \le x \le 15$. They also found the cost function to be C(x) = 150 + 15.1x (in million dollars) for manufacturing and selling x cameras. Find the profit function and determine the approximate number of cameras, rounded to the nearest hundredths, that should be sold for maximum profit.

Answer: $P(x) = -6x^2 + 80.3x - 150$, must sell approximately 6.69 million cameras. Explanation:

Use the REGRESSION feature on a graphing calculator.

5) A particular bacterium is found to have a doubling time of 20 minutes. If a laboratory culture begins with a population of 300 of this bacteria and there is no change in the growth rate, how many bacteria will be present in 55 minutes? Use six decimal places in the interim calculation for the growth rate.

5)

Answer: 2,018 bacteria

Explanation:

Provide an appropriate response.


6) Find the vertex and the maximum or minimum of the quadratic function $f(x) = -x^2 - 4x + 5$ 6) by first writing f in standard form. State the range of f and find the intercepts of f.

Answer: $f(x) = -(x + 2)^2 + 9$; vertex: (-2, 9); maximum: f(-2) = 9; Range of $f = \{y | y \le 9\}$; y-intercept: (0, 5); x-intercepts: (-5, 0), (1, 0).


Explanation:

7) Graph $f(x) = -x^2 - x + 6$ and indicate the maximum or minimum value of f(x), whichever exists.





Answer: Max $f(x) = \frac{25}{4}$



Explanation:


8) For f(t) = 3 - 5t, find $\frac{f(a + h) - f(a)}{h}$.

8)

Answer: -5 Explanation:

9) The following graph represents the result of applying a sequence of transformations to the graph of a basic function. Identify the basic function and describe the transformation(s). Write the equation for the given graph.





Answer: Basic function is $f(x) = x^2$; shift right 2 units, shift up 5 units. $f(x) = (x - 2)^2 + 5$ Explanation:

Solve the problem.

10) In the table below, the amount of the U.S. minimum wage is listed for selected years.

10)

U.S. Minimum Wage

							1990				
	Wage	\$1.15	\$1.40	\$2.00	\$3.10	\$3.35	\$3.80	\$4.25	\$4.75	\$5.15	

Find an exponential regression model of the form $y = a \cdot b^X$, where y represents the U.S. minimum wage x years after 1960. Round a and b to four decimal places. According to this model, what will the minimum wage be in 2005? In 2010?

Answer: $y = 1.1389(1.0429^{X}); \$7.54; \$9.30$

Explanation:

Provide an appropriate response.

11) Only one of the following functions has domain which is not equal to all real numbers. State which function and state its domain.

11)

(A)
$$h(x) = 4x^2 - 3x - 5$$
 (B) $f(x) = \frac{2x}{48 - x}$ (C) $g(x) = \frac{x + 7}{2}$


(C) g(x) =
$$\frac{x+7}{2}$$

Answer: $f(x) = \frac{2x}{48 - x}$ has domain all real numbers except x = 48.

Explanation:

- 12) The financial department of a company that manufactures portable MP3 players arrived at the following daily cost equation for manufacturing x MP3 players per day:
 - 12) _____
 - $C(x) = 1500 + 105x + x^2$. The average cost per unit at a production level of players per day is $\overline{C}(x) = \frac{C(x)}{x}$.
 - (A) Find the rational function \overline{C} .
 - (B) Graph the average cost function on a graphing utility for $10 \le x \le 200$.
 - (C) Use the appropriate command on a graphing utility to find the daily production level (to the nearest integer) at which the average cost per player is a minimum. What is the minimum average cost (to the nearest cent)?

Answer: (A) $\overline{C}(x) = \frac{1500}{x} + 105 + x$



(C) 39; \$182.46

Explanation:

Provide an appropriate response.

13) If $f(x) = \begin{cases} x - 3 & \text{if } x < 2 \\ x^2 & \text{if } x \ge 2 \end{cases}$, what is the definition of g(x), the function whose graph is




obtained by shifting f(x)'s graph right 5 units and down 1 unit?

Answer:
$$g(x) = \begin{cases} x - 9 & x < 7 \\ (x - 5)^2 - 1 & x \ge 7 \end{cases}$$

Explanation:

14) The following graph represents the result of applying a sequence of transformations to the graph of a basic function. Identify the basic function and describe the transformation(s). Write the equation for the given graph.





Answer: Basic function is f(x) = |x|; reflect over the x -axis, shift left 4 units, shift down 2 units. f(x) = -|x + 4| -2

Explanation:

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

For the polynomial function find the following: (i) Degree of the polynomial; (ii) All x intercepts; (iii) The y intercept.

- 15) $f(x) = (x^6 + 7)(x^{10} + 9)$
 - A) (i) 16
 - (ii) 7, 9

 - (iii) 63
- (ii) none

B) (i) 16

- (iii) 63
- C) (i) 60
 - (ii) 7, 9 (iii) -63
- D) (i) 60
 - (ii) none (iii) -63

- Answer: B
- Explanation:
- A) B)
- C)
- D)

Solve the problem.

16) In economics, functions that involve revenue, cost and profit are used. Suppose R(x) and C(x) denote the total revenue and the total cost, respectively, of producing a new high-tech widget. The difference P(x) = R(x) - C(x) represents the total profit for producing x widgets. Given R(x) = 60x



 $0.4 x^2$ and C(x) = 3x + 13, find the equation for P(x).

A)
$$P(x) = -0.4 x^2 + 63x + 13$$

B)
$$P(x) = 60x - 0.4 x^2$$

C)
$$P(x) = -0.4 x^2 + 57x - 13$$

D)
$$P(x) = 3x + 13$$

Answer: C

Explanation: A)

- B)
- C)
- D)

Use a calculator to evaluate the expression. Round the result to five decimal places.

17) In 1097

17)

- A) 9.30292
- B) 7.00033
- C) 3.04021
- D) 4.69775

Answer: B

Explanation:

- A)
- B)
- C)
- D)

Give the domain and range of the function.

18) r(x) = |x - 2| - 9

18)

- A) Domain: [-9, ∞); Range: all real numbers
- B) Domain: all real numbers; Range: $[0, \infty)$
- C) Domain: all real numbers; Range: [-9, ∞)
- D) Domain: all real numbers; Range: all real numbers

Answer: C


Explanation: A)

- B)
- C)
- D)

For the rational function below (i) Find any intercepts for the graph; (ii) Find any vertical and horizontal asymptotes for the graph; (iii) Sketch any asymptotes as dashed lines. Then sketch a graph of f.


19) $y = \frac{6}{x^2 - 1}$

19)




- A) (i) y intercept: 6
 - (ii) horizontal asymptote: y = 0; vertical asymptotes: x = 1 and x = -1


(iii)




- B) (i) y intercept: 2
 - (ii) horizontal asymptote: y = 0; vertical asymptotes: x = 2 and x = -2
 - (iii)



- C) (i) y intercept: -2
 - (ii) horizontal asymptote: y = 0; vertical asymptotes: x = 2 and x = -2
 - (iii)



- D) (i) y intercept: 6
 - (ii) horizontal asymptote: y = 0
 - (iii)



- Answer: A
- Explanation: A)
 - B)
 - C)
 - D)

Solve the problem.

- 20) Suppose the cost per ton, y, to build an oil platform of x thousand tons is approximated by
- 20)

- $C(x) = \frac{212,500}{x + 425}.$ What is the cost per ton for x = 30?
 - A) \$16.67
- B) \$467.03
- C) \$7083.33
- D) \$425.00

Answer: B


Explanation: A)

- B)
- Ć)
- D)


For the following problem, (i) graph f and g in the same coordinate system; (ii) solve f(x) = g(x) algebraically to two decimal places; (iii) solve f(x) > g(x) using parts i and ii; (iv) solve f(x) < g(x) using parts i and ii.

21) f(x) = -0.8x(x - 8), g(x) = 0.4x + 3.2; $0 \le x \le 10$






A) (i) f is the curve, g is the line




- (ii) 0.61, 7.02
- (iii) 0.61 < x < 7.02
- (iv) $0 \le x < 0.61$ or $7.02 < x \le 8$

B) (i) f is the curve, g is the line




- (ii) 0.58, 6.92
- (iii) 0.58 < x < 6.92
- (iv) $0 \le x < 0.58$ or $6.92 < x \le 8$

C) (i) f is the curve, g is the line



- (ii) 0.61, 7.98
- (iii) 0.61 < x < 7.98
- (iv) $0 \le x < 0.61$ or $7.98 < x \le 8$

D) (i) f is the curve, g is the line



- (ii) 0.58, 7.98
- (iii) 0.58 < x < 7.98
- (iv) $0 \le x < 0.58$ or $7.98 < x \le 8$

Answer: B

- Explanation: A)
 - B)
 - C)
 - D)

Use a calculator to evaluate the expression. Round the result to five decimal places.

- 22) log 51.237
 - A) 3.93646
- B) 51.237
- C) 1.70958
- D) Undefined
- 22)


Answer: C

- Explanation: A)
 - B)
 - C)
 - D)


Graph the function.

23) $f(x) = 5^X$


23)




A)




B)



C)



D)



24) _____

Answer: C

Explanation:

A) B)

C)

D)

Determine if the equation specifies a function with independent variable x. If so, find the domain. If not, find a value of x to which there corresponds more than one value of y.

24) $x^2 - y^2 = 9$ A) A function with domain all real numbers except x = 5

B) Not a function; for example, when x = 5, $y = \pm 4$

Answer: B

Explanation: A)

B)

Solve graphically to two decimal places using a graphing calculator.

25)
$$1.9x^2 - 3.1x - 2.7 > 0$$

A)
$$x < -2.26$$
 or $x > 0.63$

C)
$$x < -0.63$$
 or $x > 2.26$

B)
$$-2.26 < x < 0.63$$

Answer: C

Explanation: A)

- B)
- C)
- D)

For the polynomial function find the following: (i) Degree of the polynomial; (ii) All x intercepts; (iii) The y intercept.

26)
$$y = (x + 6)(x + 8)(x + 5)$$

- A) (i) 3

 - (ii) 6, 8, 5
 - (iii) 40
- B) (i) 3
 - (ii) -6, -8, -5

(iii) -40

- C) (i) 3
 - (ii) 6, 8, 5 (iii) 240
- D) (i) 3
 - (ii) -6, -8, -5 (iii) 240

25)

27)

28)

Answer: D

Explanation: A)

- B)
- C)
- D)

Determine whether the relation represents a function. If it is a function, state the domain and range.

27)

A) function

domain:{20, 45, 70, 95}

range: {4, 9, 14, 19}

B) function

domain: {4, 9, 14, 19}

range: {20, 45, 70, 95}

Answer: B

Explanation: A)

- B)
- C)

Use the properties of logarithms to solve.

28)
$$\log (x - 9) = 1 - \log x$$

A) 10

- B) -1, 10
- C) -10, 1
- D) -10

C) not a function

Answer: A

Explanation: A)

- B)
- C)
- D)

Solve the equation.

29) Solve for x: $2^{4x} = 8^{x+5}$

A) -5

B) 5

C) -15

D) 15

Answer: D

Explanation:

C)

D)

Solve the problem.

30) To estimate the ideal minimum weight of a woman in pounds multiply her height in inches by 4 and subtract 130. Let W = the ideal minimum weight and h = height. W is a linear function of h. Find the ideal minimum weight of a woman whose height is 62 inches.

29)

A) 120 lb

B) 130 lb

C) 118 lb

D) 378 lb

Answer: C

Explanation:

A) B)

C)

Find the equations of any vertical asymptotes.

31) $f(x) = \frac{4x - 11}{x^2 + 2x - 63}$

31)

33)

A) y = 4

B) y = 7, y = -9 C) x = -7, x = 9 D) x = 7, x = -9

Answer: D

Explanation:

C)

Solve the problem.

32) The function P, given by P(d) = $\frac{1}{33}$ d + 1, gives the pressure, in atmospheres (atm), at a depth d, in

feet, under the sea. Find the pressure at 200 feet. Round your answer to the nearest whole number.

A) 8 atm

B) 201 atm

C) 200 atm

D) 7 atm

Answer: D

Explanation: A)

C)

D)

33) Under certain conditions, the power P, in watts per hour, generated by a windmill with winds blowing v miles per hour is given by $P(v) = 0.015v^3$. Find the power generated by 18-mph winds.

A) 87.48 watts per hour

B) 4.86 watts per hour

C) 58.32 watts per hour

D) 0.00006075 watts per hour

Answer: A

Explanation: A)

B)

C)

D)

34) If the average cost per unit C(x) to produce x units of plywood is given by C(x) = $\frac{1200}{x + 40}$, what is the 34)

unit cost for 10 units?

A) \$120.00

B) \$24.00

C) \$80.00

D) \$3.00

Answer: B

Explanation: A)

B)

C)

D)

Use a calculator to evaluate the expression. Round the result to five decimal places.

35) log₈ 36.8

35)

A) 1.73388

B) 3.60550

C) 0.57674

D) 1.56585

Answer: A

Explanation: A)

C)

D)

Find the equations of any vertical asymptotes.

36)
$$f(x) = \frac{x^2 - 100}{(x - 8)(x + 9)}$$

36)

A) x = -8

B) x = 10, x = -10 C) x = 8, x = -9

D) y = 8, y = -9

Answer: C

Explanation:

C)

Determine whether the function is linear, constant, or neither

37)
$$y - 12 = 0$$

37)

A) Linear

B) Constant

C) Neither

Answer: B

Explanation: A)

C)

Find the x-intercept(s) if they exist.

38)
$$x^2 + 6x + 5 = 0$$

38)

A) -1, -5

B) $\sqrt{5}$, - $\sqrt{5}$

C) 1,5

D) 10, -5

Answer: A

Explanation:

A) B)


C)

D)

39)



40)



A)
$$f(x) = x^2 + 24x + 11$$

C)
$$f(x) = x^2 + 11x + 24$$

B)
$$f(x) = x^2 - 11x + 24$$

D)
$$f(x) = x^2 + 24x - 11$$


Answer: B


Explanation: A

- B)
- C)
- D)


Solve the problem.

40) The average weight of a particular species of frog is given by $w(x) = 98x^3$, $0.1 \le x \le 0.3$, where x is length (with legs stretched out) in meters and w(x) is weight in grams. (i) Describe how the graph of function w can be obtained from one of the six basic functions: y = x, $y = x^2$, $y = x^3$, $y = \sqrt{x}$, $y = \sqrt{x}$







A) (i) The graph of the basic function $y = x^3$ is vertically expanded by a factor of 98.




B) (i) The graph of the basic function $y = x^3$ is reflected on the x-axis and is vertically expanded by a factor of 98.



C) (i) The graph of the basic function $y = \sqrt[3]{x}$ is vertically expanded by a factor of 98.



D) (i) The graph of the basic function $y = x^2$ is vertically expanded by a factor of 98.



Answer: A

Explanation: A)

- B)
- C)
- D)

Find the function value.

41)
$$f(x) = \frac{x^2 - 2}{x^3 - 7x}$$
; $f(5)$

41) ____

A)
$$\frac{23}{125}$$

B)
$$\frac{23}{118}$$

C)
$$\frac{23}{90}$$

D)
$$\frac{5}{18}$$

Answer: C

Explanation: A)

- B)
- C)
- D)

Find the equation of any horizontal asymptote.

42)
$$f(x) = \frac{4x^2 - 3x - 8}{7x^2 - 8x + 2}$$

42)

A)
$$y = \frac{3}{8}$$

B)
$$y = 0$$

C)
$$y = \frac{4}{7}$$

Answer: C

Explanation:

- C)
- D)

Determine the domain of the function.

43) f(x) = -7x + 9

43)

A) All real numbers except $\frac{9}{7}$

B) All real numbers

C) No solution

D) $X \le \frac{9}{7}$

Answer: B

Explanation:

- C)
- D)

Solve the problem.

- 44) Hi-Tech UnWater begins a cable TV advertising campaign in Miami to market a new water. The percentage of the target market that buys water is estimated by the function $w(t) = 100(1 - e^{-0.02t})$, t represents the number of days of the campaign. After how long will 90% of the target market have bought the water?
 - A) 90 days
- B) 3 days
- C) 115 days
- D) 120 days

Answer: C

Explanation:

- B)
- C)
- D)

Give the domain and range of the function.


45)
$$f(x) = x^2 + 6$$

- A) Domain: [6, ∞); Range: all real numbers
- C) Domain: all real numbers; Range: [6, ∞)
- B) Domain: $[0, \infty)$; Range: $[0, \infty)$

D) Domain: all real numbers; Range: [-2, ∞)

- Answer: C
- Explanation: A)
 - - C)
 - D)

46)



A)
$$f(x) = x^2 + 6x + 7$$

C)
$$f(x) = x^2 + 6x - 7$$

B)
$$f(x) = -x^2 - 7x - 6$$

D)
$$f(x) = x^2 + 7x + 6$$

Answer: B


Explanation:

- B)
- C)
- D)

For the rational function below (i) Find the intercepts for the graph; (ii) Determine the domain; (iii) Find any vertical or horizontal asymptotes for the graph; (iv) Sketch any asymptotes as dashed lines. Then sketch the graph of y = f(x).


47) $f(x) = \frac{x+2}{x+1}$

47) _____




- A) (i) x intercept: 2; y intercept: 2
 - (ii) Domain: all real numbers except 1
 - (iii) Vertical asymptote: x = 1; horizontal asymptote: y = 1

(iv)




- B) (i) x intercept: 0; y intercept: 0
 - (ii) Domain: all real numbers except -1
 - (iii) Vertical asymptote: x = -1; horizontal asymptote: y = 1

(iv)




- C) (i) x intercept: 0; y intercept: 0
 - (ii) Domain: all real numbers except 1
 - (iii) Vertical asymptote: x = 1; horizontal asymptote: y = 1

(iv)



- D) (i) x intercept: -2; y intercept: 2
 - (ii) Domain: all real numbers except -1
 - (iii) Vertical asymptote: x = -1; horizontal asymptote: y = 1
 - (iv)



Answer: D

Explanation:

A) B)

C)

D)

Use the REGRESSION feature on a graphing calculator.

48) As the number of farms has decreased in South Carolina, the average size of the remaining farms has grown larger, as shown below.

	AVERAGE ACREAGE
YEAR	PER FARM
1900 (x = 0)	127
1910 $(x = 10)$	119
1920	135
1930	137
1940	155
1950	196
1960	283
1970	353
1980	406
1990	440
2000 (x = 100)	420

Let x represent the number of years since 1900. Use a graphing calculator to fit a quadratic function to the data. Round your answer to five decimal places.

A)
$$y = 0.02536x^2 + 1.21114x + 102.58741$$

B)
$$y = 0.02536x^3 + 1.21114 + 102.58741$$

C)
$$y = 0.02536x^3 + 1.21114x + 102.58741$$

D)
$$y = -.00114x^3 + 0.19605x^2 - 5.29775 + 143.55245$$

Answer: A

Explanation:

A)


B)

C)

D)

49) Use the graph of f given below to find f(2).

49)



A) 0

B) 3

C) 2

D) -4

Answer: D

- Explanation: A)

 - B)
 - C)
 - D)

Find the equations of any vertical asymptotes.

50)
$$f(x) = \frac{x-4}{x^2+8}$$

50) ____

- A) x = 8
- B) x = -8 C) x = 2, x = -2
- D) None

Answer: D

Explanation:


- A) B)
- C)
- D)

Use point-by-point plotting to sketch the graph of the equation.


51)
$$f(x) = \frac{2x}{x-1}$$

51) _____


A)




B)



C)



D)



Answer: A

A)

B) C)

D)

Solve the problem.

52) Suppose that \$2200 is invested at 3% interest, compounded semiannually. Find the function for the 52) amount of money after t years.

A)
$$A = 2200 (1.03)^{2t}$$

B)
$$A = 2200 (1.0125)^{2t}$$

C)
$$A = 2200 (1.015)^{t}$$

D)
$$A = 2200 (1.015)^{2t}$$

Answer: D

Explanation:

B)

C)

D)

Determine if the equation specifies a function with independent variable x. If so, find the domain. If not, find a value of x to which there corresponds more than one value of y.

53)
$$xy = -1$$

53)

- A) A function with domain all real numbers except x = 0
- B) Not a function; for example, when x = -1, $y = \pm 1$

Answer: A

Explanation: A)

B)

- 54) What is the maximum number of x intercepts that a polynomial of degree 6 can have?
- 54)

- A) 5
- C) 6

- B) 7
- D) Not enough information is given.


Answer: C

- Explanation: A)
 - B)
 - C)
 - D)


Use point-by-point plotting to sketch the graph of the equation.

55)
$$y = x + 2$$


55)




A)




B)



C)



D)



Answer: D

A) Explanation:

B)

C)

D)

Solve the equation.

56) Solve for x: $(e^{x})^{x} \cdot e^{27} = e^{12x}$

A) {3}

B) {-3, -9}

C) {9}

56) D) {3, 9}


Answer: D

Explanation: A)

B) C) D)

Write an equation for the graph in the form $y = a(x - h)^2 + k$, where a is either 1 or -1 and h and k are integers.

57) 57)



A)
$$y = (x - 6)^2 - 6$$

B)
$$y = (x - 6)^2 - 5$$

B)
$$y = (x-6)^2 - 5$$
 C) $y = (x+6)^2 + 5$ D) $y = (x-5)^2 - 6$

D)
$$y = (x - 5)^2 - 6$$

Answer: A

Explanation: A)

B)

C)

D)

Determine if the equation specifies a function with independent variable x. If so, find the domain. If not, find a value of x to which there corresponds more than one value of y.

58) $x - y^2 = 9$

- A) A function with domain \mathcal{R}
- B) Not a function; for example, when x = 10, $y = \pm 1$

Answer: B

Explanation: A)

B)

59) xy + 3y = -8

59)

- A) A function with domain all real numbers except x = -3
 - B) Not a function; for example, when x = -8, $y = \pm 3$

Answer: A

Explanation: A)

B)

Solve the problem.

- 60) A professional basketball player has a vertical leap of 37 inches. A formula relating an athlete's vertical leap V, in inches, to hang time T, in seconds, is V= 48T². What is his hang time? Round to the nearest tenth.
 - A) 0.6 sec
- B) 0.8 sec
- C) 1 sec
- D) 0.9 sec

Answer: D

Explanation: A)

- C)
- D)

Give the domain and range of the function.

61) h(x) = -6|x|

61)

60)

- A) Domain: $(-\infty, 0]$; Range: all real numbers
- B) Domain: $[0, \infty)$; Range: $[0, \infty)$
- C) Domain: all real numbers; Range: (-∞, 0]
- D) Domain: all real numbers; Range: (-∞, 3]

Answer: C

Explanation: A)

- B)
- C)
- D)

Convert to a logarithmic equation.

62) $5^2 = 25$

62)

- A) $2 = \log_5 25$
- B) $25 = \log_5 2$
- C) $2 = \log_{25} 5$
- D) $5 = \log_2 25$

Answer: A

Explanation:

- C)


Solve the problem.


State X Income Tax


SCHEDULE I - MARRIED FILING JOINTLY

If taxable income is		
Over	But not over	Tax due is
\$0	\$40,000	4.25% of taxable incomes
\$40,000	\$70,000	\$3700 plus 6.75% of excess over \$40,000
\$70,000		\$3875 plus 7.05% of excess over \$70,000

(i) Write a piecewise definition for the tax due T(x) on an income of x dollars. (ii) Graph T(x). (iii) Find the tax due on a taxable income of \$50,000. Of \$95,000.









(iii) \$2385; \$5697.50

B) (i) $T(x) = \begin{cases} 0.0425x & \text{if } 0 \le x \le 40,000 \\ 0.0675x - 1000 & \text{if } 40,000 < x \le 70,000 \\ 0.0705x - 1060 & \text{if } x > 70,000 \end{cases}$



(iii) \$2375; \$5637.50

C) (i) $T(x) = \begin{cases} 0.0425x & \text{if } 0 \le x \le 40,000 \\ 0.0675x - 1025 & \text{if } 40,000 < x \le 70,000 \\ 0.0705x - 1375 & \text{if } x > 70,000 \end{cases}$



(iii) \$2350; \$5322.50

- D) (i) $\begin{cases} 0.0425x & \text{if } 0 \le x \le 40,000 \\ 0.0425x & \text{otherwise} \end{cases}$
 - $T(x) = \begin{cases} 0.0675x 1300 & \text{if } 40,000 < x \le 70,000 \\ 0.0705x 1427 & \text{if } x > 70,000 \end{cases}$
 - (ii) y 8000 40
 - (iii) \$2075; \$5270.50

20000

40000

60000

Answer: B


Explanation: A)

2000


- B)
- C)
- D)

For the rational function below (i) Find the intercepts for the graph; (ii) Determine the domain; (iii) Find any vertical or horizontal asymptotes for the graph; (iv) Sketch any asymptotes as dashed lines. Then sketch the graph of y = f(x).


64)
$$f(x) = \frac{x-3}{x-4}$$




- A) (i) x intercept: 3; y intercept: $\frac{3}{4}$
 - (ii) Domain: all real numbers except 4
 - (iii) Vertical asymptote: x = 4; horizontal asymptote: y = 1
 - (iv)




- B) (i) x intercept: 5; y intercept: $\frac{3}{4}$
 - (ii) Domain: all real numbers except 4
 - (iii) Vertical asymptote: x = 4; horizontal asymptote: y = 1
 - (iv)



- C) (i) x intercept: -5; y intercept: $\frac{3}{4}$
 - (ii) Domain: all real numbers except -4
 - (iii) Vertical asymptote: x = -4; horizontal asymptote: y = 1
 - (iv)



- D) (i) x intercept: -3; y intercept: $\frac{3}{4}$
 - (ii) Domain: all real numbers except -4
 - (iii) Vertical asymptote: x = -4; horizontal asymptote: y = 1
 - (iv)



Answer: A

Explanation: A)

- B)
- C)
- D)

Give the domain and range of the function.

65)
$$g(x) = x^2 - 6$$

- A) Domain: [0, ∞); Range: [0, ∞)
- C) Domain: all real numbers; Range: [-6, ∞)
- Answer: C

Explanation: A)

- B)

Convert to an exponential equation.

66)
$$\log_9 27 = \frac{3}{2}$$

A)
$$27 = 9^{3/2}$$

B)
$$27 = \left(\frac{3}{2}\right)^9$$

C)
$$9 = 27^{3/2}$$

D)
$$\frac{3}{2} = \sqrt[9]{27}$$

B) Domain: all real numbers; Range: [2, ∞)

D) Domain: [6, ∞); Range: all real numbers

65)

66) _____

Answer: A

Explanation:

- B)
- C)
- D)

31

Determine the domain of the function.

67)
$$f(x) = \frac{8}{x^3}$$

A) All real numbers

B) No solution

C) All real numbers except 0

D) x < 0

Answer: C

- Explanation: A)
 - B)
 - C)
 - D)

Find the equations of any vertical asymptotes.

68)
$$f(x) = \frac{x^2 + 4x}{x^2 - 4x - 32}$$

- A) x = 8
- B) x = -8, x = 4 C) x = 8, x = -4
- D) None

Answer: A

- Explanation:

 - C)
 - D)

Convert to a logarithmic equation.

Answer: B

- Explanation:
 - - C) D)
- Use a calculator to evaluate the expression. Round the result to five decimal places.

- 70) log (-10.25) A) 1.01072
- B) 2.32728
- C) -1.01072
- D) Undefined


70)

- Answer: D
- Explanation: A)
 - B)
 - C)
 - D)

The graph that follows is the graph of a polynomial function. (i) What is the minimum degree of a polynomial function that could have the graph? (ii) Is the leading coefficient of the polynomial negative or positive?

71)

71)



- A) (i) 3
 - (ii) Positive
- B) (i) 2
 - (ii) Positive
- C) (i) 2
 - (ii) Negative
- D) (i) 3
 - (ii) Negative

Answer: B

Explanation: A

- A)
- B)
- C)

D)

Provide an appropriate response.

72) How can the graph of $f(x) = -\sqrt{x+1}$ be obtained from the graph of $y = \sqrt{x}$?

72)

- A) Shift it horizontally 1 units to the right. Reflect it across the x-axis.
- B) Shift it horizontally -1 units to the left. Reflect it across the x-axis.
- C) Shift it horizontally 1 units to the left. Reflect it across the y-axis.
- D) Shift it horizontally 1 units to the left. Reflect it across the x-axis.

Answer: D

Explanation:

- A) B)
- Б)
- C)
- D)

Solve the equation.

73) Solve for x: 3(1 + 2x) = 27

73)

A) 9

B) -1

C) 3

D) 1

Answer: D

Explanation: A


- A) B)
- C)
- D)

74)

74)

75)

76)



- A) function
- Answer: A Explanation:
- A) B)

B) not a function

Solve the problem.

- 75) An initial investment of \$12,000 is invested for 2 years in an account that earns 4% interest, compounded quarterly. Find the amount of money in the account at the end of the period.
 - A) \$994.28
- B) \$12,865.62
- C) \$12,979.20
- D) \$12,994.28

Answer: D

Explanation: A)

- B)
- C)

D)

Solve graphically to two decimal places using a graphing calculator.

76)
$$1.3x^2 - 2.1x - 3.2 \le 0$$

- A) x < -0.96 or x > 2.57
- C) -2.57 < x < 0.96

- B) -0.96 < x < 2.57
- D) x < -2.57 or x > 0.96

Answer: B

Explanation: A)

- B)
- C)
- D)

For the given function, find each of the following:

- (A) Intercepts
- (B) Vertex
- (C) Maximum or minimum
- (D) Range

77)
$$f(x) = (x + 3)^2 - 4$$


- A) (A) x-intercepts: -5, -1; y-intercept: 5
 - (B) Vertex (-3, -4)
 - (C) Minimum: -4
 - (D) $y \ge -4$
- C) (A) x-intercepts: 1, 5; y-intercept: 5
 - (B) Vertex (-3, -4)
 - (C) Minimum: -4
 - (D) $y \ge -4$

Answer: A


Explanation:

- A)
- B)
- C) D)
- Graph by converting to exponential form first.

78)
$$y = \log_5 (x + 2)$$



A)



B) (A) x-intercepts: - 5, -1; y-intercept: 5


- (B) Vertex (-3, -4)
- (C) Maximum: -4
- (D) $y \le -4$

D) (A) x-intercepts: -5, -1; y-intercept: 5


- (B) Vertex (3, -4)
- (C) Minimum: -4
- (D) $y \ge -4$

78)


B)



C)



D)



Answer: D

Explanation: A)

B)

C)

D)

Solve the problem.

79) Assume that a person's critical weight W, defined as the weight above which the risk of death rises

dramatically, is given by W(h) = $\left(\frac{h}{11.9}\right)^3$, where W is in pounds and h is the person's height in

inches.

Find the tcritical weight for a person who is 6 ft 11 in. tall. Round to the nearest tenth.

A) 212.4 lb

B) 377.4 lb

C) 339.3 lb

D) 221.5 lb

Answer: C

Explanation: A)

B)

C) D)

Use a calculator to evaluate the expression. Round the result to five decimal places.

80) In 0.027

A) -3.61192

B) 0.56864

C) -1.56864

D) Undefined

Answer: A

Explanation:

A)

B) C)

D)

Find the equation of any horizontal asymptote.

81)
$$f(x) = \frac{7x^2 + 8}{7x^2 - 8}$$

81)

A) y = -8

B) y = 1

C) y = 8

D) None

Answer: B

Explanation:

C)

D)

Determine if the equation specifies a function with independent variable x. If so, find the domain. If not, find a value of x to which there corresponds more than one value of y.

82) $x^2 + y^2 = 9$

82)

- A) A function with domain \mathcal{R}
- B) Not a function; for example, when x = 0, $y = \pm 3$

Answer: B

Explanation:

A) B)

Write in terms of simpler forms.

83) $\log_b \frac{a}{s}$

- A) log_h a log_h s
- B) $\log_{2b} \frac{a}{s}$
- C) $\log_b a s$ D) $\log_b a + \log_b s$

Answer: A

Explanation: A)

- C)
- D)

Solve for x to two decimal places (using a calculator).

84) $700 = 500(1.04)^{X}$

- A) 520
- B) 8.58
- C) 1.35
- D) 1.40

Answer: B


Explanation:

- B)
- C)

The graph that follows is the graph of a polynomial function. (i) What is the minimum degree of a polynomial function that could have the graph? (ii) Is the leading coefficient of the polynomial negative or positive?

85)

85)



- A) (i) 3
- B) (i) 2
- C) (i) 3
- D) (i) 2

- (ii) Positive
- (ii) Negative
- (ii) Negative
- (ii) Positive


Answer: A

Explanation:


- A) B)
- C)
- D)

86) ____


86) $f(x) = \left(\frac{1}{4}\right)^X$



A)




C)




- Answer: C Explanation: A)

 - B) C) D)

B)





87) The total cost of the Democratic and the Republican national conventions has increased 596% over the 20-year period between 1980 and 2004. The following table lists the total cost, in millions of dollars, for selected years.

Year, x	Cost, y
1980, $x = 0$	\$ 23.1
1984, $x = 4$	31.8
1988, $x = 8$	44.4
1992, $x = 12$	58.8
1996, $x = 16$	
2000, x = 20	160.8
2004, x = 24	170.5

Find the exponential functions that best estimates this data. Round your answer to four decimal places

A)
$$y = 1.0929 \cdot (22.2887)^X$$

B)
$$y = 22.2887 \cdot (1.0929)^X$$

C)
$$y = 22.2887x \cdot (1.0929)^X$$

D)
$$y = 6.6643x + 2.8857$$

Answer: B

Explanation: A)

B)

C)

D)

88) A strain of E-coli Beu-recA441 is placed into a petri dish at 30 Celsius and allowed to grow. The following data are collected. Theory states that the number of bacteria in the petri dish will initially grow according to the law of uninhibited growth. The population is measured using an optical device in which the amount of light that passes through the petri dish is measured.

88)

Time in hours , x	Population, y	
0	0.09	
2.5	0.18	
3.5	0.26	
4.5	0.35	
6	0.50	

Find the exponential equation in the form $y = a \cdot b^X$, where x is the hours of growth. Round to four decimal places.

A)
$$y = 0.0903 \cdot 1.3384^{X}$$

B)
$$y = 0.0903^{X}$$

C)
$$y = 1.3384 \cdot 0.0903^X$$

D)
$$y = 1.3384^{X}$$

Answer: A

Explanation: A)

B)

C)

Write an equation for a function that has a graph with the given transformations.

89) The shape of $y = x^2$ is vertically stretched by a factor of 10, and the resulting graph is reflected across the x-axis.

89)

A) $f(x) = 10(x - 10)^2$

B) $f(x) = (x - 10)^2$

C) $f(x) = -10x^2$

D) $f(x) = 10x^2$

Answer: C

- Explanation: A
 - B)
 - C)
 - D)

Provide an appropriate response.

90) What is the minimum number of x intercepts that a polynomial of degree 11 can have? Explain.

90)

- A) 1 because a polynomial of odd degree crosses the x axis at least once.
- B) 11 because this is the degree of the polynomial.
- C) 0 because a polynomial of odd degree may not cross the x axis at all.
- D) Not enough information is given.


Answer: A

- Explanation: A)
 - B)
 - C)
 - D)


Sketch the graph of the function.

91) $f(x) = \frac{x+1}{x^2+x-2}$


91)




A)




B)



C)



D)



Answer: B

Explanation: A)

B)

C)

D)

Solve the problem.

92) The polynomial $0.0053x^3 + 0.003x^2 + 0.108x + 1.54$ gives the approximate total earnings of a company, in millions of dollars, where x represents the number of years since 1996. This model is valid for the years from 1996 to 2000. Determine the earnings for 2000. Round to 2 decimal places.

A) \$2.03 million

- B) \$2.82 million
- C) \$2.36 million
- D) \$2.26 million

92)

Answer: C

Explanation: A)

B)

C)

D)

Find the equation of any horizontal asymptote.

93)
$$f(x) = \frac{x^2 + 9x - 7}{x - 7}$$

A) y = 4

B) y = -9

C) None

D) y = 7

Answer: C

Explanation:

A)

B)

C)


D)

Use point-by-point plotting to sketch the graph of the equation.


94) $y = x^2 + 4$

94) ____

A)



C)





Answer: B

A)B)C)D)

Graph the function.

B)







95) $f(x) = 0.6^X$

95) ___

A)



C)





Answer: D

Explanation:

- A) B)
- C) D)

B)





Solve the pro	b	Iem.
---------------	---	------

96) The number of books in a community college library increases according to the function

96)

 $B = 7200e^{0.03t}$, where t is measured in years. How many books will the library have after 8 year(s)?

- A) 7200
- B) 4462
- C) 10,275
- D) 9153

Answer: D

Explanation: A)

- B)
- C)
- D)

Find the range of the given function. Express your answer in interval notation.

97) $f(x) = 4x^2 + 16x + 19$

97) ____

- A) $(-\infty, -3]$
- B) $(-\infty, 2]$ C) $[-2, \infty)$
- D) [3, ∞)

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the problem.

- 98) U. S. Census Bureau data shows that the number of families in the United States (in millions) in year x is given by $h(x) = 51.42 + 15.473 \cdot \log x$, where x = 0 is 1980. How many families were there in 2002?
- 98)

- A) 72 million
- B) 90 million
- C) 21 million
- D) 48 million

Answer: A

Explanation: A)

- B)
- C)
- D)

Use the properties of logarithms to solve.

99)
$$\log (x + 10) - \log (x + 4) = \log x$$

- B) -5

- C) 2, 5
- D) 6

A) 2 Answer: A

Explanation:

- A) B)
- C)
- D)

Determine the domain of the function.

100)
$$f(x) = \frac{x}{x - 2}$$

100)

99)

- A) No solution
- C) All real numbers

- B) All real numbers except 2
- D) x < 2

Answer: B


Explanation:

- A) B)
- C)
- D)


Graph the function.

101) $f(x) = 2^{-X} - 2$


101) _____



A)



C)





Answer: A

Explanation:

- A)B)C)D)

B)





Solve the equation graphically to four decimal places.

102) Let $f(x) = -0.4x^2 + 2x + 3$, find f(x) = 6.

102)

A) 2.5000

B) 2.5000, 5.5000

C) 5.5000

D) No solution

Answer: D

Explanation:

A)

B)

C)

D)

For the polynomial function find the following: (i) Degree of the polynomial; (ii) All x intercepts; (iii) The y intercept.

103) $y = 15 - x^2 + 2x$

103)

A) (i) 2

B) (i) 2

C) (i) 2

D) (i) 2

(ii) -3, -5 (iii) -15

(ii) 5, -3 (iii) 15

(ii) 5, 3

(ii) 3, -5

(iii) 15

(iii) -15

Answer: B

Explanation:

B)

C)

D)

Find the range of the given function. Express your answer in interval notation.

104) $f(x) = -2x^2 + 12x - 23$

104)

A) $(-\infty, -3]$

B) [5, ∞)

C) (-∞, -5]

D) [-3, ∞)

Answer: C

Explanation:

A) B)

C)

D)

Solve the equation graphically to four decimal places.

105) Let $f(x) = -0.5x^2 + 4x + 2$, find f(x) = -5.

105)

A) No solution

B) -1.4772

C) 9.4772

D) -1.4772, 9.4772

Answer: D

Explanation: A)

B)

C)

D)

Determine the domain of the function.

106) $f(x) = \sqrt{3 - x}$

106)

A) x < 3

B) All real numbers except 3

C) No solution

D) $x \le 3$

Answer: D

Explanation:

A)

B)

C)

Convert to a logarithmic equation.

107)
$$e^t = 7$$

- A) In t = 7
- B) log 7 e = t
- C) In 7 = t
- D) log 7 t = e

107)

Answer: A

Explanation: A)


- B)
- C)
- D)

Determine whether the graph is the graph of a function.

108)

108)

109)



A) function

Answer: B Explanation:

A)

B) not a function

Determine whether the function is linear, constant, or neither

109)
$$y = \frac{2 \pi}{3}$$

A) Linear

B) Constant

C) Neither

Answer: B

Explanation: A)

- B)
- C)

Find the vertex form for the quadratic function. Then find each of the following:

- (A) Intercepts
- (B) Vertex
- (C) Maximum or minimum
- (D) Range

110) $f(x) = x^2 + 6x + 8$

110)

- A) Standard form: $f(x) = (x 3)^2 1$
 - (A) x-intercepts: 2, 4; y-intercept: 8
 - (B) Vertex (-3, -1)
 - (C) Minimum: -1
 - (D) $y \ge -1$
 - C) Standard form: $f(x) = (x 3)^2 1$
 - (A) x-intercepts: -4, -2; y-intercept: 8
 - (B) Vertex (-3, -1)
 - (C) Maximum: -1
 - (D) $y \le -1$

D) Standard form: $f(x) = (x + 3)^2 - 1$

B) Standard form: $f(x) = (x + 3)^2 - 1$

(A) x-intercepts: -4, -2; y-intercept: 8

(A) x-intercepts: -4, -2; y-intercept: 8

(B) Vertex (-3, -1)

(B) Vertex (3, -1)

(C) Minimum: -1

- (C) Minimum: -1
- (D) $y \ge -1$

(D) $y \ge -1$

Answer: D

Explanation: A)

- B)
- C)
- D)

Write an equation for a function that has a graph with the given transformations.

- 111) The shape of $y = \sqrt{x}$ is shifted 5 units to the left. Then the graph is shifted 7 units upward.
 - A) $f(x) = 7\sqrt{x+5}$
 - C) $f(x) = \sqrt{x+5} + 7$

- B) $f(x) = \sqrt{x-5} + 7$
- D) $f(x) = \sqrt{x+7} + 5$

Answer: C

Explanation: A

- B)
- C)
- D)

Provide an appropriate response.

112) How can the graph of $f(x) = -(x-1)^2$ 6 be obtained from the graph of $y = x^2$?

112) ____

111)

- A) Shift it horizontally 1 units to the right. Reflect it across the x-axis. Shift it 6 units up.
- B) Shift it horizontally 1 units to the left. Reflect it across the x-axis. Shift it 6 units up.
- C) Shift it horizontally 1 units to the right. Reflect it across the y-axis. Shift it 6 units down.
- D) Shift it horizontally 1 units to the right. Reflect it across the y-axis. Shift it 6 units up.

Answer: A

- Explanation: A)
 - B)
 - C)
 - D)

Find the vertex form for the quadratic function. Then find each of the following:

- (A) Intercepts
- (B) Vertex
- (C) Maximum or minimum
- (D) Range

113)
$$n(x) = -x^2 + 4x + 5$$

- A) Standard form: $n(x) = -(x + 2)^2 + 9$
 - (A) x-intercepts: -1,5; y-intercept: 5
 - (B) Vertex (2, 9)
 - (C) Minimum: 9
 - (D) $y \ge 9$
- C) Standard form: $n(x) = -(x 2)^2 + 9$
 - (A) x-intercepts: -1,5; y-intercept: 5
 - (B) Vertex (-2, -9)
 - (C) Maximum: 9
 - (D) $y \le 9$

Answer: B

Explanation: A)

- B)
- C)
- D)

114)
$$m(x) = -x^2 - 6x - 8$$

- A) Standard form: $m(x) = -(x + 3)^2 + 1$
 - (A) x-intercepts: -4, -2; y-intercept: -8
 - (B) Vertex (-3, 1)
 - (C) Maximum: 1
 - (D) $y \le 1$
- C) Standard form: $m(x) = -(x + 3)^2 + 1$
 - (A) x-intercepts: -4, -2; y-intercept: -8
 - (B) Vertex (3, -1)
 - (C) Maximum: 1
 - (D) $y \le 1$

Answer: A

Explanation: A)

- י. ה
- C)
- D)

- B) Standard form: $n(x) = -(x 2)^2 + 9$
 - (A) x-intercepts: -1,5; y-intercept: 5
 - (B) Vertex (2, 9)
 - (C) Maximum: 9
 - (D) $y \le 9$
- D) Standard form: $n(x) = -(x + 2)^2 + 9$
 - (A) x-intercepts: -5, 1; y-intercept: 5
 - (B) Vertex (2, 9)
 - (C) Maximum: 9
 - (D) $y \le 9$

114)

113)

- B) Standard form: $m(x) = -(x 3)^2 + 1$
 - (A) x-intercepts: 2, 4; y-intercept: -8
 - (B) Vertex (-3, 1)
 - (C) Maximum: 1
 - (D) $y \le 1$
- D) Standard form: $m(x) = -(x-3)^2 + 1$
 - (A) x-intercepts: -4, -2; y-intercept: -8
 - (B) Vertex (-3, 1)
 - (C) Minimum: 1
 - (D) $y \ge 1$

Solve the problem.

115) The function M described by M(x) = 2.89x + 70.64 can be used to estimate the height, in centimeters, of a male whose humerus (the bone from the elbow to the shoulder) is x cm long. Estimate the height of a male whose humerus is 30.93 cm long. Round your answer to the nearest four decimal places.

115) ____

116)

- A) 156.5375 cm
- B) 160.0277 cm
- C) 30.9300 cm
- D) 157.3400 m

Answer: B

Explanation: A)

- B)
- C)
- D)

Find the x-intercept(s) if they exist.

- 116) $6x^2 = 42x$
 - A) 7

B) 0

- C) 0, 7
- D) 21

Answer: C

Explanation: A)

- B)
- C)
- D)

Find the function value.

117) Given that $f(x) = 5x^2 - 2x$, find f(t + 2).

117)

D) $5t^2 - 18t + 16$

- A) 3t + 6
- B) $t^2 + 2t 6$
- C) 5t² + 18t + 16
 - C) 51- +

Answer: C

Explanation: A)

- B)
- C)
- D)

Determine whether the function is linear, constant, or neither

118) $y = x^3 - x^2 + 8$ A) Linear

B) Constant

C) Neither

Answer: C

Explanation: A)

- B)
- C)

Solve the equation graphically to four decimal places.

119) Let $f(x) = -0.5x^2 + 4x + 2$, find f(x) = 3.

119)

118)

- A) No solution
- B) 7.7417
- C) 0.2583
- D) 0.2583, 7.7417

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the problem.

- 120) A carbon-14 dating test is performed on a fossil bone, and analysis finds that 15.5% of the original amount of carbon-14 is still present in the bone. Estimate the age of the fossil bone. (Recall that carbon-14 decays according to the equation $A = A_0e^{-0.000124t}$).
- 120)

- A) 150 years
- B) 15,035 years
- C) 15, 000 years
- D) 1,500 years

Answer: B

- Explanation: A)
 - B)
 - C)
 - D)

For the given function, find each of the following:

- (A) Intercepts
- (B) Vertex
- (C) Maximum or minimum
- (D) Range

121)
$$g(x) = (x - 3)^2 - 4$$

121)

122)

- A) (A) x-intercepts: 1, 5; y-intercept: 5
 - (B) Vertex (3, -4)
 - (C) Maximum: -4
 - (D) $y \le -4$

- B) (A) x-intercepts: -5, -1; y-intercept: 5
 - (B) Vertex (3, -4)
 - (C) Minimum: -4
 - (D) $y \ge -4$
- C) (A) x-intercepts: 1, 5; y-intercept: 5
 - (B) Vertex (-3, -4)
 - (C) Minimum: -4
 - (D) $y \ge -4$

- D) (A) x-intercepts: 1, 5; y-intercept: 5
 - (B) Vertex (3, -4)
 - (C) Minimum: -4
 - (D) $y \ge -4$

Answer: D

Explanation: A)

- A) B)
- C)
- D)
- For the polynomial function find the following: (i) Degree of the polynomial; (ii) All x intercepts; (iii) The y intercept.
 - 122) y = 4x + 5
 - A) (i) 1
 - (ii) $-\frac{4}{5}$
 - (iii) 4

- B) (i) 1
 - (ii) 5
 - (iii) $\frac{5}{4}$
- C) (i) 1
 - (ii) $\frac{5}{4}$
 - (iii) 5
- D) (i) 1
 - (ii) $-\frac{5}{4}$
 - (iii) 5

- Answer: D
- Explanation: A)
 - B)
 - C)
 - D)

Determine whether the function is linear, constant, or neither

123) $y = \frac{x+3}{7}$ 123)

A) Linear

B) Constant

C) Neither

Answer: A

Explanation: A)

B)

C)

Determine whether the relation represents a function. If it is a function, state the domain and range.

124) {(19, -2), (3, -1), (3, 0), (4, 1), (12, 3)}

range: {19, 4, 3, 12}

124)

A) function

domain: {-2, -1, 0, 1, 3}

B) function

C) not a function

domain: {19, 4, 3, 12} range: {-2, -1, 0, 1, 3}

Answer: C

Explanation:

A) B)

C)

Solve the problem.

125) The U. S. Census Bureau compiles data on population. The population (in thousands) of a southern 125) city can be approximated by $P(x) = 0.08x^2 - 13.08x + 927$, where x corresponds to the years after 1950. In what calendar year was the population about 804,200?

A) 1955

B) 1960

B) 2

C) 2000

C) 24

D) 1965

D) 6

Answer: B

Explanation: A)

B)

C)

D)

Use the properties of logarithms to solve.

126)
$$\log_7 x + \log_7 (x - 2) = \log_7 24$$

126)

A) 7

Answer: D

Explanation: A)

B)


C)

D)


Graph the function using a calculator and point-by-point plotting. Indicate increasing and decreasing intervals.

127) $f(x) = -3 - \ln x$


127)



A) Increasing $(-3, \infty)$




C) Increasing (0, ∞)




Answer: D Explanation:

- A)B)C)D)

B) Decreasing: (0, ∞)



D) Decreasing: (0, ∞)



Solve the problem.

- 128) If \$4,000 is invested at 7% compounded annually, how long will it take for it to grow to \$6,000, assuming no withdrawals are made? Compute answer to the next higher year if not exact.
- 128) _____

 $[A = P(1 + r)^{t}]$

- A) 2 years
- B) 6 years
- C) 5 years
- D) 8 years

Answer: B

- Explanation: A
 - B)
 - C)
 - D)

Use a calculator to evaluate the expression. Round the result to five decimal places.

129) log 0.234

129)

- A) -1.45243
- B) -0.63074
- C) 0.234
- D) 1.26364

Answer: B

- Explanation: A)
 - B)
 - C)
 - D)

Determine whether there is a maximum or minimum value for the given function, and find that value.

130) $f(x) = -x^2 - 18x - 90$

130)

- A) Minimum: 0
- B) Minimum: 9
- C) Minimum: -9
- D) Maximum: 9


Answer: D

- Explanation: A
 - B)
 - C)
 - D)


Graph the function using a calculator and point-by-point plotting. Indicate increasing and decreasing intervals.

131) $f(x) = 3 \ln x$


131)




A) Decreasing: (0, ∞)



C) Increasing: (0, ∞)



B) Increasing: (-3, ∞)



C) not a function

132)

Answer: C

Explanation:

- A)
- B)
- C)
- D)

Determine whether the relation represents a function. If it is a function, state the domain and range.

132) {(-4, 21), (-3, 14), (0, 5), (3, 14), (5, 30)}

domain: {-4, -3, 0, 3, 5}

B) function

domain: {21, 14, 5, 30}

range: {21, 14, 5, 30} range: {-4, -3, 0, 3, 5}

Answer: A

Explanation: A)

A) function

- B)
- C)

Solve the problem.

- 133) In economics, functions that involve revenue, cost and profit are used. Suppose R(x) and C(x) denote the total revenue and the total cost, respectively, of producing a new high-tech widget. The difference P(x) = R(x) - C(x) represents the total profit for producing x widgets. Given R(x) = 60x
- 133)

134)

- $0.4 x^2$ and C(x) = 3x + 13, find P(100). A) 2000
 - B) 55687
- C) 1687
- D) 313

Answer: C

Explanation:

- A) B)
- C)
- D)

For the given function, find each of the following:

- (A) Intercepts
- (B) Vertex
- (C) Maximum or minimum
- (D) Range

134) $n(x) = -(x-1)^2 + 9$

- A) (A) x-intercepts: -2, 4; y-intercept: 8
 - (B) Vertex (-1, -9)
 - (C) Maximum: 9
 - (D) $y \le 9$
- C) (A) x-intercepts: -2, 4; y-intercept: 8
 - (B) Vertex (1, 9)
 - (C) Maximum: 9
 - (D) $y \le 9$

Answer: C

Explanation: A)

- B)
- C)
- D)

- B) (A) x-intercepts: -4, 2; y-intercept: 8
 - (B) Vertex (1, 9)
 - (C) Maximum: 9
 - (D) $y \le 9$
- D) (A) x-intercepts: -2, 4; y-intercept: 8
 - (B) Vertex (1, 9)
 - (C) Minimum: 9
 - (D) $y \ge 9$

Find the vertex form for the quadratic function. Then find each of the following:

- (A) Intercepts
- (B) Vertex
- (C) Maximum or minimum
- (D) Range

135) $q(x) = x^2 - 2x - 8$

135)

- A) Standard form: $g(x) = (x + 1)^2 9$
 - (A) x-intercepts: -4, 2; y-intercept: -8
 - (B) Vertex (1, -9)
 - (C) Minimum: -9
 - (D) $y \ge -9$
 - C) Standard form: $g(x) = (x + 1)^2 9$
 - (A) x-intercepts: -2, 4; y-intercept: -8
 - (B) Vertex (1, -9)
 - (C) Maximum: -9
 - (D) $y \le -9$

D) Standard form: $g(x) = (x - 1)^2 - 9$

B) Standard form: $g(x) = (x - 1)^2 - 9$

(A) x-intercepts: -2, 4; y-intercept: -8

(A) x-intercepts: -2, 4; y-intercept: -8

(B) Vertex (-1, -9)

(B) Vertex (1, -9)

(C) Minimum: -9

- (C) Minimum: -9
- (D) $y \ge -9$

(D) $y \ge -9$

Answer: B

Explanation: A)

- C)
- D)

Solve the problem.

- 136) The level of a sound in decibels (db) is determined by the formula $N = 10 \cdot \log(1 \times 10^{12})$ db, where I is the intensity of the sound in watts per square meter. A certain noise has an intensity of
 - 8.49×10^{-4} watts per square meter. What is the sound level of this noise? (Round your answer to the nearest decibel.)
 - A) 206 db
 - Answer: B Explanation:
 - A) B)
 - C)
 - D)

Write in terms of simpler forms.

137) log₆ XY

137)

136)

- A) $\log_3 X + \log_3 Y$

B) 89 db

B) $\log_3 X - \log_3 Y$ C) $\log_6 X + \log_6 Y$ D) $\log_6 X - \log_6 Y$

C) 79 db

D) 9 db

Answer: C

Explanation: A)

- B)
- C)
- D)

Convert to a logarithmic equation.

138)
$$10^{0.4771} = 3$$

- A) 0.4771 = log 10
- C) $3 = \log 0.4771$


Answer: B

- Explanation: A)
 - B)
 - C)
 - D)


- B) $0.4771 = \log 3$
- D) 0.4771 = log 9 10

Graph by converting to exponential form first.


139)
$$y = \log_{5} (x - 4)$$



A)



C)



Answer: C

Explanation: A)


B)




139)

138)








Write an equation for the lowest-degree polynomial function with the graph and intercepts shown in the figure.

140) 140)



- A) $f(x) = -x^3 16x$

- B) $f(x) = -x^3 + 16x$ C) $f(x) = x^3 + 16x$ D) $f(x) = -x^3 16x$

Answer: B

Explanation:

- A) B)
- C)
- D)

Solve the problem.

- 141) Assume that a savings account earns interest at the rate of 2% compounded monthly. If this account contains \$1000 now, how many months will it take for this amount to double if no withdrawals are made?
- 141)

142)

A) 417 months

B) 450 months

C) 12 months

D) 408 months

Answer: A

Explanation: A)

- B)
- C)
- D)

Find the function value.

142) Find
$$f(4)$$
 when $f(x) = 5 - 8x^2$.

A) -59

- B) -123
- C) 133
- D) -27


Answer: B

Explanation:


- C)
- D)

The graph that follows is the graph of a polynomial function. (i) What is the minimum degree of a polynomial function that could have the graph? (ii) Is the leading coefficient of the polynomial negative or positive?

143)



144)



- A) (i) 2
 - (ii) Negative
- B) (i) 1
 - (ii) Positive
- C) (i) 2

(ii) Positive

- D) (i) 1
 - (ii) Negative

Answer: D

Explanation: A)

- B)
- C) D)

Solve the problem.

144) The point at which a company's costs equals its revenue is the break-even. C represents cost, in dollars, of x units of a product. R represents the revenue, in dollars, for the sale of x units. Find the number of units that must be produced and sold in order to break even.

C = 15x + 12,000

R = 18x - 6000

- A) 800
- B) 12,000
- C) 6000
- D) 545


Answer: C

Explanation: A)

- B)
- C)
- D)

Determine whether the relation represents a function. If it is a function, state the domain and range.

145) 145)



A) function

domain: {carrots, peas, squash}

range: {Bob, Ann, Dave}

B) function

domain: {Bob, Ann, Dave}

range: {carrots, peas, squash}

C) not a function

Answer: C


Explanation: A)

B)

C)

Write an equation for the graph in the form $y = a(x - h)^2 + k$, where a is either 1 or -1 and h and k are integers.

146) _ 146)



A)
$$y = (x+4)^2 + 5$$

B)
$$y = -(x - 4)^2 - 5$$

B)
$$y = -(x-4)^2 - 5$$
 C) $y = (x+4)^2 - 2$ D) $y = -(x+4)^2 + 5$

D)
$$y = -(x+4)^2 + 5$$

Answer: D

Explanation: A)

B)

C)

147) Since 1984 funeral directors have been regulated by the Federal Trade Commission. The average cost of a funeral for an adult in a Midwest city has increased, as shown in the following table.

YEAR	AVERAGE COST OF FUNERAL
1980	\$ 1926
1985	\$ 2841
1991	\$ 3842
1995	\$ 4713
1996	\$ 4830
1998	\$ 5120
2001	\$ 5340

Let x represent the number of years since 1980. Use a graphing calculator to fit a quartic function to the data. Round your answer to five decimal places.

- A) $y = -0.04268x^4$
- B) $y = -2.047489x^2 + 212.82699x + 1879.85469$
- C) y = 170.5971x + 1991.5213
- D) $y = -0.04268x^4 + 1.53645x^3 16.76289x^2 + 231.82723x + 1927.58518$

Answer: D

Explanation: A)

- B)
- C)
- 148) The average retail price in the Spring of 2000 for a used Camaro Z28 coupe depends on the age of the car as shown in the following table.

Age, x									
Price, y	18,325	15,925	13,685	11,805	10,490	8885	8015	6480	5710

Find the quadratic model that best estimates this data. Round your answer to whole numbers.

A) $y = 102x^2 - 2576x$

- B) y = -1551x + 18,790x
- C) $y = -9x^3 + 235x^2 3134x + 21,252$
- D) $y = 102x^2 2576x + 20,669$

Answer: D

Explanation: A)

- C)
- D)

Use a calculator to evaluate the expression. Round the result to five decimal places.

149) log 0.17

149)

148)

- A) -1.77196
- B) -0.76955
- C) -1.76955
- D) -4.07454

Answer: B

Explanation: A)

- B)
- C)
- D)

	inimum numl		olynomial of degree 8 can	have? Explain.	150)
B) 8 because C) 1 because	e this is the d	al of even degree may not egree of the polynomial. al of even degree crosses t on is given.			
Answer: A Explanation:	A) B) C) D)				
Solve for x to two decim 151) 5.2 = 1.006 ¹² x	-	ing a calculator).			151)
A) 22.97		B) 2.32	C) 1.07	D) 5.17	
Answer: A Explanation:	A) B) C) D)				
Use the properties of log 152) log _b x - log _b !					152)
A) 3		B) 2, 5	C) 2	D) 5	
Answer: D Explanation:	A) B) C) D)				
Write in terms of simple	er forms.				
153) log _b M ⁹					153)
A) 9 log _b M		B) M + log _b 9	C) 9 + log _b M	D) M log _b 9	
Answer: A Explanation:	A) B) C) D)				
Solve the problem. 154) The function F	described by	y F(x) = 2.75x + 71.48 can b	e used to estimate the heig	ght, in centimeters,	154)
of a woman w	hose humeru man whose h	s (the bone from the elbov	v to the shoulder) is x cm I Round your answer to the	ong. Estimate the	
A) 43.3000 c		B) 13.5775 cm	C) 105.1600 cm	D) 156.5375 cm	
Answer: D Explanation:	A) B) C) D)				

Determine if the equation specifies a function with independent variable x. If so, find the domain. If not, find a value of x to which there corresponds more than one value of y.

155) $y = x^2 + 8$

- A) A function with domain \mathcal{R}
- B) Not a function; for example, when x = 8, then $y = \pm 1$


Answer: A

Explanation: A)

B)


For the rational function below (i) Find the intercepts for the graph; (ii) Determine the domain; (iii) Find any vertical or horizontal asymptotes for the graph; (iv) Sketch any asymptotes as dashed lines. Then sketch the graph of y = f(x).

156) $f(x) = \frac{-2x - 3}{x + 2}$




- A) (i) x intercept: $-\frac{3}{2}$; y intercept: $-\frac{3}{2}$
 - (ii) Domain: all real numbers except -2
 - (iii) Vertical asymptote: x = -2; horizontal asymptote: y = -2


(iv)




- B) (i) x intercept: $\frac{3}{2}$; y intercept: $-\frac{3}{2}$
 - (ii) Domain: all real numbers except 2
 - (iii) Vertical asymptote: x = 2; horizontal asymptote: y = -2
 - (iv)



- C) (i) x intercept: $-\frac{3}{2}$; y intercept: $-\frac{3}{2}$
 - (ii) Domain: all real numbers except -2
 - (iii) Vertical asymptote: x = -2; horizontal asymptote: y = -2
 - (iv)



- D) (i) x intercept: $\frac{3}{2}$; y intercept: $-\frac{3}{2}$
 - (ii) Domain: all real numbers except 2
 - (iii) Vertical asymptote: x = 2; horizontal asymptote: y = -2
 - (iv)



Answer: A

Explanation: A)

B)


B)

C) D)

The graph that follows is the graph of a polynomial function. (i) What is the minimum degree of a polynomial function that could have the graph? (ii) Is the leading coefficient of the polynomial negative or positive?

157)

157) _____



A) (i) 4

(ii) Positive

B) (i) 4

(ii) Negative

C) (i) 3

(ii) Negative

D) (i) 3

(ii) Positive

Answer: A

Explanation: A)

B)

C) D)

Solve the problem.

158) A country has a population growth rate of 2.4% compounded continuously. At this rate, how long will it take for the population of the country to double? Round your answer to the nearest tenth.

158)

A) .29 years

B) 2.9 years

C) 28.9 years

D) 30 years

Answer: C

Explanation: A)

B)

C)

D)

Solve the equation.

159) Solve for t: $e^{-0.07t} = 0.05$

Round your answer to four decimal places.

159)

A) 44.321

B) 42.7962

C) -70.1312

D) -66.4815

Answer: B

Explanation: A)

A) B)

C)

Use the properties of logarithms to solve.

160) $\log_6 (4x - 5) = 1$

160)

A) 7

B) $\frac{11}{4}$

- C) $\frac{11}{6}$
- D) $\frac{\log 5}{4}$


Answer: B

- Explanation: A)
 - B)
 - C)
 - D)


Graph the function using a calculator and point-by-point plotting. Indicate increasing and decreasing intervals.

161) $f(x) = |-4 \ln x|$







- A) Decreasing: $\left(0, \frac{1}{2}\right)$
 - Increasing: $\left[\frac{1}{2}, \infty\right)$




B) Decreasing: (0, -4]



C) Decreasing: (0, 1] Increasing: [1, ∞)



D) Decreasing: (0, ∞)




Answer: C

Explanation:


- A)
- B) C) D)

162) Assume it costs 25 cents to mail a letter weighing one ounce or less, and then 20 cents for each additional ounce or fraction of an ounce. Let L(x) be the cost of mailing a letter weighing x ounces. Graph y = L(x). Use the interval (0, 4].


A)




B)



C)



D)



Answer: D Explanation:

A)

B)


C)

D)


Solve the problem.

163)

163) Financial analysts in a company that manufactures ovens arrived at the following daily cost equation for manufacturing x ovens per day: $C(x) = x^2 + 4x + 1800$. The average cost per unit at a production level of x ovens per day is $\overline{C}(x) = C(x)/x$. (i) Find the rational function \overline{C} . (ii) Sketch a graph of $\overline{C}(x)$ for $10 \le x \le 125$. (iii) For what daily production level (to the nearest integer) is the average cost per unit at a minimum, and what is the minimum average cost per oven (to the nearest cent)? HINT: Refer to the sketch in part (ii) and evaluate $\overline{C}(x)$ at appropriate integer values until a minimum value is found.




A) (i)
$$\overline{C}(x) = \frac{x^2 + 4x + 1800}{x}$$



(iii) 22 units; \$48.93 per oven

C) (i)
$$\overline{C}(x) = \frac{x^2 + 4x + 1800}{x}$$



(iii) 61 units; \$133.29 per oven

Answer: D

Explanation: A)


B)

C)

D)


Graph the function.

B) (i)
$$\overline{C}(x) = \frac{x^2 + 4x + 1800}{x}$$



(iii) 44 units; \$185.61 per oven

D) (i)
$$\overline{C}(x) = \frac{x^2 + 4x + 1800}{x}$$




(iii) 42 units; \$88.86 per oven


164)

164) ____


$$f(x) = \begin{cases} x - 1 & \text{if } x < 1 \\ 4 & \text{if } x \ge 1 \end{cases}$$



A)




C)




Answer: C Explanation:

- A)B)C)D)

B)





Solve	the	prob	lem.

- 165) The number of reports of a certain virus has increased exponentially since 1960. The current number of cases can be approximated using the function $r(t) = 207 e^{0.005t}$, where t is the number of years since 1960. Estimate the of cases in the year 2010.
 - A) 240
- B) 207

C) 266

D) 190

165)

Answer: C

- Explanation: A)
 - B)
 - C)
 - D)

Evaluate.

- 166) log₈ 8⁴
 - A) 4

B) 32

C) 8

D) 8⁴

Answer: A

- Explanation: A)
 - B)
 - C)
 - D)

Use the properties of logarithms to solve.

- 167) In (3x 4) = In 20 In (x 5)
 - A) 5, $\frac{5}{3}$
- B) $\frac{19}{3}$

- C) $0, \frac{19}{3}$
- D) -5, - $\frac{19}{3}$

Answer: B

- Explanation: A)
 - B)
 - C)
 - D)

Solve the problem.

168) The population P, in thousands, of Fayetteville is given by $P(t) = \frac{300t}{2t^2 + 7}$, where t is the time, in 168)

months. Find the population at 9 months.

- A) 7988
- B) 15, 976
- C) 40,000
- D) 30, 769

Answer: B

- Explanation: A)
 - B)
 - C)
 - D)
- 169) Book sales on the Internet (in billions of dollars) in year x are approximated by $f(x) = 1.84 + 2.1 \cdot In$ x, where x = 0 corresponds to 2000. How much will be spent on Internet book sales in 2008? Round to the nearest tenth.
 - A) 6.2 billion
- B) 8.0 billion
- C) 6.0 billion
- D) 3.9 billion

Answer: A

- Explanation: A)
 - B)
 - C)
 - D)

Give the domain and range of the function.

170) $s(x) = \sqrt{-5 - x}$

171)

- A) Domain: (-∞, -5]; Range: [0, ∞)
- B) Domain: $(-\infty, -5) \cup (-5, \infty)$; Range: $(-\infty, 0) \cup (0, \infty)$
- C) Domain: $(\sqrt{-5}, \infty)$; Range: $(-\infty, 0]$
- D) Domain: all real numbers; Range: [0, ∞)

Answer: A


Explanation: A)

- B)
- B
- C)

Solve the problem.


171) A retail chain sells washing machines. The retail price p(x) (in dollars) and the weekly demand x for a particular model are related by the function $p(x) = 625 - 5\sqrt{x}$, where $50 \le x \le 500$. (i) Describe how the graph of the function $p(x) = 625 - 5\sqrt{x}$, where $50 \le x \le 500$. (i) Describe how the graph of the function $p(x) = 625 - 5\sqrt{x}$, where $50 \le x \le 500$.

= x, y = x^2 , y = x^3 , y = \sqrt{x} , y = $\sqrt[3]{x}$, or y = |x|. (ii) Sketch a graph of function p using part (i) as an aid.




A) (i) The graph of the basic function $y = \sqrt{x}$ is reflected in the x-axis, vertically expanded by a factor of 5, and shifted up 625 units.


B) (i) The graph of the basic function $y = \sqrt{x}$ is vertically expanded by a factor of 625, and shifted up 5 units.



C) (i) The graph of the basic function $y = \sqrt{x}$ is reflected in the x-axis and vertically expanded by a factor of 5.



D) (i) The graph of the basic function $y = \sqrt{x}$ is vertically expanded by a factor of 5, and shifted up 625 units.



Answer: A Explanation:

- A)
- B)
- C)
- D)

172) To estimate the ideal minimum weight of a woman in pounds multiply her height in inches by 4		
and subtract 130. Let W = the ideal m of h.	ninimum weight and h = height. Express W as a linear function	
A) $W(h) = 4 (h + 130)$	B) $W(h) = 130$	

Provide an appropriate response.

173) In a profit-loss analysis, point where revenue equals cost.

A) break-even point

B) turning point

C) profit-loss point

Answer: A

Explanation: A)

B)

C)

D)

Convert to an exponential equation.

B) C) D)

Solve the problem.

175) If \$1250 is invested at a rate of
$$8\frac{1}{4}\%$$
 compounded monthly, what is the balance after 10 years?

Determine whether there is a maximum or minimum value for the given function, and find that value.

176)
$$f(x) = x^2 - 20x + 104$$
A) Minimum: 4
B) Minimum: 0
C) Maximum: 10
D) Maximum: -4
Answer: A

Answer: A

Explanation: A)


B) (C)

D)


Sketch the graph of the function.

177)
$$f(x) = \frac{x^2}{x^2 - x - 6}$$


177) _____



A)



C)




Answer: D

Explanation:


- A) B)
- C)
- D)

Graph the function.






D)




178)

178) ____


$$f(x) = \begin{cases} -x + 3 & \text{if } x < 2\\ 2x - 3 & \text{if } x \ge 2 \end{cases}$$



A)




C)




Answer: A Explanation:

A)B)C)D)

B)



D)



Compute and simplify the difference quotient $\frac{f(x+h)-f(x)}{h}$, $h \ne 0$.

179) $f(x) = 5x^2 + 7x$

179)

- A) 10x + 7
- B) 15x 7h + 14
- C) 10x + 5h + 7
- D) $10x^2 + 5h + 7x$

Answer: C

Explanation:

- A)
- C)
- D)

Solve the problem.

180) In North America, coyotes are one of the few species with an expanding range. The future population of coyotes in a region of Mississippi valley can be modeled by the equation

180)

 $P = 59 + 12 \cdot In(18t + 1)$, where t is time in years. Use the equation to determine when the population will reach 170. (Round your answer to the nearest tenth year.)

- A) 583.1 years
- B) 581.3 years
- C) 578.0 years
- D) 586.2 years

Answer: C

Explanation: A)

- B)
- C)
- D)

Convert to an exponential equation.

181) $\log_8 512 = t$

181)

- A) $8^{t} = 512$
- B) $512^8 = t$ C) $8^{512} = t$
- D) $t^8 = 512$

Answer: A

Explanation: A)

- B)
- C)
- D)

For the polynomial function find the following: (i) Degree of the polynomial; (ii) All x intercepts; (iii) The y intercept.

182) $y = x^2 - 196$

182)

- A) (i) 1
 - (ii) 14
- B) (i) 2
 - (ii) -14, 14
- C) (i) 2
 - (ii) -15, 15
- D) (i) 1

- (iii) -196
- (iii) -196
- (iii) -196
- (ii) 98 (iii) -196

Answer: B

Explanation: A)

- B)
- C)

183) $y = x^2 + 5x - 66$ 183)

A) (i) 2

(ii) 11, -6

B) (i) 2 (ii) 11, 6 C) (i) 2 (ii) -11, 6 D) (i) 2

(iii) -66

(iii) -66

(iii) -66

(ii) -11, 1 (iii) -66

Answer: C

Explanation:

B)

C)

D)

Use the properties of logarithms to solve.

184) $\log_h(x + 3) + \log_h x = \log_h 54$

184)

A) 6

B) -6, -3

C) 3

D) -6

Answer: A

Explanation: A)


B)

C) D)

Determine whether the graph is the graph of a function.

185)

185)



A) function

B) not a function

Answer: B

Explanation: A)

B)

Write in terms of simpler forms.

186) 4^{a log}4 b

186)

A) ab

B) a^{4b}

C) b^{4a}

D) ba

Answer: D

Explanation: A)

B)


C)

D)

For the rational function below (i) Find the intercepts for the graph; (ii) Determine the domain; (iii) Find any vertical or horizontal asymptotes for the graph; (iv) Sketch any asymptotes as dashed lines. Then sketch the graph of y = f(x).


187) $f(x) = \frac{3x}{x-2}$

187)




- A) (i) x intercept: 0; y intercept: 0
 - (ii) Domain: all real numbers except -2
 - (iii) Vertical asymptote: x = -2; horizontal asymptote: y = -3

(iv)




- B) (i) x intercept: 0; y intercept: 0
 - (ii) Domain: all real numbers except 2
 - (iii) Vertical asymptote: x = 2; horizontal asymptote: y = 3

(iv)




- C) (i) x intercept: 0; y intercept: 0
 - (ii) Domain: all real numbers except -2
 - (iii) Vertical asymptote: x = -2; horizontal asymptote: y = 3

(iv)



- D) (i) x intercept: 0; y intercept: 0
 - (ii) Domain: all real numbers except 2
 - (iii) Vertical asymptote: x = 2; horizontal asymptote: y = -3

(iv)



Answer: B

Explanation: A)

B)

C)

D)

Solve the problem.

188) A sample of 800 grams of radioactive substance decays according to the function

188)

 $A(t) = 800e^{-0.028t}$, where t is the time in years. How much of the substance will be left in the sample after 10 years? Round to the nearest whole gram.

A) 9 grams

B) 800 grams

C) 1 gram

D) 605 grams

Answer: D

Explanation: A)

B)

C)

D)

For the given function, find each of the following:

- (A) Intercepts
- (B) Vertex
- (C) Maximum or minimum
- (D) Range

189)
$$m(x) = -(x+2)^2 + 9$$

- A) (A) x-intercepts: -5, 1; y-intercept: 5
 - (B) Vertex (2, -9)
 - (C) Maximum: 9
 - (D) $y \le 9$
- C) (A) x-intercepts: -5, 1; y-intercept: 5
 - (B) Vertex (-2, 9)
 - (C) Minimum: 9
 - (D) $y \ge 9$

Answer: D


Explanation:

- A)
- B)
- C)
- D)


- B) (A) x-intercepts: -1, 5; y-intercept: 5
 - (B) Vertex (-2, 9)
 - (C) Maximum: 9
 - (D) $y \le 9$
- D) (A) x-intercepts: -5, 1; y-intercept: 5
 - (B) Vertex (-2, 9)
 - (C) Maximum: 9
 - (D) $y \le 9$

Graph the function using a calculator and point-by-point plotting. Indicate increasing and decreasing intervals.


190)
$$f(x) = 2 - ln(x + 4)$$




189)









B) Decreasing: (0, ∞)



C) Decreasing: (4, ∞)



D) Decreasing: (-4, ∞)



- Answer: D
- Explanation:
 - A) B)
 - C)
 - D)

Solve the problem.

- 191) Since life expectancy has increased in the last century, the number of Alzheimer's patients has increased dramatically. The number of patients in the United States reached 4 million in 2000. Using data collected since 2000, it has been found that the data can be modeled by the exponential function $y = 4.19549 \cdot (1.02531)^X$, where x is the years since 2000. Estimate the Alzheimer's patients in 2025. Round to the nearest tenth.
 - A) 4.8 million
- B) 8.0 million
- C) 3.9 million
- D) 7.8 million


191)

Answer: D

Explanation: A)

- B)
- C) D)

192)



- A) (i) 4
 - (ii) Positive
- B) (i) 3
 - (ii) Positive
- C) (i) 4
 - (ii) Negative
- D) (i) 3
 - (ii) Negative

Answer: D


Explanation:

- A) B)
- C)
- D)


Graph the function.

193)
$$f(x) = 5(x - 2) - 2$$


193) ____




A)




B)



C)



D)



Answer: A


Explanation:

- A)B)C)D)


- Testname: C2
 - 1) 53
 - 2) Choice (A) defines a function. To each element (student) of the first set (or domain), there corresponds exactly one element (teacher) of the second set (or range).

Choice (B) does not define a function. An element (student) of the first set (or domain) corresponds to more that one element (teacher) of the second set (or range).

- 3) -27, -12, $\frac{33}{2}$
- 4) $P(x) = -6x^2 + 80.3x 150$, must sell approximately 6.69 million cameras.
- 5) 2,018 bacteria
- 6) $f(x) = -(x + 2)^2 + 9$; vertex: (-2, 9); maximum: f(-2) = 9; Range of $f = \{y | y \le 9\}$; y-intercept: (0, 5); x-intercepts: (-5, 0), (1, 0).
- 7) Max $f(x) = \frac{25}{4}$



- 8) -5
- 9) Basic function is $f(x) = x^2$; shift right 2 units, shift up 5 units. $f(x) = (x 2)^2 + 5$
- 10) $y = 1.1389(1.0429^{X}); $7.54; 9.30
- 11) $f(x) = \frac{2x}{48 x}$ has domain all real numbers except x = 48.
- 12) (A) $\overline{C}(x) = \frac{1500}{x} + 105 + x$



(C) 39; \$182.46

```
13) g(x) = \begin{cases} x - 9 & x < 7 \\ (x - 5)^2 - 1 & x \ge 7 \end{cases}
14) Basic function is f(x) = |x|; reflect over the x -axis, shift left 4 units, shift down 2 units. f(x) = -|x + 4| - 2
15) B
```

17) B

18) C

19) A

20) B

21) B

22) C

23) C

24) B

25) C 26) D

27) B

28) A

29) D

30) C

31) D

32) D 33) A

34) B

35) A

36) C

37) B

38) A

39) B

40) A

41) C

42) C

43) B

44) C

45) C

46) B

47) D

48) A

49) D

50) D

51) A

52) D

53) A

54) C 55) D

56) D

57) A

58) B

59) A

60) D

61) C

Answer Key Testname: C2

62) A

63) B

64) A

65) C

66) A

67) C

68) A

69) B

70) D

71) B

72) D

73) D

74) A

75) D

76) B

77) A

78) D

79) C

80) A

81) B

82) B

83) A

84) B

85) A

86) C

87) B

88) A

89) C

90) A 91) B

92) C

93) C

94) B

95) D

96) D

97) D

98) A

99) A

100) B

101) A

102) D

103) B

104) C

105) D

106) D 107) A

107) A

109) B

110) D

111) C

Answer Key Testname: C2

112) A

113) B

114) A

115) B

116) C

117) C

118) C

119) D

120) B

121) D

121) D

123) A

124) C

125) B

126) D

127) D

128) B

129) B

130) D

131) C

132) A

133) C

134) C

135) B

136) B

137) C

138) B

139) C

140) B

141) A

142) B

143) D

144) C

145) C

146) D

147) D

148) D

149) B

150) A

151) A

152) D

153) A

154) D

155) A

156) A

157) A

158) C 159) B

160) B

161) C

Answer Key Testname: C2

- 162) D
- 163) D
- 164) C
- 165) C
- 166) A
- 167) B
- 168) B
- 169) A
- 170) A
- 171) A
- 171) A 172) C
- 173) A
- 174) A
- 175) D
- 176) A
- 177) D
- 178) A
- 179) C
- 180) C
- 181) A
- 182) B
- 183) C
- 184) A
- 185) B
- 186) D
- 187) B
- 188) D
- 189) D
- 190) D
- 191) D
- 192) D
- 193) A