


Exam

Name _____

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

The graph shows sales in thousands of dollars for 1989 and 1990. Use it to answer the question.



- 1) If the ordered pair (x, y) represents a point on the graph, what does x represent? What does y represent? 1) _____
 - A) y represents the month; x represents the sales in thousands of dollars.
 - B) x represents the month; y represents the sales in thousands of dollars.
 - C) x represents the year 2006; y represents the sales in thousands of dollars
 - D) x represents the year 2006; y represents the year 2007.

- 2) Estimate the sales in June 2006. 2) _____
 - A) about \$64 thousand
 - B) about \$48 thousand
 - C) about \$52 thousand
 - D) about \$50 thousand

- 3) Write an ordered pair (x, y) that gives approximately the sales in June 2006. 3) _____
 - A) (June, 50)
 - B) (6, 50)
 - C) (2006, 50)
 - D) (50, 6)

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

- 4) What does the ordered pair $(10, 48)$ for 2006 mean in the context of this graph? 4) _____

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

- 5) Which month in 2006 had the lowest sales? 5) _____
 - A) Month 8
 - B) Month 3
 - C) Month 2
 - D) Month 6

- 6) Which month in 2007 had the highest sales? 6) _____
 - A) Month 5
 - B) Month 12
 - C) Month 3
 - D) Month 6

- 7) What month in 2006 had the highest sales? 7) _____
 - A) Month 2
 - B) Month 12
 - C) Month 3
 - D) Month 5

8) What month in 2007 had the lowest sales?

A) Month 2

B) Month 5

C) Month 12

D) Month 3

8) _____

Name the quadrant, if any, in which the point is located.

9) (7, 17)

A) III

B) I

C) II

D) None

9) _____

10) (-20, 9)

A) I

B) None

C) II

D) III

10) _____

11) (-11, -5)

A) III

B) II

C) None

D) IV

11) _____

12) (10, -13)

A) IV

B) III

C) I

D) II

12) _____

13) (-12, 0)

A) II

B) IV

C) None

D) III

13) _____

14) (0, -17)

A) II


B) IV

C) None

D) III

14) _____

Plot the point on the rectangular coordinate system provided. Write the corresponding letter as your answer.



15) (0, 2)

A) F

B) K

C) C

D) B

15) _____

16) (-5, -4)

A) I

B) A

C) L

D) G

16) _____

17) (-3, 4)

A) B

B) K

C) A

D) F

17) _____

18) (-3, 0)

A) F

B) C

C) J

D) G

18) _____

- 19) (3, 5) 19) _____
 A) D B) K C) L D) I
- 20) (4, 3) 20) _____
 A) C B) D C) K D) E
- 21) (0, -3) 21) _____
 A) C B) I C) G D) J
- 22) (2, 0) 22) _____
 A) C B) F C) K D) B
- 23) (4, -5) 23) _____
 A) L B) A C) F D) K

Complete the table for the equation.

24) $x + y = 6$ 24) _____

x	y
4	
6	
0	

- A) 4; 6; 0 B) 8; 0; 6 C) 2; 0; 6 D) 2; 2; 6

25) $y = -x + 3$ 25) _____

x	y
-3	
3	
0	

- A) -5; 0; 3 B) 6; 0; 3 C) 6; 0; 0 D) -5; 6; 3

26) $4x + y = 7$ 26) _____

x	y
4	
7	
0	

- A) 7; -21; -21 B) -9; -21; 7 C) -9; -21; -21 D) 7; 7; 7

27) $y + 3x = -16$ 27) _____

x	y
-7	
	32
0	

- A) 5; -16; -16 B) -7; -16; -16 C) 5; -32; 32 D) 5; -16; 0

28) $y = -9x - 65$

28) _____

x	y
-8	
0	
	-74

A) 7; 0; 1

B) -8; -65; 1

C) 7; -65; 1

D) 7; -79; 1

29) $x - 4y = -16$

29) _____

x	y
-4	
0	
4	

A) -3; -4; -5

B) 0; -4; -8

C) 5; 4; 3

D) 3; 4; 5

30) $-6x + 2y = 8$

30) _____

x	y
	4
2	
	-2

A) 0; 10; -2

B) 0; -10; -2


C) 0; 2; -10

D) 0; -2; 10


Graph the equation by determining the missing values needed to plot the ordered pairs.

31) $y + x = 3$; (1,), (3,), (2,)


31) _____




A)




B)



C)




D)




32) $y - x = 1$; (3,), (, 8), (4,)


32) _____




A)




B)



C)




D)




33) $x - 2y = -8$; $(0, \quad)$, $(\quad, 0)$, $(3, \quad)$, $(\quad, 3)$


33) _____




A)




B)



C)




D)




34) $4x - 5y = -20$; $(0, \quad)$, $(\quad, 0)$, $(-1, \quad)$, $(\quad, 2)$


34) _____




A)




B)



C)




D)




Find the x- and y-intercepts. Then graph the equation.

35) $10y - 2x = -4$


35) _____




A) $\left(-\frac{2}{5}, 0\right); (0, 2)$




B) $(2, 0); \left(0, -\frac{2}{5}\right)$




C) $\left(-\frac{2}{5}, 0\right); (0, -2)$



D) $(-2, 0); \left(0, -\frac{2}{5}\right)$




36) $-6x - 12y = 24$




36) _____


A) $(-2, 0); (0, 4)$




B) $(-2, 0); (0, -4)$




C) $(-4, 0); (0, -2)$



D) $(4, 0); (0, -2)$




37) $y = -2$




37) _____


A) None; (0, -2)




B) (-2, 0); none




C) None; (0, -2)



D) (-2, 0); none




38) $2x - 4y = 8$




38) _____


A) $(-2, 0); (0, 4)$




B) $(-4, 0); (0, 2)$




C) $(2, 0); (0, -4)$



D) $(4, 0); (0, -2)$




39) $3x - 18y = 0$




39) _____


A) (0, 0); (0, 0)




B) (0, 0); (0, 0)




C) (0, 0); (0, 0)



D) (0, 0); (0, 0)




40) $\frac{11}{5}x + \frac{1}{5}y = 1$




40) _____


A) $\left(-\frac{5}{11}, 0\right); (0, 5)$




B) $\left(\frac{5}{11}, 0\right); (0, 5)$




C) $\left(-\frac{5}{11}, 0\right); (0, -5)$



D) $\left(\frac{5}{11}, 0\right); (0, -5)$




41) $2y = \frac{3}{5}x$




41) _____


A) $(0, 0); (0, 0)$




B) $(0, 0); (0, 0)$




C) $(0, 0); (0, 0)$



D) $(0, 0); (0, 0)$




42) $x = 5$




42) _____


A) (5, 0); none




B) None; (0, 5)



C) None; (0, 5)



D) (5, 0); none



Find the midpoint of the segment with the given endpoints.

43) (8, 4) and (7, 9)

A) (1, -5)

B) $\left(\frac{15}{2}, \frac{13}{2}\right)$

C) $\left(\frac{1}{2}, -\frac{5}{2}\right)$

D) (15, 13)

43) _____

44) (1, -9) and (-5, 6)

A) (6, -15)

B) $\left(-2, -\frac{3}{2}\right)$

C) $\left(3, -\frac{15}{2}\right)$

D) (-4, -3)

44) _____

45) (-1, 0) and (9, 8)

A) (4, 4)

B) (-10, -8)

C) (8, 8)

D) (-5, -4)

45) _____

46) (2, -2) and (7, -6)

A) (-5, 4)

B) (9, -8)

C) $\left(\frac{9}{2}, -4\right)$

D) $\left(-\frac{5}{2}, 2\right)$

46) _____

47) $\left(-\frac{7}{2}, -\frac{9}{2}\right)$ and $\left(\frac{5}{2}, \frac{11}{2}\right)$

A) (4, 4)

B) (-3, -5)

C) $\left(-\frac{1}{2}, \frac{1}{2}\right)$

D) (144, 400)

47) _____

48) $(-5.6, 0.6)$ and $(-6.6, 6.4)$

A) $(1, -5.8)$

B) $(-6.1, 3.5)$

C) $(0.5, -2.9)$

D) $(-12.2, 7)$

48) _____

Suppose that segment PQ has the given coordinates for one endpoint P and for its midpoint M. Find the coordinates of the other endpoint Q.

49) $P(5, 5)$ and $M\left(\frac{9}{2}, \frac{9}{2}\right)$

A) $Q(9, 9)$

B) $Q\left(\frac{1}{2}, \frac{1}{2}\right)$

C) $Q(4, 4)$

D) $Q(1, 1)$

49) _____

50) $P(0, -9)$ and $M(-3, -4)$

A) $Q(3, -5)$

B) $Q(-6, -8)$

C) $Q(-6, 1)$

D) $Q(6, -10)$

50) _____

51) $P(4, 8)$ and $M\left(\frac{1}{2}, \frac{5}{2}\right)$

A) $Q(-3, -3)$

B) $Q(1, 5)$

C) $Q\left(-\frac{7}{2}, -\frac{11}{2}\right)$

D) $Q(-7, -11)$

51) _____

52) $P(-9, -9)$ and $M(0, -7)$

A) $Q(9, 2)$

B) $Q(18, 4)$

C) $Q(9, -5)$

D) $Q(0, -14)$

52) _____

53) $P\left(\frac{9}{2}, -\frac{5}{2}\right)$ and $M\left(1, \frac{1}{2}\right)$

A) $Q(16, 4)$

B) $Q\left(-\frac{5}{2}, \frac{7}{2}\right)$

C) $Q\left(\frac{7}{2}, -3\right)$

D) $Q(196, 144)$

53) _____

54) $P(1.1, 6.8)$ and $M(-3.35, 7.3)$

A) $Q(-7.8, 7.8)$

B) $Q(4.45, -0.5)$

C) $Q(8.9, -1)$


D) $Q(-6.7, 14.6)$

54) _____

Solve the problem.

55) The graphing calculator screen shows the graph of one of the equations below. Which equation is it?

55) _____



A) $y = 3x + 3$


B) $y + 3x = 3$

C) $y - 3x = 15$

D) $y + 3x = 15$

56) The graphing calculator screen shows the graph of one of the equations below. Which equation is it?

56) _____



A) $y - 4x = -5$


B) $y = -4x + 3$

C) $y - 4x = 3$

D) $y + 4x = -5$

57) The graphing calculator screen shows the graph of one of the equations below. Which equation is it?

57) _____



A) $x + y = 5$


B) $x - y = -1$

C) $y - x = 1$

D) $y = 3$

58) The graphing calculator screens show the graph of one of the equations below. Which equation is it?

58) _____




A) $-3x + 4y = 12$

B) $3x + 4y = 12$


C) $3x - 4y = 12$

D) $3x - 4y = -12$



59) The graphing calculator screens show the graph of one of the equations below. Which equation is it?

59) _____




A) $-2x + 3y = -6$

B) $2x - 3y = 6$

C) $3x - 2y = -6$

D) $-2x + 3y = 6$



- 60) The table of ordered pairs was generated by a graphing calculator with a table feature. Which equation corresponds to this table of values?

60) _____

X	Y ₁	
0.00	5.00	
1.00	9.00	
-2.00	-3.00	
2.00	13.00	
X=0		

- A) $y_1 = -4x + 5$ B) $y_1 = 4x - 5$ C) $y_1 = 4x + 5$ D) $y_1 = -4x - 5$

- 61) The table of ordered pairs was generated by a graphing calculator with a table feature. Which equation corresponds to this table of values?


61) _____

X	Y ₁	
2.00	-2.00	
6.00	0.00	
-2.00	-4.00	
4.00	-1.00	
X=2		

- A) $y_1 = \frac{1}{2}x + 3$ B) $y_1 = -\frac{1}{2}x - 3$ C) $y_1 = -\frac{1}{2}x + 3$ D) $y_1 = \frac{1}{2}x - 3$

- 62) Suppose that it has been determined that if 100 of a certain fish are introduced into a pond with certain environmental conditions, then in x months, there will be $y = 4.35x + 100$ fish in the pond. A portion of the graph of this equation is shown on the accompanying screen, along with the coordinates of a point on the line. How can this point be interpreted in the context of the model?


62) _____



- A) It means that there could be between 5 and 120 fish in the pond at a certain time
 B) It means that in 119.6 months, there should be approximately 5 fish in the pond
 C) It means that there will be fish in the pond in 4.5 months and in 119.6 months
 D) It means that in 4.5 months, there should be approximately 120 fish in the pond


- 63) Suppose that the speed at which an experienced person can paddle a canoe upstream is approximated by $y = -2.5x + 15$ ($0 < x < 6$), where x is the number of hours paddled and y is the speed of the canoe in miles per hour. A portion of the graph of this equation is shown on the accompanying screen, along with the coordinates of a point on the line. How can this point be interpreted in the context of the model?

63) _____



- A) It means that after 7.5 hours of paddling, the canoe is traveling at a speed of 3 miles per hour.
 B) It means that after 3 hours of paddling, the canoe is traveling at a speed of 7.5 miles per hour.
 C) It means that an experienced person can paddle between 3 and 7.5 hours.
 D) It means that the canoe can travel at a speed of between 3 and 7.5 miles per hour
- 64) The winning speeds for the Grayslake 250 race from 1980-1992 are approximated by the linear equation $y = 2.503x + 198.729$. In the model, $x = 0$ corresponds to 1980, $x = 1$ to 1981, and so on. A portion of the graph of the equation is shown on the accompanying screen, along with the coordinates of a point on the line. How can this point be interpreted in the context of the model?

64) _____



- A) It means that in the year 1990, the winning speed was approximately 224 miles per hour.
 B) It means that the winning speed in the year 1990 will be the same as in the year 2203.
 C) It means that 10 years from now, the winning speed will be approximately 224 miles per hour.
 D) It means that the winning speed was between 10 and 224 miles per hour.

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

Provide an appropriate response.

- 65) The point with coordinates $(0, 0)$ is called the ____.

65) _____

- 66) For any value x , the point $(x, 0)$ lies on the ____ axis.

66) _____

- 67) To find the y -intercept of a line we let ____ = 0 and solve for ____.

67) _____

- 68) The equation ____ = 6 has a vertical line as its graph.

68) _____

- 69) To graph a straight line, we must find a minimum of ____ points.

69) _____

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

70) Determine the quadrants in which the given point (x, y) may lie when $xy > 0$.

A) II or III

B) I or II

C) I or III

D) II or IV

70) _____

71) Determine the quadrants in which the given point (x, y) may lie when $x > 0$.

A) II or IV

B) I or III

C) I or IV

D) I or II

71) _____

Find the slope.

72) $m = \frac{13 - 3}{7 - 5}$

A) -5

B) 8

C) 5

D) 12

72) _____

73) $m = \frac{2 - 4}{-3 - 1}$

A) -1

B) 1

C) $-\frac{1}{2}$

D) $\frac{1}{2}$

73) _____

74) $m = \frac{5 - (-5)}{-7 - (-4)}$

A) $\frac{10}{3}$

B) $-\frac{10}{3}$

C) 0

D) $-\frac{10}{9}$

74) _____

75) $m = \frac{-10 - (-10)}{7 - 4}$

A) $-\frac{20}{3}$

B) $\frac{20}{3}$

C) Undefined

D) 0

75) _____

76) $m = \frac{8 - 4}{-5 - (-5)}$

A) $-\frac{2}{5}$

B) Undefined

C) 0

D) 4

76) _____

77) $m = \frac{6 - (-3)}{1 - (-3)}$

A) $\frac{9}{10}$

B) $\frac{3}{4}$

C) $-\frac{9}{4}$

D) $\frac{9}{4}$

77) _____

78) $m = \frac{4 - 2}{9 - 4}$

A) 0

B) $\frac{2}{5}$

C) Undefined

D) $\frac{6}{5}$

78) _____

79) $m = \frac{5 - (-9)}{9 - (-4)}$

A) $-\frac{4}{5}$

B) Undefined

C) $\frac{14}{13}$

D) 0

79) _____

Find the slope of the line through the given pair of points, if possible. Based on the slope, indicate whether the line through the points rises from left to right, falls from left to right, is horizontal, or is vertical.

80) $(-3, -5)$ and $(4, -4)$

80) _____

A) 7; rises

B) $-\frac{1}{7}$; falls

C) $\frac{1}{7}$; rises

D) - 7; falls

81) $(4, -2)$ and $(7, -3)$

81) _____

A) 3; rises

B) $-\frac{1}{3}$; falls

C) - 3; falls

D) $\frac{1}{3}$; rises

82) $(-2, -4)$ and $(-2, 1)$

82) _____

A) 0; horizontal

B) Undefined; vertical

C) -5; falls

D) 5; rises

83) $(4, 7)$ and $(7, 7)$

83) _____

A) -3; falls

B) 3; rises

C) 0; horizontal

D) Undefined; vertical

84) $(2.3, -3.5)$ and $(3.9, 3.3)$

84) _____

A) $\frac{4}{17}$; rises

B) $-\frac{17}{4}$; falls

C) $-\frac{4}{17}$ falls

D) $\frac{17}{4}$; rises

85) $(-1.8, 2.4)$ and $(-2.5, 3.8)$

85) _____

A) $\frac{1}{2}$; rises

B) 2; rises

C) - 2; falls

D) $-\frac{1}{2}$; falls

86) $\left(\frac{4}{5}, -\frac{2}{3}\right)$ and $\left(\frac{6}{5}, -\frac{1}{2}\right)$

86) _____

A) $\frac{6}{5}$; falls

B) $\frac{5}{12}$; rises


C) $\frac{3}{5}$; rises

D) $\frac{6}{5}$; rises

Find the slope of the line.

87)

87) _____




A) $\frac{3}{4}$

B) $-\frac{3}{4}$

C) $\frac{4}{3}$

D) $-\frac{4}{3}$

88)



88) _____


A) 6

B) -1

C) -6

D) 1

89)



89) _____


A) -5

B) -1

C) 1

D) 5

90)



90) _____

A) -3


B) $\frac{1}{3}$

C) 3

D) $-\frac{1}{3}$

91)

91) _____



A) 0


B) $\frac{3}{2}$

C) -2

D) Undefined

92)

92) _____



A) -2

B) 2


C) 0

D) Undefined


Find the slope of the line and sketch the graph.

93) $2x + 3y = 10$


93) _____




A) Slope: $\frac{3}{2}$




B) Slope: $-\frac{3}{2}$




C) Slope: $-\frac{2}{3}$



D) Slope: $\frac{2}{3}$




94) $3x - 4y = -7$




94) _____


A) Slope: $-\frac{3}{4}$




B) Slope: $-\frac{4}{3}$




C) Slope: $\frac{3}{4}$



D) Slope: $\frac{4}{3}$




95) $y - 2 = 0$




95) _____


A) Slope: 0




B) Slope: 2




C) Slope: $\frac{1}{2}$



D) Slope: Undefined




96) $y = -2x$




96) _____


A) Slope: 0




B) Slope: 2




C) Slope: $-\frac{1}{2}$



D) Slope: -2




97) $2x - 3y = -20$




97) _____


A) Slope: $-\frac{2}{3}$




B) Slope: $-\frac{3}{2}$




C) Slope: $\frac{3}{2}$



D) Slope: $\frac{2}{3}$




98) $-4y = -3x - 2$




98) _____


A) Slope: $-\frac{3}{4}$




B) Slope: $\frac{3}{4}$




C) Slope: $-\frac{4}{3}$



D) Slope: $\frac{4}{3}$




99) $-3y = -2x - 6$




99) _____


A) Slope: $-\frac{3}{2}$




B) Slope: $\frac{2}{3}$



C) Slope: $-\frac{2}{3}$




D) Slope: $\frac{3}{2}$




Graph the line described.

100) Through (0, 3); $m = \frac{1}{3}$


100) _____




A)




B)



C)




D)




101) Through $(-6, -9)$; $m = 2$


101) _____




A)




B)



C)




D)




102) Through $(0, 5)$; $m = -4$


102) _____




A)




B)



C)




D)




103) Through $(0, 3)$; $m = -\frac{1}{4}$


103) _____




A)




B)



C)




D)




104) Through $(4, 0)$; $m = -\frac{1}{2}$


104) _____




A)




B)



C)




D)




105) Through $(7, 1)$; $m = 0$


105) _____




A)




B)



C)




D)




106) $m = 0$; through $(5, -3)$


106) _____




A)




B)



C)




D)




107) Undefined slope; through (2, 9)


107) _____




A)




B)



C)



D)



Decide whether the pair of lines is parallel, perpendicular, or neither.

108) $3x - 4y = 12$ and $8x + 6y = -9$

108) _____

A) Parallel

B) Perpendicular

C) Neither

109) $3x - 6y = -12$ and $18x + 9y = 3$

109) _____

A) Parallel

B) Perpendicular

C) Neither

110) $12x + 4y = 16$ and $27x + 9y = 37$

110) _____

A) Parallel


B) Perpendicular

C) Neither

- 111) The line through (3, -5) and (-1, 7) and the line through (6, -13) and (-2, 11) 111) _____
 A) Parallel B) Perpendicular C) Neither
- 112) The line through (-20, 5) and (-4, 7) and the line through (-5, 5) and (7, 4) 112) _____
 A) Parallel B) Perpendicular C) Neither
- 113) $y + 11 = -4x$ and $5y = 15x - 11$ 113) _____
 A) Parallel B) Perpendicular C) Neither
- 114) $y = 7$ and $7 - y = -4$ 114) _____
 A) Parallel B) Perpendicular C) Neither

Solve the problem.

- 115) If the slope of the road shown is $\frac{2}{3}$, find the value for h if v = 1 ft. 115) _____




- A) 1 ft B) 3 ft C) 2 ft D) $\frac{3}{2}$ ft

- 116) For the incline shown below, how many feet in the vertical direction correspond to 3 ft in the horizontal direction? 116) _____



- A) 3 ft B) 4 ft C) $\frac{3}{4}$ ft D) 12 ft

- 117) A motorcycle daredevil is planning a stunt to perform at a county fair. A ramp must be built to give him a 20% grade, or slope. If the vertical height at the end of the ramp must be 15 ft to assure that the stunt is a success, what must be the length of the horizontal run? 117) _____




- A) 2.7 ft B) 15 ft C) 75 ft D) 270 ft

Find the average rate of change illustrated in the graph.

118)

118) _____




Time (in hours)

- A) 2.5 miles per hour
C) 5 miles per hour

- B) .2 miles per hour
D) 25 miles per hour

119)

119) _____




Year

- A) \$4000.00 per year
C) -\$5000.00 per year

- B) -\$4000.00 per year
D) \$5000.00 per year

120)

120) _____




- A) \$4.00 per minute
C) \$2.00 per minute

- B) \$.50 per minute
D) \$.25 per minute

121)

121) _____



- A) 1 mm per second
C) .75 mm per second

- B) .85 mm per second
D) 1.3 mm per second

Solve the problem. Round your answer, as needed.

- 122) The rate of return of certain investments increases as the risk factor of the investment increases. An investment with a risk factor of 2 has a rate of return of 5.0%. An investment with a risk factor of 25 has a rate of return of 15.0%. What is the average rate of return per unit of risk?

122) _____

- A) 0.43% per unit risk
C) 0.65% per unit risk
- B) 2.30% per unit risk
D) 1.54% per unit risk

- 123) A deep sea diving bell is being lowered at a constant rate. After 12 minutes, the bell is at a depth of 400 ft. After 40 minutes the bell is at a depth of 2000 ft. What is the average rate of lowering per minute?

123) _____

- A) 0.02 ft per minute
C) 57.1 ft per minute
- B) 40.0 ft per minute
D) 50.0 ft per minute

124) The table below shows the weight for a calf raised by a local rancher. Use the information to determine the average rate of change in the calf's weight per day.

124) _____

Calf's Weight	
Day	Weight (in lbs)
1	505
5	525
15	575
25	625
40	700

- A) 5 lbs per day B) 500 lbs per day C) 50 lbs per day D) $\frac{1}{5}$ lb per day

Tell whether the points are the vertices of a parallelogram (that is not a rectangle), a rectangle, or neither.

125) (-12, -10), (-10, 0), (3, 7), (1, -3)

125) _____

- A) Neither B) Parallelogram C) Rectangle

126) (-10, -4), (-1, -18), (13, -9), (4, 5)

126) _____

- A) Neither B) Rectangle C) Parallelogram

127) (-10, -6), (-8, 4), (7, 9), (4, 1)

127) _____

- A) Rectangle B) Neither C) Parallelogram

128) (-7, -1), (2, -10), (16, -3), (7, 8)


128) _____

- A) Parallelogram B) Rectangle C) Neither

Provide an appropriate response.

129) Identify whether the slope is positive, negative, zero, or undefined.


129) _____



- A) Negative B) Undefined C) Zero D) Positive

130) Identify whether the slope is positive, negative, zero, or undefined.

130) _____



A) Positive


B) Negative

C) Undefined

D) Zero

131) Identify whether the slope is positive, negative, zero, or undefined.

131) _____



A) Undefined


B) Positive

C) Negative

D) Zero

132) Identify whether the slope is positive, negative, zero, or undefined.

132) _____



A) Positive

B) Zero

C) Negative

D) Undefined

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

133) Give a definition or an example of the word or phrase: Perpendicular lines

133) _____

134) Why is the slope of a horizontal line equal to zero? Give an example.

134) _____

135) Explain what is wrong with the statement "The line has no slope." 135) _____

136) Why is the slope of a vertical line undefined? 136) _____

137) Explain why the order in which coordinates are subtracted to find slope does not matter as long as x-coordinates are subtracted in the same order as y-coordinates. 137) _____


138) If one line has a slope of -3 and another line has a slope of -6, which line is steeper? Why? 138) _____

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.


Choose the graph that matches the equation.

139) $y = 2x + 4$ 139) _____


A)




B)



C)




D)




140) $y = 3x - 4$


A)




B)



C)




D)




140) _____

141) $y = -5x + 6$


A)




B)



C)




D)




141) _____

142) $y = -4x - 6$


A)




B)



C)




D)




142) _____

143) $y = -2x$


A)




B)



C)




D)




143) _____

144) $y = 4$

A)




B)




144) _____

C)



D)



Find the equation in slope-intercept form of the line satisfying the conditions.

145) $m = 2$, passes through $(6, -3)$

A) $y = 2x + 14$

B) $y = 3x + 16$

C) $y = 2x - 15$

D) $y = 2x - 13$

145) _____

146) $m = -7$, passes through $(-9, 4)$

A) $7x + y = 59$

B) $y = -7x + 66$

C) $y = 7x - 57$

D) $y = -7x - 59$

146) _____

147) $m = -\frac{5}{3}$; y-intercept $\left(0, \frac{35}{3}\right)$

A) $y = \frac{5}{3}x - \frac{35}{3}$

B) $y = \frac{5}{3}x + \frac{35}{3}$

C) $y = -\frac{5}{3}x + \frac{35}{3}$

D) $y = -\frac{5}{3}x - \frac{35}{3}$

147) _____

148) $m = -\frac{2}{5}$; y-intercept $(0, 7)$

A) $y = -\frac{2}{5}x - 7$

B) $y = \frac{2}{5}x + 7$

C) $y = \frac{2}{5}x - 7$

D) $y = -\frac{2}{5}x + 7$

148) _____

149) $m = \frac{9}{2}$; y-intercept $(0, -13)$

A) $y = -\frac{9}{2}x - 13$

B) $y = \frac{9}{2}x + 13$

C) $y = \frac{9}{2}x - 13$

D) $y = -\frac{9}{2}x + 13$

149) _____

161) $-x + 2y = 5$

A) $y = \frac{1}{2}x + \frac{5}{2}$

B) $y = x - \frac{5}{2}$

C) $y = -\frac{1}{2}x + \frac{5}{2}$

D) $y = \frac{1}{2}x - 5$

161) _____

162) $-7x + 2y = 4$

A) $y = \frac{7}{2}x - 2$

B) $y = \frac{2}{7}x + \frac{4}{7}$

C) $y = 7x - 4$

D) $y = \frac{7}{2}x + 2$

162) _____

Find the slope and the y-intercept of the line.

163) $7x + 5y = 48$

A) Slope $\frac{5}{7}$; y-intercept $\left(0, \frac{5}{48}\right)$

C) Slope $\frac{7}{5}$; y-intercept $\left(0, \frac{48}{5}\right)$

B) Slope $-\frac{7}{5}$; y-intercept $\left(0, \frac{48}{5}\right)$

D) Slope $-\frac{5}{7}$; y-intercept $\left(0, \frac{5}{48}\right)$

163) _____

164) $2x + 5y = 19$

A) Slope $\frac{2}{5}$; y-intercept $\left(0, \frac{19}{5}\right)$

C) Slope $-\frac{5}{2}$; y-intercept $\left(0, \frac{5}{19}\right)$

B) Slope $\frac{5}{2}$; y-intercept $\left(0, \frac{5}{19}\right)$

D) Slope $-\frac{2}{5}$; y-intercept $\left(0, \frac{19}{5}\right)$

164) _____

165) $4x - 5y = 5$

A) Slope -1 ; y-intercept $(0, -1)$

C) Slope $-\frac{4}{5}$; y-intercept $(0, 1)$

B) Slope 1 ; y-intercept $(0, 1)$

D) Slope $\frac{4}{5}$; y-intercept $(0, -1)$

165) _____

166) $3x - 4y = 4$

A) Slope $-\frac{4}{3}$; y-intercept $(0, -1)$

C) Slope $\frac{4}{3}$; y-intercept $(0, 1)$

B) Slope $\frac{3}{4}$; y-intercept $(0, -1)$

D) Slope $-\frac{3}{4}$; y-intercept $(0, 1)$

166) _____

167) $-x + 3y = 5$

A) Slope $\frac{1}{3}$; y-intercept $(0, 5)$

C) Slope -1 ; y-intercept $\left(0, \frac{5}{3}\right)$

B) Slope $-\frac{1}{3}$; y-intercept $\left(0, \frac{5}{3}\right)$

D) Slope $\frac{1}{3}$; y-intercept $\left(0, \frac{5}{3}\right)$

167) _____

168) $-4x + 6y = 8$

A) Slope $\frac{2}{3}$; y-intercept $\left(0, -\frac{4}{3}\right)$

C) Slope $\frac{2}{3}$; y-intercept $\left(0, \frac{4}{3}\right)$

B) Slope 4 ; y-intercept $(0, -8)$

D) Slope $\frac{3}{2}$; y-intercept $(0, 2)$

168) _____

- 182) (4, -2) and (-2, 9) 182) _____
 A) $-6x + 11y = -87$ B) $11x + 6y = 32$ C) $-11x + 6y = 32$ D) $6x - 11y = -87$
- 183) (10, 9) and (10, 1) 183) _____
 A) $x + y = 19$ B) $x + y = 11$ C) $x = 10$ D) $y = 9$
- 184) (-2, 6) and (-1, 6) 184) _____
 A) $-x - 2y = 0$ B) $-2x - y = 0$ C) $y = 6$ D) $x = -2$
- 185) $\left(\frac{5}{4}, \frac{5}{4}\right)$ and $\left(\frac{2}{3}, \frac{1}{3}\right)$ 185) _____
 A) $11x - 7y = 5$ B) $-7x - 11y = 5$ C) $-7x + 11y = 5$ D) $-\frac{11}{7}x + y = -\frac{5}{7}$

Find an equation of the line satisfying the conditions. Write the equation in slope-intercept form.


- 186) Through (-6, 5); parallel to $-7x + 5y = 57$ 186) _____
 A) $y = -\frac{7}{5}x - \frac{67}{5}$ B) $y = \frac{7}{5}x + \frac{67}{5}$ C) $y = -\frac{5}{7}x - \frac{30}{7}$ D) $y = \frac{5}{7}x + \frac{30}{7}$
- 187) Through (-6, 7); parallel to $3x + 7y = 3$ 187) _____
 A) $y = \frac{3}{7}x + \frac{3}{7}$ B) $y = -\frac{7}{3}x + \frac{7}{3}$ C) $y = -\frac{3}{7}x + \frac{31}{7}$ D) $y = \frac{3}{7}x - \frac{31}{7}$
- 188) Through (-3, 8); perpendicular to $-3x + 4y = -23$ 188) _____
 A) $y = \frac{3}{4}x + \frac{41}{4}$ B) $y = \frac{4}{3}x + 12$ C) $y = -\frac{4}{3}x + 4$ D) $y = -\frac{3}{4}x + \frac{23}{4}$
- 189) Through (-5, -2); perpendicular to $-5x - 2y = 27$ 189) _____
 A) $y = -\frac{5}{2}x - \frac{29}{2}$ B) $y = \frac{2}{5}x$ C) $y = -\frac{2}{5}x - 4$ D) $y = \frac{5}{2}x + \frac{21}{2}$
- 190) Through (1, 9); perpendicular to $x = 5$ 190) _____
 A) $y = 1$ B) $y = -1$ C) $y = 9$ D) $y = -9$

Solve the problem.

- 191) It costs \$39 per hour plus a flat fee of \$26 for a plumber to make a house call. What is an equation of the form $y = mx + b$ for this situation? 191) _____
 A) $y = 26x$ B) $y = 26x + 39$ C) $y = 39x$ D) $y = 39x + 26$
- 192) Using a phone card to make a long distance call costs a flat fee of \$0.79 plus \$0.17 per minute starting with the first minute. What is an equation of the form $y = mx + b$ for this situation? 192) _____
 A) $y = 0.17x + 0.79$ B) $y = 0.79x$ C) $y = 0.17x$ D) $y = 0.79x + 0.17$

- 193) The number of births in County A has been increasing in recent years. Using the information given on the bar graph for the years 1960 and 1990, find an equation to model the number of births y for the year x . Let $x = 0$ correspond to the year 1960.

193) _____



- A) $y = \frac{497}{30}x + 1693$ B) $y = \frac{30}{497}x + \frac{930140}{497}$
 C) $y = \frac{1990}{497}x - 2190$ D) $y = \frac{497}{1990}x + 1693$

- 194) Let x represent the number of pounds of apples sold at \$1.2 per pound, and let y represent the total price paid for the apples. Write an equation for this situation. Then give the ordered pair with an x -value of 9 associated with this equation.

194) _____

- A) $x = 1.2 + y$; (9, 7.80) B) $y = 1.2x$; (9, 10.80)
 C) $y = 1.2 + x$; (9, 10.20) D) $x = 1.2y$; (9, 7.50)

- 195) Let x represent the number of gallons of gas sold at \$2.10 per gallon, and let y represent the total cost of the gasoline (in dollars). Write an equation for this situation. Then give the ordered pair with an x -value of 18 associated with this equation.

195) _____

- A) $x = 2.10y$; (18, 8.57) B) $x = 2.10 + y$; (18, 15.90)
 C) $y = 2.10x$; (18, 37.80) D) $y = 2.10 + x$; (18, 20.10)

- 196) It costs \$23 per hour plus a flat fee of \$26 for a plumber to make a house call. Find the total cost to have a plumber come to a house for 4 hours.

196) _____

- A) \$92 B) \$118 C) \$127 D) \$602

- 197) Using a phone card to make a long distance call costs a flat fee of \$0.19 plus \$0.13 per minute starting with the first minute. Find the total cost of a phone call which lasts 3 minutes.

197) _____

- A) \$0.58 B) \$3.02 C) \$0.39 D) \$0.70

- 198) It costs \$17 per hour plus a flat fee of \$16 for a plumber to make a house call. Find the number of hours a plumber worked if the total cost was \$135.

198) _____

- A) 6 B) 17 C) 16 D) 7

- 199) Suppose the sales of a particular brand of appliance satisfy the relationship $S(x) = 50x + 900$, where $S(x)$ represents the number of sales in year x , with $x = 0$ corresponding to 1982. Find the number of sales in 1990.

199) _____

- A) 1250 B) 2600 C) 1300 D) 2550

- 200) The mathematical model $C(x) = 500x + 30,000$ represents the cost in dollars a company has in manufacturing x items during a month. Based on this, how much does it cost to produce 700 items? 200) _____
 A) \$60.00 B) \$380,000 C) \$0.09 D) \$350,000

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

Provide an appropriate response.

- 201) Can an equation of a vertical line be written in slope-intercept form? Explain. 201) _____
- 202) Can the point-slope form of the equation of a line be used to write an equation of a vertical line? Explain. 202) _____
- 203) Describe a situation in which it would be more convenient to use the point-slope form of the equation of a line than the slope-intercept form. 203) _____
- 204) The total number of reported cases of AIDS in the United States has risen from 372 in 1981 to 100,000 in 1989 and 200,000 in 1992. Does a linear equation fit this data? Explain. 204) _____

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.


The boundary of the graph of the linear inequality will be a _____ line, and the shading will be _____ the line. Fill in the first blank with either solid or dashed. Fill in the second blank with above or below.

- 205) $y < x - \frac{7}{2}$ 205) _____
 A) solid; above B) solid; below C) dashed; above D) dashed; below
- 206) $y > -3x - \frac{7}{4}$ 206) _____
 A) solid; above B) solid; below C) dashed; below D) dashed; above
- 207) $y \geq -\frac{2}{3}x + \frac{3}{8}$ 207) _____
 A) dashed; above B) solid; below C) dashed; below D) solid; above
- 208) $y \leq 3x - \frac{3}{2}$ 208) _____
 A) dashed; above B) solid; above C) dashed; below D) solid; below


Graph the linear inequality in two variables.

209) $4x + y \leq -6$


209) _____




A)




B)



C)




D)




210) $x + 2y \geq 1$


210) _____




A)




B)



C)




D)




211) $x + y \leq 4$


211) _____




A)




B)



C)




D)




212) $x - y > -6$


212) _____




A)




B)



C)




D)




213) $x + y < -2$


213) _____




A)




B)



C)




D)




214) $x - y < -5$


214) _____




A)




B)




C)



D)




215) $x \geq 5$




215) _____


A)




B)




C)



D)




216) $y < -3$




216) _____


A)




B)



C)




D)




217) $y \geq 3x$


217) _____




A)




B)



C)




D)




218) $2x + 5y \leq 10$


218) _____




A)




B)




C)



D)




219) $-3x - 4y \leq 12$




219) _____


A)




B)




C)



D)




220) $3x + 4y \geq -12$




220) _____


A)




B)



C)




D)




Graph the compound inequality.

221) $x + y \geq 2$ and $y \leq 2$


221) _____




A)




B)



C)




D)




222) $2x - y > 4$ and $x \leq 4$


222) _____




A)




B)



C)




D)




223) $2x + y \leq 4$ and $x - 1 > 0$


223) _____




A)




B)



C)




D)




224) $3x - 2y \leq 6$ and $x - 1 > 0$


224) _____




A)




B)



C)




D)




225) $x + 2y \leq 2$ and $x + y \geq 0$


225) _____




A)




B)



C)




D)




226) $x + 2y \geq 2$ and $x - y \leq 0$


226) _____




A)




B)



C)




D)




Graph the solution set of the inequality in the rectangular coordinate plane.

227) $|x| \geq 4$


227) _____




A)




B)




C)



D)




228) $|y| < 5$




228) _____


A)




B)




C)



D)




229) $|x + 1| < 4$




229) _____


A)




B)



C)




D)




230) $|y - 3| > 2$


230) _____




A)




B)



C)




D)




231) $|x + 1| > 4$


231) _____




A)




B)




C)



D)




232) $|y| \geq 5$




232) _____


A)




B)



C)




D)




233) $|y + 3| < 2$


233) _____




A)




B)



C)




D)




Graph the compound inequality.

234) $3x + 2y > 4$ or $x > 2$


234) _____




A)




B)



C)




D)




235) $2x + y < 6$ or $3x - 2y > 5$


235) _____




A)




B)



C)




D)




236) $4x < y + 2$ or $y < -2$


236) _____




A)




B)



C)




D)




237) $x + 5 \geq 2y$ or $x \leq 3$


237) _____




A)




B)



C)




D)




238) $3x + y \geq 3$ or $x - 4y \leq 1$


238) _____




A)




B)



C)




D)




239) $2x + 2y > 1$ or $3x + 4y > 2$


239) _____




A)




B)



C)




D)




240) $3x + 5y \geq 3$ or $y \geq 3$


240) _____




A)




B)



C)




D)




241) $x - 5y \leq 4$ or $5x + y \leq 3$


241) _____




A)




B)



C)




D)




242) $x > y + 1$ or $y > -1$


242) _____




A)




B)



C)




D)



Choose the inequality that best matches the given calculator graph.

243)

243) _____



A) $y \geq 2x + 2$


B) $y \geq -2x - 2$

C) $y \leq -2x - 2$

D) $y \leq 2x + 2$

244)

244) _____



A) $y \leq -2x + 2$


B) $y \leq -2x - 2$

C) $y \leq 2x - 2$

D) $y \geq -2x + 2$

245)

245) _____



A) $y \geq -2x - 2$


B) $y \leq -2x - 2$

C) $y \leq 2x - 2$

D) $y \geq 2x - 2$

246)

246) _____



A) $y \geq 2x - 2$


B) $y \leq -2x + 2$

C) $y \leq 2x - 2$

D) $y \geq -2x - 2$

247)

247) _____



A) $y \geq 2x + 2$

B) $y \geq -x + 1$


C) $y \leq x - 1$

D) $y \leq 2x + 2$

The graph of the linear equation y_1 is shown on a graphing calculator screen, along with the x-value of the x-intercept of the line. Use the screen to solve the following equation or inequality.

248) $y_1 = 0$

248) _____




- A) $\{0\}$
C) $\{3\}$

- B) $\{1\}$
D) Cannot be determined

249) $y_1 = 0$

249) _____




- A) $\{-5\}$
C) $\{5\}$

- B) $\{0\}$
D) Cannot be determined

250) $y_1 < 0$

250) _____




- A) $(1, \infty)$
C) $(-\infty, 1)$

- B) $(3, \infty)$
D) Cannot be determined

251) $y_1 > 0$

251) _____




- A) $(1, \infty)$
C) $(-\infty, 1)$

- B) $(3, \infty)$
D) Cannot be determined

252) $y_1 < 0$

252) _____



- A) $(-\infty, 5)$


- B) $(-5, \infty)$

- C) $(5, \infty)$

- D) $(-\infty, -5)$

253) $y_1 > 0$

253) _____



- A) $(-\infty, -5)$


- B) $(-\infty, 5)$

- C) $(5, \infty)$

- D) $(-5, \infty)$

254) $y_1 = 0$


254) _____



- A) {5} B) {0}
C) {-3} D) Cannot be determined

255) $y_1 < 0$


255) _____



- A) $(-3, \infty)$ B) $(0, \infty)$ C) $(-\infty, 0)$ D) $(-\infty, -3)$

256) $y_1 > 0$

256) _____



- A) $(-\infty, 0)$ B) $(0, \infty)$ C) $(-3, \infty)$ D) $(-\infty, -3)$

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

Provide an appropriate response.

257) In an inequality, how do you determine which side of the boundary line to shade? 257) _____

258) Is the origin a good test point in graphing an inequality of the form $Ax + By < 0$? Explain. 258) _____

259) What is the difference between the graphs of $y < mx + b$ and $y \leq mx + b$? 259) _____

260) The graph of $y > 0$ lies in which two quadrants? 260) _____

261) Name the quadrants totally or partially shaded in the graph of $y > mx + b$, when $m > 0$, $b > 0$. 261) _____

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Decide whether the relation is a function.

262) $\{(-2, -9), (2, 8), (6, -2), (9, -2), (11, -8)\}$ 262) _____
 A) Function B) Not a function

263) $\{(-4, 1), (-3, -6), (3, -8), (3, 4)\}$ 263) _____
 A) Function B) Not a function

264) $\{(-8, 2), (-8, 8), (1, -4), (3, -1), (7, -3)\}$ 264) _____
 A) Function B) Not a function

265) $\{(2, -9), (2, -2), (4, 8), (7, -2), (11, 4)\}$ 265) _____
 A) Function B) Not a function

266) $\{(-6, -1), (-1, 6), (1, -9), (7, -5)\}$ 266) _____
 A) Not a function B) Function

267) $\{(-9, 3), (-9, 5), (1, 5), (6, -2), (9, -7)\}$ 267) _____
 A) Function B) Not a function

268) $\{(-8, -4), (-4, -8), (1, 6), (2, -2)\}$ 268) _____
 A) Function B) Not a function

269) $\{(-5, -6), (-3, -1), (-1, -1), (-1, 7)\}$ 269) _____
 A) Function B) Not a function

270) $\{(-5, -8), (-2, 8), (2, 1), (5, -4)\}$ 270) _____
 A) Function B) Not a function

271) $\{(-2, 1), (1, 5), (4, -1), (9, -7), (10, 6)\}$ 271) _____
 A) Function B) Not a function

272)


x	1	2	5	8	10
y	-1	-9	-9	-1	-8

 272) _____
 A) Function B) Not a function


273)

x	-9	-9	2	4	7
y	2	1	-1	-9	-8

 273) _____
 A) Function B) Not a function

274)  274) _____
 A) Function B) Not a function

275)




A) Function

B) Not a function

275) _____

276)




A) Function

B) Not a function

276) _____

277)




A) Function

B) Not a function

277) _____

278)




A) Function

B) Not a function

278) _____

279)




A) Function

B) Not a function

279) _____

280)



A) Function


B) Not a function

280) _____

Decide whether the relation is a function, and give the domain and range.

281)


281) _____



- A) Not a function; domain: $\{-3, 0, 6\}$; range: $\{-4, -9\}$
- B) Not a function; domain: $\{-4, -9\}$; range: $\{-3, 0, 6\}$
- C) Function; domain: $\{-3, 0, 6\}$; range: $\{-4, -9\}$
- D) Function; domain: $\{-4, -9\}$; range: $\{-3, 0, 6\}$

282)


282) _____



- A) Not a function; domain: $(-\infty, 0) \cup (0, \infty)$; range: $(-\infty, \infty)$
- B) Function; domain: $(-\infty, \infty)$; range: $(-\infty, \infty)$
- C) Not a function; domain: $(-\infty, \infty)$; range: $(-\infty, \infty)$
- D) Function; domain: $(-\infty, 0) \cup (0, \infty)$; range: $(-\infty, \infty)$

283)


283) _____



- A) Function; domain: $(-\infty, -4]$; range: $(-\infty, \infty)$
 B) Function; domain: $(-\infty, \infty)$; range: $(-\infty, \infty)$
 C) Not a function; domain: $(-\infty, -4]$; range: $(-\infty, \infty)$
 D) Not a function; domain: $(-\infty, \infty)$; range: $(-\infty, \infty)$

284)


284) _____



- A) Function; domain: $[0, 10]$; range: $[-4, -2]$
 B) Not a function; domain: $[-4, -2]$; range: $[0, 10]$
 C) Function; domain: $[-4, -2]$; range: $[0, 10]$
 D) Not a function; domain: $[0, 10]$; range: $[-4, -2]$

285)


285) _____



- A) Not a function; domain: $[-2, \infty)$; range: $(-\infty, \infty)$
 B) Function; domain: $[-2, \infty)$; range: $(-\infty, \infty)$
 C) Not a function; domain: $(-\infty, \infty)$; range: $[-2, \infty)$
 D) Function; domain: $(-\infty, \infty)$; range: $[-2, \infty)$

286)

286) _____



- A) Not a function; domain: $(-\infty, \infty)$; range: $(-\infty, 4]$
 B) Not a function; domain: $(-\infty, 4]$; range: $(-\infty, \infty)$
 C) Function; domain: $(-\infty, 4]$; range: $(-\infty, \infty)$
 D) Function; domain: $(-\infty, \infty)$; range: $(-\infty, 4]$

Determine whether the relation defines y as a function of x . Give the domain.

287) $4x = 11 - 5y$

287) _____

- A) Not a function; domain: all whole numbers
 B) Function; domain: $(-\infty, \infty)$
 C) Not a function; domain: $(-\infty, \infty)$
 D) Function; domain: all integers

288) $y = x^3$

288) _____

- A) Not a function; domain: all whole numbers
 B) Function; domain: all whole numbers
 C) Function; domain: $(-\infty, \infty)$
 D) Not a function; domain: $(-\infty, \infty)$

- 289) $y^2 = 7x$ 289) _____
 A) Not a function; domain: $[0, \infty)$
 B) Function; domain: $(-\infty, 0]$
 C) Function; domain: $(-\infty, \infty)$
 D) Not a function; domain: $(-\infty, 0]$
- 290) $y = \sqrt{3x - 5}$ 290) _____
 A) Function; domain: $(-\infty, \infty)$
 B) Not a function; domain: $\left[\frac{5}{3}, \infty\right)$
 C) Not a function; domain: $\left(-\infty, \frac{5}{3}\right]$
 D) Function; domain: $\left[\frac{5}{3}, \infty\right)$
- 291) $9x + 4y > -5$ 291) _____
 A) Function; domain: $(-\infty, \infty)$
 B) Not a function; domain: $\left(-\frac{5}{4}, \infty\right)$
 C) Function; domain: $\left(-\infty, \frac{5}{4}\right)$
 D) Not a function; domain: $(-\infty, \infty)$
- 292) $y = -\frac{4}{x}$ 292) _____
 A) Function; domain $(-\infty, 0) \cup (0, \infty)$
 B) Not a function; domain $(-\infty, 4) \cup (4, \infty)$
 C) Not a function; domain $(-\infty, 0) \cup (0, \infty)$
 D) Function; domain: $(-\infty, \infty)$
- 293) $y = \frac{x - 3}{11}$ 293) _____
 A) Function; domain $(-\infty, 3) \cup (3, \infty)$
 B) Not a function; domain: $(-\infty, \infty)$
 C) Not a function; domain $(-\infty, 11) \cup (11, \infty)$
 D) Function; domain: $(-\infty, \infty)$
- 294) $x = y^8$ 294) _____
 A) Not a function; domain: $(-\infty, \infty)$
 B) Not a function; domain: $[0, \infty)$
 C) Function; domain: $[0, \infty)$
 D) Function; domain: $(-\infty, \infty)$
- 295) $xy = -9$ 295) _____
 A) Not a function; domain: (∞, ∞)
 B) Function; domain: (∞, ∞)
 C) Not a function; domain: $(-\infty, 0) \cup (0, \infty)$
 D) Function; domain: $(-\infty, 0) \cup (0, \infty)$
- 296) $y = \frac{-9}{x + 11}$ 296) _____
 A) Not a function; domain: $(-\infty, -11) \cup (-11, 0)$
 B) Function; domain: $(-\infty, -11) \cup (-11, \infty)$
 C) Function; domain: $(-11, 11)$
 D) Not a function; domain: $(-\infty, \infty)$

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

Solve the problem.

- 297) The table shows the percentage of seniors at a certain 4-year college who believed that after graduating they would be able to find a job related to their field of study. 297) _____

Year	Percentage
2000	62.6
2002	59.3
2004	57.6
2006	55.8
2008	48.3

- (a) Does the table define a function?
 (b) What are the domain and range?
 (c) Call this function f . Give two ordered pairs that belong to f .

Provide an appropriate response.

- 298) Give a definition of Range. 298) _____
- 299) The equation of a circle can be written in the form $x^2 + y^2 = r^2$. Is this a function? Explain. 299) _____
- 300) The equation $y = x^2$ is satisfied by the points (2, 4) and (-2, 4). A horizontal line may be drawn between these two points. Is $y = x^2$ a function? Explain. 300) _____

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Solve the problem.

- 301) Find $f(-3)$ when $f(x) = x^2 + 3x - 4$. 301) _____
 A) 22 B) 14 C) -4 D) 4
- 302) Find $f(0)$ when $f(x) = x^2 + 4x - 3$. 302) _____
 A) 1 B) 9 C) -3 D) 3
- 303) Find $f(-1)$ when $f(x) = 3x^2 + 4x - 3$. 303) _____
 A) -4 B) 4 C) -6 D) 2
- 304) Find $f(\frac{1}{2})$ if $f(x) = 4x^2 - 2x + 9$. 304) _____
 A) $-\frac{11}{4}$ B) -9 C) 9 D) $\frac{11}{4}$
- 305) Find $f(k - 1)$ when $f(x) = 4x^2 + 3x + 5$. 305) _____
 A) $4k^2 - 5k + 6$ B) $4k^2 + 23k + 12$ C) $4k^2 - 5k + 12$ D) $-5k^2 + 4k + 6$
- 306) Find $f(k)$ when $f(x) = 3x^2 + 4x + 5$. 306) _____
 A) $3k^2 + 4k + 25$ B) $9k^2 + 16k + 25$ C) $3k^2 + 16k + 5$ D) $3k^2 + 4k + 5$

307) Find $g(a + 1)$ when $g(x) = \frac{1}{4}x - 1$.

307) _____

A) $\frac{a+3}{4}$

B) $\frac{1}{4}a - 4$

C) $\frac{1}{4}a - 1$

D) $\frac{a-3}{4}$

308) Find $g(a + 1)$ when $g(x) = 2x - 4$.

308) _____

A) $2a - 1$

B) $2a - 4$

C) $\frac{1}{2}a - 4$

D) $2a - 2$

Evaluate the function.

309) Find $f(0)$ if $f = \{(-2, 3), (3, 0), (0, 5), (5, -2)\}$

309) _____

A) 3


B) (5, 3)

C) 5

D) None of these

310) Find $f(7)$

310) _____



A) 4

B) 12

C) None of these

D) (4, 12)

311) Find $f(4)$.

311) _____

x	y = f(x)
4	64
1	4
0	0
-1	4
-4	64

A) 0

B) 64

C) 4

D) 1

312) Find $f(-5)$.

312) _____

x	y = f(x)
4	1
1	-2
-2	-5
-5	-8
-8	-11

A) -2


B) -5

C) 8

D) -8

313) The graph of $y = f(x)$ is shown below. Find $f(-1)$

313) _____



A) 2


B) -2

C) 4

D) 6

314) The graph of $y = f(x)$ is shown below. Find $f(3)$

314) _____



A) -7

B) 3

C) 7

D) 4

An equation that defines y as a function of x is given. Solve for y in terms of x , and replace y with the function notation $f(x)$.

315) $5x - 6y = 5$

315) _____

A) $f(x) = 5 - 5x$

B) $f(x) = 5 - \frac{5x}{6}$

C) $f(x) = -5x - \frac{5}{6}$

D) $f(x) = \frac{5 - 5x}{-6}$

316) $9x^2 + 7y = 6$

316) _____

A) $f(x) = 6 - 9x^2$

B) $f(x) = \frac{6 - 9x^2}{7}$


C) $f(x) = -9x^2 + \frac{6}{7}$

D) $f(x) = \frac{6 + 9x^2}{7}$

Graph the linear function. Give the domain and range.


317) $f(x) = 2x + 3$

317) _____




A) Domain: $(-\infty, \infty)$

Range: $(-\infty, \infty)$




B) Domain: $(-\infty, \infty)$

Range: $(-\infty, \infty)$




318) $g(x) = x + 5$

318) _____




A) Domain: $(-\infty, \infty)$

Range: $(-\infty, \infty)$




B) Domain: $(-\infty, \infty)$

Range: $(-\infty, \infty)$




319) $h(x) = -5x$

319) _____




A) Domain: $(-\infty, \infty)$

Range: $(-\infty, \infty)$




B) Domain: $(-\infty, \infty)$

Range: $(-\infty, \infty)$




320) $f(x) = \frac{1}{5}x - 3$

320) _____




A) Domain: $(-\infty, \infty)$

Range: $(-\infty, \infty)$




B) Domain: $(-\infty, \infty)$

Range: $(-\infty, \infty)$




321) $f(x) = \frac{1}{5}x$


321) _____



A) Domain: $(-\infty, \infty)$
Range: $(-\infty, \infty)$




B) Domain: $(-\infty, \infty)$
Range: $(-\infty, \infty)$




322) $h(x) = -6$

322) _____




A) Domain: $(-\infty, \infty)$

Range: $\{-6\}$



B) Domain: $\{-6\}$


Range: $(-\infty, \infty)$



Solve the problem.

323) Crafty Bill's Cool Car Sales opened as a used car sales lot in 1991. The graph shows the number of cars sold as a function of time. Is this the graph of a function? What is the domain?

323) _____



A) Not a function; Domain: $[2005, 2011]$


C) Function; Domain: $[2007, 2011]$

B) Not a function; Domain: $[2007, 2011]$

D) Function; Domain: $[2005, 2011]$

- 324) Crafty Bill's Cool Car Sales opened as a used car sales lot in 2006. The graph shows the number of cars sold as a function of time. What is the approximate number of cars sold in 2008?

324) _____



- A) 150 cars B) 750 cars C) 700 cars D) 600 cars

- 325) Suppose all items in an ice cream truck cost \$0.97 per item. (a) Fill in the table with the correct response for the cost $f(x)$ of purchasing x items. (b). Write the linear function that gives a rule for finding the cost.

325) _____

x	f(x)
0	
1	
2	
3	

A) (a)

x	f(x)
0	\$0.97
1	\$1.94
2	\$2.91
3	\$3.88

(b) $f(x) = 0.97x + 0.97$

B) None of these

C) (a)

x	f(x)
0	\$0
1	\$0.97
2	\$0.97
3	\$0.97

(b) $f(x) = 0.97$

D) (a)

x	f(x)
0	\$0
1	\$0.97
2	\$1.94
3	\$2.91

(b) $f(x) = 0.97x$

- 326) It has been determined that the number of fish $f(t)$ that can be caught in t minutes in a certain pond using a certain bait is $f(t) = 0.21t + 1$, for $t > 10$. Find the number of fish that can be caught if you fish for 38 minutes. Round your answer to the nearest whole number.

326) _____

- A) 42 fish B) 9 fish C) 19 fish D) 40 fish

- 327) Suppose the sales of a particular brand of appliance are modeled by the linear function $S(x) = 150x + 4600$, where $S(x)$ represents the number of sales in year x , with $x = 0$ corresponding to 1982. Find the number of sales in 1990.

327) _____

- A) 11,600 sales B) 5800 sales C) 5650 sales D) 11,450 sales

- 328) Suppose $f(x) = mx + b$ is a mathematical model for actual time as a function of estimated time, where $f(x)$ represents actual time (in minutes), x represents estimated time (in minutes), and m and b are constants. If $m = 2$ and $b = -2.6$, find $f(x)$ when x is 120 minutes. 328) _____
 A) 242.6 min B) 125.2 min C) 114.8 min D) 237.4 min
- 329) The function H described by $H(x) = 2.75x + 71.48$ can be used to estimate the height, in centimeters, of a woman whose humerus (the bone from the elbow to the shoulder) is x cm long. Estimate the height of a woman whose humerus is 31.1 cm long. 329) _____
 A) 105.33 cm B) 43.13 cm C) 157.005 cm D) 14.045 cm
- 330) The mathematical model $f(x) = 100x + 40,000$ represents the cost in dollars a company has in producing x items during a month. Based on this, how much does it cost to produce 200 items? Interpret the question and answer using function notation. 330) _____
 A) \$20,000; $f(200) = 20,000$ B) \$60,000; $f(200) = 60,000$
 C) \$20,000; $f(20,000) = 200$ D) \$60,000; $f(60,000) = 200$
- 331) A truck rental company charges \$39, plus \$0.07 per mile to rent a moving truck for a day. If x represents the number of miles driven and $f(x)$ represents the total cost to rent the truck for a day, write a linear function that models the situation. 331) _____
 A) $f(x) = 0.07x - 39$ B) $f(x) = 0.07x + 39x$
 C) $f(x) = 39x + 0.07$ D) $f(x) = 0.07x + 39$
- 332) A truck rental company charges \$29 plus \$0.11 per mile to rent a moving truck for a day. If x represents the number of miles driven and $f(x)$ represents the total cost to rent the truck for a day, a linear function that models the situation is $f(x) = 0.11x + 29$. What is the cost of renting the truck if it is driven 150 miles? 332) _____
 A) \$12.50 B) \$45.50 C) \$30.65 D) \$4350.11
- 333) Rental on a car is \$160 plus \$0.03 per mile. If x represents the number of miles driven and $f(x)$ represents the total cost to rent the car, a linear function that models the situation is $f(x) = 0.03x + 160$. Find the value of x if $f(x) = 244$. Interpret your answer in the context of this problem. 333) _____
 A) 2800; It costs \$2800 to drive the rental car 244 miles.
 B) 167; It costs \$244 to drive the rental car 167 miles.
 C) 167; It costs \$167 to drive the rental car 244 miles.
 D) 2800; It costs \$244 to drive the rental car 2800 miles.
- 334) The table represents a linear function. Find the slope and y -intercept of the line and use your answers to write an equation for $f(x)$. 334) _____

x	$y = f(x)$
0	4.7
1	3.3
2	1.9
3	0.5
4	-0.9
5	-2.3

- A) $f(x) = 1.4x + 4.7$ B) $f(x) = 4.7x - 1.4$
 C) $f(x) = -1.4x + 4.7$ D) $f(x) = -4.7x + 1.4$

Provide an appropriate response.

335) If the ordered pair $(6, 8)$ belongs to function g , then $g(\underline{\hspace{1cm}}) = \underline{\hspace{1cm}}$.

A) $8; 6$

B) $y; 6$

C) $x; 8$

D) $6; 8$

335) _____

Complete the table of ordered pairs for the equation.

336) $4x + 6y = 24$

336) _____

x	y
6	
1	
	3

A) $4; \frac{10}{3}; 0$

B) $0; \frac{10}{3}; \frac{3}{2}$


C) $4; 0; \frac{3}{2}$

D) $0; \frac{10}{3}; 1$


Find the x- and y-intercepts, and graph the equation.

337) $2x - 4y = -8$


337) _____




A) $(0, -4), (2, 0)$




B) $(0, 2), (4, 0)$




C) $(0, -2), (-4, 0)$



D) $(0, 2), (-4, 0)$




338) $y = 3$




338) _____


A) None; (0, 3)




B) (3, 0); none




C) (3, 0); none



D) None; (0, 3)




339) $x = 4$




339) _____


A) $(4, 0)$; none




B) None; $(0, 4)$



C) $(4, 0)$; none



D) None; $(0, 4)$



Find the slope of the line through the pair of points.

340) $(2, -9)$ and $(6, -8)$

340) _____

A) 4

B) $-\frac{1}{4}$

C) $\frac{1}{4}$

D) - 4

Answer the question.

341) How is the graph of a line with a slope equal to 0 situated in a rectangular coordinate system?

341) _____

A) It is a vertical line.

B) It is not a line.

C) It is an oblique line.


D) It is a horizontal line.

Provide an appropriate response.


351) Which one of the following has positive slope and negative y-coordinate for its y-intercept?

351) _____


A)




B)



C)



D)



Solve the problem.

352) The information in the chart gives the salary of a person for the stated years. Use the information for the years 2001 and 2003 to find an equation that models the data. Let $x = 1$ represent 2001, $x = 3$ represent 2003, and y represent the salary. Write the equation in slope-intercept form. Use this equation to approximate the salary for 2004 to the nearest dollar.

352) _____

Year	Salary
2000	\$23,500
2001	\$24,100
2002	\$25,200
2003	\$26,100
2004	\$27,200

A) $y = -1241x + 23,500$; \$18,536

B) $y = 28.1x + 23,500$; \$23,612.4


C) $y = 1000x$; \$4000

D) $y = 1000x + 23,500$; \$27,500


Graph the inequality or compound inequality.

353) $2x + 3y > -5$


353) _____




A)




B)



C)




D)




354) $y \geq -3x - 1$ and $x - y \geq -1$


354) _____




A)




B)



C)



D)




Provide an appropriate response.


355) Which one of the following is the graph of a function?

355) _____


A)




B)



C)



D)



356) Which one of the following does not define y as a function of x ?

356) _____

A) $y = \sqrt{x+4}$

B)

x	y
1	7
3	6
1	6
4	4


C) $\{(3, 6), (4, 4), (9, 3)\}$

D) $y = 4x + 1$

Give the domain and range of the relation shown in the following.

357)

357) _____



A) Domain: $(-\infty, -3]$; range: $(-\infty, \infty)$

C) Domain: $[-3, \infty)$; range: $(-\infty, \infty)$

B) Domain: $(-\infty, \infty)$; range: $(-\infty, -3]$

D) Domain: $(-3, \infty)$; range: $(-\infty, \infty)$

358) $\{(4, 4), (-6, 5), (7, 10)\}$

A) Domain: $\{4, -6, 7\}$; range: $\{4, 5, 10\}$

C) Domain: $\{4, 5, 10\}$; range: $\{4, -6, 7\}$

B) Domain: $\{4, -6, 7\}$; range: $\{10\}$

D) Domain: $\{4, 7\}$; range: $\{4, 10\}$

358) _____

Solve the problem.

359) Find $f(2)$ when $f(x) = -x^2 - 4x - 3$.

A) -7

B) -1

C) -15

D) 9

359) _____

360) Find $f(a)$ when $f(x) = -x^2 - 4x - 6$.

A) $2a$

B) $a^2 - 4a - 6$

C) $-a^2 - 4a$


D) $-a^2 - 4a - 6$

360) _____


Graph the linear function. What is its domain and range?

361) $f(x) = \frac{5}{4}x - 2$


361) _____




A) Domain: $(-\infty, \infty)$; range: $(-\infty, \infty)$




B) Domain: $(-\infty, \infty)$; range: $(-\infty, \infty)$



C) Domain: $(-\infty, \infty)$; range: $(-\infty, \infty)$



D) Domain: $(-\infty, \infty)$; range: $(-\infty, \infty)$



Answer Key

Testname: UNTITLED3

- 1) B
- 2) D
- 3) B
- 4) In October 2006, the sales were about \$48 thousand.
- 5) B
- 6) B
- 7) D
- 8) A
- 9) B
- 10) C
- 11) A
- 12) A
- 13) C
- 14) C
- 15) C
- 16) A
- 17) A
- 18) D
- 19) A
- 20) D
- 21) D
- 22) B
- 23) A
- 24) C
- 25) B
- 26) B
- 27) A
- 28) C
- 29) D
- 30) A
- 31) B
- 32) B
- 33) A
- 34) B
- 35) B
- 36) C
- 37) C
- 38) D
- 39) C
- 40) B
- 41) C
- 42) D
- 43) B
- 44) B
- 45) A
- 46) C
- 47) C
- 48) B
- 49) C
- 50) C

Answer Key

Testname: UNTITLED3

- 51) A
- 52) C
- 53) B
- 54) A
- 55) A
- 56) B
- 57) D
- 58) B
- 59) D
- 60) C
- 61) D
- 62) D
- 63) B
- 64) A
- 65) origin
- 66) x
- 67) x, y
- 68) x
- 69) two
- 70) C
- 71) C
- 72) C
- 73) D
- 74) B
- 75) D
- 76) B
- 77) D
- 78) B
- 79) C
- 80) C
- 81) B
- 82) B
- 83) C
- 84) D
- 85) C
- 86) B
- 87) B
- 88) B
- 89) C
- 90) C
- 91) D
- 92) C
- 93) C
- 94) C
- 95) A
- 96) D
- 97) D
- 98) B
- 99) B
- 100) B

Answer Key

Testname: UNTITLED3

- 101) B
102) C
103) A
104) B
105) D
106) C
107) C
108) B
109) B
110) A
111) A
112) C
113) C
114) A
115) D
116) C
117) C
118) C
119) B
120) D
121) C
122) A
123) C
124) A
125) B
126) B
127) B
128) C
129) D
130) B
131) D
132) D
133) Two lines which intersect at right angles. (Answers may vary.)
134) Answers may vary. One possibility: The slope of a horizontal line is equal to zero because the y - values do not change as the x - values change. For example, the points (3, 4) and (7, 4) are two points on a horizontal line. The slope of this line is zero because $m = \frac{4 - 4}{7 - 3} = \frac{0}{4} = 0$.
135) Answers may vary. One possibility: It is not specific enough. The slope of a horizontal line is 0, while the slope of a vertical line is undefined.
136) Answers may vary. One possibility: Let (a, b) and (a, c), $b \neq c$, be any two different points on a vertical line. The slope of the line = $\frac{y_1 - y_2}{x_1 - x_2} = \frac{b - c}{a - a} = \frac{b - c}{0}$. Division by zero is undefined.
137) Answers may vary. One possibility: $m = \frac{y_2 - y_1}{x_2 - x_1} = \frac{-1 \cdot (y_2 - y_1)}{-1 \cdot (x_2 - x_1)} = \frac{y_1 - y_2}{x_1 - x_2}$.
138) The line with a slope of -6 is steeper, because the larger the absolute value of the slope, the steeper the line. (Explanations will vary.)
139) C
140) D

Answer Key

Testname: UNTITLED3

- 141) C
- 142) A
- 143) A
- 144) C
- 145) C
- 146) D
- 147) C
- 148) D
- 149) C
- 150) B
- 151) D
- 152) D
- 153) A
- 154) C
- 155) C
- 156) B
- 157) C
- 158) D
- 159) B
- 160) D
- 161) A
- 162) D
- 163) B
- 164) D
- 165) D
- 166) B
- 167) D
- 168) C
- 169) B
- 170) C
- 171) A
- 172) D
- 173) C
- 174) D
- 175) B
- 176) A
- 177) D
- 178) C
- 179) B
- 180) D
- 181) D
- 182) B
- 183) C
- 184) C
- 185) A
- 186) B
- 187) C
- 188) C
- 189) B
- 190) C

Answer Key

Testname: UNTITLED3

- 191) D
- 192) A
- 193) A
- 194) B
- 195) C
- 196) B
- 197) A
- 198) D
- 199) C
- 200) B
- 201) No. In the slope-intercept form of the equation of a line, x is multiplied by slope; however, the slope of a vertical line is undefined. (Explanations will vary.)
- 202) No. In the point-slope form of the equation of a line, $(x - x_1)$ is multiplied by slope, but the slope of a vertical line is undefined. (Explanations will vary.)
- 203) Answers will vary. One possibility: Slope-intercept form works well if you know the slope of the line and the y -intercept. However, point-slope form is more convenient if you know the slope of the line and a point that is not the y -intercept.
- 204) No, the data cannot be modeled by a linear equation because the reported cases are not increasing at a constant rate. Assume a linear equation, and examine the slope of the two line segments. The slope of the segment from (0, 372) to (8, 100,000) is 12,453.5 while the slope of the segment from (8, 100,000) to (11, 200,000) is 33,333. $\overline{3}$. (Explanations will vary.)
- 205) D
- 206) D
- 207) D
- 208) D
- 209) C
- 210) D
- 211) B
- 212) A
- 213) D
- 214) D
- 215) C
- 216) A
- 217) D
- 218) A
- 219) D
- 220) A
- 221) A
- 222) D
- 223) B
- 224) D
- 225) A
- 226) A
- 227) B
- 228) B
- 229) A
- 230) D
- 231) B
- 232) D
- 233) C

Answer Key

Testname: UNTITLED3

- 234) B
- 235) D
- 236) B
- 237) B
- 238) B
- 239) C
- 240) D
- 241) D
- 242) C
- 243) D
- 244) A
- 245) A
- 246) A
- 247) A
- 248) B
- 249) C
- 250) A
- 251) C
- 252) A
- 253) C
- 254) C
- 255) D
- 256) C
- 257) Answers may vary. One possibility: Use a test point.
- 258) No. The origin is not a good test point because, for all values of A and B, it lies on the boundary line. (Explanations may vary.)
- 259) The boundary line of $y < mx + b$ is a dashed line. The boundary line of $y \leq mx + b$ is a solid line.
- 260) I and II
- 261) I, II, and III
- 262) A
- 263) B
- 264) B
- 265) B
- 266) B
- 267) B
- 268) A
- 269) B
- 270) A
- 271) A
- 272) A
- 273) B
- 274) A
- 275) B
- 276) A
- 277) B
- 278) A
- 279) A
- 280) B
- 281) C
- 282) B

Answer Key

Testname: UNTITLED3

- 283) C
- 284) D
- 285) D
- 286) D
- 287) B
- 288) C
- 289) A
- 290) D
- 291) D
- 292) A
- 293) D
- 294) B
- 295) D
- 296) B
- 297) (a) yes
 - (b) domain: {2000, 2002, 2004, 2006, 2008}, range: {62.6, 59.3, 57.6, 55.8, 48.3}
 - (c) Answers will vary. Any two of the following ordered pairs: may be given:
(2000, 62.6), (2002, 59.3), (2004, 57.6), (2006, 55.8), (2008, 48.3)
- 298) The set of all values of the dependent variable (y)
- 299) No. It is not a function since for all $y \neq 0$, there are two y-values for each x-value. It thus fails the vertical line test.
(Explanations will vary.)
- 300) Yes. It is a function because for each x-value there is only one y-value. The relation thus passes the vertical line test. It does not have to pass the horizontal line test to be a function. (Explanations will vary.)
- 301) C
- 302) C
- 303) A
- 304) C
- 305) A
- 306) D
- 307) D
- 308) D
- 309) C
- 310) A
- 311) B
- 312) D
- 313) D
- 314) C
- 315) D
- 316) B
- 317) B
- 318) B
- 319) A
- 320) A
- 321) B
- 322) A
- 323) C
- 324) B
- 325) D
- 326) B
- 327) B

Answer Key

Testname: UNTITLED3

- 328) D
- 329) C
- 330) B
- 331) D
- 332) B
- 333) D
- 334) C
- 335) D
- 336) B
- 337) D
- 338) D
- 339) C
- 340) C
- 341) D
- 342) B
- 343) C
- 344) D
- 345) D
- 346) D
- 347) A
- 348) C
- 349) B
- 350) D
- 351) B
- 352) D
- 353) D
- 354) D
- 355) B
- 356) B
- 357) C
- 358) A
- 359) C
- 360) D
- 361) D