# https://selldocx.com/products/test-bank-introduction-to-medical-surgical-nursing-6e-linton

# Linton: Introduction to Medical-Surgical Nursing, 5th Edition

**Chapter 02: Patient Care Settings** 

**Test Bank** 

#### MULTIPLE CHOICE

- 1. While the home health nurse is making the entry to a service assessment on a home-bound patient, the wife of the patient asks whether Medicare will cover the patient's ventilator therapy and his insulin injections. The nurse responds:
  - a. "Yes, Medicare will cover both the ventilator therapy and the insulin injections."
  - b. "No, Medicare will not cover either of these ongoing therapies."
  - c. "Medicare will cover the ventilator therapy, but it does not cover the insulin injections."
  - d. "Medicare will cover the ongoing insulin therapy, but it does not cover a highly technical skill such as ventilator therapy."

ANS: C

Medicare will cover skilled nursing tasks such as ventilator therapy, but common tasks that can be taught to the family or the patient are not covered.

DIF: Cognitive Level: Application REF: p. 19 OBJ: 3

TOP: Medicare Coverage for Home Health

KEY: Nursing Process Step: Implementation

MSC: "NCLEX: Safe, Effective Care Environment: Coordinated care"

- 2. The wife of a patient asks the nurse whether her husband would be considered for placement in a skilled nursing care facility when he is discharged from the general hospital. The patient is incontinent, has mild dementia but is able to ambulate with a walker, and must have help to eat and dress himself. The nurse's most appropriate reply is:
  - a. "Yes, your husband would qualify for a skilled care facility because of his inability to feed and dress himself."
  - b. "No, your husband's disabilities would not qualify him for a skilled facility."
  - c. "Yes, your husband qualifies for placement in a skilled care facility because of his dementia."
  - d. "Yes, anyone who is willing to pay can be placed in a skilled nursing facility."

ANS: B

Placement in a skilled nursing facility must be authorized by a physician. A clear need for rehabilitation must be evident, or severe deficits in self-care that have a potential for improvement and require the services of a registered nurse (RN), physical therapist, or speech therapist must exist.

DIF: Cognitive Level: Analysis REF: p. 18 OBJ: 9

TOP: Placement Qualifications for Skilled Nursing Facility

KEY: Nursing Process Step: Implementation

MSC: "NCLEX: Safe, Effective Care Environment"

- 3. The nurse has noted that a newly admitted resident to an extended care facility stays in her room, does not take active part in activities, and leaves the meal table after having eaten very little. The nurse analyzes this relocation response as:
  - a. Regression
  - b. Social withdrawal
  - c. Depersonalization
  - d. Passive aggressive

ANS: B

Social withdrawal is a frequent response to relocation.

DIF: Cognitive Level: Application REF: p. 27 OBJ: 10

TOP: Relocation Response KEY: Nursing Process Step: Assessment

MSC: NCLEX: Psychosocial Integrity: Coping and adaptation

- 4. The nurse clarifies to a new patient in a rehabilitation center that *rehabilitation* means that the patient will:
  - a. Return to his previous level of functioning.
  - b. Be counseled into a new career.
  - c. Develop better coping skills to accept his disability.
  - d. Attain the greatest degree of independence possible.

ANS: D

The rehabilitation process works to promote independence at whatever level the patient is capable of achieving.

DIF: Cognitive Level: Comprehension REF: p. 21 OBJ: 4

TOP: Rehabilitation Goals KEY: Nursing Process Step:

**Implementation** 

MSC: NCLEX: Health Promotion: Coordinated care

- 5. The nurse assesses a patient who needs to be reminded to take premeasured oral medications, wash, go to meals, and undress and come to bed at night, but coming and going as he pleases is considered safe for him. The nurse determines that the appropriate placement would be in a facility that features:
  - a. Skilled care
  - b. Intermediate care
  - c. Sheltered housing
  - d. Domiciliary care

ANS: D

Domiciliary care provides room, board, and supervision; and residents may come and go as they please. Sheltered housing does not provide 24-hour care.

DIF: Cognitive Level: Application REF: p. 25 OBJ: 1

TOP: "Levels of Care, Criteria for Domiciliary Residence"

KEY: Nursing Process Step: Assessment

MSC: "NCLEX: Safe, Effective Care Environment: Coordinated care"

- 6. The nurse is making a list of the members of the rehabilitation team so that the different types of services available to patients may be taught to a group of families. Which of the following lists should be used?
  - a. Physical therapist, nurse, family members, and personal physician
  - b. Occupational therapist, dietitian, nurse, and patient
  - c. Rehabilitation physician, laboratory technician, patient, and family
  - d. Vocational rehabilitation specialist, patient, and psychiatrist

ANS: A

The rehabilitation team usually consists of all of the choices except the laboratory technician, dietitian, and psychiatrist. (The mental health role is represented by the psychologist.)

DIF: Cognitive Level: Comprehension REF: p. 23 OBJ: 8

TOP: Rehabilitation Team Members KEY: Nursing Process Step: Planning

MSC: "NCLEX: Safe, Effective Care Environment: Coordinated care"

- 7. The nurse explains the level of disability to a patient who was injured in a construction accident that resulted in the loss of both his right arm and right leg. Because this loss has affected his quality of life and his ability to return to his previous employment, he would be classified as being disabled at level:
  - a. I
  - b. II
  - c. III
  - d. IV

ANS: B

The patient is limited in the use of his right arm for feeding himself, dressing himself, and driving his car, which are three main activities of daily living (ADLs). He may be able to work if workplace modifications are made.

DIF: Cognitive Level: Application REF: p. 21 OBJ: 5

TOP: Levels of Disability KEY: Nursing Process Step: Implementation

MSC: "NCLEX: Safe, Effective Care Environment: Coordinated care"

8. The nurse explains that in 1990, when the Americans with Disabilities Act (ADA) was passed, it extended many services for the disabled persons such as:

a. Covering the costs for the rehabilitation of disabled World War I servicemen by providing job training

- b. Extending protection to the disabled in the military sector, such as wheelchair ramps on military bases
- c. Extending protection to the disabled in private areas, such as accessibility to public restaurant bathrooms and telephones
- d. Affording the disabled full access to all health care services

ANS: C

The ADA of 1990 extended the previous legislative Acts of 1920, 1935, and 1973. ADA now covers private sector individuals and public businesses in particular.

DIF: Cognitive Level: Comprehension REF: p. 23 OBJ: 6

TOP: Americans with Disabilities Act (ADA) of 1990

KEY: Nursing Process Step: Assessment

MSC: "NCLEX: Safe, Effective Care Environment: Coordinated care"

- 9. A frail patient in a long-term care facility asks the nurse if a bath is to be given this morning. The best reply by the nurse that would encourage independence and give the patient the most flexibility would be:
  - a. "Based on your room number, you get bathed on Monday, Wednesday, and Friday. Today is Tuesday."
  - b. "If you want to eat breakfast in the dining room with the others, you may sponge yourself off in your bathroom."
  - c. "When your daughter comes this evening, ask her if she can give you a bath."
  - d. "I will bring a basin of water for a sponge off for right now. After breakfast, we will talk about a bath schedule."

ANS: D

The resident should be provided as much flexibility as possible and support for independence.

DIF: Cognitive Level: Application REF: p. 28 OBJ: 11

TOP: Maintenance of Autonomy in Extended Care Facility

KEY: Nursing Process Step: Implementation

MSC: NCLEX Physiological Integrity: Basic care and comfort

- 10. A computer programmer who lost both legs is being retained by his employer, who has made arrangements for a ramp and a special desk to accommodate the patient's wheelchair. This is an example of disability level:
  - a. I
  - b. II
  - c. III
  - d. IV

ANS: B

Level II allows for workplace accommodation, which is the desk modification in this case.

DIF: Cognitive Level: Analysis REF: p. 21 OBJ: 5
TOP: Reasonable Accommodation KEY: Nursing Process Step: N/A

MSC: NCLEX: N/A

11. The nurse explains that the law that provides for a partially paralyzed fork-lift operator to be retrained by vocational rehabilitation services for less demanding office work is the:

- a. Vocational Rehabilitation Act of 1920
- b. Social Security Act of 1935
- c. Rehabilitation Act of 1973
- d. Americans with Disabilities Act of 1990

ANS: C

The Rehabilitation Act of 1973 provided a comprehensive approach and expanded resources for public vocational training.

DIF: Cognitive Level: Analysis REF: p. 22 OBJ: 6

TOP: Rehabilitation Legislation KEY: Nursing Process Step: Implementation

MSC: "NCLEX: Safe, Effective Care Environment: Coordinated care"

- 12. The home health care nurse explains that although she performs all the following actions, the only one that is reimbursable under Medicare payment rules is to:
  - a. Observe a wife clean and change the dressing.
  - b. Take a frail couple for a walk to provide exercise.
  - c. Watch a patient measure out all medications.
  - d. Teach a patient to give herself insulin.

ANS: D

Medicare reimburses skilled techniques that are clearly spelled out; these include teaching but not return demonstration-type actions by patient or family.

DIF: Cognitive Level: Comprehension REF: p. 19 OBJ: 3

TOP: Medicare Reimbursable Actions KEY: Nursing Process Step: Assessment

MSC: "NCLEX: Safe, Effective Care Environment: Coordinated care"

- 13. A patient with multiple sclerosis must be fed, bathed, and dressed. The nurse assesses the patient to be:
  - a. Disabled
  - b. Disadvantaged
  - c. Handicapped
  - d. Impaired

ANS: D

Feeding oneself, dressing, and bathing are ADLs. The patient is impaired in this scenario.

DIF: Cognitive Level: Analysis REF: p. 21 OBJ: 4

TOP: Principles of Rehabilitation | Defining Levels of Loss of Functioning Independently

KEY: Nursing Process Step: Implementation

MSC: NCLEX: Physiological Integrity

- 14. Which law initially provided for rehabilitation of disabled Americans?
  - a. Vocational Rehabilitation Act of 1920
  - b. Social Security Act of 1935
  - c. Rehabilitation Act of 1973
  - d. Americans with Disabilities Act of 1990

ANS: A

The U.S. government has passed four pieces of legislation to identify and meet the needs of disabled individuals with each one being more inclusive. The first one was passed in 1920.

DIF: Cognitive Level: Knowledge REF: p. 22 OBJ: 6
TOP: Rehabilitation Legislation KEY: Nursing Process Step: N/A

MSC: NCLEX: N/A

- 15. When their grandmother was admitted to a long-term residential care facility, the family was assured by the admitting nurse that care, in keeping with the concepts of long-term care, would be based on:
  - a. Amount of activities the resident can do for herself
  - b. Maintenance care with an emphasis on incontinence
  - c. Successful adaptation to the regulations of the home
  - d. Maintenance of as much function as possible

ANS: D

Maintenance of function and encouraging autonomy and independence are some of the basic concepts of long-term care.

DIF: Cognitive Level: Comprehension REF: p. 27 OBJ: 11

TOP: Principles of Nursing Home Care KEY: Nursing Process Step: Implementation

MSC: "NCLEX: Safe, Effective Care Environment: Coordinated care"

- 16. The nurse assures a 58-year-old with diabetes who is recuperating from a broken hip that funds for his rehabilitation are available from the:
  - a. Vocational Rehabilitation Act of 1920
  - b. Rehabilitation Act of 1973
  - c. Disabled American Veterans Act of 1990
  - d. Title V, Health of Crippled Americans 1935

ANS: B

The Rehabilitation Act of 1973 assists in paying for rehabilitation for those who are younger than 65 years of age and who will benefit from vocational rehabilitation through teaching.

DIF: Cognitive Level: Application REF: p. 22 OBJ: 6

TOP: Legislation for Funding Health Care

KEY: Nursing Process Step: Planning

MSC: "NCLEX: Safe, Effective Care Environment: Coordinated care"

- 17. The nurse describes community health nursing by using the example of:
  - a. Visiting patients in their home after hospital discharge to assess their personal health status.
  - b. Asking a nursing assistant (NA) to identify the health services most needed in the patient's personal life.
  - c. Meeting with residents of low-income housing to identify their health care needs.
  - d. Developing a hospital-based home health care service.

### ANS: C

Community-based nursing looks at identified community needs and provides care at all levels of wellness and illness, whereas community health nursing seeks to provide services to groups to modify or create systems of care.

DIF: Cognitive Level: Comprehension REF: p. 16 OBJ: 2

TOP: Defining Community-Based Nursing versus Community Health Nursing

KEY: Nursing Process Step: Implementation

MSC: NCLEX: Health Promotion and Maintenance: Coordinated care

- 18. Home health nurses have some different nursing activities than those of community health nurses. Which of the following describes the home health nurse's activities?
  - a. Conducting health education classes in a senior citizens' common residence building.
  - b. Conducting blood pressure screening on a regular basis at a local mall.
  - c. Visiting and assessing the home care and further teaching needs of a patient who has been recently discharged from the hospital.
  - d. Acting as a nurse consultant to a chronic psychiatric section in a state institution.

## ANS: C

The home health nurse works with individuals in the home; the other descriptors are community nurse activities.

DIF: Cognitive Level: Application REF: p. 19 OBJ: 1

TOP: Activities of the Home Health Nurse

KEY: Nursing Process Step: Implementation

MSC: "NCLEX: Safe, Effective Care Environment: Coordinated care"

- 19. Based on guidelines from the ADA, which question is an appropriate choice for the director of nurses to ask a nurse with an artificial leg who is applying for a staff position in an extended care facility?
  - a. "How long have you had your prosthesis?"
  - b. "How many flights of stairs are you able to climb without assistance?"
  - c. "Are you able to lift a load of 45 pounds?"

d. "Has your disability caused you to miss work?"

ANS: C

Queries to disabled job applicants can be made relative to specific job functions, but they cannot be asked relative to the severity of the disability or the degree of disability in general.

DIF: Cognitive Level: Application REF: p. 22 OBJ: 6

TOP: ADA KEY: Nursing Process Step: N/A MSC: NCLEX: N/A

#### **MULTIPLE RESPONSE**

- 1. As a home health nurse, the licensed practical nurse (LPN) is aware that the care skills that are safe and appropriate to teach family members are: (Select all that apply.)
  - a. Insulin injection
  - b. Sterile dressing changes
  - c. Venipunctures
  - d. Periodic Foley catheter insertions
  - e. Instillation of eye drops
  - f. Changing dressings on small wounds

ANS: A, E, F

Insulin injections, instillation of eye drops, and small wound dressing changes are safe to teach a nonprofessional caregiver. Sterile dressings, venipunctures, and inserting Foley catheters are considered skilled, and the costs for these are reimbursed by Medicare.

DIF: Cognitive Level: Analysis REF: p. 19 OBJ: 3

TOP: Skills Taught by Home Health Nurse

KEY: Nursing Process Step: Planning

MSC: "NCLEX: Safe, Effective Care Environment: Safety and infection control"

- 2. The nursing care plan in a long-term care facility calls for the documentation of regressive behavior of a newly admitted 82-year-old resident, who has had congestive heart failure and osteoarthritis. Of these behaviors observed by the nurse, the ones documented as regression are: (Select all that apply.)
  - a. Talks nonstop to staff and other residents.
  - b. Wets and soils self several times a day.
  - c. Wakes in the middle of the night and is unable return to sleep.
  - d. Wears the same clothes day after day.
  - e. Cries frequently for no apparent reason.

ANS: B, D, E

Behaviors that are infantile or immature in the absence of dementia are considered regressive. Frequent episodes of crying and inattention to personal hygiene are regressive in nature. Excessive talking and wakefulness may be related to relocation anxiety, but they are not considered regressive.

DIF: Cognitive Level: Analysis REF: p. 26 OBJ: 10

TOP: Impact of Relocation KEY: Nursing Process Step: Assessment

MSC: NCLEX: Psychosocial Integrity: Coping and adaptation

- 3. The nurse explains to the home health patient that most quality-of-care problems are a result of: (Select all that apply.)
  - a. Patient's noncompliance
  - b. Family's reluctance to participate in the care
  - c. Inadequate documentation
  - d. Limited funding
  - e. Defective communication among care team members

ANS: C, E

Inadequate communication and incomplete documentation create most of the quality-of-care problems.

DIF: Cognitive Level: Analysis REF: p. 20 OBJ: 1

TOP: Communication in Home Health Setting KEY: Nursing Process Step: Implementation

MSC: "NCLEX: Safe, Effective Care Environment: Coordinated care"

- 4. The 80-year-old man newly admitted to a long-term care facility has suddenly become incontinent of urine at night. The nurse plans interventions to help restore self toileting by: (Select all that apply.)
  - a. Waking the resident every 2 hours and escorting him to the bathroom.
  - b. Leaving a night light on.
  - c. Discouraging the use of long-legged pajama bottoms.
  - d. Placing a urinal at the bedside.
  - e. Keeping the room uncluttered.

ANS: B, C, D, E

Providing light in an uncluttered room, encouraging clothing that does not impede self toileting, and making the urinal available increase independence and alleviate situations that make self toileting difficult. Waking a resident not only disturbs his or her rest, but doing so increases dependency on the staff.

DIF: Cognitive Level: Application REF: p. 27 OBJ: 1

TOP: Independence in Long-Term Care Center

KEY: Nursing Process Step: Planning

MSC: NCLEX: Physiological Integrity: Physiological adaptation

#### COMPLETION

1.	The nurse clarifies that an impairment that creates a measurable diminished capacity to work is a
	ANS:
	Disability

When there is a measurable impairment that changes the individual's lifestyle, it is referred to as a disability.

DIF: Cognitive Level: Application REF: p. 21 OBJ: 7

TOP: Rehabilitation Concepts KEY: Nursing Process Step: Implementation

MSC: NCLEX: Health Promotion: Coordinated care

### **OTHER**

- 1. The home health nurse, while in the home to change a decubitus dressing, notices that the wound has a musky odor and is weepier than the last visit, 2 days earlier. Prioritize these nursing interventions for this situation:
  - a. Contact the case manager.
  - b. Assess the patient's entire skin, vital signs, and be prepared to describe the wound findings.
  - c. Cleanse the decubitus area well, and redress the wound.
  - d. Chart the appearance of the decubitus completely.
  - e. Assess the patient's mobility.

ANS:

b, c, e, d, a

The decubitus finding is important to communicate to the case manager but not until the nurse at the bedside has fully assessed the patient, signs and symptoms, vital signs, and other areas of change that need to be promptly communicated. Then, the case manager will be able to give directions for further care.

DIF: Cognitive Level: Analysis REF: p. 20 OBJ: 1

TOP: Communication Among Home Health Staff

KEY: Nursing Process Step: Assessment

MSC: NCLEX: Safe Effective Care Environment: Coordinated care

- 2. To teach a family member the skill of injecting insulin effectively, the home health nurse will do which of these? (*Prioritize these nursing interventions for this situation.*)
  - a. Offer instruction at an appropriate pace.
  - b. Write down the steps of the procedure.
  - c. Assess the level of knowledge of the family member.
  - d. Inquire about the preferred learning style.
  - e. Evaluate the family member's performance.

ANS:

c, b, d, a, e

Effective teaching depends on assessing the level of knowledge, breaking down the skill in steps, offering instruction in the preferred style, pacing the instruction appropriately, and evaluating the performance.

DIF: Cognitive Level: Analysis REF: p. 19 OBJ: 1

TOP: Home Health Teaching KEY: Nursing Process Step: Planning

MSC: NCLEX: Physiological Integrity: Basic care and comfort