MULTIPLE CHOICE

1.	Why is CaO the symbol for calcium oxide instead of CAO?					
	a.	both can be the symbols for calcium oxide				
	b.	both are incorrect; the symbol is cao				
	C.	a capital letter means a new symbol				

d. both are incorrect as the symbol should be CaO_x

ANS: C PTS: 1

2. What is the meaning of the two (2) in ethyl alcohol, C₂H₅OH?

- a. all alcohol molecules contain two carbon atoms
- b. there are two carbon atoms per molecule of ethyl alcohol
- c. carbon is diatomic
- d. all of these are correct statements

ANS: B PTS: 1

3. The symbols for elements with accepted names

- a. consist of a single capital letter.
- b. consist of a capital letter and a small letter.
- c. consist of either a single capital letter or a capital letter and a small letter.
- d. No answer is correct.

ANS: C PTS: 1

4. A molecular formula

- a. is represented using the symbols of the elements in the formula.
- b. is represented using a system of circles that contain different symbols.
- c. cannot be represented conveniently using symbols for the elements.
- d. is represented using words rather than symbols.

ANS: A PTS: 1

5. Which of the following uses the unit of "u" or "amu"?

- a. atomic weights of atoms

 c. molecular weights of molecules
- b. relative masses of atoms
- d. more than one response is correct

PTS: 1 ANS: D

6. What is meant when the symbol C-12 (or 12C) is used?

- a. the carbon atom weighs 12 grams
 b. the carbon atom weighs 12 pounds
 c. the carbon atom weighs 12 amu
 d. the melting point of carbon is 12°C

ANS: C PTS: 1

7. Refer to a periodic table and tell how many helium atoms (He) would be needed to get close to the same mass as an average oxygen atom (O).

a. six

b. four

c. twelve

d. one-fourth

ANS: B

PTS: 1

8. Determine the molecular weight of hydrogen peroxide, H₂O₂, in u (or amu).

	ANS: C	PTS: 1			
9.	Using whole numb	pers, determine the mo		cular weight of c	alcium hydroxide, Ca(OH) ₂ . d. 74
	ANS: D	PTS: 1			
10.			ecu	lar weight indica	An ozone molecule contains ate about the formula of the
	a. It is monoatomicb. It is diatomic.).		It is triatomic. Impossible to de	etermine
	ANS: C	PTS: 1			
11.	Which of the follow a. proton and elect b. electron and neu		C.	proton and neut	ron rounding electrons
	ANS: C	PTS: 1			
12.	Which of the followa. proton b. electron	wing particles is the s	C.	lest? neutron they are all the s	same size
	ANS: B	PTS: 1			
13.	How many electron	ns are in a neutral ato b. 18		of carbon-13 (¹³ C 12	d. no way to tell
	ANS: A	PTS: 1			
14.	a. a protonb. a neutron	wing carries a negative	C.	narge? an electron both proton and	neutron
15.	Which of the followa. protons b. neutrons	wing is located in the	C.	eleus of an atom electrons protons and neu	
	ANS: D	PTS: 1			
16.	a. equal numbers ofb. equal numbers ofc. equal numbers of	How can they have not protons and neutrons of protons and electrons of neutrons and electrons been drained out of the	s s ns	-	
	ANS: B	PTS: 1			
17.	a. They have differ	m each other in what we rent numbers of protons rent numbers of neutror	s in	the nucleus.	


a. 17.01 b. 18.02 c. 34.02 d. 33.01

	c. They have different numbers of electrons outside the nucleus.d. More than one response is correct.					
	ANS: B	PTS: 1				
18.	What is the reason a. three more elect b. three more prot ANS: C		C.	om U-235? three more neutr there is no differe		
					4	
19.	a. 11	s are found in the nuc b. 6	C.	•	' B) a	
	ANS: C	PTS: 1				
20.	How many neutro a. 11	ns are found in the nu b. 6	c.		(¹¹ B) d.	
	ANS: B	PTS: 1				
21.	What is the mass a. 13	number of a carbon-1: b. 12	3 (¹³ C.	•	d.	7
	ANS: A	PTS: 1				
22.	each isotope is gi	ng neon (Ne) has the foven in parenthesis). Con-20, 90.92% (19.99 u); b. 37.62	alcı nec	ulate the atomic v	veig .99	ht of neon in u from
	ANS: D	PTS: 1				
23.	(7.02 u), where the and determine wha. Li-6 b. Li-7 c. each is present		givo t in t	en in parenthese the larger percen	s. U	
	ANS: B	PTS: 1				
24.	argon (Ar)?	, , ,				of atoms as 39.95 g of
	a. 33.0	b. 74.92	C.	4.16	d.	149.84
	ANS: B	PTS: 1				
25.		atoms in a 26.0 g sam as of x, would be conta b. x/2	aine		umi	
	ANS: C	PTS: 1				

26.	The mass of mercury (Hg), a liquid at room temperature, is 200.6 amu/mol. A 200.6 gram sample of mercury is heated until it boils. What is the mass of one mole of mercury vapor (gas)?					
	a. <200.6 or it wob. the same as Av	uldn't be a gas ⁄ogadro's number	c. d.	the same as whe		
	ANS: C	PTS: 1				
27.		initrogen monoxide is of oxygen, how many b. 0.280	gra		ould	
	ANS: A	PTS: 1				
28.	One Avogadro's r a. 55.9 g. b. 6.02 × 10 ²³ g. ANS: A	number of iron (Fe) ato PTS: 1	C.	would weigh 55.9 u. 6.02 × 10 ⁻²³ g.		
29.	a. one Avogadro's	are contained in a sa s number adro's number	C.	e of krypton, Kr, to one one-tenth	that	weighs 8.38 g?
	ANS: B	PTS: 1				
30.		wing has the largest i b. 3.5 mol NH₃			d.	6.0 mol C ₂ H ₂
	ANS: D	PTS: 1				
31.	How many silicon a. 2.68×10^{23}	a atoms (Si) are contains b. 5.83×10^{-22}				f silicon? 1.71 × 10 ²¹
	ANS: A	PTS: 1				
32.		er of hydrogen atoms b. 6.022×10^{23}				
	ANS: D	PTS: 1				
33.	How many moles a. 1	of oxygen atoms are b. 2		ne mole of CO_2 ? 6.02×10^{23}	d.	12.04×10^{23}
	ANS: B	PTS: 1				
34.	How many hydrog a. 3.00	gen atoms are in 1.00 b. 6.02×10^{23}			d.	18.1×10^{23}
	ANS: D	PTS: 1				
35.	of hydrogen pero	xide (H ₂ O ₂)?	•			I to produce two moles
	a. 1 ANS: B	b. 2 PTS: 1	C.	3	d.	4

36.	Calculate the weigna. 33.3	ght percentage of hyd b. 66.7		en in water. 2.00	d.	11.1
	ANS: D	PTS: 1				
37.	What is the weigh a. 46.7	t percentage of nitrog b. 30.4		in urea, CN₂H₄O? 32.6		16.3
	ANS: A	PTS: 1				
38.	How many carbon a. 2.75×10^{-22}	b. 3.29×10^{24}	in 5 C.	5.50 g of ethane, 0.10×10^{23}	C₂H d.	6 ? 2.21 × 10 ²³
	ANS: D	PTS: 1				
39.	Which element is a. hydrogen	approximately 65 pero b. sulfur				veight? any of these
	ANS: C	PTS: 1				
40.	How many moles a. 0.500	of N₂O contain the sai b. 0.0500		number of nitrog		atoms as 4.60 g of NO₂? 0.200
	ANS: B	PTS: 1				
41.	How many grams a. 12.1	of iron (Fe) is contain b. 8.26		in 15.8 g of Fe(O F 11.8		5.21
	ANS: B	PTS: 1				
42.	The symbol for br	b. Br	C.	Ве	d.	none of these
	ANS: B	PTS: 1				
43.	The weight % of S a. 14.2%	s in K₂SO₄ is b. 18.4%	C.	54.4%	d.	22.4%
	ANS: B	PTS: 1				
44.	What is the number up one milliliter of a. 1	-		e liter of water if		gram of water takes
	ANS: C	b. 18 PTS: 1	U.	55.6	u.	1000
45.	How many neutro protons?	ns are in an atom that	has	s a mass number	of :	75 and contains 35
	a. 40	b. 35	C.	75	d.	can't tell
	ANS: A	PTS: 1				
46.	Atoms that have t a. protons	he same atomic numb b. neutrons		out differ by mass isotopes		imber are called? positrons
	ANS: C	PTS: 1				

47.	If you have 3.011 \times 10 ²³ atoms of carbon, what would you expect its mass to be? a. 12.01 g b. 6.005 g c. 3.003 g d. 1.000 g
	ANS: B PTS: 1
48.	What is wrong with the following molecular formula: SOO (sulfur dioxide)? a. OSO is the correct form c. OO should be written as O2 b. SO should be So d. OO should be written as O2
	ANS: D PTS: 1
49.	Determine the number of electrons and protons in the element Tc. a. 43 protons, 43 electrons b. 43 protons, 56 electrons c. 56 protons, 43 electrons d. 99 protons, 43 electrons
	ANS: A PTS: 1
50.	The system of atomic mass units is based on a. assigning ¹² C as weighing exactly 12 u & comparing other elements to it. b. measuring the true mass of each subatomic particle. c. comparing the differences in protons and electrons. d. viewing how atoms are affected by electromagnetic fields.
	ANS: A PTS: 1
51.	How many moles of Na ₂ Cr ₂ O ₇ contain 14 moles of oxygen atoms? a. 2 mol Na ₂ Cr ₂ O ₇ b. 14 mol Na ₂ Cr ₂ O ₇ c. 7 mol Na ₂ Cr ₂ O ₇ d. 1 mol Na ₂ Cr ₂ O ₇
	ANS: A PTS: 1
52.	An isotope of a given element has a mass number equal to twice the atomic number. This neutral isotope contains twelve electrons. This isotope is a. magnesium-12. b. magnesium-24. d. chromium-12.
	ANS: B PTS: 1
53.	Approximately, how many atoms of beryllium would be required to equal the mass of 10 atoms of aluminum?
	a. 3 atoms of beryllium b. 10 atoms of beryllium c. 30 atoms of beryllium d. 4 atoms of beryllium
	ANS: C PTS: 1
54.	If calcium carbonate found in limestone is 40.0% calcium, how many grams of calcium are in 485 g of calcium carbonate?
	a. 12.1 g of calcium c. 19,400 g of calcium b. 291 g of calcium d. 194 g of calcium
	ANS: D PTS: 1
55.	Which of the following correctly describes subatomic particles?
	1. Mass: $e^- < p^+ = n$
	2. Magnitude of charge: $n < e^- = p^+$



	ANS: B	PTS: 1		
63.	(mass = 242.45 u)	comprises 40.000%	of the total. The se	s. The first isotope, ²⁴³ X cond isotope, ²⁴⁸ X (mass = atomic mass for your new
	a. 242.45 u	b. 244.32 u	c. 245.25	d. 247.11
	ANS: C	PTS: 1		
64.	What is the minim	•	am calcium supplen	calcium in their daily diet. nent tablets you would need by mass calcium? d. 4
	ANS: C	PTS: 1		
TRUE	E/FALSE			
1.	The symbols for a	all of the elements are	derived from the La	tin names.
	ANS: F	PTS: 1		
2.	The symbols for a	all of the elements alw	ays begin with a cap	oital letter.
	ANS: T	PTS: 1		
3.	The first letter of t name.	the symbol for each of	f the elements is the	first letter of its English
	ANS: F	PTS: 1		
4.	The most accurate	e way to determine ato	omic mass is with a	mass spectrometer.
	ANS: T	PTS: 1		
5.	H₂O₂ contains equ	ual parts by weight of	hydrogen and oxyge	en.
	ANS: F	PTS: 1		
6.	Electrons do not i	make an important co	ntribution to the mas	ss of an atom.
	ANS: T	PTS: 1		
7.	The charge of the	nucleus depends onl	y on the atomic num	ber.
	ANS: T	PTS: 1		
8.	Isotopes of the sa	ame element always ha	ave the same numbe	er of neutrons.
	ANS: F	PTS: 1		
9.	Isotopes of the sa	ame element always ha	ave the same atomic	number.

10.	Isotopes of the sa	me element always have the same atomic mass.	
	ANS: F	PTS: 1	
11.	A mole of copper	contains the same number of atoms as a mole of zinc.	
	ANS: T	PTS: 1	
12.	One mole of an el element.	ement would weigh the same as a mole of an isotope of the same	
	ANS: F	PTS: 1	
13.	One mole of silve	r would contain the same number of atoms as a mole of gold.	
	ANS: T	PTS: 1	
14.	One mole of an el element.	ement would weigh the same as a mole of an isotope of the same	
	ANS: T	PTS: 1	
15.	One mole of H ₂ O	contains 2.0 grams of hydrogen.	
	ANS: T	PTS: 1	
16.	One mole of O ₃ w	eighs 16 grams.	
	ANS: F	PTS: 1	
17.	The pure substan	ce, water, contains both hydrogen molecules and oxygen molecule	s
	ANS: F	PTS: 1	
18.	· · · · · · · · · · · · · · · · · · ·	for a trip on a space ship and is lacking in milk, but is rich in turnips h a diet could provide a sufficient amount of calcium for adults.	5
	ANS: T	PTS: 1	
19.	Calcium supplem	ents can be taken in 1,000 mg increments.	
	ANS: F	PTS: 1	
20.	Protons and neut	rons have approximately the same mass.	
	ANS: T	PTS: 1	
21.	Neutral isotopes	of the same element have the same number of electrons.	
	ANS: T	PTS: 1	

ANS: T PTS: 1

22.	An isotope of galusing the symbo	•	orotons and 37 neutrons can be represented
	ANS: F	PTS: 1	
23.	The atomic mass element.	number is a whole nu	mber and indicates a specific isotope of an
	ANS: T	PTS: 1	

24. In naturally occurring samples, all elements exist as a mixture of isotopes.

ANS: F PTS: 1

25. One mole of any substance will contain one Avogadro's number of atoms of that substance.

ANS: F PTS: 1

26. A scanning tunneling microscope (STM) relies on a very strong light source to help see atoms.

ANS: F PTS: 1

27. An MRI instrument cause the hydrogens in your body to line up because they are exposed to a very strong magnetic field.

ANS: T PTS: 1