

chapter 2

Indicate the answer choice that best completes the statement or answers the question.

1. Select the number that corresponds to 5.4801×10^{-3} written in decimal notation.

- a. 5.4801
- b. 0.0054801
- c. 0.054801
- d. 54801
- e. 548.01

2. Select the metric prefix for micro.

- a. m
- b. M
- c. μ
- d. mi

3. Select the number that corresponds to 785.0 written in scientific notation.

- a. 7.85×10^2
- b. 7.85×10^{-2}
- c. 7.850×10^2
- d. 7.850×10^{-2}

4. A student measures the mass of a beaker three times on a scale. The mass of the beaker is reported as 100.25 g, 100.22 g, and 100.30 g. The manufacturer states that the mass of the beaker is 110.28 g. Select the answer that best describes the student's measurement.

- a. precise but not accurate
- b. accurate but not precise
- c. both accurate and precise
- d. neither accurate nor precise

5. Select the metric prefix that corresponds to the decimal equivalent of 1,000,000,000.

- a. G
- b. k
- c. M
- d. D

Enter the appropriate word(s) to complete the statement.

6. Using the correct number of significant figures, solve $32.5 \times 0.0025 \div 2.900 =$ _____

7. Using the correct number of significant figures, solve $(19.3209 - 14.20) * 100.0 =$ _____

chapter 2

8. Cyanide poisoning can be deadly at blood levels of 3 mg/L. What is this dosage in g/mL?
9. Using the correct number of significant figures, solve $21.056 + 32.0008 + 0.002 =$ _____
10. Rewrite the number 0.00324010 in scientific notation, and round the answer to contain 4 significant figures.
11. Identify each of the following as either a chemical property or a physical property.
- A) brittleness _____
- B) malleability _____
- C) toxicity _____
- D) viscosity _____
12. An experiment calls for 26.4 g of ethyl alcohol. The density of ethyl alcohol is 0.789 g/mL. Calculate the volume, in mL, of ethyl alcohol that should be used in this experiment.
13. Use the table to answer the following question.

Type of Glass	Softening Point (°C)	Density (g/mL)	Refractive Index
Alkali borosilicate	718	2.29	1.486
Lead borosilicate	447	5.46	1.860
Potash soda lead	630	3.05	1.560
Soda-lime	696	2.47	1.510

A sample of glass is recovered from a crime scene. It is determined that the glass has a softening point in the range of 690°C to 720°C. The density of the sample is determined to be 2.19 g/mL. The type of glass is _____.

14. Convert 192,000 g to mg.
15. Convert 24.21 m/s to mi/hr.
16. Calculate the mass, in kg, of 76.47 L of a solution with a density of 1.54 g/mL.
17. Identify each of the following as either a chemical change or a physical change.
- A) burning charcoal _____
- B) caramelizing sugar _____
- C) melting chocolate _____
- D) formation of acid rain _____
18. A student is trying to determine the density of an unknown metal object. The mass of the object is 15.34 g. When the object was submerged in a graduated cylinder, the volume of the cylinder rose from 17.25 mL to 19.02 mL. What is the density of the metal?
19. For each of the following, write the number of significant figures.
- A) 0.510400 _____

Name _____ Class _____ Date: _____

chapter 2

- B) 12,000 _____
C) 0.000012402 _____
D) 2,908.0 _____

20. Use the table to answer the following question.

Type of Glass	Softening Point (°C)	Density (g/mL)	Refractive Index
Alkali borosilicate	718	2.29	1.486
Lead borosilicate	447	5.46	1.860
Potash soda lead	630	3.05	1.560
Soda-lime	696	2.47	1.510

A 13.58-g piece of glass was recovered from a crime scene. When the glass was submerged in a graduated cylinder, the volume increased from 27.89 mL to 32.41 mL.

- A) The density of the glass is _____.
B) This type of glass is most likely _____.

Name _____ Class _____ Date _____
: _____ : _____ e: _____

chapter 2

Answer Key

1. b
2. c
3. c
4. a
5. a
6. 0.028
7. 512
8. 3×10^{-6} g/mL
9. 53.059
10. 3.240×10^{-3}
11. physical; physical; chemical; physical
12. 33.5 mL
13. alkali borosilicate
14. 0.192 mg
15. 54.16 mi/hr
16. 118 kg
17. chemical; chemical; physical; chemical
18. 8.67 g/mL
19. 6; 2; 5; 5
20. 3.00 g/mL; potash soda lead