https://selldocx.com/products/test-bank-light-vehicle-diesel-engines-1e-wright

Name :			:	lass	Dat e:
Chapter 02 Test					
Indicate the answ	ver cho	oice that best comp	letes the stater	nent or answers ti	he question.
1. After which 20 th	¹ Centu	ary event did the thri	ftier diesel beco	me regarded as a po	otential replacement for gasoline engines?
		sis in North America			, , ,
b. 1960s	: creati	on of OPEC			
c. 1930s	: devel	opment of compact f	fuel-injection eq	uipment	
d. 2008:	financ	ial crisis in North Ar	merica		
2. When did Rudo	lph Die	esel (1858–1913) pat	ent his engine?		
	•	a.	1899		
		b.	1892		
		c.	1900		
		d.	1883		
					to the combustion chamber near the end sion stroke becomes the ignition source.
	a.	A only			
	b.	B only			
	c.	Both A and B			
	d.	Neither A nor	В		
4. Inspiration for the	he engi	ne concept may have	e occurred when	Rudolf Diesel obs	erved a demonstration of a device used
4	a.	start fires			
1	b.	start steam engine	es		
(c.	increase pressure			
•	d.	increase power			
5. Which one of th	e follo	wing negative charac	eteristics did NC	OT hinder the more	widespread use of diesels?
a.		sy engine operation			•
b.	Poo	r hot weather start ab	oility		
c.	Poo	r acceleration			
d.	Stro	ng exhaust odor			
6. At what level of	efficie	ency did Rudolf Dies	el's slow-rotatii	ng engine operate?	
V 1 10 W 1100 10 V 01 01		a.	25%	ig engine sperime.	
		b.	50%		
		c.	75%		
		d.	100%		
7. In 1929. Clessie	Cumn	nins, founder of Cum	nmins Engine Co	ompany, huilt Nortl	n America's first diesel-powered:
, . III 1727, C103510	Cullill	a.	car	paii, , oaiit 1 101ti	. Timerica s first dieser powered.
		b.	truck		

Powered by Cognero Page 1

Name :			Class :	Dat e:
Chapter 02 Test				
		c. boat		
	•	d. tractor	•	
8. Not only are diesel fewer exhaust emission		s as clean as gasoline e	ngine mandated for 2017, b	ut they also emit a minimum of
iewei exhaust eimssie	ліз. a.	10–30%		
	b.	15–35%		
	c.	20–40%		
	d.	40–60%		
* *	_		better fuel economy in c	omparison to similar gasoline engines.
	a.	15% and 40%		
	b. -	25% and 70%		
	c. d.	25% and 60% 45% and 90%		
•	u.	45% and 90%		
10. The diesel engine	produces		compared to similar	ly displaced gasoline-fueled engines.
	a.	horsepower		
	b.	torque		
	c.	emissions		
	d.	speed		
_		_		Study Institute determined the battery
electric models offere	a.	111 miles	rage base price of \$05,000 a	and an average driving range of:
	ь. b.	211 miles		
	c.	311 miles		
	d.	411 miles		
	u.	TTT IIIICS		
12. What are the CO ₂	emission	s for a diesel engine?		
a.	22.2 lb	per gallon of fuel		
b.	6.2 lb p	er gallon of fuel		
c.	6.1 lb p	er gallon of fuel		
d.	20.2 lb	per gallon of fuel		
battery manufacturing generate half the emis	g. Techni ssions of a	cian B says that after in a traditional internal co		be dirtier than diesel engines due to nium-ion battery, electric vehicles ght?
a. 1-		A only		
b		B only		
C.		Both A and B		

14. Technician A says that a diesel engine's higher compression ratio helps it to produce more power and use less fuel.

*Powered by Cognero**

Page 2

d.

Neither A nor B

Name :			Class :	Dat e:
Chapter 02 T	<u>est</u>			
Technician B	says that highe	er compression	ratios only help the diesel engine p	produce more torque. Who is correct?
	a.	Technician A	\	_
	b.	Technician E	3	
	c.	Both A and I	3	
	d.	Neither A no	r B	
		f antiknock addited to the ratio:		yl lead in the late 1920s, compression of an
		a.	4:1	
		b.	5:1	
		c.	6:1	
		d.	10:1	
16. While dies minimal powe	•	not have compr	ession limits to combustion, comp	ression ratios above what ratio provide
-		a.	12:1	
		b.	14:1	
			15:1	
		c.	15.1	
		c. d.	16:1	
17. Engine eff	iciency drops	d.	16:1	
17. Engine eff	iciency drops		16:1	
17. Engine eff	iciency drops	d. after a compress	16:1 sion ratio of:	
17. Engine eff	iciency drops	d. after a compress a.	16:1 sion ratio of: 21:1	
17. Engine eff	iciency drops	d. after a compress a. b.	16:1 sion ratio of: 21:1 23:1	
		d. after a compress a. b. c. d.	16:1 sion ratio of: 21:1 23:1 25:1 27:1	
	on pressures p	d. after a compress a. b. c. d.	16:1 sion ratio of: 21:1 23:1 25:1	
	on pressures p	d. after a compress a. b. c. d. produce an avera	16:1 sion ratio of: 21:1 23:1 25:1 27:1 age pre-ignition temperature of: ,000°F	
	on pressures p a t	d. after a compress a. b. c. d. produce an avera 1. 1. 2	16:1 sion ratio of: 21:1 23:1 25:1 27:1 age pre-ignition temperature of:	

- Higher expansion ratios a.
- b. Improved combustion
- Better air-fuel mixture c.
- Lower expansion ratios d.
- 20. Smaller four-stroke diesels require a minimum cranking speed of _____ rpm to start.
 - 150 a.
 - b.
 - 180
 - c. 125
 - d. 135

Name	Class	Dat
:	<u> </u>	e:e:
Chapter 02 Test		
•	al developments now enable the injection ones. Technician B says that gasoline directors. Who is right?	•

	c.	Both A and B		
	d.	Neither A nor B		
22. There are	basic	combustion chamber diesel er	gine designs but num	nerous variations on both.
		a.	1	
		b.	2	
		c.	3	
		d.	4	

- 23. Which one of the following is NOT a reason for the IDI chamber being the most popular design in automotive applications in the early 1990s?
 - a. High-speed capabilities
 - b. Favorable emissions characteristics

B only

- c. Inexpensive fuel-injection systems
- d. 10–15% greater fuel efficiency
- 24. DI chambers generally require no:

b.

- a. EGR valves
- b. particulate filters
- c. oxidation catalysts
- d. starting aids
- 25. Technician A says that without adequate turbulence, air and fuel will not mix, resulting in lost performance and efficiency and in increased emissions. Technician B says that the semi-toroidal shape of the DI chamber is designed to mix the air and fuel. Who is right?
 - a. A only
 - b. B only
 - c. Both A and B
 - d. Neither A nor B
- 26. Which one of the following conditions will be produced by prolonged ignition delay in a diesel engine?
 - a. An engine knocking sound.
 - b. Blue smoke.
 - c. White smoke.
 - d. Lower peak cylinder pressures.
- 27. Which of the following best describes the term "ignition delay"?
 - a. The time required to raise the fuel pressure high enough to overcome compression pressure in a cylinder.

Page 4

b. The time lag from initial injection to actual ignition.

Name	Class	Dat
:	;	e:
Chantar 02 Tast		

Cnapter 02 Test

- c. The time required to heat up a glow plug.
- d. The time required for vaporized fuel to atomize.
- 28. Technician A says that diesel engines supply only enough air to completely burn all the fuel in the combustion chamber. Technician B says that diesel engines supply excess air to the combustion chamber to completely burn all the fuel in the combustion chamber. Who is correct?
 - Technician A
 - b. Technician B
 - Both A and B c.
 - Neither A nor B d.
- 29. Identify the points on the PV (pressure volume) graph between which uncontrolled burn period occurs.
 - A and B a.
 - b. B and C
 - C and D c.
 - d. D and E
- 30. Technician A says that injection quantities of fuel in a diesel engine at idle are very large. Technician B says that the cooling effect of excess air and prolonged idle has detrimental effects on the engine. Who is right?
 - A only a.
 - b. B only
 - Both A and B c.
 - d. Neither A nor B
- 31. Technician A says that small quantities of diesel fuel are adequate to create enough cylinder pressure to rotate the crankshaft but produce very little heat. Technician B says that less air in diesels dilutes the heat of combustion and lowers average cylinder temperatures. Who is right?
 - a. A only
 - b. B only
 - c. Both A and B
 - Neither A nor B d.
- 32. Which of these causes more heat retention by the engine around the exhaust ports, thus transferring more heat to the cooling system?
 - Exhaust backpressure a.
 - b. Lower temperature thermostat
 - c. Higher temperature thermostat
 - d. EGR valve
- 33. What creates low exhaust temperatures and low cylinder temperatures, which have adverse consequences on engine life and operation?
 - High thermostat
 - h. Excess air
 - Excess fuel c.

Name :		Class :	Dat e:
Chapter 02 Test			
d.	Exhaust backpre	ssure	
piston has not fully exp black gooey liquid that called sludge. Who is r	anded and will east leaks from exhaust	ily allow lube oil into the combustion	t low piston temperatures also mean the chamber. Technician B says that the s when engines are excessively idled is
a. b.	·		
о. с.	B only Both A and	l B	
d.	Neither A 1		
u.	Nettilet A i	IOI B	
35. The IDI combustion main chamber through			ally turbulent chamber that is connected to a
	a.	venturi	
	b.	orifice	
	c.	nozzle	
	d.	port	
b. IDI injectorsc. Uses a Mexi	use pintle-type no.	formed in the cylinder head zzles ximately 70% of the cylinder volume	
	_	uring regular operation? rize ize	andescent glow plug during start-up and
38. IDIs are capable of mixing of air and fuel.	a faster top engine	rpm limit due to a higher degree of _	to produce more rapid and even
8	n. fuel pr	essure	
ł	b. heat		
	c. turbule	nce	
C	d. compre	ession	
39. Once the engine is o	-	stroller will cycle the plugs on and off	f during the period.
		re-glow	
	-	eating	
		rarm-up	
		=	

40. Which diesel engine combustion chamber design will produce the fastest coolant warm-up times? *Powered by Cognero*

Name	Class	Dat
;	:	e:

Chapter 02 Test

- a. Direct injection.
- b. Indirect injection.
- c. Two stroke.
- d. Hemispheric chamber.

Powered by Cognero Page 7

Name	Class	Dat
	•	Δ'

Chapter 02 Test

Answer Key

1. a

2. b

3. b

4. a

5. b

6. c

7. a

8. c

9. c

10. b

11. b

12. a

13. c

14. a

15. a

16. d

17. b

18. a

19. d

20. c

21. a

22. b

23. d

24. d

Name	Class	Dat
:	· ·	e:

Chapter 02 Test

- 25. с
- 26. a
- 27. b
- 28. b
- 29. b
- 30. b
- 31. a
- 32. a
- 33. b
- 34. a
- 35. a
- 36. c
- 37. a
- 38. c
- 39. a
- 40. b