https://selldocx.com/products/test-bank-lind-statistical-techniques-in-business-and-economics-14e-nan

ch2

		Student:
1.	A free	quency distribution groups data into classes showing the number of observations in each class.
	True	False
2.	A free	quency distribution for qualitative data shows the number of observations in each class.
	True	False
3.	A free	quency distribution for qualitative data has class limits.
	True	False
4.	A free	quency distribution showing the gender of a school's students groups data into two classes.
	True	False
5.		quency distributions, classes are mutually exclusive if each individual, object, or measurement is led in only one category.
	True	False
6.		a frequency distribution is exhaustive, each individual, object, or measurement from a sample or ation must appear in at least one category.
	True	False
7.	The m	nidpoint of a class, which is also called a class mark, is halfway between the lower and upper limits.
	True	False
8.		is interval, which is the width of a class, can be determined by subtracting the lower limit of a class the lower limit of the next higher class.
	True	False
9.	A sug	gested class interval can be determined by the formula: Highest value - Lowest value Number of classes
	True	False
10.		astructing a frequency distribution, you should try to have open-ended classes such as "Under \$100" \$1,000 and over".
	True	False
11.		constructing a frequency distribution, try to include overlapping stated class limits, such as 100 up to 200 up to 301, and 300 up to 401.

True False

12.	To convert a frequency distribution to a relative frequency distribution, divide each class frequency by the sum of the class frequencies.
	True False
13.	To construct a histogram, the class frequencies are plotted on the vertical or <i>Y</i> -axis and either the stated limits, the true limits or the midpoints are plotted on the horizontal or <i>X</i> -axis.
	True False
14.	A pie chart shows the number of observations in each class.
	True False
15.	A pie chart is similar to a relative frequency distribution.
	True False
16.	To construct a pie chart, relative class frequencies are used to graph the "slices" of the pie.
	True False
17.	A cumulative frequency distribution is used when we want to determine how many observations lie above or below certain values.
	True False

18. In general, we should construct a frequency distribution so that there are either 4 or 24 classes.

21. A frequency polygon is a very useful graphic technique when comparing two or more distributions.

22. Monthly commissions of first-year insurance brokers are \$1,270, \$1,310, \$1,680, \$1,380, \$1,410, \$1,570,

19. The height of a bar in a histogram represents the number of observations for a class.

20. A relative frequency distribution shows the number of observations in each class.

\$1,180 and \$1,420. These figures are referred to as:

True False

True False

True False

True False

A. histogram.B. raw data.

C. frequency distribution.D. frequency polygon.

- 23. A small sample of computer operators shows monthly incomes of \$1,950, \$1,775, \$2,060, \$1,840, \$1,795, \$1,890, \$1,925 and \$1,810. What are these ungrouped numbers called?
 - A. Histogram
 - B. Class limits
 - C. Class frequencies
 - D. Raw data
- 24. When data is collected using a quantitative, ratio variable, what is true about a frequency distribution that summarizes the data?
 - A. Upper and lower class limits must be calculated.
 - B. A pie chart can be used to summarize the data.
 - C. Number of classes is equal to the number of variable's values.
 - D. The "5 to the k rule" can be applied.
- 25. When data is collected using a qualitative, nominal variable, what is true about a frequency distribution that summarizes the data?
 - A. Upper and lower class limits must be calculated.
 - B. A pie chart can be used to summarize the data.
 - C. Number of classes is equal to the number of variable's values plus 2
 - D. The "5 to the k rule" can be applied.
- 26. When data is collected using a qualitative, nominal variable, i.e., male or female, what is true about a frequency distribution that summarizes the data?
 - A. Upper and lower class limits must be calculated.
 - B. Class midpoints can be computed.
 - C. Number of classes corresponds to number of the variable's values.
 - D. The "2 to the k rule" can be applied.
- 27. A student was interested in the cigarette smoking habits of college students and collected data from an unbiased random sample of students. The data is summarized in the following table:

Male: 50 Female: 75

Males who smoke: 20 Females who smoke: 25
Males who do not smoke: 30 Females who do not smoke: 50

Why is the table NOT a frequency distribution?

- A. The number of males does not equal the sum of males that smoke and do not smoke.
- B. The classes are not mutually exclusive.
- C. There are too many classes.
- D. Class limits cannot be computed
- 28. When a class interval is expressed as: 100 up to 200,
 - A. Observations with values of 100 are excluded from the class frequency.
 - B. Observations with values of 200 are included in the class frequency.
 - C. Observations with values of 200 are excluded from the class frequency.
 - D. The class interval is 99.

- 29. For qualitative data, the relative frequency for a class is computed as class
 A. width divided by class interval.
 B. midpoint divided by the class frequency.
 C. frequency divided by the class interval.
 D. frequency divided by the total frequency.
 30. For quantitative data, the relative frequency for a class is computed as class
 - A. width divided by class interval.
 - B. midpoint divided by the class frequency.
 - C. frequency divided by the class interval.
 - D. frequency divided by the total frequency.
 - 31. A group of 100 students were surveyed about their interest in a new International Studies program. Interest was measured in terms of high, medium, or low. 30 students responded high interest; 50 students responded medium interest; 40 students responded low interest. What is the relative frequency of students with high interest?
 - A. 30%
 - B. 50%
 - C. 40%
 - D. Cannot be determined.
 - 32. A group of 100 students were surveyed about their interest in a new Economics major. Interest was measured in terms of high, medium, or low. 30 students responded high interest; 50 students responded medium interest; 20 students responded low interest. What is the best way to illustrate the results of the study?
 - A. Cumulative frequency polygon
 - B. Bar chart
 - C. Pie chart
 - D. Frequency table
 - 33. The monthly salaries of a sample of 100 employees were rounded to the nearest ten dollars. They ranged from a low of \$1,040 to a high of \$1,720. If we want to condense the data into seven classes, what is the most convenient class interval?
 - A. \$50
 - B. \$100
 - C. \$150
 - D. \$200
 - E. None of the above
 - 34. A student was studying the political party preferences of a university's student population. The survey instrument asked students to identify themselves as a democrat or a republican. This question is flawed because:
 - A. Students generally don't know their political preferences.
 - B. The categories are generally mutually exclusive.
 - C. The categories are not exhaustive.
 - D. Political preference is a continuous variable.

35. What is the following table called?

Ages	Number of Ages
20 up to 30	16
30 up to 40	25
40 up to 50	51
50 up to 60	80
60 up to 70	20
70 up to 80	8

- A. Histogram
- B. Frequency polygon
- C. Cumulative frequency distribution
- D. Frequency distribution

36. For the following distribution of heights, what are the limits for the class with the greatest frequency?

Heights	60" up to 65"	65" up to 70"	70" up to 75"
Number	10	70	20

- A. 64 and up to 70
- B. 65 and 69
- C. 65 and up to 70
- D. 69.5 and 74.5

37. In a frequency distribution, the number of observations in a class is called class

- A. midpoint
- B. interval
- C. array
- D. frequency

38. Why are unequal class intervals sometimes used in a frequency distribution?

- A. To avoid a large number of empty classes
- B. For the sake of variety in presenting the data
- C. To make the class frequencies smaller
- D. To avoid the need for midpoints

39. The age distribution of a sample of part-time employees at Lloyd's Fast Food Emporium is:

Ages	Cumulative Number
18 up to 23	6
23 up to 28	19
28 up to 33	52
33 up to 38	61
38 up to 43	65

What type of chart should be drawn to present this data?

- A. Histogram
- B. Simple line chart
- C. Cumulative Frequency Distribution
- D. Pie chart
- E. Frequency polygon

	Hourly Earnings \$6 up to \$9 \$9 up to \$12 \$12 up to \$15 Numbers 16 42 10
	The limits of the class with the smallest frequency are:
	A. \$6.00 and \$9.00 B. \$12.00 and up to \$14.00 C. \$11.75 and \$14.25 D. \$12.00 and up to \$15.00
41.	In constructing a frequency polygon, which axis are the class frequencies scaled on?
42.	A frequency distribution for nominal data requires that the categories be and
43.	For a frequency distribution of quantitative data, if every individual, object or measurement can be assigned to a class, the frequency distribution is
44.	For a frequency distribution of qualitative data, if the observations can be assigned to only one class, the classes are
45.	What is the number of observations in each class of a frequency distribution called?
46.	What chart or graph is useful for illustrating relative frequencies of a nominal variable?
47.	The midpoint of a class interval is also called a
48.	A table showing the number of observations that have been grouped into each of several classes is called a
49.	In a cumulative frequency distribution, what percent of the total frequencies would fall below the upper limit of the highest class?

40. A sample distribution of hourly earnings in Paul's Cookie Factory is:

50.	Unorganized data is referred to as data.
51.	When classes in a frequency table are constructed so that each observation will fit into only one class, the categories are
52.	What is the suggested class interval for a frequency distribution if the data ranges from 100 to 220 with 50 observations?
53.	If the number of observations is 124, calculate the suggested number of classes using the "2to the k rule".
	Refer to the following distribution of commissions:

Refer to the following distribution of commissions:

Monthly commissions	Class Frequencies
\$ 600 up to \$800	3
800 up to 1,000	7
1,000 up to 1,200	11
1,200 up to 1,400	22
1,400 up to 1,600	40
1,600 up to 1,800	24
1,800 up to 2,000	9
2,000 up to 2,200	4

- 54. What is the relative frequency for those salespersons that earn from \$1,600 up to \$1,800?
 - A. 2%
 - B. 2.4%
 - C. 20%
 - D. 24%
 - E. None of the above
- 55. The first plot for a cumulative frequency distribution would be:

A.
$$X = 0$$
, $Y = 600$.

B.
$$X = 600$$
, $Y = 3$.

C.
$$X = 3$$
, $Y = 600$.

D.
$$X = 600$$
, $Y = 0$.

- 56. What is the relative frequency of those salespersons that earn more than \$1,599?
 - A. 25.5%
 - B. 27.5%
 - C. 29.5%
 - D. 30.8%

57. For the distribution above, what is the midpoint of the class with the greatest frequency?	
A. 1400 B. 1500 C. 1700 D. The midpoint cannot be determined	
58. What is the class interval?	
A. 200 B. 300 C. 3.500 D. 400	
Refer to the following ages (rounded to the nearest whole year) of employees at a large company that were grouped into a distribution with class limits: 20 up to 30 30 up to 40 40 up to 50 50 up to 60 60 up to 70	
59. The class limits for the class 50 up to 60 are and	
60. What is the midpoint for the class 40 up to 50?	
61. What is the class interval?	

	Refer to the following weights of college men recorded to the nearest pound: The first three class marks are 105, 115, and 125.
62.	What is the class interval?
63.	What is the lower limit for the third class?
64.	What is the upper limit for the third class?
65.	What are the class limits for the fourth class? and
	Refer to the following wage breakdown for a garment factory.

Hourly Wages	Number of Wage Earners
\$ 4 up to \$7	18
7 up to 10	36
10 up to 13	20
13 up to 16	6

56.	What is the class interval for the table of wages above?
	A. \$2 B. \$3 C. \$4 D. \$5
57.	What is the class midpoint for the class with the greatest frequency?
	A. \$5.50 B. \$8.50 C. \$11.50 D. \$14.50
58.	What are the class limits for the class with the smallest number of frequencies?
	A. 3.5 and 6.5 B. 4 and up to 7 C. 13 and up to 16 D. 12.5 and 15.5
	Refer to the following distribution of ages:
	Ages Number 40 up to 50 10 50 up to 60 28 60 up to 70 12
59.	For the distribution of ages above, what is the relative class frequency for the lowest class?
	A. 50% B. 18% C. 20% D. 10%
70.	What is the class interval?
	A. 9 B. 10 C. 10.5 D. 11
71.	What is the class midpoint of the highest class?
	A. 54 B. 55 C. 64 D. 65
	Refer to the following information from a frequency distribution for heights of college women re

ecorded to the nearest inch:
The first two class midpoints are 62.5" and 65.5".

73.	What are the class limits for the lowest class?
	A. 61 and up to 64 B. 62 and up to 64 C. 62 and 65 D. 62 and 63
74.	What are the class limits for the third class?
	A. 64 and up to 67 B. 67 and 69 C. 67 and up to 70 D. 66 and 68
	Refer to the following distribution:
	Cost of Textbooks Number \$25 up to \$35 2 35 up to 45 5 45 up to 55 7 55 up to 65 20 65 up to 75 16
75.	What is the relative class frequency for the \$25 up to \$35 class?
	A. 2% B. 4% C. 5% D. 10%
76.	What is the class midpoint for the \$45 up to \$55 class?
	A. 49 B. 49.5 C. 50 D. 50.5
77.	What are the class limits for class with the highest frequency?
	A. 55 and 64 B. 54 and 64 C. 55 and up to 65 D. 55 and 64.5

72. What is the class interval?

A. 1" B. 2" C. 2.5" D. 3" Refer to the following frequency distribution on days absent during a calendar year by employees of a manufacturing company:

Days Absent	Number of Employees
0 up to 3	60
3 up to 6	31
6 up to 9	14
9 up to 12	6
12 up to 15	2

	78.	How many	employees	were absent	between 3	up to 6	days?
--	-----	----------	-----------	-------------	-----------	---------	-------

- A. 31
- B. 29
- C. 14
- D. 2
- 79. How many employees were absent fewer than six days?
 - A. 60
 - B. 31
 - C. 91
 - D. 46
- 80. How many employees were absent more than six days or more?
 - A. 8
 - B. 4
 - C. 22
 - D. 31
- 81. How many employees were absent from 6 up to 12 days?
 - A. 20
 - B. 8
 - C. 12
 - D. 17

Refer to the following breakdown of responses to a survey of room cleanliness in a hotel.

Response	Frequency
Not satisfied	20
Satisfied	40
Highly satisfied	20

- 82. What is the class interval for the frequency table above?
 - A. 10
 - B. 20
 - C. 40
 - D. None of the above

83.	What is the class with the greatest frequency?
	A. Not satisfiedB. SatisfiedC. Highly satisfiedD. None of the above
84.	What percent of the responses indicated that customers were satisfied?
	A. 20 B. 25% C. 50% D. 100%
85.	Draw a bar graph that illustrates the frequency table above.
86.	Draw a bar graph that illustrates the relative frequencies.
87.	Draw a pie chart that illustrates the relative frequencies.

ch2 Key

1. A frequency distribution groups data into classes showing the number of observations in each class.

TRUE

AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 3 Lind - Chapter 02 #1

2. A frequency distribution for qualitative data shows the number of observations in each class.

TRUE

AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 1 Lind - Chapter 02 #2

3. A frequency distribution for qualitative data has class limits.

FALSE

AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 1 Lind - Chapter 02 #3

4. A frequency distribution showing the gender of a school's students groups data into two classes.

TRUE

AACSB: Communication Abilities BLOOM: Comprehension Difficulty: Easy Goal: 1 Lind - Chapter 02 #4

5. In frequency distributions, classes are mutually exclusive if each individual, object, or measurement is included in only one category.

TRUE

AACSB: Communication Abilities BLOOM: Analysis Difficulty: Easy Goal: 3 Lind - Chapter 02 #5

6. When a frequency distribution is exhaustive, each individual, object, or measurement from a sample or population must appear in at least one category.

TRUE

AACSB: Communication Abilities BLOOM: Comprehension Difficulty: Easy Goal: 3 Lind - Chapter 02 #6 7. The midpoint of a class, which is also called a class mark, is halfway between the lower and upper limits.

TRUE

AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 3 Lind - Chapter 02 #7

8. A class interval, which is the width of a class, can be determined by subtracting the lower limit of a class from the lower limit of the next higher class.

TRUE

AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 3 Lind - Chapter 02 #8

9. A suggested class interval can be determined by the formula: $\frac{\text{Highest value-Lowest value}}{\text{Number of classes}}$

TRUE

AACSB: Analytic Skills BLOOM: Knowledge Difficulty: Easy Goal: 3 Lind - Chapter 02 #9

10. In constructing a frequency distribution, you should try to have open-ended classes such as "Under \$100" and "\$1,000 and over".

FALSE

AACSB: Reflective Thinking Skills BLOOM: Comprehension Difficulty: Easy Goal: 3 Lind - Chapter 02 #10

When constructing a frequency distribution, try to include overlapping stated class limits, such as 100 up to 201, 200 up to 301, and 300 up to 401.

FALSE

AACSB: Analytic Skills BLOOM: Comprehension Difficulty: Easy Goal: 3 Lind - Chapter 02 #11

12. To convert a frequency distribution to a relative frequency distribution, divide each class frequency by the sum of the class frequencies.

TRUE

AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 3 Lind - Chapter 02 #12 13. To construct a histogram, the class frequencies are plotted on the vertical or *Y*-axis and either the stated limits, the true limits or the midpoints are plotted on the horizontal or *X*-axis.

TRUE

AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 4 Lind - Chapter 02 #13

14. A pie chart shows the number of observations in each class.

FALSE

AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 2 Lind - Chapter 02 #14

15. A pie chart is similar to a relative frequency distribution.

TRUE

AACSB: Communication Abilities BLOOM: Analysis Difficulty: Medium Goal: 2 Lind - Chapter 02 #15

16. To construct a pie chart, relative class frequencies are used to graph the "slices" of the pie.

TRUE

AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 2 Lind - Chapter 02 #16

17. A cumulative frequency distribution is used when we want to determine how many observations lie above or below certain values.

TRUE

AACSB: Communication Abilities BLOOM: Comprehension Difficulty: Easy Goal: 4 Lind - Chapter 02 #17

18. In general, we should construct a frequency distribution so that there are either 4 or 24 classes.

FALSE

AACSB: Communication Abilities BLOOM: Comprehension Difficulty: Easy Goal: 3 Lind - Chapter 02 #18 19. The height of a bar in a histogram represents the number of observations for a class.

TRUE

AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 4 Lind - Chapter 02 #19

20. A relative frequency distribution shows the number of observations in each class.

FALSE

AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 4 Lind - Chapter 02 #20

21. A frequency polygon is a very useful graphic technique when comparing two or more distributions.

TRUE

AACSB: Communication Abilities BLOOM: Application Difficulty: Easy Goal: 4 Lind - Chapter 02 #21

- 22. Monthly commissions of first-year insurance brokers are \$1,270, \$1,310, \$1,680, \$1,380, \$1,410, \$1,570, \$1,180 and \$1,420. These figures are referred to as:
 - A. histogram.
 - **B.** raw data.
 - C. frequency distribution.
 - D. frequency polygon.

AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 3 Lind - Chapter 02 #22

- 23. A small sample of computer operators shows monthly incomes of \$1,950, \$1,775, \$2,060, \$1,840, \$1,795, \$1,890, \$1,925 and \$1,810. What are these ungrouped numbers called?
 - A. Histogram
 - B. Class limits
 - C. Class frequencies
 - D. Raw data

AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 3 Lind - Chapter 02 #23

- 24. When data is collected using a quantitative, ratio variable, what is true about a frequency distribution that summarizes the data?
 - **<u>A.</u>** Upper and lower class limits must be calculated.
 - B. A pie chart can be used to summarize the data.
 - C. Number of classes is equal to the number of variable's values.
 - D. The "5 to the k rule" can be applied.

AACSB: Analytic Skills BLOOM: Analysis Difficulty: Medium Goal: 3 Lind - Chapter 02 #24

- 25. When data is collected using a qualitative, nominal variable, what is true about a frequency distribution that summarizes the data?
 - A. Upper and lower class limits must be calculated.
 - **B.** A pie chart can be used to summarize the data.
 - C. Number of classes is equal to the number of variable's values plus 2
 - D. The "5 to the k rule" can be applied.

AACSB: Analytic Skills BLOOM: Analysis Difficulty: Medium Goal: 2 Lind - Chapter 02 #25

- 26. When data is collected using a qualitative, nominal variable, i.e., male or female, what is true about a frequency distribution that summarizes the data?
 - A. Upper and lower class limits must be calculated.
 - B. Class midpoints can be computed.
 - **C.** Number of classes corresponds to number of the variable's values.
 - D. The "2 to the k rule" can be applied.

AACSB: Analytic Skills BLOOM: Analysis Difficulty: Medium Goal: 1 Lind - Chapter 02 #26

27. A student was interested in the cigarette smoking habits of college students and collected data from an unbiased random sample of students. The data is summarized in the following table:

Male: 50 Female: 75

Males who smoke: 20 Females who smoke: 25
Males who do not smoke: 30 Females who do not smoke: 50

Why is the table NOT a frequency distribution?

- A. The number of males does not equal the sum of males that smoke and do not smoke.
- **B.** The classes are not mutually exclusive.
- C. There are too many classes.
- D. Class limits cannot be computed

AACSB: Communication Abilities BLOOM: Comprehension Difficulty: Medium Goal: 3 Lind - Chapter 02 #27

- 28. When a class interval is expressed as: 100 up to 200,
 - A. Observations with values of 100 are excluded from the class frequency.
 - B. Observations with values of 200 are included in the class frequency.
 - **C.** Observations with values of 200 are excluded from the class frequency.
 - D. The class interval is 99.

AACSB: Communication Abilities BLOOM: Comprehension Difficulty: Easy Goal: 3 Lind - Chapter 02 #28

- 29. For qualitative data, the relative frequency for a class is computed as class
 - A. width divided by class interval.
 - B. midpoint divided by the class frequency.
 - C. frequency divided by the class interval.
 - **<u>D.</u>** frequency divided by the total frequency.

AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 1 Lind - Chapter 02 #29

- 30. For quantitative data, the relative frequency for a class is computed as class
 - A. width divided by class interval.
 - B. midpoint divided by the class frequency.
 - C. frequency divided by the class interval.
 - **<u>D.</u>** frequency divided by the total frequency.

AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 3 Lind - Chapter 02 #30

- 31. A group of 100 students were surveyed about their interest in a new International Studies program. Interest was measured in terms of high, medium, or low. 30 students responded high interest; 50 students responded medium interest; 40 students responded low interest. What is the relative frequency of students with high interest?
 - A. 30%
 - B. 50%
 - C. 40%
 - **<u>D.</u>** Cannot be determined.

AACSB: Analytic Skills BLOOM: Application Difficulty: Medium Goal: 3 Lind - Chapter 02 #31

- 32. A group of 100 students were surveyed about their interest in a new Economics major. Interest was measured in terms of high, medium, or low. 30 students responded high interest; 50 students responded medium interest; 20 students responded low interest. What is the best way to illustrate the results of the study?
 - A. Cumulative frequency polygon
 - B. Bar chart
 - C. Pie chart
 - D. Frequency table

AACSB: Reflective Thinking Skills BLOOM: Analysis Difficulty: Medium Goal: 2 Lind - Chapter 02 #32

- 33. The monthly salaries of a sample of 100 employees were rounded to the nearest ten dollars. They ranged from a low of \$1,040 to a high of \$1,720. If we want to condense the data into seven classes, what is the most convenient class interval?
 - A. \$50
 - **B.** \$100
 - C. \$150
 - D. \$200
 - E. None of the above

AACSB: Analytic Skills BLOOM: Comprehension Difficulty: Medium Goal: 3 Lind - Chapter 02 #33

- 34. A student was studying the political party preferences of a university's student population. The survey instrument asked students to identify themselves as a democrat or a republican. This question is flawed because:
 - A. Students generally don't know their political preferences.
 - B. The categories are generally mutually exclusive.
 - C. The categories are not exhaustive.
 - D. Political preference is a continuous variable.

AACSB: Communication Abilities BLOOM: Analysis Difficulty: Medium Goal: 6 Lind - Chapter 02 #34

35. What is the following table called?

Ages	Number of Ages
20 up to 30	16
30 up to 40	25
40 up to 50	51
50 up to 60	80
60 up to 70	20
70 up to 80	8

- A. Histogram
- B. Frequency polygon
- C. Cumulative frequency distribution
- **D.** Frequency distribution

AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 3 Lind - Chapter 02 #35

36. For the following distribution of heights, what are the limits for the class with the greatest frequency?

Heights	60" up to 65"	65" up to 70"	70" up to 75"
Number	10	70	20

- A. 64 and up to 70
- B. 65 and 69
- **C.** 65 and up to 70
- D. 69.5 and 74.5

AACSB: Communication Abilities BLOOM: Comprehension Difficulty: Medium Goal: 3 Lind - Chapter 02 #36

- 37. In a frequency distribution, the number of observations in a class is called class
 - A. midpoint
 - B. interval
 - C. array
 - **D.** frequency

AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 3 Lind - Chapter 02 #37

- 38. Why are unequal class intervals sometimes used in a frequency distribution?
 - A. To avoid a large number of empty classes
 - B. For the sake of variety in presenting the data
 - C. To make the class frequencies smaller
 - D. To avoid the need for midpoints

AACSB: Reflective Thinking Skills BLOOM: Analysis Difficulty: Easy Goal: 3 Lind - Chapter 02 #38

39.	The age distribution of a sample of part-time employees at Lloyd's Fast Food Ages Cumulative Number	Emporium is:
	18 up to 23 6	
	23 up to 28 19 28 up to 33 52	
	33 up to 38 61	
	38 up to 43 65 What type of chart should be drawn to present this data?	
	what type of chart should be drawn to present this data?	
	A. Histogram	
	B. Simple line chart <u>C.</u> Cumulative Frequency Distribution	
	D. Pie chart	
	E. Frequency polygon	
		AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Medium
		Goal: 4 Lind - Chapter 02 #39
40.	A sample distribution of hourly earnings in Paul's Cookie Factory is:	
	Hourly Earnings \$6 up to \$9 \$9 up to \$12 \$12 up to \$15 Numbers 16 42 10	
	The limits of the class with the smallest frequency are:	
	The limits of the class with the smallest frequency are.	
	A. \$6.00 and \$9.00	
	B. \$12.00 and up to \$14.00	
	C. \$11.75 and \$14.25 D. \$12.00 and up to \$15.00	
	2. \$12.00 and up to \$12.00	AAGGD G
		AACSB: Communication Abilities BLOOM: Comprehension
		Difficulty: Medium Goal: 3
		Lind - Chapter 02 #40
41.	In constructing a frequency polygon, which axis are the class frequencies scal	ed on?
	Y or vertical axis	
		AACSB: Communication Abilities
		BLOOM: Knowledge Difficulty: Easy
		Goal: 4 Lind - Chapter 02 #41
42.	A frequency distribution for nominal data requires that the categories be	and
	·	
	mutually exclusive; exhaustive	
		AACSB: Communication Abilities
		BLOOM: Comprehension
		Difficulty: Medium Goal: 1
		Lind - Chapter 02 #42

43.	For a frequency distribution of quantitative data, if every individual, object assigned to a class, the frequency distribution is	or measurement can be
	<u>exhaustive</u>	
		AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Medium Goal: 3
		Lind - Chapter 02 #43
44.	For a frequency distribution of qualitative data, if the observations can be as classes are	ssigned to only one class, the
	mutually exclusive	
		AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Medium Goal: 1 Lind - Chapter 02 #44
45.	What is the number of observations in each class of a frequency distribution	called?
	·	
	<u>Class frequency</u>	
		AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 3
46.	What chart or graph is useful for illustrating relative frequencies of a nomin	Lind - Chapter 02 #45 al variable?
	<u>pie chart</u>	
		AACSB: Communication Abilities BLOOM: Application Difficulty: Medium Goal: 2 Lind - Chapter 02 #46
47.	The midpoint of a class interval is also called a	
	<u>class mark</u>	
		AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Medium Goal: 3
		Lind - Chapter 02 #47
48.	A table showing the number of observations that have been grouped into eacalled a	ch of several classes is
	frequency distribution	

AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 3 Lind - Chapter 02 #48

49.	In a cumulative frequency distribution, what percent of the total frequencies would fa limit of the highest class?	ll below the upper
	<u>100%</u>	
	AAC	SB: Communication Abilities BLOOM: Comprehension Difficulty: Medium Goal: 4
		Lind - Chapter 02 #49
50.	Unorganized data is referred to as data.	
	raw or ungrouped data	
	AAC	SB: Communication Abilities BLOOM: Knowledge Difficulty: Easy Goal: 1 Lind - Chapter 02 #50
51.	When classes in a frequency table are constructed so that each observation will fit into the categories are	o only one class,
	mutually exclusive	
	AAC	SB: Communication Abilities BLOOM: Knowledge Difficulty: Medium Goal: 3 Lind - Chapter 02 #51
52.	What is the suggested class interval for a frequency distribution if the data ranges from 50 observations?	m 100 to 220 with
	<u>20</u>	
		AACSB: Analytic Skills BLOOM: Application Difficulty: Medium Goal: 3 Lind - Chapter 02 #52
53.	If the number of observations is 124, calculate the suggested number of classes using rule".	_
	7 intervals	
		AACSB: Analytic Skills BLOOM: Comprehension Difficulty: Medium Goal: 3 Lind - Chapter 02 #53

Refer to the following distribution of commissions:

Monthly commissions	Class Frequencies
\$ 600 up to \$800	3
800 up to 1,000	7
1,000 up to 1,200	11
1,200 up to 1,400	22
1,400 up to 1,600	40
1,600 up to 1,800	24
1,800 up to 2,000	9
2,000 up to 2,200	4

Lind - Chapter 02

- 54. What is the relative frequency for those salespersons that earn from \$1,600 up to \$1,800?
 - A. 2%
 - B. 2.4%
 - <u>C.</u> 20%
 - D. 24%
 - E. None of the above

AACSB: Analytic Skills BLOOM: Comprehension Difficulty: Medium Goal: 3 Lind - Chapter 02 #54

- 55. The first plot for a cumulative frequency distribution would be:
 - A. X = 0, Y = 600.
 - B. X = 600, Y = 3.
 - C. X = 3, Y = 600.
 - $\mathbf{\underline{D}}_{\bullet} X = 600, Y = 0.$

AACSB: Analytic Skills BLOOM: Application Difficulty: Medium Goal: 4 Lind - Chapter 02 #55

- 56. What is the relative frequency of those salespersons that earn more than \$1,599?
 - A. 25.5%
 - B. 27.5%
 - C. 29.5%
 - **D.** 30.8%

AACSB: Communication Abilities BLOOM: Comprehension Difficulty: Medium Goal: 4 Lind - Chapter 02 #56

37.	To the distribution above, what is the indpoint of the class with the greatest fre	equency?
	A. 1400 B. 1500 C. 1700 D. The midpoint cannot be determined	
		AACSB: Communication Abilities BLOOM: Comprehension Difficulty: Medium Goal: 3
5 0	W/I 4 1 1 1 4 10	Lind - Chapter 02 #57
58.	What is the class interval?	
	A. 200 B. 300 C. 3.500 D. 400	
		AACSB: Communication Abilities BLOOM: Comprehension Difficulty: Medium
		Goal: 3 Lind - Chapter 02 #58
were ; 20 up 30 up	to 50 to 60	
59.	The class limits for the class 50 up to 60 are and	Lind - Chapter 02
	50 and 59.999	
		AACSB: Communication Abilities BLOOM: Comprehension Difficulty: Medium Goal: 3 Lind - Chapter 02 #59
60.	What is the midpoint for the class 40 up to 50?	
	45	
		AACSB: Analytic Skills BLOOM: Comprehension

AACSB: Analytic Skills BLOOM: Comprehension Difficulty: Medium Goal: 3 Lind - Chapter 02 #60

61.	What is the class interval?	
	10 or ten	
		AACSB: Communication Abilities BLOOM: Knowledge Difficulty: Medium Goal: 3 Lind - Chapter 02 #61
	Refer to the following weights of college men recorded to the nearest pound: The first three class marks are 105, 115, and 125.	
62.	What is the class interval?	Lind - Chapter 02
02.	10	
		AACSB: Analytic Skills BLOOM: Application Difficulty: Easy Goal: 3 Lind - Chapter 02 #62
63.	What is the lower limit for the third class?	
	120	
		AACSB: Analytic Skills BLOOM: Application Difficulty: Hard Goal: 3 Lind - Chapter 02 #63
64.	What is the upper limit for the third class?	Zina Grapier 62 766
	up to 130	
		AACSB: Analytic Skills BLOOM: Application Difficulty: Medium Goal: 3 Lind - Chapter 02 #64
65.	What are the class limits for the fourth class? and	
	130 and up to 140	
		AACSB: Analytic Skills BLOOM: Analysis Difficulty: Hard Goal: 3 Lind - Chapter 02 #65

Refer to the following wage breakdown for a garment factory.

Hourly Wages	Number of Wage Earners
\$ 4 up to \$7	18
7 up to 10	36
10 up to 13	20
13 up to 16	6

Lind - Chapter 02

- 66. What is the class interval for the table of wages above?
 - A. \$2
 - **B.** \$3
 - C. \$4
 - D. \$5

AACSB: Analytic Skills BLOOM: Comprehension Difficulty: Easy Goal: 3 Lind - Chapter 02 #66

- 67. What is the class midpoint for the class with the greatest frequency?
 - A. \$5.50
 - **B.** \$8.50
 - C. \$11.50
 - D. \$14.50

AACSB: Analytic Skills BLOOM: Application Difficulty: Medium Goal: 3 Lind - Chapter 02 #67

- 68. What are the class limits for the class with the smallest number of frequencies?
 - A. 3.5 and 6.5
 - B. 4 and up to 7
 - **C.** 13 and up to 16
 - D. 12.5 and 15.5

AACSB: Communication Abilities BLOOM: Comprehension Difficulty: Medium Goal: 3 Lind - Chapter 02 #68

Refer to the following distribution of ages:

Ages	Number
40 up to 50	10
50 up to 60	28
60 up to 70	12

69.	For the distribution of ages above, what is the relative class frequency for the lowest class?	
	A. 50%	
	B. 18%	
	<u>C.</u> 20%	
	D. 10%	
	AACSB: Analytic Skil BLOOM: Applicatic Difficulty: Mediu.	n
	Goal: Lind - Chapter 02 #6	
70.	What is the class interval?	
	A 0	
	A. 9 B. 10	
	C. 10.5	
	D. 11	
	AACSB: Communication Abilitic	
	BLOOM: Comprehensic Difficulty: Mediu.	n
	Goal:	3
	Lind - Chapter 02 #7	IJ
71.	What is the class midpoint of the highest class?	
	A. 54	
	B. 55	
	C. 64	
	<u>D.</u> 65	
	AACSB: Analytic Skil BLOOM: Applicatic Difficulty: Mediu.	n
	Goal: Lind - Chapter 02 #7	
	Refer to the following information from a frequency distribution for heights of college women recorded	
	to the nearest inch:	
	The first two class midpoints are 62.5" and 65.5".	
	Lind - Chapter 0	2
72.	What is the class interval?	
	A. 1"	
	B. 2"	
	C. 2.5"	
	<u>D.</u> 3"	
	AACSB: Communication Abilitie	S
	BLOOM: Comprehensio Difficulty: Eas	
	Goal: Lind - Chapter 02 #7	3
	Zina Chapter 62 m	

73. What are the class limits for the lowest class? **A.** 61 and up to 64 B. 62 and up to 64 C. 62 and 65 D. 62 and 63 AACSB: Analytic Skills BLOOM: Analysis Difficulty: Hard Goal: 3 Lind - Chapter 02 #73 74. What are the class limits for the third class? A. 64 and up to 67 B. 67 and 69 **C.** 67 and up to 70 D. 66 and 68 AACSB: Analytic Skills BLOOM: Analysis Difficulty: Hard Goal: 3 Lind - Chapter 02 #74 Refer to the following distribution: Cost of Textbooks Number \$25 up to \$35 2 35 up to 45 5 7 45 up to 55 20 55 up to 65 65 up to 75 16 Lind - Chapter 02 What is the relative class frequency for the \$25 up to \$35 class? 75. A. 2% **B.** 4% C. 5% D. 10% AACSB: Analytic Skills BLOOM: Comprehension Difficulty: Medium Goal: 3 Lind - Chapter 02 #75 76. What is the class midpoint for the \$45 up to \$55 class? A. 49 B. 49.5

<u>C.</u> 50

D. 50.5

AACSB: Analytic Skills BLOOM: Application Difficulty: Medium Goal: 3 Lind - Chapter 02 #76

77.	What are the	e class limits for class with the highest frequency	7?
	A. 55 and 6	Δ	
	B. 54 and 6		
	<u>C.</u> 55 and 1		
	D. 55 and 6		
			AACSB: Communication Abilities BLOOM: Comprehension Difficulty: Medium Goal: 3
			Lind - Chapter 02 #77
	Refer to the formanufacturing	llowing frequency distribution on days absent du company:	ring a calendar year by employees of a
	Days Absent	Number of Employees	
	0 up to 3	60	
	3 up to 6 6 up to 9	31 14	
	9 up to 12	6	
	12 up to 15	2	
			Lind - Chapter 02
78.	How many	employees were absent between 3 up to 6 days?	
	<u>A.</u> 31		
	B. 29		
	C. 14		
	D. 2		
			AACSB: Communication Abilities BLOOM: Comprehension Difficulty: Easy Goal: 4 Lind - Chapter 02 #78
70	**		Lina - Chapier 02 #76
79.	How many	employees were absent fewer than six days?	
	A. 60		
	B. 31		
	<u>C.</u> 91		
	D. 46		
			AACSB: Analytic Skills
			BLOOM: Application Difficulty: Hard
			Goal: 4 Lind - Chapter 02 #79
80.	How many	employees were absent more than six days or mo	
	A. 8		
	B. 4		
	C. 22		
	D. 31		
			AACSB: Analytic Skills
			BLOOM: Application Difficulty: Hard
			Goal: 4 Lind - Chapter 02 #80

81.	How many employees were absent from 6 up to 12 days?	
	A. 20 B. 8 C. 12 D. 17	
		AACSB: Analytic Skills BLOOM: Application Difficulty: Hard Goal: 4 Lind - Chapter 02 #81
	Refer to the following breakdown of responses to a survey of room cleanliness in a	hotel.
	Response Frequency Not satisfied 20 Satisfied 40 Highly satisfied 20	
		Lind - Chapter 02
82.	What is the class interval for the frequency table above?	
	A. 10 B. 20 C. 40 D. None of the above	
		ACSB: Communication Abilities
	Ac	BLOOM: Comprehension Difficulty: Easy Goal: 1 Lind - Chapter 02 #82
83.	What is the class with the greatest frequency?	
	 A. Not satisfied B. Satisfied C. Highly satisfied D. None of the above 	
	A^A	ACSB: Communication Abilities BLOOM: Comprehension Difficulty: Easy Goal: 1 Lind - Chapter 02 #83
84.	What percent of the responses indicated that customers were satisfied?	
	A. 20 B. 25% C. 50% D. 100%	
		AACSB: Analytic Skills BLOOM: Comprehension Difficulty: Easy Goal: 1 Lind - Chapter 02 #84

85. Draw a bar graph that illustrates the frequency table above.

graph with appropriate labels on horizontal (satisfaction) and vertical (frequency) axes. Bars showing approximate frequencies.

AACSB: Communication Abilities BLOOM: Application Difficulty: Easy Goal: 1 Lind - Chapter 02 #85

86. Draw a bar graph that illustrates the relative frequencies.

graph with appropriate labels on horizontal (satisfaction) and vertical (relative frequency) axes. Bars showing approximate relative frequencies.

AACSB: Communication Abilities BLOOM: Application Difficulty: Easy Goal: 1 Lind - Chapter 02 #86

87. Draw a pie chart that illustrates the relative frequencies.

The pie chart should be divided into three slices. The "satisfied" slice should be ½ of the pie, and "not satisfied" and "highly satisfied" slices should each be ¼ of the pie. The slices should be labeled.

AACSB: Communication Abilities BLOOM: Application Difficulty: Medium Goal: 1 Lind - Chapter 02 #87

ch2 Summary

<u>Category</u>	<u># of</u>
	<u>Questions</u>
AACSB: Analytic Skills	28
AACSB: Communication Abilities	56
AACSB: Reflective Thinking Skills	3
BLOOM: Analysis	11
BLOOM: Application	18
BLOOM: Comprehension	30
BLOOM: Knowledge	28
Difficulty: Easy	41
Difficulty: Hard	7
Difficulty: Medium	39
Goal: 1	14
Goal: 2	6
Goal: 3	52
Goal: 4	14
Goal: 6	1
Lind - Chapter 02	96