https://selldocx.com/products /test-bank-miller-college-algebra-and-trigonometry-1e-nan

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

Provide the	missing	inforn	nation.
-------------	---------	--------	---------

equation is a first degree equation of the form ax + b = 0 where a1) A $\neq 0$.

Answer: linear Explanation:

Solve the problem.

2) A boat can travel 42 miles upstream against the current in the same amount of time it can travel 63 miles downstream with the current. If the boat's average speed in still water is 20 miles per hour, find the speed of the current.

Answer: 4 miles per hour

Explanation:

Provide the missing information.

3) If a compound inequality consists of two inequalities joined by the word "and," of the solution sets of the individual the solution set is the

inequalities. Answer: intersection

Explanation:

4) The solution to an equation is the set of all solutions to the equation.

Answer: set Explanation:

property of equality indicates that adding the same real number 5) The

to both sides of an equation results in an equivalent equation.

Answer: addition Explanation:

6) Given $ax^2 + bx + c = 0$ ($a \ne 0$), write the quadratic formula.

Answer:
$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

7) If an equation has no solution, then the solution set is the set and is	7)
denoted by	
Answer: empty (or null); $\{ \}$ or \emptyset Explanation:	
8) Consider the equation $(4x^2 + 1)^2 + 4(4x^2 + 1) + 4 = 0$. If the substitution	8)
$u = $ is made, then the equation becomes $u^2 + 4u + 4 = 0$.	
Answer: $4x^2 + 1$	
Explanation:	
9) A equation is one that is true for some values of the variable and false for others.	9)
Answer: conditional	
Explanation:	
10) The zero product property indicates that if $(5x + 1)(x - 4) = 0$, then $= 0$	10)
or = 0.	
Answer: $(5x + 1)$; $(x - 4)$	
Explanation:	
11) If a compound inequality consists of two inequalities joined by the word "or,"	11)
the solution set is the of the solution sets of the individual	, <u> </u>
inequalities.	
Answer: union	
Explanation:	
12) If $d = rt$, then $t = \frac{?}{?}$	12)
Answer: $\frac{d}{dt}$	
Answer: $\frac{-}{r}$	
Explanation:	
13) The equation $m^{2/3} + 10m^{1/3} + 9 = 0$ is said to be in form, because	13)
making the substitution $u = \phantom{aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa$	
quadratic.	
Answer: quadratic; $m^{1/3}$	
Explanation:	

14)	A	equation is an equation that has one or more radicals containing a	14)
	variable.		
	Answer: radion:	cal	
15)	•	hagorean theorem for a right triangle with the lengths of the legs d b and the length of the hypotenuse given by c .	15)
	Answer: a^2 + Explanation:	$b^2 = c^2$	
		fluct property indicates that if $ab = 0$, then = 0 or =	16)
	0. Answer: a ; b Explanation:		
17)		to an equation is the value of the variable that makes the equation	17)
	a true stateme Answer: solu Explanation:		
18)	The imaginar	y number <i>i</i> is defined so that $i = \sqrt{-1}$ and $i^2 = \underline{\hspace{1cm}}$.	18)
	Answer: -1 Explanation:		
19)	Write a formu	ala for the area of a triangle of base b and height h .	19)
	Answer: $A =$	$\frac{1}{2}bh$	
	Explanation:		
,	If \$6000 is bo	prrowed at 7.5% simple interest for 2 yr, then the amount of interest	20)
	Answer: \$900 Explanation:	·)	
21)	If k is a positi	ve real number, then the solution set to the inequality $ x < -k$ is	21)
	Answer: { } Explanation:		

22)	The property of equality indicates that if $a = b$, then $\frac{a}{c} = \frac{b}{c}$ provided	22)
1	that $c \neq 0$.	
	Answer: division	
-	Explanation:	
23)	If k is a positive real number, then the inequality $ x > k$ is equivalent to $x < \infty$	23)
	or $x = k$.	
	Answer: -k; >	
-	Explanation:	
24)	Given a complex number $a + bi$, the value of a is called the part and	24)
1	the value of b is called the part.	
	Answer: real; imaginary	
-	Explanation:	
25)	The sum of the measures of the angles inscribed inside a triangle is	25)
	Answer: 180°	
-	Explanation:	
26)	Given an equation of the form $u^{m/n} = k$, raise both sides to the power to	26)
	isolate u (that is, to obtain u^1 on the left side).	•
	Answer: $\frac{n}{m}$	
-	Explanation:	
	An equation that can be written in the form $ax + b = 0$ where a and b are real numbers and $a \neq 0$ is called a equation in one variable.	27)
	Answer: linear	
-	Explanation:	
28)	Given a complex number $a + bi$, the expression $a - bi$ is called the complex	28)
•	Answer: conjugate	
-	Explanation:	

29)	For a quadratic equation $ax^2 + bx + c = 0$, the discriminant is given by the expression	29)
	Answer: b^2 - $4ac$ Explanation:	
	The compound inequality $a < x$ and $x < b$ can be written as the three-part inequality	30)
	Answer: $a < x < b$ Explanation:	
	A equation is a second degree equation of the form $ax^2 + bx + c = 0$ where $a \neq 0$.	31)
	Answer: quadratic Explanation:	
32)	A is an equation that is false for all values of the variable.	32)
	Answer: contradiction Explanation:	
	A linear equation is also called adegree equation because the degree of the variable is 1.	33)
	Answer: first Explanation:	
34)	An is an equation that is true for all values of the variable for which	34)
	the expressions in the equation are defined. Answer: identity Explanation:	
35)	If $d = rt$, then $r = \frac{?}{?}$	35)
	Answer: $\frac{d}{t}$	
	Explanation:	
36)	Two equations are equations if they have the same solution set.	36)
	Answer: equivalent Explanation:	

37)	A equation is an equation in which each term contains a rational	37)
	expression.	
	Answer: rational	
	Explanation:	
38)	For a positive real number, b , the value $\sqrt{-b} = $	38)
	Answer: $i\sqrt{b}$	
	Explanation:	
39)	Write a formula for the area of a circle of radius r .	39)
	Answer: $A = \pi r^2$	
	Explanation:	
40)	Suppose that 8% of a solution is fertilizer by volume and the remaining 92% is water. How much fertilizer is there in a 2 L bucket of solution?	40)
	Answer: 0.16 L	
	Explanation:	
	1	
41)	If k is a positive real number, then the inequality $ x < k$ is equivalent to $< x$	41)
	<u> </u>	
	Answer: -k; k	
	Explanation:	
42)	The square root property indicates that if $x^2 = k$, then $x = \underline{\hspace{1cm}}$.	42)
	Answer: $\pm \sqrt{k}$	
	Explanation:	
12)	The formula for the perimeter P of a rectangle with length l and width w is	43)
43)	given by .	
	^ · · · · · · · · · · · · · · · · · · ·	
	Answer: $P = 2l + 2w$ Explanation:	
	Explanation.	
44)	If k is a positive real number, then the solution set to the inequality $ x > -k$ is	44)
	·	
	Answer: R	
	Explanation:	

	a formula for the volume of a rectangula	x solid of length l , width w , and	45)
height	h.		
	er: $V = lwh$		
Explai	nation:		
46) The va	alue of n that would make the trinomial x it is $x = \frac{1}{n}$.	$c^2 + 20x + n$ a perfect square	46)
Answe Explai	er: 100 nation:		
MULTIPLE CH question.	HOICE. Choose the one alternative th	at best completes the statement or	answers the
Solve the proble	em.		
and a group follow project scores is an orthighes are given A) 9	arns scores of 75, 82, 69, 82, and 67 on he grade of 68 on the class project. The overs: the average of the five chapter tests must account for 10% of the grade; and the can Rita earn on the final exam to earn a severall score greater than or equal to 80, but score that can be earned on the final exam. 26 through 100 inclusive	rall average for the course is computates up 55% of the course grade; the final exam accounts for 35%. What a "B" in the course if the cut-off for but less than 90? Assume that 100 is	a "B"
Answe Explai	er: C nation: A) B) C) D)		

48)	The yearly dep	preciation rat	e for a certain vehicl	e is modeled by $r = 1$	$\left(\frac{V}{C}\right)^{1/n}$, where V	48)
	is the value of the car after n years, and C is the original cost.					
	a. Determine the depreciation rate for a car that originally cost \$18,000 and is worth \$11,000 after 3 yr. Round to the nearest tenth of a percent.					
	b. Determine the original cost of a truck that has a yearly depreciation rate of 14% and is worth \$12,000 after 5 yr. Round to the nearest \$100.					
	A) a. 15.1% per year; b. \$14,000			B) a. 15.1% per year;	b. \$25,500	
	C) a. 77.2%	per year; b.	\$14,000	D) a. 77.2% per year;	b. \$25,500	
	Answer: B Explanation:	A) B) C) D)				
Simplify.						
49)						49)
	A) - <i>i</i>	В) -1	C) <i>i</i>	D) 1	
	Answer: A					
	Explanation:	A)				
		B)				
		C)				
		D)				
Solve the	problem.					
	_	tates 360° to	water a circular regi	on. If the total area wat	tered is	50)
	approximately	$2,200 \text{ yd}^2$, d	letermine the radius	of the region (the radiu	s is length of the	
	stream of wate	r). Round th	e answer to the near	est yard.		
	A) 350 yd	В) 6 yd	C) 19 yd	D) 26 yd	
	Answer: D Explanation:	A)				

B) C) D) 51) It takes Terrell 69 minutes to weed his garden if he does it every 2 weeks, while his wife can get it done in 49 minutes. How long would it take them working together? Round to the nearest tenth of a minute.

51)

- A) 28.7 minutes
- B) 24.5 minutes
- C) 29.5 minutes
- D) 34.5 minutes

Answer: A

Explanation: A)

- B)
- C)
- D)

Solve the equation.

52) $x^2(x^2 + 31) = 180$

52)

- A) $\{\pm\sqrt{5}, \pm 6i\}$

- B) $\{\pm 5i, \pm 6\}$ C) $\{\pm 5, \pm 6\}$ D) $\{\pm 5, \pm 6i\}$

Answer: A

Explanation: A)

- B)
- C)
- D)

Solve the inequality. Write the solution set in interval notation.

53) $\frac{1}{2}(x-2) - \frac{3}{4}(x-2) \ge \frac{1}{5}x + 1$

53)

- A) $\left[\frac{2}{3}, \infty\right]$ B) $\left[-\infty, -\frac{10}{9}\right]$ C) $\left[-\frac{10}{9}, \infty\right]$ D) $\left[-\infty, \frac{2}{3}\right]$

Answer: B

- B)
- C)
- D)

Find the value of n so that the expression is a perfect square trinomial and then factor the trinomial.

54) Find the value of *n* so that the expression is a perfect square trinomial and then factor the 54) trinomial.

$$t^2 - \frac{14}{3}t + n$$

A)
$$n = \frac{49}{9}$$
; $\left[t - \frac{7}{3}\right]^2$

C)
$$n = \frac{98}{9}$$
; $\left[t - \frac{98}{9}\right]^2$

B)
$$n = \frac{49}{9}$$
; $\left[t + \frac{7}{3}\right]^2$

D)
$$n = \frac{196}{9}$$
; $\left[t - \frac{49}{3}\right]^2$

Answer: A

Explanation: A)

B)

C)

D)

Solve for the indicated variable.

55)
$$L = \frac{1}{3}\pi q^2 s$$
 for s

A)
$$s = \frac{L}{3\pi q^2}$$
 B) $s = \frac{3\pi q^2}{L}$ C) $s = \frac{3L}{\pi q^2}$ D) $s = \frac{\pi q^2}{3L}$

Answer: C

Explanation: A)

B)

C)

D)

Use the discriminant to determine the type and number of solutions.

$$56) \ 5x^2 + 4x + 5 = 0$$

A) Two rational solutions

B) Two irrational solutions

C) One rational solution

Answer: D Explanation:

tion: A)

B)

C)

D)

Solve the problem.

- 57) An open box is formed from a rectangular piece of cardboard that is 5 in. longer than it is wide, by removing squares of side 4 in. from each corner and folding up the sides. If the volume of the carton is then 336 in³, what were the dimensions of the original piece of cardboard?
 - 57)

A) 7 in. by 12 in.

B) 19 in. by 24 in.

C) 11 in. by 16 in.

D) 15 in. by 20 in.

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the inequality. Write the solution set in interval notation.

- 58) $\frac{9}{8}$ 5y < $\frac{5}{4}$ and $\frac{4}{7}$ y + 1 < $\frac{9}{14}$ 58)
 - $A)\left(-\infty,\infty\right)$
- B) $\left[-\frac{5}{8}, -\frac{1}{40}\right]$ C) $\left[-\infty, -\frac{5}{8}\right]$
- D) { }

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the rational equation.

$$59) \frac{-21}{x^2 - x - 12} - \frac{5}{x - 4} = \frac{3}{x + 3}$$

- A) $\{-4\}$
- B) $\{3\}$
- C) { }
- D) $\{-3\}$

Answer: C

- B)
- C)
- D)

Simplify and write the result in standard form, a + bi.

60)
$$\frac{14 - \sqrt{-12}}{2}$$

60)

61)

- A) $7 + i\sqrt{3}$
- B) $7 2i\sqrt{3}$ C) $7 + 2i\sqrt{3}$ D) $7 i\sqrt{3}$

Answer: D

Explanation:

- A)
- B)
- C)
- D)

Solve the problem.

61) The temperature at a state park for one day in June can be approximated by the function

$$T(x) = 0.264x^2 - 4.752x + 81$$

$$0 \le x \le 18$$

where T is degrees Fahrenheit and x is the number of hours after 5 PM on Friday.

What was the lowest temperature reached? Round to the nearest whole degree.

- A) 72 degrees
- B) 60 degrees
- C) 64 degrees
- D) 66 degrees

Answer: B

Explanation: A)

- B)
- C)
- D)

62) A model rocket is launched from a raised platform at a speed of 176 feet per second. Its height in feet is given by

$$h(t) = -16t^2 + 176t + 20$$
 (t = seconds after launch).

After how many seconds does the object reach its maximum height?

- A) 2.75 seconds
- B) 5.5 seconds
- C) 7.5 seconds
- D) 20 seconds

Answer: B

- B)
- C)
- D)

Solve the equation.

$$63) \frac{5z}{z-5} + \frac{1}{z-4} = -1$$

63)

A)
$$\left\{ -\frac{7}{3} \pm \frac{\sqrt{106}}{6} \right\}$$

C) $\left\{ -\frac{7}{3} \pm \frac{\sqrt{106}}{6} i \right\}$

B)
$$\left\{ \frac{7}{3} \pm \frac{\sqrt{106}}{6} i \right\}$$
D) $\left\{ \frac{7}{3} \pm \frac{\sqrt{106}}{6} \right\}$

$$D) \left\{ \frac{7}{3} \pm \frac{\sqrt{106}}{6} \right\}$$

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the rational equation.

64)
$$\frac{1}{x-4} - \frac{5}{x+1} = \frac{1}{x^2 - 3x - 4}$$

64)

65)

- A) { }
- B) {-5, 1}
- C) {5, 1}
- D) {5}

Answer: D

Explanation: A)

- B)
- C)
- D)

Write the requested inequality.

65) The cost for a long-distance telephone call is \$0.35 for the first minute and \$0.10 for each additional minute or a portion thereof. The total cost of the call cannot exceed \$3. Write an inequality representing the number of minutes m, a person could talk without exceeding \$3.

A)
$$m \le 29$$

B)
$$m \le 27$$

C)
$$m \le 28$$

D)
$$m \le 26$$

Answer: B

- B)
- C)
- D)

Make an appropriate substitution and solve the equation.

66)
$$400x^{-4} - 41x^{-2} + 1 = 0$$

A) {4, 5}

B) $\left\{ \frac{1}{5}, \frac{1}{4} \right\}$ D) $\left\{ -\frac{1}{4}, -\frac{1}{5}, \frac{1}{5}, \frac{1}{4} \right\}$

- C) {-5, -4, 4, 5}
- Answer: C
- Explanation: A)
 - B)
 - C)
 - D)

Solve the rational equation.

$$67) \frac{11}{2} y + \frac{1}{3} = \frac{7}{4} y$$

67)

66)

- A) $\left\{ \frac{4}{87} \right\}$
- B) $\left\{-\frac{1}{4}\right\}$
- C) {-4}
- D) $\left\{-\frac{4}{45}\right\}$

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the equation.

68)
$$\sqrt{m+55} + 1 = m$$

- A) {-12}
- B) 8

- C) {-12, 9}
- D) {9}

Answer: D

Explanation: A)

- B)
- C)
- D)

Identify the real and imaginary parts of the complex number.

69)
$$11 + 13i$$

69)

68)

- A) Real: 11; imaginary: 13i
- C) Real: 13; imaginary: 11
- B) Real: 24; imaginary: i

C) Real. 13, illiagiliary. 1

D) Real: 11; imaginary: 13

Answer: D

- B)
- C)
- D)

Solve the equation by using the quadratic formula.

70)
$$6y + 3 = -4y^2$$

 $A)\left\{-\frac{9}{2},\frac{1}{3}\right\}$

C)
$$\{2 + \sqrt{3}, 2 - \sqrt{3}\}$$

B) $\left\{ -\frac{1}{4} + \frac{\sqrt{105}}{12}, -\frac{1}{4} - \frac{\sqrt{105}}{12} \right\}$ D) $\left\{ -\frac{3}{4} + \frac{i\sqrt{3}}{4}, -\frac{3}{4} - \frac{i\sqrt{3}}{4} \right\}$

D)
$$\left\{ -\frac{3}{4} + \frac{i\sqrt{3}}{4}, -\frac{3}{4} - \frac{i\sqrt{3}}{4} \right\}$$

Answer: D

Explanation: A)

- B)
- C)
- D)

Make an appropriate substitution and solve the equation.

71)
$$n^{1/2} + 3n^{1/4} - 40 = 0$$

- A) {625, 4,096}
- B) {25}
- C) {625}
- D) {5, -8}

71)

72)

70)

Answer: C

Explanation: A)

- B)
- C)
- D)

Use the discriminant to determine the type and number of solutions.

72)
$$-2x^2 + 5x + 5 = 0$$

- A) Two imaginary solutions
- C) Two irrational solutions

- B) Two rational solutions
- D) One rational solution

Answer: C

- B)
- C)
- D)

Solve the problem.

73) Dema's truck gets 32 mpg on the highway and 18 mpg in the city. The amount of gas he uses A (in gal) is given by $A = \frac{1}{18}c + \frac{1}{32}h$, where c is the number of city miles driven

and h is the number of highway miles driven. If Dema drove 45 mi in the city and used 8 gal of gas, how many highway miles did he drive?

- A) 200 miles
- B) 160 miles
- C) 176 miles
- D) 192 miles

Answer: C

Explanation:

- A)
- B)
- C)
- D)

Perform the indicated operation. Write the answer in the form a + bi.

74) $(6 + \sqrt{-9})(8 - \sqrt{-9})$

74)

73)

B) 57 -
$$2i\sqrt{9}$$

B)
$$57 - 2i\sqrt{9}$$
 C) $39 + 2i\sqrt{9}$ D) $57 + 2i\sqrt{9}$

D)
$$57 + 2i\sqrt{9}$$

Answer: D

Explanation: A)

- B)
- C)
- D)

Make an appropriate substitution and solve the equation.

75) $\frac{3}{(n+4)^2} - \frac{1}{n+4} = 4$

75) ____

A)
$$\left\{-1, \frac{19}{3}\right\}$$
 B) $\left\{-1, \frac{4}{3}\right\}$ C) $\left\{-5, -\frac{13}{4}\right\}$ D) $\left\{-5, \frac{4}{3}\right\}$

$$B)\left\{-1,\frac{4}{3}\right\}$$

C)
$$\left\{ -5, -\frac{13}{4} \right\}$$

D)
$$\left\{ -5, \frac{4}{3} \right\}$$

Answer: C

Explanation: A)

- B)
- C)
- D)

Perform the indicated operation. Write the answer in the form a + bi.

76) (-5 - 9i)(6 + 6i)

76)

- A) -84 84i
- B) 24 84i
- C) -30 54i
- D) 24

Answer: B

- B)
- C)
- D)

In Calculus you will see the symbol y'. Treat y' as a variable and solve the equation for y'.

77)
$$3xy^3 + 5x^2y^2y' - y' = 1$$

77)

A)
$$y' = \frac{1 - 3y}{5x - 1}$$

B)
$$y' = \frac{3y}{5x}$$

C)
$$y' = \frac{1 - 3xy^3}{5x^2y^2}$$

D)
$$y' = \frac{1 - 3xy^3}{5x^2y^2 - 1}$$

Answer: D

Explanation:

- A)
- B)
- C)

D)

Solve the equation.

78)
$$4x - 5 = \frac{3}{x}$$

78)

79) ___

80)

A)
$$\left\{\frac{5 \pm \sqrt{73}}{4}\right\}$$
 B) $\left\{\frac{5 \pm \sqrt{37}}{8}\right\}$ C) $\left\{\frac{5 \pm \sqrt{37}}{4}\right\}$ D) $\left\{\frac{5 \pm \sqrt{73}}{8}\right\}$

$$B) \left\{ \frac{5 \pm \sqrt{37}}{8} \right\}$$

$$C)\left\{\frac{5\pm\sqrt{37}}{4}\right\}$$

$$D) \left\{ \frac{5 \pm \sqrt{73}}{8} \right\}$$

Answer: D

Explanation: A)

- B)
- C)
- D)

79) $\sqrt{-3+p} = 7 - \sqrt{32-p}$

- A) $\{\pm 28\}$
- B) {7, 28}
- C) $\{7\}$
- D) {28}

Answer: B

Explanation: A)

- B)
- C)
- D)

80) 5 - $\sqrt{x+10} = \sqrt{7-x}$ A) {12, -18}

- B) {6, -9}
- C) {6, -18}
- D) {12, -9}

Answer: B

- B)
- C)
- D)

Solve for the indicated variable.

81)
$$s = vt + \frac{1}{2}at^2$$
 for t

81)

$$A) \ \ t = \frac{v \pm \sqrt{v^2 + 2as}}{2a}$$

B)
$$t = \frac{-v \pm i\sqrt{v^2 + 2as}}{a}$$

C)
$$t = \frac{-v \pm \sqrt{v^2 + 2as}}{a}$$

D)
$$t = \frac{v \pm \sqrt{v^2 + 2as}}{a}$$

Answer: C

Explanation: A)

- B)
- C)
- D)

Solve the rational equation.

$$82)\,\frac{3}{x} + \frac{5}{2} = \frac{3}{4}$$

82)

A)
$$\left\{-\frac{7}{12}\right\}$$

B)
$$\left\{ \frac{7}{12} \right\}$$

C)
$$\left\{-\frac{12}{7}\right\}$$

D)
$$\left\{\frac{12}{7}\right\}$$

Answer: C

Explanation: A)

- B)
- C)
- D)

Solve for the indicated variable.

83)
$$S = \alpha (T - T_0) + S_0$$
 for T

83)

$$A) T = \alpha(S - S_0) + T_0$$

B)
$$T = \frac{1}{\alpha}(S - S_0) + T_0$$

C)
$$T = \frac{S}{\alpha} - S_0 + T_0$$

D)
$$T = \frac{1}{\alpha}(S - S_0 + T_0)$$

Answer: B

Explanation: A)

- B)
- C)
- D)

Solve the compound inequality. Graph the solution set, and write the solution set in interval notation.

- $84) -1 \le \frac{2x+3}{3} < 4$
 - Δ)[-3 9]

84) ____

- $A)\left[-3,\frac{9}{2}\right]$
 - -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7 8 9 10 11
- B) $\left[-3, \frac{9}{2}\right]$
- C) $\left[-\infty, -3\right] \cup \left[\frac{9}{2}, \infty\right]$
 - -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7 8 9 10 11
- D) $\left(-\infty, -3\right) \cup \left[\frac{9}{2}, \infty\right]$
 - -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7 8 9 10 11
- Answer: B
- Explanation: A)
 - B)
 - C)
 - D)

Solve the problem.

- 85) The JUST-SAY-MOW lawn mowing company consists of two people: Marsha and Bob. If Marsha cuts the lawn by herself, she can do it in 3 hours. If Bob cuts the same lawn himself, it takes him an hour longer than Marsha. How long would it take them if they worked together? Round to the nearest hundredth of an hour.
 - A) 3.50 hours
- B) 1.00 hour
- C) 1.71 hours
- D) 4.00 hours

85)

86)

87)

Answer: C

Explanation: A)

- B)
- C)
- D)

Find the value of n so that the expression is a perfect square trinomial and then factor the trinomial.

- 86) $j^2 4j + n$
 - A) n = 4; (j 2)

B) n = 2; $(j - 2)^2$

C) n = 4; $(j - 2)^2$

D) n = 2; $(j + 2)^2$

Answer: C

Explanation: A)

- B)
- C)
- D)

Solve the absolute value inequality. Write the solution in interval notation.

- 87) |2x + 7| + 7 > 6
 - A) $(-\infty, -4) \cup (-3, \infty)$
 - C) { }

- B) (-4, -3)
- D) $(-\infty, \infty)$

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the problem.

- 88) The length of a rectangle is 6 yd more than twice the width x. The area is 416 yd². Find the dimensions of the rectangle.
 - A) width = 16 yd; length = 26 yd
- B) width = 13 yd; length = 32 yd
- C) width = 32 yd; length = 13 yd
- D) width = 26 yd; length = 16 yd

Answer: B

- B)
- C)
- D)

Solve the equation.

$$89) \frac{5}{v-4} - \frac{8}{v+1} = \frac{34}{v^2 - 3v - 4}$$

- A) {-1, 4} B) {-4, 1}
- C) {1}
- D) Ø

Answer: C

Explanation: A)

- B)
- C)
- D)

Perform the indicated operation. Write the answer in the form a + bi.

- 90) (-4 6i) (9 9i) 90)
 - A) -13 15i
- B) -28i
- C) -13 + 3i
- D) -10*i*

Answer: C

Explanation: A)

- B)
- C)
- D)

Solve the problem.

91) The equation $r = \sqrt[3]{\frac{3V}{4\pi}}$ gives the radius r of a sphere of volume V. If the radius of a

sphere is 6 in., find the exact volume.

A)
$$\sqrt[3]{\frac{9}{2\pi}}$$
 in.³

- B) $96\pi \text{ in.}^{3}$
- C) $144\pi \text{ in.}^3$
- D) $288\pi \text{ in.}^{3}$

Answer: D

Explanation: A)

- B)
- C)
- D)
- 92) The property tax on a \$160,000.00 house is \$2,400.00. At this rate, what is the property tax on a house that is \$280,000.00?
 - A) \$5,040.00
- B) \$3,780.00
- C) \$4,620.00
- D) \$4,200.00

Answer: D

- B)
- C)
- D)

Solve the equation.

- 93) $\sqrt{11 p} \sqrt{2 + p} = -1$
 - A) {2}
- B) $\{\pm 2\}$
- C) $\{7, 2\}$
- D) {7}

93) ___

94) ___

95)

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)
- 94) $9s^2 = 4$

- C) $\left\{-\frac{2}{3}, \frac{2}{3}\right\}$ D) $\left\{-\frac{3}{2}, \frac{3}{2}\right\}$

Answer: C

- Explanation: A)
 - B)
 - C)
 - D)
- 95) $y^2 20y = 0$
 - A) {20}
- B) {0, 20}
- C) $\{0, -20\}$
- $D)\left\{0, \frac{1}{20}\right\}$

Answer: B

- Explanation: A)
 - B)
 - C)
 - D)

96) $2a^4 + 1 = 7a^2$

A)
$$\left\{ \frac{-7 - \sqrt{41}}{4}, \frac{-7 + \sqrt{41}}{4} \right\}$$

B) $\left\{ -\frac{\sqrt{7 + \sqrt{41}}}{2}i, -\frac{\sqrt{7 - \sqrt{41}}}{2}i, \frac{\sqrt{7 - \sqrt{41}}}{2}i, \frac{\sqrt{7 + \sqrt{41}}}{2}i \right\}$

C) $\left\{ \frac{7 - \sqrt{41}}{4}, \frac{7 + \sqrt{41}}{4} \right\}$

D) $\left\{ -\frac{\sqrt{7 + \sqrt{41}}}{2}, -\frac{\sqrt{7 - \sqrt{41}}}{2}, \frac{\sqrt{7 - \sqrt{41}}}{2}, \frac{\sqrt{7 + \sqrt{41}}}{2} \right\}$

Answer: D

Explanation: A)

- B)
 - C)
- D)

Solve the problem.

97) The amount of time it takes an object dropped from an initial height of h_0 feet to reach a height of h feet is given by the formula

$$t = \sqrt{\frac{h_0 - h}{16}}$$

How long would it take an object to reach the ground from the top of a building that is 4 feet tall? Round to the nearest tenth of a second.

A) 0.3 seconds

B) 4 seconds

C) 29.4 seconds

D) 5.4 seconds

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve for the indicated variable.

98)
$$q = \frac{c}{4}(h+r)$$
 for r

A)
$$r = \frac{q}{4c} - h$$
 B) $r = \frac{4q}{c} - h$ C) $r = \frac{4c}{q} - h$ D) $r = \frac{4q - h}{c}$

Answer: B

- B)
- C)
- D)

99)
$$A = LW$$
 for L

A)
$$W = \frac{L}{A}$$

B)
$$W = \frac{A}{I}$$

C)
$$L = \frac{A}{W}$$

A)
$$W = \frac{L}{A}$$
 B) $W = \frac{A}{L}$ C) $L = \frac{W}{A}$

99)

100)

101) ___

102)

Answer: C

Explanation:

- A) B)
- C)
- D)

Solve the equation.

$$100)\ 4z^4 + 68z^2 + 225 = 0$$

A)
$$\left\{ \frac{9}{2}, \frac{25}{2} \right\}$$

C) $\left\{ -\frac{5\sqrt{2}}{2}, -\frac{3\sqrt{2}}{2}, \frac{3\sqrt{2}}{2}, \frac{5\sqrt{2}}{2} \right\}$

B)
$$\left\{ -\frac{5\sqrt{2}}{2}i, -\frac{3\sqrt{2}}{2}i, \frac{3\sqrt{2}}{2}i, \frac{5\sqrt{2}}{2}i \right\}$$

D)
$$\left\{-\frac{25}{2}, -\frac{9}{2}\right\}$$

Answer: B

Explanation: A)

- B)
- C)
- D)

Simplify the expression. Do not rationalize the denominator.

101)
$$\sqrt{16-x^2} - x \left(\frac{1}{2}\right) \frac{1}{\sqrt{16-x^2}} (2x)$$

A)
$$\frac{2(x^2 - 6)}{\sqrt{16 - x^2}}$$

$$B) \frac{2(8 - x^2)}{\sqrt{16 - x^2}}$$

C)
$$\frac{8 - x^2}{\sqrt{16 - x^2}}$$

A)
$$\frac{2(x^2 - 6)}{\sqrt{16 - x^2}}$$
 B) $\frac{2(8 - x^2)}{\sqrt{16 - x^2}}$ C) $\frac{8 - x^2}{\sqrt{16 - x^2}}$ D) $\frac{x^2 - 8}{\sqrt{16 - x^2}}$

Answer: B

Explanation: A)

- B)
- C)
- D)

Solve the equation.

102) 5 - 2{2 - [-3
$$n$$
 - 2(n + 5)]} = -8 n + 2(1 + 4 n) - 21

- A) $\{0\}$
- B) {1}
- C) $\{5\}$
- D) $\{-2\}$

Answer: A

- B)
- C)
- D)

Perform the indicated operation. Write the answer in the form a + bi.

103)
$$\frac{6-i}{2+i}$$

A) 2

- B) 2 *i*
- C) $\frac{11}{5} \frac{8}{5}i$ D) $\frac{13}{5} \frac{8}{5}i$

Answer: C

Explanation: A)

- B)
- C)
- D)

Solve the problem.

- 104) In the mid-nineteenth century, explorers used the boiling point of water to estimate altitude. The boiling temperature of water T (in °F) can be approximated by the model T = -1.83a + 212, where a is the altitude in thousands of feet. Two campers hiking in Colorado boil water for tea. If the water boils at 196°F, approximate the altitude of the campers. Give the result to the nearest hundred feet.
 - A) 8.900 ft
- B) 8,700 ft
- C) 2,900 ft
- D) 1,600 ft

104)

Answer: B

Explanation: A)

- B)
- C)
- D)

Simplify the expression. Do not rationalize the denominator.

$$(1)(x^{2} - 8)^{1/2} - x \left(\frac{1}{3}\right)(x^{2} - 8)^{-1/2} (3x)$$

$$105) \frac{\left[(x^{2} - 8)^{1/2}\right]^{2}}{\left[(x^{2} - 8)^{1/2}\right]^{2}}$$

- A) $\frac{1-x^2}{(x^2-8)^{5/2}}$ B) $-\frac{8}{(x^2-8)^{5/2}}$ C) $\frac{1-x^2}{(x^2-8)^{3/2}}$ D) $-\frac{8}{(x^2-8)^{3/2}}$

Answer: D

- B)
- C)
- D)

Simplify.

106) i^{40}

106)

107)

A) 1

B) -1

C) -*i*

D) i

Answer: A

Explanation: A)

B)

C)

D)

Solve for the indicated variable.

107) 9x + ry = tx + 6 for x

A) $x = \frac{6 - ry}{t - 9}$

 $B) x = \frac{t+6}{9+ry}$

C) $x = \frac{6 - ry}{9 - t}$

 $D) x = \frac{tx - ry + 6}{9}$

Answer: C

Explanation: A)

B)

C)

D)

108) $H = kx - kx_0$ for x

108)

$$A) x = \frac{H - kx_0}{k}$$

A) $x = \frac{H - kx_0}{k}$ B) $x = \frac{H + kx_0}{x_0}$ C) $x = \frac{H + kx_0}{k}$ D) $x = \frac{H - kx_0}{x_0}$

Answer: C

Explanation: A)

B)

C)

D)

Determine whether the equation is a conditional equation, an identity, or a contradiction.

109) 16y + 2(3 - y) = 5 + 14y + 2

109)

A) Conditional

B) Identity

C) Contradiction

Answer: C

Explanation: A)

B)

C)

Solve the quadratic equation by completing the square and applying the square root property.

$$110) n^2 + 18n = -75$$

110)

A)
$$\{-9 - \sqrt{6}, -9 + \sqrt{6}\}$$

B)
$$\{-9 - \sqrt{249}, -9 + \sqrt{249}\}$$

C)
$$\{9 - \sqrt{6}, 9 + \sqrt{6}\}$$

D)
$$\left\{ \frac{-18 - \sqrt{249}}{2}, \frac{-18 + \sqrt{249}}{2} \right\}$$

Answer: A

Explanation: A)

B)

C)

D)

Solve the problem.

- 111) ____ 111) A consultant traveled 255 miles to attend a meeting, traveling 45 mph hours for the first part of the trip, then increasing to a speed of 60 mph for the second part. If the entire trip took 5 hours, how far did the consultant travel at the faster speed?
 - A) 135 mi
- B) 180 mi
- C) 120 mi
- D) 127.5 mi

Answer: C

Explanation: A)

- B)
 - C)
 - D)

Simplify the expression. Do not rationalize the denominator.

112)
$$2x\sqrt{3x-4} + x^2 \left(\frac{1}{4}\right) \frac{1}{\sqrt{3x-4}}$$
 (4)

- A) $\frac{7x^2 4}{\sqrt{3x 4}}$ B) $\frac{x(7x 8)}{\sqrt{3x 4}}$ C) $\frac{7x^2 8}{\sqrt{3x 4}}$ D) $\frac{x(7x 4)}{\sqrt{3x 4}}$

Answer: B

- B)
- C)
- D)

Solve the equation for the indicated variable.

113) Solve for *x*:
$$25 + \sqrt{x^2 - y^2} = z$$

A)
$$x = \sqrt{z - y^2 - 5}$$

C)
$$x = \pm \sqrt{z + y^2 - 5}$$

B)
$$x = z^2 + y^2 - 50z + 625$$

D)
$$x = \pm \sqrt{(z-25)^2 + y^2}$$

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the problem.

- 114) The width of a rectangle is fixed at 30 cm, and the perimeter can be no greater than 170 cm. Find the maximum length of the rectangle.
- ater than 114) ____

113)

115)

116)

A) 110 cm

B) 70 cm

C) 140 cm

D) 55 cm

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the equation by using substitution.

115)
$$(4y + 7)^2 = 4(4y + 7) + 6$$

A)
$$\left\{ \frac{5}{4} + \frac{\sqrt{10}}{4}, \frac{5}{4} - \frac{\sqrt{10}}{4} \right\}$$

B)
$$\{2 + \sqrt{10}, 2 - \sqrt{10}\}$$

C)
$$\{-2 + \sqrt{10}, -2 - \sqrt{10}\}$$

$$D)\left\{-\frac{5}{4} + \frac{\sqrt{10}}{4}, -\frac{5}{4} - \frac{\sqrt{10}}{4}\right\}$$

Answer: D

Explanation: A)

- B)
- C)
- D)

 $\label{lem:condition} \textbf{Determine whether the equation is a conditional equation, an identity, or a contradiction.}$

116)
$$y - 12 + 3y = 2y + 4$$

B) Identity

C) Contradiction

Answer: A

Explanation: A)

A) Conditional

- B)
- C)

In Calculus you will see the symbol y'. Treat y' as a variable and solve the equation for y'.

117)
$$6y^2y' + 30xy + 6x^2y' = 5y^2 + 25xyy'$$

117)

A)
$$y' = \frac{y(y - 6x)}{6x^2 - 5xy + 6y^2}$$

B)
$$y' = \frac{y - 6x}{6x^2 - 5x + 6y}$$

C)
$$y' = \frac{5y(y-x)}{x^2 - 25xy + y^2}$$

D)
$$y' = \frac{5y(y - 6x)}{6x^2 - 25xy + 6y^2}$$

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the quadratic equation by completing the square and applying the square root property.

118)
$$u^2 + 20u + 101 = 0$$

118)

A)
$$\{\pm i\}$$

B)
$$\{-10 + i\}$$
 C) $\{-10 \pm i\}$

C)
$$\{-10 \pm i\}$$

D)
$$\{10 + i\}$$

Answer: C

Explanation: A)

- B)
- C)
- D)

Solve the absolute value inequality. Write the solution in interval notation.

119) 3|x - 9| + 9 < 15

119)

B)
$$(-\infty, 7) \cup (11, \infty)$$

C)
$$(-\infty, 1) \cup (17, \infty)$$

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the problem.

- 120) The length of a rectangle is 4 yd more than twice the width x. The area is 390 yd². Find 120) the dimensions of the given shape.
 - A) 13 yd. by 26 yd.

B) 6.5 yd. by 60 yd.

C) 26 yd. by 15 yd.

D) 13 yd. by 30 yd.

Answer: D

- B)
- C)
- D)

Make an appropriate substitution and solve the equation.

121)
$$9t - 16\sqrt{t} = 0$$

121) ____

$$A) \begin{cases} 0, \frac{81}{256} \end{cases}$$

A)
$$\left\{0, \frac{81}{256}\right\}$$
 B) $\left\{0, \frac{4}{3}\right\}$ C) $\left\{0, \frac{256}{81}\right\}$ D) $\left\{0, \frac{3}{4}\right\}$

D)
$$\left\{0, \frac{3}{4}\right\}$$

Answer: C

Explanation: A)

B)

C)

D)

Solve the equation.

122) $x^3 - 8 = x - 2$

A) $\{2, 1 \pm \sqrt{3}\}$

B) $\{2, -1 \pm i\sqrt{2}\}$ C) $\{2, 1 \pm i\sqrt{3}\}$ D) $\{2, -1 \pm \sqrt{2}\}$

Answer: B

Explanation: A)

B)

C)

D)

Simplify and write the result in standard form, a + bi.

123) $\frac{6 - \sqrt{-18}}{-3}$

123)

122)

A)
$$-2 + i\sqrt{2}$$

B)
$$-2 - 3i\sqrt{2}$$

C) -2 -
$$i\sqrt{2}$$

B)
$$-2 - 3i\sqrt{2}$$
 C) $-2 - i\sqrt{2}$ D) $-2 + 3i\sqrt{2}$

Answer: A

Explanation: A)

B)

C)

D)

Solve the equation.

124) $-3 + \sqrt{5x + 5} = 5$

124)

A)
$$\left\{\frac{64}{5}\right\}$$

B) $\left\{ \frac{69}{5} \right\}$

 $C) \left\{ \frac{59}{5} \right\}$

Answer: C

Explanation: A)

B)

C)

D)

Determine the set of values of x for which the radical expression would produce a real number.

$$125)\sqrt{15-x}$$

- A) $\{x \mid x \le 15\}$
- B) { }
- C) $\{x \mid x > 15\}$
- D) $\{x \mid x \ge 15\}$

125)

126)

Answer: A

Explanation: A)

- B)
- C)
- D)

Solve the inequality. Write the solution set in interval notation.

126)
$$20 > 3x$$
 and $11 + 2x \ge 2$

A)
$$\left[-\infty, -\frac{9}{2}\right] \cup \left[\frac{20}{3}, \infty\right]$$

$$B)\left[-\frac{9}{2},\frac{20}{3}\right]$$

$$C)\left[-\frac{20}{3}, \frac{9}{2}\right]$$

D) { }

Answer: B

Explanation: A)

- B)
- C)
- D)

Solve the problem.

- 127) One number is 33 more than another number. The quotient of the larger number and 127) smaller number is 5 and the remainder is 1. Find the numbers.
 - A) 5 and 38
- B) 10 and 43
- C) 8 and 41
- D) 11 and 44

Answer: C

Explanation: A)

- B)
- C)
- D)

Solve the equation.

128)
$$\sqrt{x + \sqrt{x + 2}} = 4$$

- B) { }
- C) $\left\{ \frac{33 + \sqrt{73}}{2} \right\}$ D) $\left\{ \frac{33 \sqrt{73}}{2} \right\}$

Answer: D

- B)
- C)
- D)

129) $180x^3 + 36x^2 - 5x - 1 = 0$

A)
$$\{-5, \pm 6\}$$

A)
$$\left\{-5, \pm 6\right\}$$
 B) $\left\{\frac{1}{5}, \pm \frac{1}{6}i\right\}$ C) $\left\{-\frac{1}{5}\right\}$

C)
$$\left\{-\frac{1}{5}\right\}$$

$$D)\left\{-\frac{1}{5},\pm\frac{1}{6}\right\}$$

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the equation for the indicated variable.

130) Solve for p: $T = 2\pi \sqrt{\frac{p}{n}}$

$$A) p = n(T - 2\pi)^2$$

B)
$$p = \frac{T^2}{4\pi^2} + n$$

C)
$$p = n \left(\frac{T}{2\pi} \right)^2$$

$$D) p = \left(\frac{nT}{2\pi}\right)^2$$

Answer: C

Explanation: A)

- B)
- C)
- D)

Solve the problem.

131) The sum of an integer and its square is 30. Find the integers.

131) ____

129)

- A) 5 and 25
- B) 25 and 36
- C) -6 and 36
- D) 5 and -6

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the inequality. Write the solution set in interval notation.

132) $-2(4y - 7) + y \ge 2y - (-8 + y)$

$$A)\left[-\frac{1}{4},\infty\right] \qquad B)\left[-\infty,\frac{3}{4}\right] \qquad C)\left[\frac{3}{4},\infty\right]$$

$$\mathbf{B})\left[-\infty,\frac{3}{4}\right]$$

$$C)$$
 $\left[\frac{3}{4},\infty\right]$

$$D$$
 $\left[-\infty, \frac{3}{4}\right]$

Answer: D

- B)
- C)
- D)

Solve the absolute value equation.

133)
$$-2|x-4|+6=-8$$

A) $\{3, 5\}$

B) {2, 6}

C) {-6, 14}

D) {-3, 11}

Answer: D

Explanation: A)

B)

C)

D)

Solve the absolute value inequality. Write the solution in interval notation.

134) |x + 6| < 15

134)

133)

A) (-21, 9)

B) (-9, 9)

(-9, 21)

D) $(-\infty, -21) \cup (9, \infty)$

Answer: A

Explanation: A)

B)

C)

D)

Solve the equation by using the square root property.

135) $(3z - 18)^2 + 59 = 14$

135)

A) $\{6 + i\sqrt{5}, 6 - i\sqrt{5}\}$

B) $\{14 + 3\sqrt{5}, -14 + 3\sqrt{5}\}$

C) $\{3\sqrt{5} - 14\}$

D) $\{3\sqrt{5} + 14\}$

Answer: A

Explanation: A)

B)

C)

D)

Solve the problem.

136) Pressure-treated wooden studs can be purchased for \$4.88 each. How many studs can be bought if a project's budget allots no more than \$200 for studs?

A) 40 studs

B) 42 studs

C) 43 studs

D) 41 studs

Answer: A

Explanation: A)

B)

C)

D)

Solve the equation.

137)
$$t^2 - 5t = -4$$

A) $\{4, 1\}$

B) $\{0, -5\}$

C) {-4, -1}

D) $\{0, 5\}$

Answer: A

Explanation: A)

B)

C)

D)

138) $2x(3x - 1)(x + 7)^2$

138)

137)

A)
$$\left\{0, \frac{1}{3}, -7\right\}$$

B) $\left\{ \frac{1}{3}, -7 \right\}$ C) $\left\{ 0, \frac{1}{3}, \pm 7 \right\}$ D) $\left\{ 0, 3, \pm 7 \right\}$

Answer: A

Explanation: A)

B)

C)

D)

Find the value of a so that the equation has the given solution set.

139) ax - 6 = 7x - 26 {5}

139)

A)
$$a = 3$$

B)
$$a = 5$$

B)
$$a = 5$$
 C) $a = \frac{3}{5}$

D)
$$a = -\frac{141}{5}$$

Answer: A

Explanation: A)

B)

C)

D)

Solve and express your solution in simplified form.

140) $x^4 - 13x^2 - 48 = 0$

140)

B)
$$\{16, 3i\}$$

C)
$$\{\pm 4, \pm i\sqrt{3}\}\$$
 D) $\{\pm 4, \pm\sqrt{3}\}\$

D)
$$\{\pm 4, \pm \sqrt{3}\}$$

Answer: C

Explanation: A)

B)

C)

D)

Solve the equation by using the square root property.

$$141) \left[t - \frac{1}{6} \right]^2 = -\frac{17}{36}$$

141)

A)
$$\left\{-\frac{11}{36}\right\}$$

A)
$$\left\{ -\frac{11}{36} \right\}$$
 B) $\left\{ \frac{1}{6} \pm \frac{\sqrt{17}}{6} i \right\}$ C) $\left\{ \frac{1}{6} \pm \frac{\sqrt{17}}{6} \right\}$ D) $\left\{ \frac{1 - i\sqrt{17}}{6} \right\}$

$$C) \left\{ \frac{1}{6} \pm \frac{\sqrt{17}}{6} \right\}$$

$$D) \left\{ \frac{1 - i\sqrt{17}}{6} \right\}$$

Answer: B

Explanation:

- A)
- B)
- C)
- D)

Solve the equation by using the quadratic formula.

142) (3w - 2)(w - 1) = -3

142)

143)

A)
$$\left\{-\frac{1}{3}, -2\right\}$$

C) $\left\{-\frac{5}{6} - \frac{\sqrt{37}}{6}i, \frac{5}{6} + \frac{\sqrt{37}}{6}i\right\}$

B)
$$\left\{ \frac{5}{6} - \frac{\sqrt{35}}{6}i, \frac{5}{6} + \frac{\sqrt{35}}{6}i \right\}$$

D) $\left\{ \frac{-5 - \sqrt{35}}{6}, \frac{-5 + \sqrt{35}}{6} \right\}$

Answer: B

Explanation: A)

- B)
- C)
- D)

Write an absolute value inequality equivalent to the expression.

143) "All real numbers whose distance from 13 is at most 5"

A)
$$|y - 13| \le 5$$

B)
$$|y - 13| < 5$$

C)
$$|y - 5| \le 13$$

C)
$$|y - 5| \le 13$$
 D) $|y - 13| > 5$

Answer: A

- B)
- C)
- D)

Solve the problem.

- 144) If \$13,000 is borrowed at 5.8% simple interest for 10 years, how much interest will be 144)
 - paid for the loan? A) \$9,845.47
- B) \$7,540.00
- C) \$22,845.47
- D) \$20,540.00

Answer: B

- Explanation: A)
 - B)
 - C)
 - D)

Solve the equation.

145) 15m(m + 5) = 38m - 20

145) ____

- A) $\{0, -20\}$

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

Solve for the indicated variable.

- 146) $T = cMN^2$ for N^2 146)
 - A) $N^2 = \frac{cT}{M}$ B) $N^2 = \frac{cM}{T}$ C) $N^2 = \frac{T}{cM}$ D) $N^2 = cMT$

Answer: C

- Explanation: A)
 - B)
 - C)
 - D)

Solve the equation.

- 147) $\frac{20}{c^2 2c} + 5 = \frac{10}{c 2}$ 147) ___
 - A) $\{0, 2\}$
- B) { }
- C) $\{2\}$
- D) $\{\pm 2\}$

Answer: B

- Explanation: A)
 - B)
 - C)
 - D)

In Calculus you will see the symbol y'. Treat y' as a variable and solve the equation for y'.

148)
$$-5(x + y)^2 - 5(x + y)^2y' + 5y^2y' = -5x^2$$

148)

149)

150)

A)
$$-\frac{y(2x+y)}{x(2y+x)}$$
 B) $\frac{x(2x+y)}{y(2y+x)}$ C) $\frac{x^2-y^2}{(x+y)^2}$ D) $\frac{x^2+y^2}{(x+y)^2}$

B)
$$\frac{x(2x+y)}{y(2y+x)}$$

C)
$$\frac{x^2 - y^2}{(x + y)^2}$$

D)
$$\frac{x^2 + y^2}{(x+y)^2}$$

Answer: A

Explanation: A)

B)

C)

D)

Solve for the indicated variable.

149) $at^2 + uy = h$ for t

A)
$$t = \frac{\sqrt{a(h-uy)}}{a}$$
 or $t = \frac{\sqrt{a(h+uy)}}{a}$

B)
$$t = \sqrt{\frac{h - uy}{a}}$$

C)
$$t = \pm \sqrt{a(h - uy)}$$

B)
$$t = \sqrt{\frac{h - uy}{a}}$$

D) $t = \pm \frac{\sqrt{a(h - uy)}}{a}$

Answer: D

Explanation: A)

B)

C)

D)

Solve the equation for the indicated variable.

150) Solve for p: $h = \sqrt{2pq}$

$$A) p = \frac{h^2}{2q}$$

$$B) p = \frac{h^2 q^2}{4}$$

C)
$$p = \frac{h^2q}{2}$$

A)
$$p = \frac{h^2}{2q}$$
 B) $p = \frac{h^2 q^2}{4}$ C) $p = \frac{h^2 q}{2}$ D) $p = \frac{h^2}{4q^2}$

Answer: A

Explanation: A)

B)

C)

D)

Solve the compound inequality. Write the answer in interval notation.

151)
$$4x \le 12$$
 or $9 - x < 0$

151)

A)
$$(-\infty, \infty)$$

B)
$$(-\infty, 9)$$

D)
$$(-\infty, 3] \cup (9, \infty)$$

Answer: D

Explanation: A)

- B)
- C)
- D)

Perform the indicated operation. Write the answer in the form a + bi.

152)
$$(8 - 5i)^2 + (8 + 5i)^2$$

152)

- A) 64
- B) 78
- C) 64 160*i*
- D) 78 + 160i

Answer: B

Explanation: A)

- B)
- C)
- D)

Solve the problem.

153) The sum of the squares of two consecutive whole numbers is 25. Find the numbers.

153)

- A) 2 and 3
- B) 3 and 4
- C) 12 and 13
- D) 11 and 12

Answer: B

Explanation: A)

- B)
- C)
- D)

Solve the equation.

154) $\sqrt{4x-5} + 1 = \sqrt{4x+5}$

154)

A)
$$\left\{\frac{101}{4}\right\}$$

$$B) \left\{ \frac{101}{16} \right\}$$

C)
$$\left\{ \frac{61}{16} \right\}$$

D)
$$\left\{ \frac{141}{16} \right\}$$

Answer: B

- B)
- C)
- D)

Simplify the expression. Do not rationalize the denominator.

$$155) \frac{-10x(8x+1) - (-5x^2)(8)}{(8x+1)^2}$$

A)
$$-\frac{40x^2}{(8x+1)^2}$$
 B) $-\frac{10x(4x+1)}{(8x+1)^2}$ C) $\frac{40x^2}{(8x+1)^2}$ D) $-\frac{10x(4x-1)}{(8x+1)^2}$

Answer: B

Explanation: A)

- B)
- C)
- D)

Solve the quadratic equation by completing the square and applying the square root property.

156)
$$y^2 + 53 = 4y$$

- A) $\{2 7i, 2 + 7i\}$
- C) $\{-2 7i, -2 + 7i\}$
- B) $\{4 \sqrt{37}, 4 + \sqrt{37}\}$ D) $\{4 - i\sqrt{37}, 4 + i\sqrt{37}\}$

Answer: A

Explanation:

- A)
- B)
- C)
- D)

Determine the restrictions on x.

$$157) \frac{9}{3x-5} - \frac{6}{7x} = \frac{1}{2-x}$$

A)
$$\frac{3}{5}$$
; $x \neq 0$; $x \neq -2$

C)
$$x \neq \frac{3}{5}$$
; $x \neq -7$; $x \neq 2$

B)
$$x \neq \frac{5}{3}$$
; $x \neq 0$; $x \neq 2$

D)
$$x \neq \frac{5}{3}$$
; $x \neq -7$; $x \neq -2$

Answer: B

- B)
- C)
- D)

Solve for the indicated variable.

158)
$$w = \frac{1}{3}kr^2$$
 for $r > 0$

158)

A)
$$r = \frac{3\sqrt{w}}{k}$$
 B) $r = \frac{\sqrt{3w}}{k}$ C) $r = \sqrt{3w}$

B)
$$r = \frac{\sqrt{3w}}{k}$$

C)
$$r = \sqrt{3w}$$

D)
$$r = \frac{\sqrt{3wk}}{k}$$

Answer: D

Explanation: A)

B)

C)

D)

Solve the equation.

159)
$$(m + 3)(m - 4) = -6$$

159)

B)
$$\{-3, 4\}$$

C)
$$\{2, -3\}$$

D)
$$\{-2, 3\}$$

Answer: D

Explanation: A)

B)

C)

D)

Make an appropriate substitution and solve the equation.

160)
$$(x^2 + 4x)^2 - 17(x^2 + 4x) = -60$$

160)

Answer: D

Explanation: A)

B)

C)

D)

Solve the equation by using substitution.

161)
$$z^{2/3} + 2z^{1/3} - 15 = 0$$

161)

Answer: C

Explanation: A)

B)

C)

D)

- 162) A train ride is \$3.40 per ride. Write a model for the cost *C* (in \$) for *x* rides on the train. 162)
 - A) C = 3.40 x
- B) Cx = 3.40
- C) C = 3.40 + x
- D) C = 3.40x

163)

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)
- 163) The distance d (in miles) that an observer can see on a clear day is approximated by $d = \frac{49}{40} \sqrt{h}$, where h is the height of the observer in feet. It Rita can see 24.5 mi, how far

above ground is her eye level?

- A) 40 ft
- B) 20 ft
- C) 6 ft
- D) 400 ft

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

Simplify and write the result in standard form, a + bi.

- $164) \frac{-8 10i}{-2}$
 - A) 4 + 10i
- B) 4 10*i*
- C) 4 5i
- D) 4 + 5i

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

- 165) A bad punter on a football team kicks a football approximately straight upward with an 165) initial velocity of 89 ft/sec.
 - a. If the ball leaves his foot from a height of 4 ft, write an equation for the vertical height s (in ft) of the ball t seconds after being kicked.
 - **b.** Find the time(s) at which the ball is at a height of 102.2125 ft. Round to 1 decimal pl
 - A) $s = -16t^2 + 89t + 4$; 2.5 sec and 6.6 sec
 - B) $s = -9.8t^2 + 89t + 4$; 1.5 sec and 4 sec
 - C) $s = -16t^2 + 89t + 4$; 1.5 sec and 4 sec
 - D) $s = -9.8t^2 + 89t + 4$; 2.5 sec and 6.6 sec

Answer: C

- Explanation: A)
 - B)
 - C)
 - D)
- 166) A train ride is \$2.85 per ride. A commuter can purchase an unlimited-ride card for \$45 per month. How many rides are required for a commuter to save money by buying the card?
 - A) 18 rides
- B) 20 rides
- C) 16 rides
- D) 22 rides

166)

167)

Answer: C

- Explanation: A)
 - B)
 - C)
 - D)

Solve the equation.

- 167) $6(x-1)^{6/7} = 12$
 - A) $\{1^{7/6} + 2\}$
- B) $\{2^{7/6} + 1\}$ C) $\{2^{6/7} + 1\}$ D) $\{1^{6/7} + 2\}$

Answer: B

- Explanation: A)
 - B)
 - C)
 - D)

Perform the indicated operation. Write the answer in the form a + bi.

$$\frac{-8+3i}{5+7i}$$
 168) _____

A)
$$-\frac{8}{5} + \frac{3}{7}$$

A)
$$-\frac{8}{5} + \frac{3}{7}i$$
 B) $-\frac{19}{74} + \frac{71}{74}i$ C) $-\frac{19}{74} - \frac{71}{74}i$ D) $-\frac{8}{5} - \frac{3}{7}i$

C)
$$-\frac{19}{74} - \frac{71}{74}i$$

D)
$$-\frac{8}{5} - \frac{3}{7}i$$

Answer: B

Explanation: A)

B)

C)

D)

Solve the equation for the indicated variable.

169) Solve for
$$n: M = \frac{Gp_1p_2}{n^2}$$

A)
$$n = \pm \sqrt{M - Gp_1p_2}$$

B)
$$n = \pm \sqrt{M + Gp_1p_2}$$

C)
$$n = \frac{\pm \sqrt{Gp_1p_2M}}{M}$$

D)
$$n = \frac{\pm \sqrt{Gp_1p_2}}{M}$$

Answer: C

Explanation: A)

B)

C)

D)

Simplify the expression in terms of i:

$$170)\sqrt{-49}$$
 170)

A) $i\sqrt{7}$

B) 49i

C) 7*i*

D) -7i

Answer: C

Explanation: A)

B)

C)

D)

171) The daily profit in dollars made by an automobile manufacturer is

171)

172)

$$P(x) = -40x^2 + 2,240x - 17,000$$

- where x is the number of cars produced per shift. Find the maximum possible daily profit.
 - A) \$31,360
- B) \$13,642
- C) \$13,211
- D) \$14,360

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

Write an absolute value inequality equivalent to the expression.

172) The results of a political poll indicate that the leading candidate will receive 52% of the votes with a margin of error of no more than 5%. Let x represent the true percentage of votes received by this candidate. Write an absolute value inequality that represents an interval in which to estimate x.

A)
$$|x - 0.05| \ge 52$$

B)
$$|x - 0.05| \le 52$$

C)
$$|x - 52| \le 0.05$$

D)
$$|x - 52| \ge 0.05$$

Answer: C

Explanation: A)

- B)
- C)
- D)

Solve the absolute value equation.

173)
$$3 - |3w + 9| = 6$$

173)

- A) $\{2, -2\}$
- B) { }
- C) $\{-1\}$
- D) {-1, -5}

Answer: B

Explanation: A)

- B)
- C)
- D)

174)
$$|2r + 3| = |5r - 17|$$

174)

- B) $\left\{-\frac{20}{3}, \frac{20}{3}\right\}$ C) $\left\{\frac{20}{3}\right\}$
- D) Ø

Answer: A

- B)
- C)
- D)

Perform the indicated operation. Write the answer in the form a + bi.

175)
$$\frac{8+9i}{3-i}$$

175)

A)
$$\frac{15}{8} + \frac{35}{8}i$$
 B) $\frac{3}{2} - \frac{7}{2}i$ C) $\frac{3}{2} + \frac{7}{2}i$ D) $\frac{15}{8} - \frac{35}{8}i$

B)
$$\frac{3}{2} - \frac{7}{2}$$

C)
$$\frac{3}{2} + \frac{7}{2}i$$

D)
$$\frac{15}{8} - \frac{35}{8}i$$

Answer: C

Explanation: A)

- B)
- C)
- D)

Solve the equation.

$$176) \frac{3}{x} + \frac{3}{x-4} = \frac{3x-9}{x-4}$$

176)

$$C)\left\{-\frac{5}{2},\frac{1}{3}\right\}$$

Answer: A

Explanation: A)

- B)
- C)
- D)

Solve the rational equation.

177)
$$\frac{t-8}{t-2} = \frac{t-23}{t^2-4} - \frac{1}{t+2}$$

177)

178)

- A) $\{-5, -1\}$
- B) {5}
- C) {-8, 8}
- D) $\{5, 1\}$

Answer: D

Explanation: A)

- B)
- C)

D)

Solve the equation.

178)
$$3(x-4)^{2/3} = 48$$

B) {-68, 60}

- C) {-60, 68}
- D) {-20, 12}

Answer: C

Explanation:

A) {-12, 20}

- A)
- B)
- C)
- D)

Perform the indicated operation. Write the answer in the form a + bi.

179)
$$(-12 - 10i) + (17 + 14i)$$

A) 29 + 24i

B) 9

C) 5 + 4i

D) 9*i*

Answer: C

Explanation: A)

B)

C)

D)

Solve the compound inequality. Write the answer in interval notation.

180) $2x \le 4$ or 14 - x < 8

180)

181)

182)

179)

 \overline{A}) $(-\infty, \infty)$

B) { }

C) $(-\infty, 6)$

D) $(-\infty, 2] \cup (6, \infty)$

Answer: D

Explanation: A)

B)

C)

D)

Solve the problem.

181) A skydiving company insists that its customers weigh at least 130 pounds, but no more than 280 pounds, including parachute and other gear. If the total weight of all gear is 25 pounds, write and solve a compound inequality that represents the weight range without gear that is acceptable.

A) $105 \le w \le 305$

B) $155 \le w \le 305$

C) $155 \le w \le 255$

D) $105 \le w \le 255$

Answer: D

Explanation: A)

B)

C)

D)

182) Fernando's motorboat can travel 35 mi/h in still water. If the boat can travel 7 miles downstream in the same time it takes to travel 3 miles upstream, what is the rate of the river's current?

A) 9 mi/h

B) 35 mi/h

C) 14 mi/h

D) 4 mi/h

Answer: C

Explanation: A)

B)

C)

D)

Solve the equation by using substitution.

183)
$$(t+3)^2 - (t+3) - 12 = 0$$

A) $\{4, -3\}$

- B) $\{-1, 6\}$
- C) {1, -6}
- D) $\{-7, 0\}$

183)

184)

185)

186)

Answer: C

Explanation: A)

- B)
- C)
- D)

Find the values of x for which the expression equals zero.

184)
$$\sqrt{4-x^2} - x \left(\frac{1}{2}\right) \frac{1}{\sqrt{4-x^2}} (2x)$$

A) $\{\sqrt{2}, 2\}$ B) $\{\pm\sqrt{2}\}$

C) $\{\pm 2\}$

D) $\{\pm\sqrt{2}, \pm 2\}$

Answer: B

Explanation: A)

- B)
- C)
- D)

Solve the equation by using the quadratic formula.

185) 6x(x-2) = 5

A) $\left\{1 \pm \frac{\sqrt{66}}{6}\right\}$ C) $\left\{-1 + \frac{\sqrt{66}}{6}i, -6 + \frac{\sqrt{66}}{6}i\right\}$

B) $\left\{ 1 \pm \frac{\sqrt{66}}{6}i \right\}$ D) $\left\{ -1 + \frac{\sqrt{66}}{6}, -6 + \frac{\sqrt{66}}{6} \right\}$

Answer: A

Explanation: A)

- B)
- C)
- D)

Solve the equation.

186)
$$-5(w^2 - 7)(w^2 + 4)$$

A) $\{0, \pm \sqrt{7}, \pm 2i\}$

B) $\{0, \pm \sqrt{7}\}$ D) $\{\pm \sqrt{7}\}$

C) $\{\pm\sqrt{7}, \pm 2i\}$

Answer: C

- B)
- C)
- D)

Solve the rational equation.

187)
$$\frac{6}{p-12} = \frac{3p-15}{p-12} - \frac{3}{p}$$

187)

188)

189)

- A) $\{5, 3\}$
- B) {-5, -3} C) {-6, -2}
- D) {6, 2}

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the equation by using substitution.

188)
$$3(t^2 - 9)^2 + 16(t^2 - 9) = -5$$

A)
$$\left\{\pm \frac{\sqrt{78}}{3}i, \pm i2\right\}$$

C) $\left\{\pm \frac{\sqrt{78}}{3}, \pm 2\right\}$

$$B)\left\{-\frac{1}{3}, -5\right\}$$

D)
$$\left\{\pm \frac{1}{3}, \pm 5\right\}$$

Answer: C

Explanation: A)

- B)
- C)
- D)

Simplify the expression.

189)
$$\frac{\sqrt{-144}}{\sqrt{-36}}$$

A) -2i

B) 2

C) 2*i*

D) $\frac{1}{2}$

Answer: B

- B)
- C)
- D)

Solve the inequality. Write the solution set in interval notation using fractions.

190)
$$0.21n - 3 \le -0.1(-10 - n)$$

190)

A)
$$\left[-\infty, \frac{97}{9}\right]$$

$$B) \left[-\infty, \frac{400}{11} \right]$$

$$C)\left[\frac{97}{9},\infty\right]$$

A)
$$\left[-\infty, \frac{97}{9}\right]$$
 B) $\left[-\infty, \frac{400}{11}\right]$ C) $\left[\frac{97}{9}, \infty\right]$ D) $\left[-\infty, \frac{400}{11}\right]$

Answer: B

Explanation: A)

B)

C)

D)

Solve the quadratic equation by completing the square and applying the square root property.

191)
$$3x^2 + 5x - 6 = 0$$

191) ____

A)
$$-\frac{5}{3} \pm \frac{\sqrt{97}}{3}$$
 B) $-\frac{5}{6} \pm \frac{\sqrt{97}}{6}$ C) $-\frac{5}{6} \pm \frac{\sqrt{47}}{6}$ D) $-\frac{5}{3} \pm \frac{\sqrt{47}}{3}$

B)
$$-\frac{5}{6} \pm \frac{\sqrt{97}}{6}$$

C)
$$-\frac{5}{6} \pm \frac{\sqrt{47}}{6}$$

D)
$$-\frac{5}{3} \pm \frac{\sqrt{4^2}}{3}$$

Answer: B

Explanation: A)

- B)
- C)
- D)

Solve the problem.

192) The temperature at a state park for one day in June can be approximated by the function 192)

$$T(x) = 0.289x^2 - 5.202x + 83$$

$$0 \le x \le 18$$

where T is degrees Fahrenheit and x is the number of hours after 5 PM on Friday. At what time is the temperature lowest? Round to the nearest hour.

Answer: C

Explanation: A)

- B)
- C)
- D)

Solve the equation by using the quadratic formula.

193) t(t-2) = -2

193)

A)
$$\{1 \pm 2i \}$$

B)
$$\{-1 \pm 2i\}$$
 C) $\{-1 \pm i\}$

C)
$$\{-1 \pm i\}$$

D)
$$\{1 \pm i \}$$

Answer: D

- B)
- C)
- D)

- 194) A rectangular garden covers 46 yd². The length is 3 yd longer than the width. Find the length and width. Round to the nearest tenth of a yard.
- 194)

- A) length = 9.8; width = 6.8 yd
- B) length = 5.4; width = 8.4 yd
- C) length = 6.8; width = 9.8 yd
- D) length = 8.4; width = 5.4 yd

Answer: D

Explanation: A)

- B)
- C)
- D)
- 195) The daily profit in dollars made by an automobile manufacturer is

195)

$$P(x) = -45x^2 + 2.430x - 15.000$$

where *x* is the number of cars produced per shift. How many cars must be produced per shift for the company to maximize its profit?

A) 32

- B) 54
- C) 27
- D) 29

Answer: C

Explanation: A)

- B)
- C)
- D)
- 196) The amount of time it takes an object dropped from an initial height of h_0 feet to reach a height of h feet is given by the formula

$$t = \sqrt{\frac{h_0 - h}{16}}.$$

An object dropped from the top of the Sears Tower in Chicago takes 9.7 seconds to reacl ground. Use the above equation to approximate the height of the Sears Tower to the nearest foot.

- A) 1,505 feet
- B) 1,584 feet
- C) 1,032 feet
- D) 1,219 feet

Answer: A

- B)
- C)
- D)

	97) How many gallons of gasoline that is 5% ethanol must be added to 2,000 gallons of gasoline with no ethanol to get a mixture that is 3% ethanol?					197)
ga	A) 3,000		B) 1,800	C) 4,115	D) 6,000	
	nswer: A					
E	xplanation:	A)				
		B)				
		C)				
		D)				
	198) A 6-ft person walks away from a lamppost. At the instant the person is 14 ft away from the lamppost, the person's shadow is 10 ft long. Find the height of the lamppost					198)
	A) 13 ft	_	B) 32 ft	C) 52 ft	D) 28 ft	
Δ	nswer: A		_,	-,	_ / _ 0 0 0	
	xplanation:	A)				
	-F	B)				
		C)				
		D)				
Solve the inequality. Write the solution set in interval notation.						400)
	$31 \ge 0.04a +$		D) (0.61	C) (D) [6]	199)
	A) $[0.6, \infty)$		B) $(-\infty, 0.6]$	C) $(-\infty, 6]$	D) $[6, \infty)$	
	nswer: C					
E	xplanation:	A)				
		B)				
		C)				
		D)				
Solve the pr	oblem.					
200) Two cars are 261 miles apart and travel toward each other on the same road. They meet						200)
in 3 hours. One car travels 3 mph faster than the other. What is the average speed of						, <u> </u>
ea	nch car?	421.		D) 42		
	A) 40 mph; 4	-		B) 42 mph; 45 mph		
C) 41 mph; 44 mph				D) 39 mph; 42 mph		
	nswer: B	4.				
E	xplanation:	A)				
		B)				
		C)				
		D)				

Solve the equation.

201) -
$$\frac{1}{4}x$$
 - $\frac{1}{6}$ = - $\frac{1}{6}(x+1)$ - $\frac{1}{12}x$

201)

A) {0}

B) $\left\{-\frac{1}{3}\right\}$

C) All real numbers

D) { }

Answer: C

Explanation: A)

- B)
- C)
- D)

Solve the rational equation.

$$202) \frac{3}{x} + \frac{3}{x-7} = \frac{3x-18}{x-7}$$

202) ___

- A) {1}
- B) {7, 1}
- $C)\left\{-\frac{5}{2},\frac{1}{3}\right\}$
- D) { }

Answer: A

Explanation: A)

- B)
- C)
- D)

Solve the equation.

$$203) \ 4p^{2/3} = \frac{1}{4}$$

203)

- A) $\left\{\pm \frac{1}{64}\right\}$
- B) $\left\{ \frac{1}{16} \right\}$
- C) $\left\{\pm \frac{1}{16}\right\}$
- D) $\left\{ \frac{1}{64} \right\}$

Answer: A

- B)
- C)
- D)

Solve the absolute value equation.

$$204$$
) $|2v| = |-13 - 3v|$

204)

205)

$$B)\left\{\frac{5}{13},0\right\}$$

D)
$$\left\{-13, -\frac{13}{5}\right\}$$

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the problem.

205) A contractor builds a swimming pool with cross section in the shape of a trapezoid. The deep end is 9 ft deep and the shallow end is 3 ft deep. The length of the pool is 60 ft and the width is 25 ft. As the pool is being filled, find the volume of water when the depth is 4 ft.

- A) 2,000 ft³
- B) 1,620 ft³
- C) $4,500 \text{ ft}^3$
- D) $4,000 \text{ ft}^3$

Answer: A

Explanation: A)

- B)
- C)
- D)

Solve the equation by using the quadratic formula.

206) $5y - 6 + 50y^2 = 0$

206)

A)
$$\left\{ \frac{3}{5} \pm \frac{\sqrt{2,791}}{5} i \right\}$$

$$C)\left\{\frac{5}{2}, -\frac{10}{3}\right\}$$

$$B)\left\{-\frac{2}{5}, \frac{3}{10}\right\}$$

$$D)\left\{\frac{1}{3}, \frac{2}{5}\right\}$$

Answer: B

- B)
- C)
- D)

207) $3x^2 + 12x - 15 = 0$

 $A)\left\{\frac{1}{3}, -\frac{5}{3}\right\}$

B) {-1, 5} C) {1, -5}

 $D)\left\{-\frac{1}{3}, \frac{5}{3}\right\}$

Answer: C

Explanation: A)

B)

C)

D)

Evaluate $\sqrt{b^2 - 4ac}$ for the given values of a, b, and c, and simplify.

208) a = 4, b = -2, and c = 7

208)

207)

A) $3i\sqrt{6}$

B) $6\sqrt{3}$

C) $6i\sqrt{3}$

D) $-6\sqrt{3}$

Answer: C

Explanation: A)

B)

C)

D)

Identify the real and imaginary parts of the complex number.

 $209)\frac{4}{7}$

209)

A) Real: 4; imaginary: 7

B) Real: $\frac{4}{7}$; imaginary: *i*

C) Real: $\frac{4}{7}$; imaginary: 0

D) Real: 0; imaginary: $\frac{4}{7}$

Answer: C

Explanation: A)

B)

C)

D)

Solve the equation.

$$210) \frac{2z}{z-2} + \frac{3}{z-4} = 1$$

210)

A)
$$\left\{ -\frac{1}{2} \pm \frac{\sqrt{57}}{2} \right\}$$
C)
$$\left\{ \frac{1}{2} \pm \frac{\sqrt{57}}{2} \right\}$$

$$B) \left\{ -\frac{1}{2} \pm \frac{\sqrt{57}}{2} i \right\}$$

$$C) \begin{cases} \frac{1}{2} \pm \frac{\sqrt{57}}{2} \end{cases}$$

$$D) \left\{ \frac{1}{2} \pm \frac{\sqrt{57}}{2} i \right\}$$

Answer: A

Explanation: A)

B)

C)

D)

Determine the set of values of x for which the radical expression would produce a real number.

211) $\sqrt[3]{x+15}$

211) ____

A) $\{x \mid x > 15\}$

B) $\{x \mid x \ge -15\}$

C) all real numbers

D) $\{x \mid x > -15\}$

Answer: C

Explanation: A)

B)

C)

D)

Solve the equation.

212) $100x^3 + 25x^2 + 4x + 1 = 0$

212)

A)
$$\left\{-\frac{1}{4}, \pm \frac{1}{5}\right\}$$
 B) $\left\{-\frac{1}{4}, \pm \frac{1}{5}i\right\}$ C) $\left\{-4, \pm 5\right\}$ D) $\left\{-\frac{1}{4}\right\}$

$$\mathbf{B})\left\{-\frac{1}{4},\pm\frac{1}{5}i\right\}$$

C)
$$\{-4, \pm 5\}$$

D)
$$\left\{-\frac{1}{4}\right\}$$

Answer: B

Explanation: A)

B)

C) D)

Solve the absolute value equation.

$$213) - \frac{17}{4} + \frac{2}{3}|3y - 9| = -4$$

213)

A)
$$\left\{ \frac{23}{8}, \frac{25}{8} \right\}$$
 B) $\left\{ -\frac{1}{8}, \frac{1}{8} \right\}$

B)
$$\left\{-\frac{1}{8}, \frac{1}{8}\right\}$$

D)
$$\left\{ -3, \frac{4}{3} \right\}$$

Answer: A

Explanation: A)

- B)
- C)
- D)

Solve the problem.

214) Aaron invested a total of \$4,100, some in an account earning 8% simple interest, and the rest in an account earning 5% simple interest. How much did he invest in each account if after one year he earned \$211 in interest?

214)

215) ____

- A) \$900 at 8%, \$3,200 at 5%
- B) \$3,900 at 8%, \$200 at 5%
- C) \$200 at 8%, \$3,900 at 5%
- D) \$3,200 at 8%, \$900 at 5%

Answer: C

Explanation: A)

- B)
- C)
- D)

Solve the inequality. Write the solution set in interval notation.

215) -2 < -2y + 11 < 6

B) $\left[\frac{13}{2}, 6\right]$ C) $\left[\frac{5}{2}, \frac{13}{2}\right]$ D) $\left[\frac{13}{2}, \frac{5}{2}\right]$

Answer: A

- B)
- C)
- D)

Make an appropriate substitution and solve the equation.

$$216) \left[m - \frac{12}{m} \right]^2 - 10 \left[m - \frac{12}{m} \right] - 11 = 0$$

216)

- A) {-1, 11}
- C) $\{1, -11\}$

B) {-12, -4, 1, 3} D) {-4, -1, 3, 12}

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the problem.

217) In order to ride certain amusement park rides, riders must be at least 46" tall, but no more than 79" tall. Let h represent the height of a prospective rider. Write an inequality that represents the allowable heights.

217)

218)

A)
$$h \le 79$$
 and $h \ge 46$

C)
$$h < 46$$
 or $h > 79$

B)
$$h \le 79$$
 or $h \ge 46$

D)
$$h \le 46$$
 and $h \ge 79$

Answer: A

Explanation: A)

- B)
- C)
- D)

Solve the equation by using the square root property.

218) $f^2 = 25$

- A) $\{5i\}$
- B) $\{\pm 5i\}$
- C) {5}
- D) $\{\pm 5\}$

Answer: D

- B)
- C)
- D)

- 219) Aliyah earned an \$6,000 bonus from her sales job for exceeding her sales goals. After paying taxes at a 30% rate, she invested the remaining money in two stocks. One stock returned the equivalent of 10% simple interest after 1 yr, and the other returned 4% at the end of 1 yr. If her investments returned \$240.00 (excluding commissions) how
- 219)

- A) \$2,750 at 4% and \$1,450 at 10%
- B) \$3,000 at 4% and \$1,200 at 10%
- C) \$1,450 at 4% and \$2,750 at 10%
- D) \$1,200 at 4% and \$3,000 at 10%

Answer: B

- Explanation: A)
 - B)

much did she invest in each stock

- C)
- D)

Solve for the indicated variable.

220) -8x - 9y = 7 for y

A)
$$y = -\frac{8}{9}x + 7$$

B)
$$y = \frac{8}{9}x - \frac{7}{9}$$

A)
$$y = -\frac{8}{9}x + 7$$
 B) $y = \frac{8}{9}x - \frac{7}{9}$ C) $y = -\frac{8}{9}x - \frac{7}{9}$ D) $y = \frac{8}{9}x + 7$

D)
$$y = \frac{8}{9}x + 7$$

Answer: C

Explanation: A)

- B)
- C)
- D)

Simplify the expression.

$$221) \frac{\sqrt{-25}}{\sqrt{9}}$$

221)

220)

A) -
$$\frac{\sqrt{5}}{3}$$

B)
$$\frac{5}{3}i$$

C) -
$$\frac{5}{3}$$

D)
$$\frac{5}{3}$$

Answer: B

- B)
- C)
- D)

Solve the absolute value equation.

222)
$$|6z - 3| = 7$$

B) $\left\{-\frac{2}{3}\right\}$

C) {7, -6}

D) $\left\{ \frac{5}{3}, -\frac{2}{3} \right\}$

222)

223)

225)

Answer: D

Explanation: A)

B)

C)

D)

Solve the absolute value inequality. Write the solution in interval notation.

223) $3|x - 5| + 12 \ge 15$

A) $(-\infty, 4] \cup [6, \infty)$

B) $(-\infty, -4] \cup [14, \infty)$

C) [-4, 14]

D) [4, 6]

Answer: A

Explanation: A)

B)

C)

D)

Solve the equation by using the square root property.

224)
$$(3x + 10)^2 = 81$$

A) $\left\{-\frac{1}{3}, -\frac{19}{3}\right\}$ B) $\left\{-\frac{1}{3}\right\}$ C) $\left\{\frac{61}{6}i, -\frac{61}{6}i\right\}$ D) $\left\{\frac{61}{6}, -\frac{61}{6}\right\}$

Answer: A

Explanation: A)

B)

C)

D)

Solve the equation by using the quadratic formula.

225)
$$y^2 = 4y - 9$$

A) $\{2 \pm i\sqrt{5}\}$ B) $\{4 \pm 2i\sqrt{5}\}$ C) $\{-2 \pm i\sqrt{5}\}$ D) $\{-4 \pm 2i\sqrt{5}\}$

Answer: A

Explanation: A)

B)

C)

D)

- 226) Suppose that a merchant buys a patio set from the wholesaler for \$260. At what price should the merchant mark the patio set so that it may be offered at a discount of 25% but still give the merchant a 20% profit on his \$260 investment?
- 226)

- A) \$416
- B) \$377
- C) \$325
- D) \$312

Answer: A

- Explanation: A)
 - B)
 - C)
 - D)

Solve the equation.

227) $y^2 + 3y - 11 = (y + 2)(y - 4)$

228)

- C) $\left\{ \frac{3}{5}, -\frac{3}{5} \right\}$ D) $\{-2, 4\}$

Answer: A

- Explanation: A)
 - B)
 - C)
 - D)

Solve the equation by using the square root property.

- 228) $(c + 8)^2 = 16$
- B) {-4, -12}
- C) {24, -8}
- D) {8, -24}

Answer: B

Explanation: A)

A) {12, 4}

- B)
- C)
- D)

Solve the quadratic equation by completing the square and applying the square root property.

229) $2x^2 + 6 = 9x$

229) ___

A) $\{9 - \sqrt{87}, 9 + \sqrt{87}\}$

B) $\left\{ \frac{-9 - \sqrt{33}}{4}, \frac{-9 + \sqrt{33}}{4} \right\}$

C) $\left\{ \frac{9 - \sqrt{33}}{4}, \frac{9 + \sqrt{33}}{4} \right\}$

D) $\{-9 - \sqrt{87}, -9 + \sqrt{87}\}$

Answer: C

- Explanation: A)
 - B)
 - C)
 - D)

Use the discriminant to determine the type and number of solutions.

230)
$$6q^2 = 1$$

230)

- A) Two imaginary solutions

B) Two rational solutions

C) One rational solutions

D) Two irrational solutions

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the inequality. Write the solution set in interval notation.

231)
$$9(x - 3) - 8x \ge -3$$

231)

- A) $[24, \infty)$
- B) $[0, \infty)$
- C) $(24, \infty)$
- D) $(-\infty, 24]$

Answer: A

Explanation: A)

- B)
- C)
- D)

Simplify and write the result in standard form, a + bi.

232)
$$\frac{4+\sqrt{-18}}{6}$$

232)

- A) $\frac{2}{3} \frac{\sqrt{18}}{6}i$ B) $\frac{2}{3} \frac{\sqrt{2}}{2}i$ C) $\frac{2}{3} + \frac{\sqrt{2}}{2}i$ D) $\frac{3}{5} + \frac{\sqrt{18}}{6}i$

Answer: C

Explanation: A)

- B)
- C)
- D)

Solve the absolute value inequality. Write the solution in interval notation.

$$233) \ 24 \le 2 + \left| -15t + 1 \right|$$

233)

A) {-22, 22}

B) { }

C) $\left[-\infty, -\frac{21}{15}\right] \cup \left[\frac{23}{15}, \infty\right]$

D) $\left[-\frac{21}{15}, \frac{23}{15} \right]$

Answer: C

- B)
- C)
- D)

- 234) Sparky has scores of 71, 60, and 69 on his first three Sociology tests. If he needs to keep an average of 70 to stay eligible for lacrosse, what scores on the fourth exam will accomplish this?
- 234)

- A) He must score more than 80
- B) He must score 84 or higher.
- C) He must score more than 84
- D) He must score 80 or higher.

Answer: D

Explanation: A)

- B)
- C)
- D)
- 235) A water trough has a cross section in the shape of an equilateral triangle with sides of length 1 m. The length is 4 m. Determine the volume of water when the water level is $\frac{3}{4}$ m.
- 235)

- A) $\frac{3}{8}\sqrt{3} \text{ m}^2$ B) $\frac{3}{4}\sqrt{2} \text{ m}^2$ C) $\frac{3}{4}\sqrt{3} \text{ m}^2$ D) $\frac{3}{8}\sqrt{2} \text{ m}^2$

Answer: C

Explanation: A)

- B)
- C)
- D)

Write an absolute value inequality equivalent to the expression.

236) "All real numbers whose distance from 0 is more than 82."

236)

- A) |x| > 82
- B) $|x 82| \ge 0$
- C) |x 82| > 0
- D) $|x| \ge 82$

Answer: A

- B)
- C)
- D)

Some applications of calculus use a mathematical structure called a power series. To find the interval of convergence of a power series, it is often necessary to solve an absolute value inequality. Solve the absolute value inequality below to find the interval of convergence

$$237) \left| \frac{x+1}{4} \right| < 1$$

237)

- A) (-5, 3)
- B) [-5, 3]
- C) [0, 3]
- D)(0,3)

Answer: A

Explanation: A)

- B)
- C)
- D)

Solve for the indicated variable.

238)
$$3x - y = 2$$
 for y

238)

A)
$$y = -3x - 2$$

B)
$$y = 3x + 2$$

C)
$$y = 3x - 2$$

Answer: C

Explanation: A)

- B)
- C) D)

Solve the equation.

239) 5w (5w + 12) = -32

239)

A)
$$\left\{-\frac{8}{5}, -\frac{4}{5}\right\}$$
 B) $\left\{-\frac{8}{5}, \frac{4}{5}\right\}$ C) $\left\{0, -\frac{12}{5}\right\}$ D) $\left\{\frac{8}{5}, \frac{4}{5}\right\}$

$$B)\left\{-\frac{8}{5},\frac{4}{5}\right\}$$

C)
$$\left\{0, -\frac{12}{5}\right\}$$

D)
$$\left\{ \frac{8}{5}, \frac{4}{5} \right\}$$

Answer: A

- B)
- C)
- D)

Solve the compound inequality. Write the answer in interval notation.

240) 23 < 3x or $-8 + 2x \le -15$

A)
$$\left[-\infty, -\frac{7}{2}\right] \cup \left[\frac{23}{3}, \infty\right]$$

C) $\left[-\frac{23}{3}, \frac{7}{3}\right]$

B)
$$(-\infty, \infty)$$

D)
$$\left[-\frac{7}{2}, \frac{23}{3} \right]$$

Answer: A

Explanation: A)

- B)
- C)
- D)

Solve the equation.

241) $n^{4/5} = 3$

A)
$$\{\pm 3^{5/4}\}$$

B) $\left\{\pm \frac{15}{4}\right\}$



D) {3^{5/4}}

240)

241)

242)

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the problem.

242) The height of a triangle is 4 ft less than the base x. The area is 126 ft². Find the dimensions of the triangle.

A) base =
$$9 \text{ ft}$$
; height = 28

B) base =
$$18 \text{ ft}$$
; height = 22

C) base =
$$20 \text{ ft}$$
; height = 16

D) base =
$$18 \text{ ft}$$
; height = 14

Answer: D

- B)
- C)
- D)

243) A model rocket is launched from a raised platform at a speed of 160 feet per second. Its height in feet is given by

$$h(t) = -16t^2 + 160t + 20$$
 ($t =$ seconds after launch)

What is the maximum height reached by the rocket?

- A) 840 feet
- B) 210 feet
- C) 440 feet
- D) 420 feet

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

Simplify the expression.

- 244) $\sqrt{-81} \cdot \sqrt{-3}$
 - A) $9\sqrt{3}$
- B) $9\sqrt{-3}$
- C) -27
- D) $-9\sqrt{3}$

244)

245)

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

Solve the equation by using the quadratic formula.

$$245) - \frac{4}{3} = \frac{1}{6}x - 5x^2$$

A)
$$\left\{ -8, \frac{9}{30} \right\}$$

C) $\left\{ \frac{1}{16} \pm \frac{\sqrt{959}}{16} i \right\}$

 $B)\left\{\frac{1}{10}\pm\frac{\sqrt{161}}{10}\right\}$

$$D) \left\{ -\frac{1}{2}, \frac{8}{15} \right\}$$

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

- 246) The height of a triangular truss is 5 ft less than the base. The amount of drywall needed to cover the triangular area is 84 ft². Find the base and height of the triangle to the nearest tenth of a foot.
 - A) base = 12 ft; height = 7 ft
- B) base = 15.9 ft; height = 10.9 ft

246)

- C) base = 15.7 ft; height = 10.7 ft
- D) base = 21 ft; height = 16 ft

Answer: C

- Explanation: A)
 - B)
 - C)
 - D)

Solve the equation.

- 247) $\sqrt[5]{10z+2} = \sqrt[5]{7z+11}$ 247) A) $\{0\}$ D) {-3} B) {6} C) $\{3\}$
 - Answer: C
 - Explanation: A)
 - B)
 - C)
 - D)

Solve the absolute value equation.

- 248) 248) |12x - 6| - 15 = -15
 - A) {12, -15}
- B) { }
- $C) \left\{ \frac{1}{2}, -\frac{1}{2} \right\} \qquad \qquad D) \left\{ \frac{1}{2} \right\}$

- Answer: D
- Explanation: A)
 - B)
 - C)
 - D)

Solve the equation by using the square root property.

249)
$$3(x+8)^2 - 15 = 255$$

A) $8 \pm 3\sqrt{10}$ B) $-8 \pm 3\sqrt{10}$ C) $-8 \pm \sqrt{265}$ D) $8 \pm \sqrt{265}$

- A) $8 \pm 3\sqrt{10}$

- Answer: B
- Explanation: A)
 - B)
 - C)
 - D)

Solve the equation.

$$250) 4d^{2/3} - 9d^{1/3} - 9 = 0$$

250)

251)

A)
$$\left\{ \frac{27}{64}, 27 \right\}$$

B)
$$\left\{-\frac{27}{64}, 27\right\}$$
 C) $\left\{\frac{27}{64}, 3\right\}$ D) $\left\{-\frac{3}{4}, 3\right\}$

C)
$$\left\{ \frac{27}{64}, 3 \right\}$$

$$D)\left\{-\frac{3}{4},3\right\}$$

Answer: B

Explanation: A)

- B)
- C)
- D)

Solve the problem.

- 251) A nurse mixes 90 cc of a 45% saline solution with a 10% saline solution to produce a 20% saline solution. How much of the 10% solution should he use?
 - A) 180 cc
- B) 202.5 cc
- C) 225 cc
- D) 18 cc

Answer: C

Explanation: A)

- B)
- C)
- D)

Simplify the expression in terms of i:

252) $\sqrt{-18}$

252)

253)

- A) $3i\sqrt{2}$
- B) $-3i\sqrt{2}$
- C) $3\sqrt{2i}$
- D) $9i\sqrt{2}$

Answer: A

Explanation: A)

- B)
- C)
- D)

Solve the problem.

- 253) The plans for a rectangular deck call for the width to be 4 feet less than the length. Sam wants the deck to have an overall perimeter of 52 feet. What should the length of the deck be?
 - A) 4 feet
- B) 15 feet
- C) 28 feet
- D) 19 feet

Answer: B

- B)
- C)
- D)

Solve the equation.

254)
$$9 + 24u^{-2} = 58u^{-1}$$

254)

A)
$$\left\{ \frac{33}{58} \right\}$$

B)
$$\left\{-6, -\frac{4}{9}\right\}$$
 C) $\left\{-\frac{9}{10}\right\}$ D) $\left\{\frac{4}{9}, 6\right\}$

C)
$$\left\{-\frac{9}{10}\right\}$$

$$D) \left\{ \frac{4}{9}, 6 \right\}$$

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve and express your solution in simplified form.

255)
$$x^4 - 3x^2 + 2 = 0$$

255)

A)
$$\{1, \sqrt{2}\}$$

B)
$$\{\pm 1, \pm \sqrt{2}\}$$

D)
$$\{\pm 1, \pm 2\}$$

Answer: B

Explanation: A)

- B)
- C)
- D)

Solve the absolute value inequality. Write the solution in interval notation.

256) $|2b - 23| \ge -15$

256)

B)
$$(-\infty, \infty)$$

D)
$$(-\infty, 4] \cup [19, \infty)$$

Answer: B

Explanation: A)

- B)
- C)
- D)

Make an appropriate substitution and solve the equation.

257) $(3x + 7)^2 + 2(3x + 7) - 15 = 0$

257)

$$A) \left\{-4, -\frac{10}{3}\right\}$$

B)
$$\left\{-\frac{2}{3}, -\frac{4}{3}\right\}$$

C)
$$\left\{-4, -\frac{4}{3}\right\}$$

A)
$$\left\{-4, -\frac{10}{3}\right\}$$
 B) $\left\{-\frac{2}{3}, -\frac{4}{3}\right\}$ C) $\left\{-4, -\frac{4}{3}\right\}$ D) $\left\{-\frac{2}{3}, -\frac{10}{3}\right\}$

Answer: C

- B)
- C)
- D)

- 258) The width of a rectangular box is 4 in. The height is one-fifth the length x. The volume is 180 in². Find the length and the height of the box.
 - A) length = 4 in.; height = 20 in.
- B) length = 3 in.; height = 15 in.
- C) length = 20 in.; height = 4 in.
- D) length = 15 in.; height = 3 in.

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

Solve the equation.

259) $(2x + 4)^{3/2} = 64$

259)

- A) ± 16
- B) ±6
- C) 6

D) 16

Answer: C

- Explanation: A)
 - B)
 - C)
 - D)

Solve the problem.

- 260) The perimeter of a rectangular lot of land is 436 ft. This includes an easement of *x* feet of uniform width inside the lot on which no building can be done. If the buildable area is 122 ft by 60 ft, determine the width of the easement.
 - A) 18 feet
- B) 4.5 feet
- C) 9 feet
- D) 7 feet

Answer: C

- Explanation: A)
 - B)
 - C)
 - D)

Find the value of n so that the expression is a perfect square trinomial and then factor the trinomial.

261)
$$x^2 + 20x + n$$

A) $n = 100$; $(x - 10)^2$

A)
$$n = 100$$
; $(x - 10)^2$

B)
$$n = 400$$
; $(x + 20)^2$

C)
$$n = 100$$
; $(x + 10)^2$

D)
$$n = 100$$
; $(x + 10)(x - 10)$

Answer: C

- Explanation: A)
 - B)
 - C)
 - D)

Solve the quadratic equation by completing the square and applying the square root property.

262)
$$2v^2 + 4v + 12 = 0$$

A) $\{-2 - i\sqrt{2}, -2 + i\sqrt{2}\}$

C) $\{-1 - i\sqrt{5}, -1 + i\sqrt{5}\}$

B)
$$\{-2 - \sqrt{2}, -2 + \sqrt{2}\}$$

D) $\{-1 - \sqrt{5}, -1 + \sqrt{5}\}$

Answer: C

Explanation: A)

B)

C)

D)

Solve the equation.

263) $5(x + 2) + x^2 = x(x + 5) + 10$

A) No solution

C) $2\sqrt{5}$

B) {0}

D) All real numbers

Answer: D

Explanation: A)

B)

C)

D)

Solve the equation by using the quadratic formula.

264) $0.49x^2 = 0.28x - 0.04$

A) $\left\{\frac{2}{7}\right\}$

B) $\left\{\frac{2}{7}i\right\}$

C) $\left\{\pm \frac{2}{7}\right\}$

D) $\left\{-\frac{2}{7}\right\}$

264) ____

262)

263) ___

Answer: A

Explanation: A)

B)

C) D) Solve the equation for the indicated variable.

265) Solve for
$$K_2$$
: $\frac{R_1 Z_1}{K_1} = \frac{R_2 Z_2}{K_2}$

265)

A)
$$K_2 = \frac{R_1 Z_1}{R_2 Z_2 K_1}$$

B)
$$K_2 = \frac{K_1}{R_2 Z_2 R_1 Z_1}$$

C)
$$K_2 = \frac{R_2 Z_2 K_1}{R_1 Z_1}$$

D)
$$K_2 = \frac{R_2 Z_2 R_1 Z_1}{K_1}$$

Answer: C

Explanation: A)

- B)
- **C**)
- D)

Solve the problem.

266) To estimate the number of bass in a lake, a biologist catches and tags 32 bass. Several weeks later, the biologist catches a new sample of 55 bass and finds that 5 are tagged. How many bass are in the lake?

266)

267)

- A) 275 bass
- B) 160 bass
- C) 352 bass
- D) 1,760 bass

Answer: C

Explanation: A)

- B)
- C)
- D)

267) In the mid-nineteenth century, explorers used the boiling point of water to estimate altitude. The boiling temperature of water T (in °F) can be approximated by the model T = -1.83a + 212, where a is the altitude in thousands of feet. Determine the temperature at which water boils at an altitude of 9,000 ft. Round to the nearest degree.

- A) 228 °F
- B) 214 °F
- C) 196 °F
- D) 210 °F

Answer: C

- B)
- C)
- D)

Solve the equation.

$$268) \left[2 + \frac{9}{y} \right]^2 + 4 \left[2 + \frac{9}{y} \right] = -3$$

268)

- A) $\{-27, -45\}$ B) $\left\{-\frac{9}{4}, \frac{5}{4}\right\}$
- C) $\{1, 3\}$
- D) $\left\{-\frac{9}{5}, -3\right\}$

Answer: D

Explanation: A)

- B)
- C)
- D)

Perform the indicated operation. Write the answer in the form a + bi.

269) 7i(-5 + 5i)

D) -35 - 35i

- A) -70i
- B) 35 35i
- C) -30i

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the equation.

270) $30m^2 = 216 - m^4$

270)

269)

A) $\{-6, 6, -i\sqrt{6}, i\sqrt{6}\}$

B) $\{-\sqrt{6}, \sqrt{6}, -6i, 6i\}$

C) $\{-6i, -i\sqrt{6}, i\sqrt{6}, 6i\}$

D) $\{-6, -\sqrt{6}, \sqrt{6}, 6\}$

Answer: B

Explanation: A)

- B)
- C)
- D)

Solve the inequality. Write the solution set in interval notation.

271) -2(7y - 7) + y > 2y - (-5 + y)

271) ____

- $B)\left[\frac{9}{14},\infty\right]$ $C)\left[\frac{2}{7},\infty\right]$
- D) $\left[-\infty, \frac{9}{14}\right]$


Answer: D

- B)
- C)
- D)


Solve the compound inequality. Graph the solution set, and write the solution set in interval notation.

- 272) $-8 < -5x + 2 \le 22$
 - A) [-2, 4)


272)




B) [-4, 2)



(-4, 2]



D) (-2, 4]



Answer: B

- Explanation: A)
 - B)
 - C)
 - D)

Make an appropriate substitution and solve the equation.

$$273) - \frac{5}{a^2} + \frac{6}{a} + 1 = 0$$

A)
$$\left\{ \frac{3 + \sqrt{14}}{5}, \frac{3 - \sqrt{14}}{5} \right\}$$

B)
$$\left\{ \frac{-3 + \sqrt{14}}{5}, \frac{-3 - \sqrt{14}}{5} \right\}$$

C)
$$\{3 + \sqrt{14}, 3 - \sqrt{14}\}$$

D)
$$\{-3 + \sqrt{14}, -3 - \sqrt{14}\}$$

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

Solve for the indicated variable.

274)
$$c = 9\sqrt{r}$$
 for r

274)

275)

A)
$$r = \frac{c^2}{9}$$

B)
$$r = \frac{c}{9}$$

C)
$$r = \frac{c}{81}$$

C)
$$r = \frac{c}{81}$$
 D) $r = \frac{c^2}{81}$


Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the problem.

275) A patio is configured from a rectangle with two right triangles of equal size attached at the two ends. The length of the rectangle is 38 ft. The base of the right triangle is 4 ft less than the height of the triangle. If the total area of the patio is $1,232~{\rm ft}^2$, determine the base and height of the triangular portions.



- A) base = 18 ft; height = 22 ft
- C) base = 15 ft; height = 19 ft
- B) base = 19 ft; height = 23 ft
- D) base = 21 ft; height = 25 ft

Answer: A

Explanation: A)

- B)
- C)
- D)

Find the values of x for which the expression equals zero.

276)
$$\frac{-8x(7x+1) - (-4x^2)(7)}{(7x+1)^2}$$

276)

A) $\{0\}$

 $B) \left\{ 0, \frac{2}{7} \right\}$

C) $\left\{0, -\frac{1}{7}\right\}$ D) $\left\{0, -\frac{2}{7}\right\}$

Answer: D

Explanation: A)

- B)
- C)
- D)

- 277) The gas mileage for a certain vehicle can be approximated by $m = -0.05x^2 + 3.5x 49$, where x is the speed of the vehicle in mph. Determine the speed(s) at which the car gets 9 mpg. Round to the nearest mph.
 - A) 35 mph

B) 27 mph and 43 mph

C) 19 mph and 51 mph

D) 23 mph and 47 mph

Answer: B

- Explanation: A)
 - B)
 - C)
 - D)
- 278) The product of two consecutive positive even integers is 120. Find the integers.
- 278)

279) __

277)

- A) 58 and 62
- B) 12 and 14
- C) 10 and 12
- D) 59 and 61

Answer: C

- Explanation: A)
 - B)
 - C)
 - D)

Solve the absolute value inequality. Write the solution in interval notation.

- $279) \left| \frac{m-12}{4} \right| < 19$
 - A) (-64, 88)
 - C) (-88, 64)

- B) (-16, 22)
- D) $(-\infty, -16) \cup (22, \infty)$


Answer: A

- Explanation: A)
 - B)
 - C)
 - D)

280) Mary is in a boat in the ocean 48 mi from point A, the closest point along a straight shoreline. She needs to dock the boat at a marina x miles farther up the coast, and then drive along the coast to point B, 96 mi from point A. Her boat travels 10 mph, and she drives 60 mph. If the total trip took 7 hr, determine the distance x along the shoreline.

280)

281)



A) 36 mi

B) 47 mi

C) 32 mi

D) 43 mi

Answer: A

Explanation: A)

B)

C)

D)

Solve for the indicated variable.

281) $m = h^2kt^2x$ for t > 0

A)
$$t = \frac{m}{h^2 kx}$$

B) $t = \sqrt{\frac{m}{h}}$

C) $t = \frac{\sqrt{mkx}}{hkx}$ D) $t = \frac{\sqrt{mhkx}}{hkx}$

Answer: C

Explanation: A)

B)

C)

D)

Solve the equation.

282)
$$2n^2(n^2+6) = 54 + 9n^2$$

A)
$$\left\{ \frac{3\sqrt{2}}{2}, i\sqrt{6} \right\}$$

C)
$$\left\{\pm \frac{3\sqrt{2}}{2}, \pm i\sqrt{6}\right\}$$

$$B)\left\{\frac{9}{2}, -6\right\}$$

D)
$$\left\{0, \pm i\sqrt{6}\right\}$$

Answer: C

Explanation: A)

- B)
- C)
- D)

Determine whether the equation is a conditional equation, an identity, or a contradiction.

283)
$$3(z + 2) - 5z = 4\left(-\frac{1}{2}z + 1\right) + 2$$

- A) Conditional
- B) Identity

C) Contradiction

282)

283) ____

284) ___

Answer: B

Explanation: A)

- B)
- C)

Solve the quadratic equation by completing the square and applying the square root property.

284) $-5v^2 = 5 + 7v$

A)
$$\left\{ \frac{7 - \sqrt{69}}{10}, \frac{7 + \sqrt{69}}{10} \right\}$$

C) $\left\{ -\frac{7}{10} - \frac{\sqrt{51}}{10}i, -\frac{7}{10} + \frac{\sqrt{51}}{10}i \right\}$

B)
$$\left\{ \frac{7}{10} - \frac{\sqrt{51}}{10}i, \frac{7}{10} + \frac{\sqrt{51}}{10}i \right\}$$

D) $\left\{ \frac{-7 - \sqrt{69}}{10}, \frac{-7 + \sqrt{69}}{10} \right\}$

D)
$$\left\{ \frac{-7 - \sqrt{69}}{10}, \frac{-7 + \sqrt{69}}{10} \right\}$$

Answer: C

Explanation: A)

- B)
- C)
- D)

Solve the equation by using the quadratic formula.

285)
$$2x(x-2) = 5$$

A) $-1 + \frac{\sqrt{14}}{2}i$, $-6 + \frac{\sqrt{14}}{2}i$

B) $1 \pm \frac{\sqrt{14}}{2}$

C)
$$1 \pm \frac{\sqrt{14}}{2}i$$

D) $-1 + \frac{\sqrt{14}}{2}$, $-6 + \frac{\sqrt{14}}{2}$

Answer: B

Explanation: A)

B)

C)

D)

Solve the absolute value equation.

286) |b+4|-2=4

A) {-10, 6}

B) {10, -10}

C) {-10, 2}

D) $\{6, 2\}$

285)

286) ____

287)

288)

Answer: C

Explanation: A)

B)

C)

D)

Solve the inequality. Write the solution set in interval notation.

287) 7 - 5[1 - 2(
$$x$$
 - 1)] \geq 5{1 - [2 - (x + 1)]}

A)
$$\left[-\infty, -\frac{8}{5}\right]$$
 B) $\left[-\infty, \frac{2}{7}\right]$

 $C)\left[\frac{8}{5},\infty\right]$

 $D)\left[\frac{2}{7},\infty\right]$

Answer: C

Explanation: A)

B)

C)

D)

288) -1 - 2(2x + 1) < x - (-1 - x)

A)
$$\left[-\frac{2}{3}, \infty\right]$$

A) $\left[-\frac{2}{3},\infty\right]$ B) $\left[-\infty,-\frac{2}{3}\right]$

C) (-∞, -1)

 $D)\left[-\frac{2}{3},\infty\right]$

Answer: D

Explanation: A)

B)

C)

D)

Solve the equation.

289)
$$6 + \sqrt[4]{m} = 8$$

A) $\{4\}$

B) $\{\pm 4\}$

C) {16}

D) $\{\pm 16\}$

D) { }

Answer: C

Explanation: A)

B)

C)

D)

290)
$$-15 = -11 + (q - 2)^{1/3}$$

A) {66}

B) {-62}

C) {62}

290)

289)

Answer: B

Explanation: A)

B)

C)

D)

Solve the inequality. Write the solution set in interval notation.

291) $\frac{4}{5}y - \frac{1}{6} \ge y + \frac{2}{5}$

A) $\left[-\infty, \frac{1}{2}\right]$ B) $\left[-\infty, -\frac{17}{6}\right]$ C) $\left[\frac{17}{6}, \infty\right]$ D) $\left[-\infty, -\frac{1}{2}\right]$

Answer: B

Explanation: A)

B)

C)

D)

In Calculus you will see the symbol y'. Treat y' as a variable and solve the equation for y'.

292)
$$\frac{6x}{23} + \frac{6y}{7}y' = 0$$

292) ____

291) ____

A) $y' = \frac{42x}{23y}$ B) $y' = -\frac{42x}{23y}$ C) $y' = -\frac{7x}{23y}$ D) $y' = \frac{7x}{23y}$

Answer: C

Explanation: A)

B)

C)

D)

- 293) Ramon wants to fence in a rectangular portion of his back yard against the back of his garage for a vegetable garden. He plans to use 40 feet of fence, and needs fence on only three sides. Find the maximum area he can enclose. (Hint: The lengths of the 3 fenced sides of the rectangle must add up to 40.)
- 293)

- A) 400 sq. ft.
- B) 100 sq. ft.
- C) 225 sq. ft.
- D) 200 sq. ft.

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the absolute value inequality. Write the solution in interval notation.

- 294) |y| > 13

B) $(-\infty, -13) \cup (13, \infty)$

A) $(-\infty, -13)$ C) $(13, \infty)$

D) (-13, 13)

Answer: B

Explanation: A)

- B)
- C)
- D)

Solve for the indicated variable.

295)
$$Q = \frac{1}{3}DP$$
 for *D*

295) ____

294)

A)
$$D = \frac{P}{3Q}$$
 B) $D = \frac{3P}{Q}$ C) $D = \frac{Q}{3P}$ D) $D = \frac{3Q}{P}$

$$B) D = \frac{3P}{Q}$$

C)
$$D = \frac{Q}{3P}$$

D)
$$D = \frac{3Q}{P}$$

Answer: D

Explanation: A)

- B)
- C)
- D)

296) The length of the longer leg of a right triangle is 14 ft longer than the length of the shorter leg *x*. The hypotenuse is 6 ft longer than twice the length of the shorter leg. Find the dimensions of the triangle.

- A) Short leg = 10, long leg = 24, hypotenuse = 26
- B) Short leg = 9, long leg = 23, hypotenuse = 28
- C) Short leg = 9, long leg = 23, hypotenuse = 24
- D) Short leg = 11, long leg = 25, hypotenuse = 28

Answer: A

Explanation: A)

- B)
- C)
- D)

Answer Key

Testname: C1

- 1) linear
- 2) 4 miles per hour
- 3) intersection
- 4) set
- 5) addition

6)
$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

- 7) empty (or null); $\{ \}$ or \emptyset
- 8) $4x^2 + 1$
- 9) conditional
- 10) (5x + 1); (x 4)
- 11) union
- 12) $\frac{d}{r}$
- 13) quadratic; $m^{1/3}$
- 14) radical
- 15) $a^2 + b^2 = c^2$
- 16) *a*; *b*
- 17) solution
- 18) -1

$$19) A = \frac{1}{2}bh$$

- 20) \$900
- 21) { }
- 22) division
- 23) -k; >
- 24) real; imaginary
- 25) 180°
- 26) $\frac{n}{m}$
- 27) linear
- 28) conjugate
- 29) $b^2 4ac$
- 30) a < x < b
- 31) quadratic
- 32) contradiction
- 33) first
- 34) identity

35)
$$\frac{d}{t}$$

- 36) equivalent
- 37) rational
- 38) i \sqrt{b}
- 39) $A = \pi r^2$
- 40) 0.16 L
- 41) -k; k
- 42) $\pm \sqrt{k}$
- 43) P = 2l + 2w
- 44) R
- 45) V = lwh
- 46) 100
- 47) C
- 48) B
- 49) A
- 50) D
- 51) A
- 52) A
- 32) 11
- 53) B
- 54) A
- 55) C
- 56) D
- 57) D
- 58) D
- 59) C
- 60) D
- 61) B
- 62) B
- 63) D
- 64) D
- 65) B
- 66) C
- 67) D
- 68) D
- 69) D
- 70) D
- 71) C
- 72) C
- 73) C
- 74) D

75) C

76) B

77) D

78) D

79) B

80) B

81) C

82) C

83) B

84) B

85) C

86) C

87) D

88) B

89) C

90) C

91) D

92) D

93) D

94) C

95) B

96) D

97) D

98) B

99) C

100) B

101) B

102) A

103) C

104) B

105) D 106) A

107) C

108) C

109) C

110) A 111) C

112) B

113) D

114) D

115) D

116) A

117) D

118) C

119) D

120) D

121) C

122) B

123) A

124) C

125) A

126) B

127) C 128) D

129) D

130) C

131) D

132) D

133) D

134) A 135) A

136) A

137) A

138) A

139) A

140) C

141) B

142) B

143) A

144) B

145) D

146) C

147) B

148) A 149) D

150) A

151) D

152) B

153) B

154) B

155) B

156) A

157) B

158) D

159) D

160) D

161) C

162) D

163) D

164) D

165) C

166) C

167) B

168) B 169) C

170) C

171) D

172) C

173) B

174) A

175) C

176) A

177) D

178) C

179) C

180) D

181) D

182) C

183) C

184) B

185) A

186) C

187) D

188) C

189) B

190) B

191) B

192) C

193) D

194) D

195) C

196) A

197) A

198) A

199) C

200) B

201) C

202) A

203) A

204) D

205) A

206) B

207) C

208) C

209) C

210) A

211) C

212) B

213) A

214) C

215) A

216) D

217) A 218) D

219) B

220) C

221) B

222) D 223) A

224) A

225) A

226) A

227) A

228) B

229) C

230) D

231) A

232) C

233) C

234) D

235) C

236) A

237) A

238) C

239) A

240) A

241) D

242) D

243) D

244) D

245) D

246) C

247) C

248) D

249) B

250) B

251) C

252) A

253) B

254) D

255) B

256) B

257) C

258) D

259) C

260) C

261) C

262) C

263) D

264) A

265) C

266) C

267) C

268) D

269) D

270) B

271) D

272) B

273) D

274) D

275) A

276) D

277) B

278) C

279) A

280) A

281) C 282) C

283) B

284) C

- 285) B
- 286) C
- 287) C
- 288) D
- 289) C
- 290) B
- 291) B
- 292) C
- 293) D
- 294) B
- 295) D
- 296) A