

CHAPTER 1: INTRODUCTION

TRUE OR FALSE

- | | | |
|---|---|--|
| T | F | 1. With the introduction of the computer the need for automated tools for protecting files and other information stored on the computer became evident. |
| T | F | 2. There is a natural tendency on the part of users and system managers to perceive little benefit from security investment until a security failure occurs. |
| T | F | 3. There are clear boundaries between network security and internet security. |
| T | F | 4. The CIA triad embodies the fundamental security objectives for both data and for information and computing services. |
| T | F | 5. In developing a particular security mechanism or algorithm one must always consider potential attacks on those security features. |
| T | F | 6. A loss of confidentiality is the unauthorized modification or destruction of information. |
| T | F | 7. Patient allergy information is an example of an asset with a moderate requirement for integrity. |
| T | F | 8. The more critical a component or service, the higher the level of availability required. |
| T | F | 9. Data origin authentication provides protection against the duplication or modification of data units. |
| T | F | 10. The emphasis in dealing with passive attacks is on prevention rather than detection. |
| T | F | 11. Data integrity is the protection of data from unauthorized disclosure. |
| T | F | 12. Information access threats exploit service flaws in computers to inhibit use by legitimate users. |

- T F 13. Viruses and worms are two examples of software attacks.
- T F 14. A connection-oriented integrity service deals with individual messages without regard to any larger context and generally provides protection against message modification only.
- T F 15. Pervasive security mechanisms are not specific to any particular OSI security service or protocol layer.

MULTIPLE CHOICE

1. _____ security consists of measures to deter, prevent, detect, and correct security violations that involve the transmission of information.
- A. Computer B. Internet
- C. Intranet D. Network
2. _____ is verifying that users are who they say they are and that each input arriving at the system came from a trusted source.
- A. Authenticity B. Accountability
- C. Integrity D. Confidentiality
3. _____ assures that systems work promptly and service is not denied to authorized users.
- A. Integrity B. Availability
- C. System integrity D. Data confidentiality
4. _____ assures that a system performs its intended function in an unimpaired manner, free from deliberate or inadvertent unauthorized manipulation of the system.
- A. Data confidentiality B. Availability
- C. System integrity D. Privacy

5. The security goal that generates the requirement for actions of an entity to be traced uniquely to that entity is _____ .
- A. accountability B. authenticity
C. privacy D. integrity
6. _____ attacks attempt to alter system resources or affect their operation.
- A. Active B. Release of message content
C. Passive D. Traffic analysis
7. A _____ takes place when one entity pretends to be a different entity.
- A. passive attack B. masquerade
C. modification of message D. replay
8. X.800 defines _____ as a service that is provided by a protocol layer of communicating open systems and that ensures adequate security of the systems or of data transfers.
- A. replay B. integrity
C. authenticity D. security service
9. _____ is a professional membership society with worldwide organizational and individual membership that provides leadership in addressing issues that confront the future of the Internet and is the organization home for the groups responsible for Internet infrastructure standards, including the IETF and the IAB.
- A. ITU-T B. ISO
C. FIPS D. ISOC

10. The protection of data from unauthorized disclosure is _____ .
- A. access control
 - B. authentication
 - C. data confidentiality
 - D. nonrepudiation
11. _____ is a U.S. federal agency that deals with measurement science, standards, and technology related to U.S. government use and to the promotion of U.S. private sector innovation.
- A. ISO
 - B. NIST
 - C. ITU-T
 - D. ISOC
12. The prevention of unauthorized use of a resource is _____ .
- A. access control
 - B. authentication
 - C. data confidentiality
 - D. nonrepudiation
13. The _____ service addresses the security concerns raised by denial-of-service attacks.
- A. event detection
 - B. integrity
 - C. availability
 - D. routing control
14. _____ is the insertion of bits into gaps in a data stream to frustrate traffic analysis attempts.
- A. Notarization
 - B. Authentication exchange
 - C. Routing control
 - D. Traffic padding
15. _____ is a variety of mechanisms used to assure the integrity of a data unit or stream of data units.
- A. Data integrity
 - B. Authentication exchange
 - C. Trusted functionality
 - D. Event detection

SHORT ANSWER

1. _____ is defined as "the protection afforded to an automated information system in order to attain the applicable objectives of preserving the integrity, availability, and confidentiality of information system resources".
2. Three key objectives that are at the heart of computer security are: confidentiality, availability, and _____ .
3. An intelligent act that is a deliberate attempt to evade security services and violate the security policy of a system is an _____ .
4. A loss of _____ is the disruption of access to or use of information or an information system.
5. _____ is the use of mathematical algorithms to transform data into a form that is not readily intelligible, in which the transformation and subsequent recovery of the data depend on an algorithm and zero or more encryption keys.
6. Student grade information is an asset whose confidentiality is considered to be highly important by students and, in the United States, the release of such information is regulated by the _____.
7. A possible danger that might exploit a vulnerability, a _____ is a potential for violation of security which exists when there is a circumstance, capability, action, or event that could breach security and cause harm.
8. A _____ attack attempts to learn or make use of information from the system but does not affect system resources.
9. The common technique for masking contents of messages or other information traffic so that opponents, even if they captured the message, could not extract the information from the message is _____ .
10. Active attacks can be subdivided into four categories: replay, modification of messages, denial of service, and _____ .
11. X.800 divides security services into five categories: authentication, access control, nonrepudiation, data integrity and _____ .
12. In the context of network security, _____ is the ability to limit and control the access to host systems and applications via communications links.

13. The _____ is a worldwide federation of national standards bodies that promote the development of standardization and related activities with a view to facilitating the international exchange of goods and services and to developing cooperation in the spheres of intellectual, scientific, technological, and economic activity.
14. _____ prevents either sender or receiver from denying a transmitted message; when a message is sent the receiver can prove that the alleged sender in fact sent the message and when a message is received the sender can prove that the alleged receiver in fact received the message.
15. A _____ is data appended to, or a cryptographic transformation of, a data unit that allows a recipient of the data unit to prove the source and integrity of the data unit and protect against forgery.

CHAPTER 1: INTRODUCTION

TRUE OR FALSE

1. T
2. T
3. F
4. T
5. T
6. F
7. F
8. T
9. F
10. T
11. F
12. F
13. T
14. F
15. T

MULTIPLE CHOICE

1. B

2. A
3. B
4. C
5. A
6. A
7. B
8. D
9. D
10. C
11. B
12. A
13. C
14. D
15. A

SHORT ANSWER

1. Computer Security
2. integrity
3. attack
4. availability
5. Encipherment
6. Family Educational Rights and Privacy Act (FERPA)
7. threat
8. passive
9. encryption
10. masquerade
11. data confidentiality
12. access control
13. International Organization for Standardization (ISO)
14. Nonrepudiation
15. digital signature