True / False

ANSWER:

1. The most common way of accepting user input is through a web form.

a. True
b. False
True

POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 86
OUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.01 - Explore the history of CSS NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Introducing CSSKEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 1:24 AMDATE MODIFIED:11/8/2016 3:11 AM

2. User-defined styles can be superseded by external styles, which are the styles that a website author creates and places within a Cascading Style Sheets (CSS) file and links to the page.

a. Trueb. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 87
QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.03 - Explore style precedence and inheritance

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Introducing CSSKEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 1:26 AMDATE MODIFIED:10/9/2015 1:31 AM

3. The first style sheet interpreted by a browser is the one built into the browser itself.

a. True

b. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 87

REPERENCES. 11

Name	Class	Dat
		e:

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.02 - Study different types of style sheets NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Introducing CSSKEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 1:28 AMDATE MODIFIED:10/9/2015 1:28 AM

4. One advantage of user-defined style sheets is that they make the web more accessible to visually impaired users who may require larger fonts or the absence of clashing color schemes.

a. Irue b. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 87

QUESTION TYPE: HTML 8/

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.02 - Study different types of style sheets NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Exploring Style Rules

 KEYWORDS:
 Bloom's: Apply

 DATE CREATED:
 10/9/2015 1:32 AM

 DATE MODIFIED:
 10/9/2015 1:32 AM

5. User-defined styles are defined by users based on the settings they make while configuring a browser.

a. True

b. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 87
QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.02 - Study different types of style sheets NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Exploring Style Rules
KEYWORDS: Bloom's: Remember
DATE CREATED: 10/9/2015 1:36 AM
DATE MODIFIED: 10/9/2015 1:36 AM

Name	Class	Dat
	:	e:

6. Embedded style sheets are created by web page authors and consist of styles that are inserted directly within the body element of a Hypertext Markup Language (HTML) document.

a. Trueb. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 87
QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.02 - Study different types of style sheets NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Exploring Style RulesKEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 1:39 AMDATE MODIFIED:10/9/2015 1:39 AM

7. Embedded styles apply to the Hypertext Markup Language (HTML) documents in which they are created and are accessible to other documents in the website.

a. Trueb. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 87
QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.02 - Study different types of style sheets NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Exploring Style RulesKEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 1:41 AMDATE MODIFIED:10/9/2015 1:41 AM

8. In every version of Cascading Style Sheets (CSS), one can apply a style rule containing a list of style properties to an element or a group of elements known as a selector.

a. True
b. False
True
1
Easy

REFERENCES: HTML 90

ANSWER:

POINTS:

DIFFICULTY:

Name	Class	Dat
	:	e:

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.02 - Study different types of style sheets NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Exploring Style RulesKEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 1:43 AMDATE MODIFIED:10/9/2015 1:43 AM

9. In addition to the W3C-supported style properties, most browsers supply their own extended library of style properties, known as browser extensions.

a. True

b. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 90
QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.03 - Explore style precedence and inheritance

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Exploring Style RulesKEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 1:45 AMDATE MODIFIED:10/9/2015 1:45 AM

10. Browser extensions are identified through the use of a vendor prefix, which indicates the browser vendor that created and supports the property.

a. Trueb. False

ANSWER: True POINTS: 1
DIFFICULTY: Easy

REFERENCES: HTML 90
QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.03 - Explore style precedence and inheritance

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Exploring Style Rules KEYWORDS: Bloom's: Remember DATE CREATED: 10/9/2015 1:47 AM DATE MODIFIED: 10/9/2015 1:47 AM

Name	Class	Dat
	· ·	e:

11. A color value is an alphabetic expression that represents the intensity of the primary colors.

a. True

b. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 99
OUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.04 - Apply colors in CSS

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Working with Color in CSS

KEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 1:50 AMDATE MODIFIED:10/9/2015 1:50 AM

12. Saturation measures the intensity of the chosen color and ranges from 0% (no color) up to 100% (full color).

a. True

b. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 99
QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.04 - Apply colors in CSS

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Working with Color in CSS

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/9/2015 1:52 AM

 DATE MODIFIED:
 10/9/2015 1:52 AM

13. Hue values range from 0° to 360° , where 0° matches the location of blue on the color wheel, 120° matches red, and 240° matches green.

a. Trueb. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 99
OUESTION TYPE: True / False

Name	Class	Dat
	•	٥.
		Ե.

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.04 - Apply colors in CSS

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Working with Color in CSS

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/9/2015 1:53 AM

 DATE MODIFIED:
 10/9/2015 1:54 AM

14. Cascading Style Sheets (CSS) allow RGB values to be entered as hexadecimal numbers.

a. True

b. False

ANSWER: True
POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 99
QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.04 - Apply colors in CSS

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Working with Color in CSS

KEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 1:56 AMDATE MODIFIED:10/9/2015 1:56 AM

15. Cascading Style Sheets (CSS) 3 introduced opacity to the CSS color models where opacity defines how transparent the color appears.

a. True

b. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy

REFERENCES: HTML 100
QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.04 - Apply colors in CSS

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Working with Color in CSS

KEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 1:59 AMDATE MODIFIED:10/9/2015 1:59 AM

16. A generic font describes the general appearance of a typeface and relies on a specific font definition.

Name	Class	Dat
	•	٥.
		Ե.

a. True

b. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy

REFERENCES: HTML 115
QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.07 - Apply text and font styles

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Working with FontsKEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 2:01 AMDATE MODIFIED:10/9/2015 2:01 AM

17. Absolute units are units that are fixed in size regardless of the output device and are usually used only with printed media.

a. True

b. False

ANSWER: True

POINTS: 1

DIFFICULTY: Easy

REFERENCES: HTML 121
QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.07 - Apply text and font styles

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Setting the Font SizeKEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 2:03 AMDATE MODIFIED:10/9/2015 2:04 AM

18. The subscript and superscript styles lower or raise text vertically, as well as resize it.

a. True

b. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy

REFERENCES: HTML 128
QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.07 - Apply text and font styles

Name	Class	Dat
	·	۵.
		Ե.

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Working with Font StylesKEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 2:06 AMDATE MODIFIED:10/9/2015 2:07 AM

19. In the context of formatting lists, by default, unordered lists are displayed with numerals while ordered lists are displayed with a solid disc.

a. Trueb. False

ANSWER: False
POINTS: 1
DIFFICULTY: Easy

REFERENCES: HTML 134
QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.09 - Define list styles

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Formatting ListsKEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 2:09 AMDATE MODIFIED:10/9/2015 2:09 AM

20. The content of a blockquote element is usually placed in quotation marks.

a. True

b. False True

DIFFICULTY: Moderate
REFERENCES: HTML 154
QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.12 - Insert page content with CSS NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Inserting Quotation MarksKEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 2:12 AMDATE MODIFIED:10/9/2015 2:12 AM

Modified True / False

ANSWER:

POINTS:

21. Writing a style <u>rule</u> on a single line saves space, but entering each style property on a separate line often makes a code

Name	Class	Dat
	:	e:

easier to read and edit.

ANSWER: True POINTS: 1

DIFFICULTY: Moderate REFERENCES: HTML 90

QUESTION TYPE: Modified True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.02 - Study different types of style sheets NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Exploring Style RulesKEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 2:15 AMDATE MODIFIED:10/9/2015 2:15 AM

22. Embedded styles are directly applied to specific elements using the style attribute.

ANSWER: False - Inline styles

POINTS:

DIFFICULTY: Moderate REFERENCES: HTML 92

QUESTION TYPE: Modified True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.02 - Study different types of style sheets NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Exploring Style RulesKEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 2:20 AMDATE MODIFIED:10/9/2015 2:20 AM

23. An additional factor in applying a style sheet is that properties are passed from a parent element to its children in a process known as <u>style inheritance</u>.

ANSWER: True POINTS: 1

DIFFICULTY: Moderate REFERENCES: HTML 93

QUESTION TYPE: Modified True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.02 - Study different types of style sheets NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Exploring Style RulesKEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 2:22 AMDATE MODIFIED:10/9/2015 2:23 AM

Name	Class	Dat
	:	e:

24. To import a style sheet, the command

=import url(*url*);

must be added to the style sheet file, where url is the URL of an external style sheet file.

ANSWER: False - @import url(url);

POINTS:

DIFFICULTY: Moderate REFERENCES: HTML 96

QUESTION TYPE: Modified True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.02 - Study different types of style sheets NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Creating a Style SheetKEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 3:22 AMDATE MODIFIED:10/9/2015 3:24 AM

25. <u>RGB triplets</u> can describe 256³ (16.7 million) possible colors, which is a greater number of colors than the human eye can distinguish.

ANSWER: True POINTS: 1

DIFFICULTY: Moderate REFERENCES: HTML 98

QUESTION TYPE: Modified True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.04 - Apply colors in CSS

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Working with Color in CSS

KEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 3:33 AMDATE MODIFIED:10/9/2015 3:33 AM

26. A <u>decimal</u> is a number expressed in the base 16 numbering system rather than in the commonly used base 10 system.

ANSWER: False - hexadecimal

POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 99

QUESTION TYPE: Modified True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.04 - Apply colors in CSS

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Working with Color in CSS

Name	Class	Dat
	•	٥.
		Ե.

KEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 3:36 AMDATE MODIFIED:10/9/2015 3:37 AM

27. Hue measures the brightness of a color and ranges from 0% (black) up to 100% (white).

ANSWER: False - Lightness

POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 99

QUESTION TYPE: Modified True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.04 - Apply colors in CSS

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Working with Color in CSS

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/9/2015 3:40 AM

 DATE MODIFIED:
 10/9/2015 3:41 AM

28. A parent element is an element that contains one or more elements, which are called its child elements.

ANSWER: True
POINTS: 1
DIFFICULTY: Easy

REFERENCES: HTML 108

QUESTION TYPE: Modified True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.05 - Use contextual selectors

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Exploring Selector Patterns

KEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 3:43 AMDATE MODIFIED:10/9/2015 3:43 AM

29. A generic font is a font that is identified by name, such as Times New Roman or Helvetica.

ANSWER: False - specific font

POINTS: 1
DIFFICULTY: Easy

REFERENCES: HTML 115

QUESTION TYPE: Modified True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.08 - Use a web font

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Working with Fonts

Name	Class	Dat
		e:

KEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 3:46 AMDATE MODIFIED:10/9/2015 3:47 AM

30. To access and load a web font, the @font-face rule should be added to a style sheet.

ANSWER: True POINTS: 1
DIFFICULTY: Easy

REFERENCES: HTML 118

QUESTION TYPE: Modified True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.08 - Use a web font

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Working with FontsKEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 3:50 AMDATE MODIFIED:10/9/2015 3:50 AM

31. One approach to retain the consistency of web page text is to use <u>absolute units</u>, which are expressed relative to the size of other objects within the web page.

ANSWER: False - relative units

POINTS:

DIFFICULTY: Easy

REFERENCES: HTML 121

QUESTION TYPE: Modified True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.07 - Apply text and font styles

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Setting the Font SizeKEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 3:55 AMDATE MODIFIED:10/9/2015 3:55 AM

32. Relative units define a font size using one of five standard units of measurement.

ANSWER: False - Absolute units

POINTS: 1
DIFFICULTY: Easy

REFERENCES: HTML 121

QUESTION TYPE: Modified True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.07 - Apply text and font styles

NATIONAL STANDARDS: United States - BUSPROG: Technology

Name	Class	Dat
:	:	e:

TOPICS:Setting the Font SizeKEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 4:00 AMDATE MODIFIED:10/9/2015 4:00 AM

33. A pixel is a relative unit because the actual rendered size depends on the density of the output device.

ANSWER: True POINTS: 1

DIFFICULTY: Moderate REFERENCES: HTML 122

QUESTION TYPE: Modified True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.07 - Apply text and font styles

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Setting the Font SizeKEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 4:02 AMDATE MODIFIED:10/9/2015 4:03 AM

34. <u>Leading</u> measures the amount of space between characters, while tracking refers to the amount of space between words.

ANSWER: False - Kerning

POINTS: 1
DIFFICULTY: Easy

REFERENCES: HTML 125

QUESTION TYPE: Modified True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.10 - Work with margins and padding space NATIONAL STANDARDS: United States - BUSPROG: Technology Controlling Spacing and Indentation

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/9/2015 4:08 AM

 DATE MODIFIED:
 10/9/2015 4:10 AM

35. Structural <u>pseudo-elements</u> are used to classify items based on their locations within the hierarchy of page elements.

ANSWER: False - pseudo-classes

POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 145

QUESTION TYPE: Modified True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.11 - Use pseudo-classes and pseudo-elements

Name :			Class :	Dat e:
Tutorial 02: Get	ting Star	ted with CSS		
NATIONAL STANI	DARDS:	Ţ	United States - BUSPROG: Techno	ology
TOPICS:			Use pseudo-classes and pseudo ele	
KEYWORDS:			Bloom's: Remember	
DATE CREATED:		1	10/9/2015 4:11 AM	
DATE MODIFIED	:	1	10/9/2015 4:15 AM	
Multiple Choice				
36. Unlike an exter	nal style s		style sheet is applied only to the w	eb page in which it is placed.
	a.	linked		
	b.	interna		
	c.	embed.		
	d.	integra	ıted	
ANSWER:			c	
POINTS:			1	
DIFFICULTY:			Moderate	
REFERENCES:			HTML 87	
QUESTION TYPE.	•		Multiple Choice	
HAS VARIABLES:	OTHER .		False	
LEARNING OBJE			02.02 - Study different types of	·
NATIONAL STANI	<i>DARDS:</i>		United States - BUSPROG: Ted	chnology
TOPICS:			Introducing CSS	
KEYWORDS:			Bloom's: Understand	
DATE CREATED:			10/9/2015 4:14 AM	
DATE MODIFIED	:		10/9/2015 4:15 AM	
<pre><element style="pr</pre></td><td>operty: va</td><td>lue"> content $$</element></pre>		ribute lefine the styles that are applied directly		
	a.	property: valu	e	
	b.	element		
	c.	element style		
	d.	style		
ANSWER:			a	
POINTS:			1	
DIFFICULTY:			Moderate	
REFERENCES:			HTML 92	
QUESTION TYPE.	•		Multiple Choice	
HAS VARIABLES:			False	
LEARNING OBJEC			02.02 - Study different types of	•
NATIONAL STANI	DARDS:		United States - BUSPROG: Ted	chnology

Name :		Class :	Dat e:
Tutorial 02: Getting Sta	rted with CSS		
TOPICS:		Exploring Style Rules	
KEYWORDS:		Bloom's: Understand	
DATE CREATED:		10/9/2015 4:18 AM	
DATE MODIFIED:		10/9/2015 4:20 AM	
38. If two style rules have easheet is the one used.	qual specificity, a	nd thus equal importance, then the one that	t is defined in the style
	a.	last	
	b.	first	
	c.	second	
	d.	third	
ANSWER:		a	
POINTS:		1	
DIFFICULTY:		Moderate	
REFERENCES:		HTML 92	
QUESTION TYPE:		Multiple Choice	
HAS VARIABLES:		False	
LEARNING OBJECTIVES:		02.03 - Explore style precedence and inher	ritance
NATIONAL STANDARDS:		United States - BUSPROG: Technology	
TOPICS:		Exploring Style Rules	
KEYWORDS:		Bloom's: Understand	
DATE CREATED:		10/9/2015 4:21 AM	
DATE MODIFIED:		10/9/2015 4:22 AM	
	ow an element is	rendered is that properties are passed from	a parent element to its children in
a process known as			
a.	style portionin	g	
b.	style indexing style inheritant		
c. d.	•	ce	
ANSWER:	style link		
POINTS:		c 1	
DIFFICULTY:		Moderate	
REFERENCES:		HTML 93	
QUESTION TYPE:		Multiple Choice	
HAS VARIABLES:		False	
LEARNING OBJECTIVES:		02.02 - Study different types of style sh	agets
NATIONAL STANDARDS:		United States - BUSPROG: Technolog	
TOPICS:		Exploring Style Rules	У
KEYWORDS:		Bloom's: Understand	
DATE CREATED:		10/9/2015 4:26 AM	
DATE MODIFIED:		10/9/2015 4:20 AM 10/9/2015 4:27 AM	
DAIE MODIFIED.		10/7/2013 7.2/ AWI	

Name	Class	Dat
	·	Φ.
•	•	Ե.

40. Many web browsers include _____ tools to make it easier for designers to locate the source of a style that has been applied to a specific page element.

a. designerb. plannerc. developerd. creator

ANSWER: c
POINTS: 1

DIFFICULTY: Moderate REFERENCES: HTML 91

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.02 - Study different types of style sheets NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Exploring Style RulesKEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 4:29 AMDATE MODIFIED:10/9/2015 4:31 AM

41. Identify the correct syntax for adding comments in style sheets.

a. <!--comment-->b. /..commentc. //comment//d. /*comment*/

ANSWER: d
POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 95

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.02 - Study different types of style sheets NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Creating a Style SheetKEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 4:36 AMDATE MODIFIED:10/9/2015 4:46 AM

42. Which of the following rules defines character encoding in every Cascading Style Sheets (CSS) document?

a. @charset="encoding"

b. @charset "encoding";

c. &char="encoding";

Name Class Dat : e:

Tutorial 02: Getting Started with CSS

d. &char "encoding";

ANSWER: b
POINTS: 1
DIFFICULTY: E

DIFFICULTY: Easy REFERENCES: HTML 96

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.02 - Study different types of style sheets NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Creating a Style SheetKEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 4:44 AMDATE MODIFIED:10/9/2015 4:45 AM

43. The _____ statement must always come before any other style rules in a style sheet.

a. @importb. @embedc. !importd. !embed

ANSWER: a
POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 96

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.02 - Study different types of style sheets NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Creating a Style SheetKEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 4:50 AMDATE MODIFIED:10/9/2015 4:51 AM

44. The Cascading Style Sheets (CSS) @rule that imports an external style sheet file located at ur1 is _____.

- a. @import url(*url*);
- b. @import "url";
- c. @import prefix url
- d. @import

 media
 {

 url
 }

ANSWER: a

Name :		Class :	Dat e:
Tutorial 02: Getting Starte	ed with CSS		
POINTS:		1	
DIFFICULTY:		Moderate	
REFERENCES:		HTML 96	
QUESTION TYPE:		Multiple Choice	
HAS VARIABLES:		False	
LEARNING OBJECTIVES:		02.02 - Study different types of	style sheets
NATIONAL STANDARDS:		United States - BUSPROG: Tech	hnology
TOPICS:		Creating a Style Sheet	-
KEYWORDS:		Bloom's: Remember	
DATE CREATED:		10/9/2015 4:55 AM	
DATE MODIFIED:		10/9/2015 5:01 AM	
45. The @import rule has the stile.			a Hypertext Markup Language (HTML)
a.	connection	on	
b.	link		
c.	contact		
d.	integrate	d	
ANSWER:		b	
POINTS:		1	
DIFFICULTY:		Moderate	
REFERENCES:		HTML 97	
QUESTION TYPE:		Multiple Choice	
HAS VARIABLES:		False	
LEARNING OBJECTIVES:		02.02 - Study different types of	-
NATIONAL STANDARDS:		United States - BUSPROG: Tech	hnology
TOPICS:		Creating a Style Sheet	
KEYWORDS:		Bloom's: Understand	
DATE CREATED:		10/9/2015 5:03 AM	
DATE MODIFIED:		10/9/2015 5:04 AM	
			nsity produces the color, while o of complementary colors—yellow,
	a.	white	
	b.	blue	
	c.	lime	
	d.	black	
ANSWER:		a	
POINTS:		1	
DIFFICULTY:		Moderate	
REFERENCES:		HTML 98	

Name	Class	Dat
i	i	۵'
		℧.

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.04 - Apply colors in CSS

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Working with Color in CSS

 KEYWORDS:
 Bloom's: Analyze

 DATE CREATED:
 10/9/2015 5:19 AM

 DATE MODIFIED:
 10/9/2015 5:20 AM

47. Yellow has the RGB triplet . .

a. (0, 0, 0) b. (255, 255, 0) c. (0, 255, 255) d. (255, 0, 255)

ANSWER: b
POINTS: 1

DIFFICULTY: Moderate

REFERENCES: HTML 99

QUESTION TYPE: Multiple Choice

~ !!!@!!!D!!D!!E@ F.1

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.04 - Apply colors in CSS

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Working with Color in CSS

 KEYWORDS:
 Bloom's: Analyze

 DATE CREATED:
 10/9/2015 5:23 AM

 DATE MODIFIED:
 10/9/2015 5:24 AM

48. Cascading Style Sheets (CSS) allow RGB values to be entered as _____.

a. binaries

b. hexadecimals

c. WYSIWYG values

d. RBG values

ANSWER: b
POINTS: 1

DIFFICULTY: Moderate
REFERENCES: HTML 99
QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.04 - Apply colors in CSS

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Working with Color in CSS

KEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 5:28 AMDATE MODIFIED:10/9/2015 5:29 AM

49. In the hexadecimal numbering system, the number 16 is expressed as _____.

a. IF
b. F
c. 10
d. 1

ANSWER: c
POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 99
OUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.04 - Apply colors in CSS

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Working with Color in CSS

 KEYWORDS:
 Bloom's: Evaluate

 DATE CREATED:
 10/9/2015 5:32 AM

 DATE MODIFIED:
 10/9/2015 5:33 AM

50. In the hexadecimal numbering system, the number 21 is expressed as . .

a. 1F
b. F
c. 15
d. F1

ANSWER: c
POINTS: 1

DIFFICULTY: Moderate

REFERENCES: HTML 99

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.04 - Apply colors in CSS

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Working with Color in CSS

KEYWORDS:Bloom's: EvaluateDATE CREATED:10/9/2015 5:44 AMDATE MODIFIED:10/9/2015 5:50 AM

51. is the tint of a color and is usually represented by a direction on a color wheel.

ı. H

Name			Class	Dat e:
Tutorial 02: Ge	tting Started	with CSS		
	b.	Saturation		
	c.	Lightness		
	d.	Darkness		
ANSWER:			a	
POINTS:			1	
DIFFICULTY:			Easy	
REFERENCES:			HTML 99	
QUESTION TYPE	Z:		Multiple Choice	
HAS VARIABLES	:		False	
LEARNING OBJE	ECTIVES:		02.04 - Apply colors in CSS	
NATIONAL STAN	DARDS:		United States - BUSPROG: Technolog	у
TOPICS:			Working with Color in CSS	
KEYWORDS:			Bloom's: Remember	
DATE CREATED	:		10/9/2015 5:49 AM	
DATE MODIFIEI	D:		10/9/2015 5:50 AM	
52. measur	es the intensity	of the chosen col	lor and ranges from 0% (no color) up to	100% (full color).
	a.	Hue	Ç , , , , , , , , , , , , , , , , , , ,	,
	b.	Saturation		
	c.	Lightness		
	d.	Darkness		
ANSWER:			b	
POINTS:			1	
DIFFICULTY:			Easy	
REFERENCES:			HTML 99	
QUESTION TYPE	<i>:</i> :		Multiple Choice	
HAS VARIABLES	:		False	
LEARNING OBJE	ECTIVES:		02.04 - Apply colors in CSS	
NATIONAL STAN	DARDS:		United States - BUSPROG: Technolog	y
TOPICS:			Working with Color in CSS	
KEYWORDS:			Bloom's: Remember	
DATE CREATED	:		10/9/2015 5:53 AM	
DATE MODIFIEI	D:		10/9/2015 6:00 AM	
53. Color values u	sing the HSL m	odel are describ	ed in Cascading Style Sheets (CSS) 3 us	ing .
	#redgreenblue			<u> </u>
	rgb(number)			
	hsl (hue, saturat	ion, lightness)		
	` '	v, lightness, opa	city)	
ANSWER.	, .		C	

1

POINTS:

:			: e:e:
Tutorial 02: Getting S	Started wit	th CSS	
DIFFICULTY:			Easy
REFERENCES:			HTML 100
QUESTION TYPE:			Multiple Choice
HAS VARIABLES:			False
LEARNING OBJECTIVE	S:		02.04 - Apply colors in CSS
NATIONAL STANDARDS	S:		United States - BUSPROG: Technology
TOPICS:			Working with Color in CSS
KEYWORDS:			Bloom's: Understand
DATE CREATED:			10/9/2015 5:58 AM
DATE MODIFIED:			10/9/2015 5:59 AM
54 measures the b	rightness of	a color and r	anges from 0% (black) up to 100% (white).
	a.	Hue	
	b.	Saturation	
	c.	Lightness	
	d.	Darkness	
ANSWER:			c
POINTS:			1
DIFFICULTY:			Easy
REFERENCES:			HTML 99
QUESTION TYPE:			Multiple Choice
HAS VARIABLES:			False
LEARNING OBJECTIVE	S:		02.04 - Apply colors in CSS
NATIONAL STANDARDS	S:		United States - BUSPROG: Technology
TOPICS:			Working with Color in CSS
KEYWORDS:			Bloom's: Remember
DATE CREATED:			10/9/2015 6:01 AM
DATE MODIFIED:			10/9/2015 6:02 AM
55. Graphic designers cor fine-tune the saturation ar			e because it allows them to set the initial color based on hue and then
	a.	HTN	
	b.	CSS	3
	c.	HSI	
	d.	HTN	M
ANSWER:			c
POINTS:			1
DIFFICULTY:			Easy
REFERENCES:			HTML 100
QUESTION TYPE:			Multiple Choice
HAS VARIABLES:			False
LEARNING OBJECTIVE	S:		02.04 - Apply colors in CSS

Class

Dat

Page 22

Name

Copyright Cengage Learning. Powered by Cognero.

Name	Class	Dat	
		۵.	
		G .	

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Working with Color in CSS

KEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 6:11 AMDATE MODIFIED:10/9/2015 6:12 AM

56. _____ defines how solid a color appears.

a. Clarityb. Saturationc. Lightnessd. Opacity

ANSWER: d
POINTS: 1
DIFFICULTY: Easy

REFERENCES: HTML 100

OUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.04 - Apply colors in CSS

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Working with Color in CSS

KEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 6:34 AMDATE MODIFIED:10/9/2015 6:34 AM

57. How is background color defined in a Cascaded Style Sheets (CSS) file?

a. @bgcolor "color";

 $b. \hspace{1cm} @background = "color"; \\$

c. background: color;

d. background-color: color;

ANSWER: d
POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 101

OUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.04 - Apply colors in CSS

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Working with Color in CSS

KEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 6:40 AMDATE MODIFIED:10/9/2015 6:41 AM

Name :				Class :	Dat e:
Tutorial 02:	Gettin	g Started	with CSS		
58. To set the	foregrou	and or text	color of an ele	ment, use the following property:	
	a.		:: color;	, 31 1 3	
	b.	fore	ecolor: color;		
	c.	cole	or: <i>color</i> ;		
	d.	bac	kcolor: color;		
ANSWER:				c	
POINTS:				1	
DIFFICULTY.	•			Easy	
REFERENCES	S:			HTML 101	
QUESTION T	YPE:			Multiple Choice	
HAS VARIABL	LES:			False	
LEARNING O	BJECTI	IVES:		02.04 - Apply colors in CSS	
NATIONAL ST	TANDAI	RDS:		United States - BUSPROG: Te	echnology
TOPICS:				Working with Color in CSS	-
KEYWORDS:				Bloom's: Remember	
DATE CREAT	ED:			10/9/2015 6:43 AM	
DATE MODIF	FIED:			10/9/2015 6:44 AM	
		till allowing progressiv opacity en		rds and techniques to be used by the	e newer properties, providing support ne browsers that support them.
	d.	pseudo-cla	ass structuring		
ANSWER:				a	
POINTS:				1	
DIFFICULTY.	•			Easy	
REFERENCES	S:			HTML 104	
QUESTION T	YPE:			Multiple Choice	
HAS VARIABI	LES:			False	
LEARNING O	BJECTI	IVES:		02.04 - Apply colors in CSS	
NATIONAL ST	TANDAI	RDS:		United States - BUSPROG: Te	chnology
TOPICS:				Employing Progressive Enhance	cement
KEYWORDS:				Bloom's: Remember	
DATE CREAT	ED:			10/9/2015 6:46 AM	
DATE MODIF	FIED:			10/9/2015 6:47 AM	
				o one another on the color wheel in highlights and nuance is	n which one color is the dominant color
	11	a.	triad		
		b.	tetrad		
		c.	analogic		

Name :				Class	Dat e:
Tutorial 02:	Getting	g Starte	d with CSS		
		d.	monochrome		
ANSWER:				c	
POINTS:				1	
DIFFICULTY	<i>7</i> :			Moderate	
REFERENCE	S:			HTML 104	
QUESTION T	TYPE:			Multiple Choice	
HAS VARIAB	LES:			False	
LEARNING C	DBJECTI	VES:		02.04 - Apply colors in CSS	
NATIONAL S	TANDAR	DS:		United States - BUSPROG: To	echnology
TOPICS:				Exploring Progressive Enhance	ement
KEYWORDS:				Bloom's: Analyze	
DATE CREAT	TED:			10/9/2015 7:00 AM	
DATE MODI	FIED:			10/9/2015 7:01 AM	
61. To direct a specified patter		le to spec	eific elements,	can be used to match only th	ose page elements that correspond to a
	a.	web	fonts		
	b.	pseu	do-classes		
	c.	desce	endant elements		
	d.	selec	tor patterns		
ANSWER:				d	
POINTS:				1	
DIFFICULTY	<i>7</i> :			Easy	
REFERENCE	ZS:			HTML 108	
QUESTION T	TYPE:			Multiple Choice	
HAS VARIAB	LES:			False	
LEARNING C	DBJECTI (VES:		02.05 - Use contextual selecto	rs
NATIONAL S	TANDAR	DS:		United States - BUSPROG: To	echnology
TOPICS:				Exploring Selector Patterns	
KEYWORDS:				Bloom's: Remember	
DATE CREAT	TED:			10/9/2015 7:05 AM	
DATE MODII	FIED:			10/9/2015 7:06 AM	
62. A e	element is	an elem	ent that contains o	ne or more other elements, which	ch are called child elements.
		a.	family		
		b.	sibling		
		c.	parent		
		d.	descendant		
ANSWER:				c	
POINTS:				1	
DIFFICULTY	<i>7</i> .			Easy	

HTML 108

REFERENCES:

Name :		Class	Dat e:	
Tutorial 02: Getting Started	with CSS			
QUESTION TYPE:		Multiple Choice		
HAS VARIABLES:		False		
LEARNING OBJECTIVES:		02.05 - Use contextual selectors		
NATIONAL STANDARDS:		United States - BUSPROG: Techn	ology	
TOPICS:		Exploring Selector Patterns		
KEYWORDS:		Bloom's: Remember		
DATE CREATED:		10/9/2015 7:09 AM		
DATE MODIFIED:		10/9/2015 7:10 AM		
that are all descended from a cor		own and so forth down the hierarch	ny, creating a set of	elements
a. b.	child			
c. d.	parent			
a. ANSWER:	sibling			
POINTS:		a 1		
DIFFICULTY:		Easy		
REFERENCES:		HTML 108		
QUESTION TYPE:		Multiple Choice		
HAS VARIABLES:		False		
LEARNING OBJECTIVES:		02.05 - Use contextual selectors		
NATIONAL STANDARDS:		United States - BUSPROG: Techn	ology	
TOPICS:		Exploring Selector Patterns	01053	
KEYWORDS:		Bloom's: Remember		
DATE CREATED:		10/9/2015 7:13 AM		
DATE MODIFIED:		10/9/2015 7:14 AM		
64. The style rule * {color: blue;}				
` '	_	selector—to select all element	ts in a document.	
a. 1	characte	r		
b.	text			
C.	wildcard	ı		
d.	object			
ANSWER:		C		
POINTS: DIFFICULTY:		1 Facy		
REFERENCES:		Easy HTML 109		
QUESTION TYPE:		Multiple Choice		
HAS VARIABLES:		False O2 05 Use contextual selectors		
LEARNING OBJECTIVES:		02.05 - Use contextual selectors		

Name :		Class :	Dat e:
Tutorial 02: Getting Sta	rted with CSS		
NATIONAL STANDARDS:		United States - BUSPROG: Technological	ogy
TOPICS:		Exploring Selector Patterns	-
KEYWORDS:		Bloom's: Remember	
DATE CREATED:		10/9/2015 7:17 AM	
DATE MODIFIED:		10/9/2015 7:18 AM	
65 selectors are used	to select elements ba	sed on elements that are adjacent to the	em in the document hierarchy.
a.	Parent		
b.	Child		
c.	Sibling		
d.	Descendant		
ANSWER:		c	
POINTS:		1	
DIFFICULTY:		Easy	
REFERENCES:		HTML 109	
QUESTION TYPE:		Multiple Choice	
HAS VARIABLES:		False	
LEARNING OBJECTIVES:		02.05 - Use contextual selectors	
NATIONAL STANDARDS:		United States - BUSPROG: Technological	ogy
TOPICS:		Exploring Selector Patterns	
KEYWORDS:		Bloom's: Remember	
DATE CREATED:		10/9/2015 7:21 AM	
DATE MODIFIED:		10/9/2015 7:22 AM	
66. Identify a contextual sele	ector that matches any	y element.	
a.	%		
b.	*		
c.	elem		
d.	elem1, elem2,		
ANSWER:		b	
POINTS:		1	
DIFFICULTY:		Easy	
REFERENCES:		HTML 109	
QUESTION TYPE:		Multiple Choice	
HAS VARIABLES:		False	
LEARNING OBJECTIVES:		02.05 - Use contextual selectors	
NATIONAL STANDARDS:		United States - BUSPROG: Technological	ogy
TOPICS:		Exploring Selector Patterns	
KEYWORDS:		Bloom's: Understand	
DATE CREATED:		10/9/2015 7:25 AM	

10/9/2015 7:26 AM

DATE MODIFIED:

Name	Class	Dat
		۵.
		℧.

67. Identify an attribute selector used to select an element based on its class value.

a. class: .intro.elem

b. elem.classc. elem#classd. class *elem

ANSWER: b
POINTS: 1

DIFFICULTY: Moderate

REFERENCES: HTML 111

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.06 - Work with attribute selectors NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Exploring Selector Patterns

 KEYWORDS:
 Bloom's: Understand

 DATE CREATED:
 10/9/2015 7:36 AM

 DATE MODIFIED:
 10/9/2015 7:38 AM

68. Two attributes, , are often key in targeting styles to specific elements.

a. id and charb. id and classc. id and typed. id and elem

ANSWER: b
POINTS: 1

DIFFICULTY: Moderate

REFERENCES: HTML 111

OUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.06 - Work with attribute selectors

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Exploring Selector Patterns

KEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 7:42 AMDATE MODIFIED:10/9/2015 7:46 AM

69. Identify an attribute selector that recognizes groups of elements that share a similar characteristic or property.

c

a. i

b. pseudo-element

c. class

d. list-style-position

ANSWER:

Name	Class	Dat
	i	٥.
		┖.

POINTS:

DIFFICULTY: Moderate

REFERENCES: HTML 111

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.06 - Work with attribute selectors

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Exploring Selector Patterns

KEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 7:59 AMDATE MODIFIED:10/9/2015 8:00 AM

70. Identify an attribute selector that selects all elem elements whose att attribute begins with text.

a. elem[att|="text"]
b. elem[att^="text"]
c. elem[att\$="text"]
d. elem[att~="text"]

ANSWER: b
POINTS: 1

DIFFICULTY: Moderate
REFERENCES: HTML 112
OUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.06 - Work with attribute selectors

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Exploring Selector Patterns

KEYWORDS:Bloom's: UnderstandDATE CREATED:10/9/2015 8:03 AMDATE MODIFIED:10/9/2015 8:06 AM

71. Which of the following attribute selectors selects all elem elements whose att attribute ends with text?

a. elem[att*="text"]
b. elem[att/="text"]
c. elem[att|="text"]
d. elem[att\$="text"]

ANSWER: d
POINTS: 1

DIFFICULTY: Moderate

REFERENCES: HTML 112

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

Name :			Class :	Dat e:
Tutorial 02: Gettin	g Started	l with CSS		
LEARNING OBJECTI	IVES:		02.06 - Work with attribute selectors	
NATIONAL STANDA	RDS:		United States - BUSPROG: Technology	
TOPICS:			Exploring Selector Patterns	
KEYWORDS:			Bloom's: Understand	
DATE CREATED:			10/9/2015 8:08 AM	
DATE MODIFIED:			10/9/2015 8:09 AM	
72. Identify a generic	font group		in which each character has the same wid	lth.
	a.	sans-serif		
	b.	monospace		
	c.	fantasy		
	d.	cursive		
ANSWER:			b	
POINTS:			1	
DIFFICULTY:			Easy	
REFERENCES:			HTML 116	
QUESTION TYPE:			Multiple Choice	
HAS VARIABLES:			False	
LEARNING OBJECTI			02.07 - Apply text and font styles	
NATIONAL STANDAR	RDS:		United States - BUSPROG: Technology	
TOPICS:			Working with Fonts	
KEYWORDS:			Bloom's: Remember	
DATE CREATED:			10/9/2015 8:30 AM	
DATE MODIFIED:			10/9/2015 8:31 AM	
73. A typeface, best us elements and flourished			ative page elements, that mimics handwrit	ting with highly stylized
orements and freshibite	a.	-· serif		
	b.	monospace		
	c.	fantasy		
	d.	cursive		
ANSWER:			d	
POINTS:			1	
DIFFICULTY:			Easy	
REFERENCES:			HTML 116	
QUESTION TYPE:			Multiple Choice	
HAS VARIABLES:			False	
LEARNING OBJECTI	IVES:		02.07 - Apply text and font styles	
NATIONAL STANDA	RDS:		United States - BUSPROG: Technology	
TOPICS:			Working with Fonts	
KEYWORDS:			Bloom's: Remember	

10/9/2015 8:32 AM

DATE CREATED:

Name	Class	Dat
	•	۵.
		Ե.

DATE MODIFIED: 10/9/2015 8:33 AM

74. A typeface in which a small ornamentation appears at the tail end of each character is . .

a. sans-serif

b. serif

c. monospaced. fantasy

ANSWER: b POINTS: 1

DIFFICULTY: Easy

REFERENCES: HTML 116

OUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.07 - Apply text and font styles

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Working with FontsKEYWORDS:Bloom's: RememberDATE CREATED:10/9/2015 8:35 AMDATE MODIFIED:10/9/2015 8:36 AM

75. A general rule for printing is to use fonts for headlines and serif fonts for body text.

a. fantasy

b. sans-serif

c. monospaced. cursive

ANSWER: b

POINTS: 1

DIFFICULTY: Easy REFERENCES: HTML 116

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.07 - Apply text and font styles

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Working with FontsKEYWORDS:Bloom's: RememberDATE CREATED:10/11/2015 11:58 PMDATE MODIFIED:10/11/2015 11:59 PM

76. Which of the following is an example of web safe font stacks?

a. Calibri

b. Book Antiqua

c. Bell MT

Name Class Dat : e:

Tutorial 02: Getting Started with CSS

d. Verdana

ANSWER: d POINTS: 1

DIFFICULTY: Easy

REFERENCES: HTML 116

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.08 - Use a web font

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Working with FontsKEYWORDS:Bloom's: RememberDATE CREATED:10/12/2015 12:01 AMDATE MODIFIED:10/12/2015 12:02 AM

77. Identify a rule that should be added to a style sheet to access and load a web font.

a. @font-face

b. font-style: type;c. aside: {font-family}d. @charset "utf-8";

ANSWER: a POINTS: 1 DIFFICULTY: E

REFERENCES: HTML 118

OUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.08 - Use a web font

NATIONAL STANDARDS: United States - BUSPROG: Technology

Easy

TOPICS:Working with FontsKEYWORDS:Bloom's: UnderstandDATE CREATED:10/12/2015 12:03 AMDATE MODIFIED:10/12/2015 12:04 AM

78. Which of the following browsers supports the web font format "Embedded OpenType"?

a. Safari

b. Internet Explorer (IE)

c. Chromed. Firefox

ANSWER: b
POINTS: 1
DIFFICULTY: Easy

REFERENCES: HTML 118

Name	Class	Dat
	:	e:

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.08 - Use a web font

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Working with FontsKEYWORDS:Bloom's: RememberDATE CREATED:10/12/2015 12:07 AMDATE MODIFIED:10/12/2015 12:07 AM

79. units are specified in one of five standard units of measurement.

a. Relativeb. Absolutec. Standardd. Uppercase

ANSWER: b
POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 121

HAS VARIABLES: False

QUESTION TYPE:

LEARNING OBJECTIVES: 02.07 - Apply text and font styles

NATIONAL STANDARDS: United States - BUSPROG: Technology

Multiple Choice

TOPICS:Setting the Font SizeKEYWORDS:Bloom's: RememberDATE CREATED:10/12/2015 12:09 AMDATE MODIFIED:10/12/2015 12:10 AM

80. units express font size according to the size of other objects within a web page.

a. Absoluteb. Relativec. Standardd. Output

ANSWER: b
POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTM

REFERENCES: HTML 121
QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.07 - Apply text and font styles

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Setting the Font Size

Name	Class	Dat
:	; <u> </u>	e:

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/12/2015 12:11 AM

 DATE MODIFIED:
 10/12/2015 12:12 AM

81. A(n) _____ represents a single dot on an output device.

a. elementb. iconc. linkd. pixel

ANSWER: d
POINTS: 1
DIFFICULTY: Easy

REFERENCES: HTML 122
QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.07 - Apply text and font styles

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Setting the Font SizeKEYWORDS:Bloom's: RememberDATE CREATED:10/12/2015 12:14 AMDATE MODIFIED:10/12/2015 12:15 AM

82. The _____ unit is the preferred style unit for web page text because it makes it easy to develop pages in which different page elements have consistent relative font sizes under any device.

a. in
 b. ft
 c. em
 d. en

ANSWER: c
POINTS: 1
DIFFICULTY: Easy

REFERENCES: HTML 122
QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.07 - Apply text and font styles

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Setting the Font SizeKEYWORDS:Bloom's: UnderstandDATE CREATED:10/12/2015 12:16 AMDATE MODIFIED:10/12/2015 12:17 AM

83. Identify a relative unit in which lengths are expressed as a percentage of the width or height of a browser window.

Name	Class	Dat
	i	٥.
		┖.

a. Attribute unitb. Viewport unitc. rem unitd. Absolute unit

ANSWER: b POINTS: 1

DIFFICULTY: Easy

REFERENCES: HTML 123
QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.07 - Apply text and font styles

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Setting the Font SizeKEYWORDS:Bloom's: RememberDATE CREATED:10/12/2015 12:19 AMDATE MODIFIED:10/12/2015 12:19 AM

84. Identify a typographic attribute that measures the amount of space between characters.

a. Trackingb. Ditheringc. Kerningd. Pacing

ANSWER: c
POINTS: 1
DIFFICULTY: Easy

REFERENCES: HTML 125
QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.10 - Work with margins and padding space NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Controlling Spacing and Indentation

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/12/2015 12:21 AM

 DATE MODIFIED:
 10/12/2015 12:22 AM

85. ____ measures the amount of space between words.

a. Kerningb. Trackingc. Pacingd. Dithering

ANSWER: b

Name	Class	Dat
	i	۵.
		Ե.

POINTS:

DIFFICULTY: Easy

REFERENCES: HTML 125
QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.10 - Work with margins and padding space NATIONAL STANDARDS: United States - BUSPROG: Technology Controlling Spacing and Indentation

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/12/2015 12:23 AM

 DATE MODIFIED:
 10/12/2015 12:24 AM

86. The default value for both kerning and tracking is _____ pixels.

a. 8
b. 0
c. 2
d. 5

ANSWER: b
POINTS: 1

DIFFICULTY: Moderate

REFERENCES: HTML 125

OUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.10 - Work with margins and padding space NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Controlling Space and Indentation

 KEYWORDS:
 Bloom's: Understand

 DATE CREATED:
 10/12/2015 12:26 AM

 DATE MODIFIED:
 10/12/2015 12:27 AM

87. Extending the first line of text to the left of a text block creates a indent.

a. trackingb. kerningc. leadingd. hanging

ANSWER: d
POINTS: 1

DIFFICULTY: Moderate

REFERENCES: HTML 126

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

Name	Class	Dat
		۵.
		┖.

LEARNING OBJECTIVES: 02.10 - Work with margins and padding space NATIONAL STANDARDS: United States - BUSPROG: Technology Controlling Space and Indentation

 KEYWORDS:
 Bloom's: Understand

 DATE CREATED:
 10/12/2015 12:28 AM

 DATE MODIFIED:
 10/12/2015 12:29 AM

88. Which of the following properties is used to control the casing of text within an element?

a. font-variantb. text-transformc. text-alignd. font-style

ANSWER: b
POINTS: 1

DIFFICULTY: Moderate

REFERENCES: HTML 127

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.07 - Apply text and font styles

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Working with Font StylesKEYWORDS:Bloom's: UnderstandDATE CREATED:10/12/2015 12:31 AMDATE MODIFIED:10/12/2015 12:31 AM

89. Identify a property used to align text horizontally.

a. text-align: alignment;b. align-text: horizontal;

c. horizontal-align: alignment;

d. align-text: baseline;

ANSWER: a POINTS: 1

DIFFICULTY: Moderate
REFERENCES: HTML 128
QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.07 - Apply text and font styles

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Working with Font StylesKEYWORDS:Bloom's: UnderstandDATE CREATED:10/12/2015 12:33 AM

Name :			Class :	Dat e:
Tutorial 02: C	Getting Starte	d with CSS		
DATE MODIFI	ED:		10/12/2015 12:34 AM	
90. The v	alue of the vert		aligns the bottom of the element v	with the bottom of the text in a line.
	a.	baseline		
	b.	bottom		
	c.	text-bottom		
	d.	sub		
ANSWER:			c	
POINTS:			1	
DIFFICULTY:			Easy	
REFERENCES:			HTML 128	
QUESTION TYPE			Multiple Choice	
HAS VARIABLE			False	
LEARNING OB			02.07 - Apply text and font styles	
NATIONAL STA	ANDARDS:		United States - BUSPROG: Tech	nology
TOPICS:			Working with Font Styles	
KEYWORDS:			Bloom's: Understand	
DATE CREATE	TD:		10/12/2015 12:36 AM	
DATE MODIFI	ED:		10/12/2015 12:37 AM	
HomeGettingScrapbo	Started poking Tips	es should be applie	ed to the ol element to display an u	nordered list with markers as shown
• Supply	List			
a.	` •	e-type: none;}		
b.	ul {list-style	e-type: upper-greek	;;}	
c.	ul {list-style	e-type: circle;}		
d.	ul {list-style	e-type: disc;}		
ANSWER:			d	
POINTS:			1	
DIFFICULTY:			Moderate	
REFERENCES:			HTML 134	
QUESTION TY	PE:		Multiple Choice	
HAS VARIABLE	ES:		False	
LEARNING OB	JECTIVES:		02.09 - Define list styles	
NATIONAL STA	ANDARDS:		United States - BUSPROG: Tech	nology
TOPICS:			Formatting Lists	

Bloom's: Apply

KEYWORDS:

DATE CREATED: 10/12/2015 12:40 AM DATE MODIFIED: 10/12/2015 12:42 AM

92. Nested lists can be displayed in a(n) _____ style through the use of contextual selectors.

a. embeddedb. outlinec. hierarchyd. tree

ANSWER: b POINTS: 1

DIFFICULTY: Moderate

REFERENCES: HTML 134

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.09 - Define list styles

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Formatting ListsKEYWORDS:Bloom's: UnderstandDATE CREATED:10/12/2015 12:44 AMDATE MODIFIED:10/12/2015 12:45 AM

93. The style rule

ul {list-style-image: url(redball.png);}

displays items from lists marked with the graphic image in the *redball.png* file.

a. orderedb. unorderedc. unstructuredd. structured

ANSWER: b
POINTS: 1
DIFFICULTY: Easy
REFERENCES: HTML 137
QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.09 - Define list styles

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Formatting Lists

KEYWORDS: Bloom's: Apply

DATE CREATED: 10/12/2015 12:48 AM *DATE MODIFIED:* 10/12/2015 12:48 AM

94. Identify a padding property used to set the width of the padding space.

Name	Class	Dat
	·	۵.
		Ե.

a. padding: font;b. padding: pixel;c. padding: style;d. padding: size;

ANSWER: d
POINTS: 1
DIFFICULTY: Easy

REFERENCES: HTML 140
QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.10 - Work with margins and padding space NATIONAL STANDARDS: United States - BUSPROG: Technology Working with Margins and Padding

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/12/2015 12:50 AM

 DATE MODIFIED:
 10/12/2015 12:52 AM

95. Identify a pseudo-class which is the first descendant of the parent that matches the specified type.

a. :first-of-typeb. :first-childc. :only-of-typed. :only-child

ANSWER: a POINTS: 1 DIFFICULTY: Easy

REFERENCES: HTML 145
QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.11 - Use pseudo-classes and pseudo-elements

NATIONAL STANDARDS: United States - BUSPROG: Technology
TOPICS: Using Pseudo-Classes and Pseudo-Elements

 KEYWORDS:
 Bloom's: Understand

 DATE CREATED:
 10/12/2015 12:54 AM

 DATE MODIFIED:
 10/12/2015 12:55 AM

96. A _____ is a classification of an element based on its current status, position, or use in a document.

a. pseudo-class

b. pseudo-elementc. pseudo-textd. pseudo-style

ANSWER: a

Name :			Class :	Dat e:
Tutorial 02: Gett	ting Starte	ed with CSS		
POINTS:			1	
DIFFICULTY:			Easy	
REFERENCES:			HTML 145	
QUESTION TYPE:			Multiple Choice	
HAS VARIABLES:			False	
LEARNING OBJEC	CTIVES:		02.11 - Use pseudo-classes and pseu	do-elements
NATIONAL STAND	DARDS:		United States - BUSPROG: Technol	ogy
TOPICS:			Using Pseudo-Classes and Pseudo-E	lements
KEYWORDS:			Bloom's: Remember	
DATE CREATED:			10/12/2015 12:58 AM	
DATE MODIFIED:	•		10/12/2015 12:59 AM	
97. Another type of	pseudo-cla	ss isps	eudo-class in which the class can cha	inge state based on the actions of a user.
	a.	static		
	b.	dynamic		
	c.	structured	1	
	d.	unstructu	red	
ANSWER:			b	
POINTS:			1	
DIFFICULTY:			Easy	
REFERENCES:			HTML 148	
QUESTION TYPE:			Multiple Choice	
HAS VARIABLES:			False	
LEARNING OBJEC	CTIVES:		02.11 - Use pseudo-classes and pseu	do-elements
NATIONAL STANE	OARDS:		United States - BUSPROG: Technol	ogy
TOPICS:			Using Pseudo-Classes and Pseudo E	lements
KEYWORDS:			Bloom's: Remember	
DATE CREATED:			10/12/2015 1:01 AM	
DATE MODIFIED:	•		10/12/2015 1:02 AM	
98. The pseu	do-class rej	presents the ex	act instant in which a link is activated	d.
	a.	link		
	b.	visited		
	c.	active		
	d.	open-qu	ıote	
ANSWER:			c	
POINTS:			1	
DIFFICULTY:			Moderate	
REFERENCES:			HTML 149	
<i>QUESTION TYPE:</i>			Multiple Choice	
HAS VARIABLES:			False	

Name :		Class :	Dat e:
Tutorial 02: Getting Sta	arted with	h CSS	
LEARNING OBJECTIVES:		02.10 - Work with margins and	padding space
NATIONAL STANDARDS:		United States - BUSPROG: Tec	
TOPICS:		Controlling Space and Indentat	
KEYWORDS:		Bloom's: Understand	
DATE CREATED:		10/12/2015 1:06 AM	
DATE MODIFIED:		10/12/2015 1:07 AM	
99. Which of the following	dynamic į	pseudo-classes means the link has not yet	been visited by a user?
	a.	:link	
	b.	:nvisited	
	c.	:active	
	d.	:hover	
ANSWER:		a	
POINTS:		1	
DIFFICULTY:		Easy	
REFERENCES:		HTML 149	
QUESTION TYPE:		Multiple Choice	
HAS VARIABLES:		False	
LEARNING OBJECTIVES:		02.11 - Use pseudo-classes and p	seudo-elements
NATIONAL STANDARDS:		United States - BUSPROG: Tech	nology
TOPICS:		Using Pseudo-Classes and Pseud	o-Elements
KEYWORDS:		Bloom's: Understand	
DATE CREATED:		10/12/2015 1:09 AM	
DATE MODIFIED:		10/12/2015 1:10 AM	
100. The pseudo-class link prior to clicking the lin		used for a situation in which a user has n	noved the mouse pointer over a hypertext
	a.	active	
	b.	root	
	c.	link	
	d.	hover	
ANSWER:		d	
POINTS:		1	
DIFFICULTY:		Moderate	
REFERENCES:		HTML 149	
QUESTION TYPE:		Multiple Choice	
HAS VARIABLES:		False	
LEARNING OBJECTIVES:		02.11 - Use pseudo-classes and p	seudo-elements
NATIONAL STANDARDS:		United States - BUSPROG: Tech	nnology
TOPICS:		Using Pseudo-Classes and Pseud	o-Elements
KEYWORDS:		Bloom's: Understand	

10/12/2015 1:12 AM

DATE CREATED:

Name	Class	Dat
i		۵.
		С.

DATE MODIFIED: 10/12/2015 1:13 AM

101. , another type of pseudo selector, is an object that exists only in the rendered page.

a. Pseudo-class

b. Pseudo-elementc. Pseudo-objectd. Pseudo-type

ANSWER: b
POINTS: 1
DIFFICULTY: Easy

REFERENCES: HTML 151
QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.11 - Use pseudo-classes and pseudo-elements

NATIONAL STANDARDS: United States - BUSPROG: Technology
TOPICS: Using Pseudo-Classes and Pseudo-Elements

 KEYWORDS:
 Bloom's: Understand

 DATE CREATED:
 10/12/2015 1:15 AM

 DATE MODIFIED:
 10/12/2015 1:16 AM

102. Identify a Cascading Style Sheets (CSS) selector that is used to select pseudo-elements.

a. element::pseudo-element

b. element:pseudo-element

c. element::"pseudo";

d. element:"pseudo-element"

ANSWER: a POINTS: 1 DIFFICULTY: Easy

REFERENCES: HTML 151
QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.11 - Use pseudo-classes and pseudo-elements

NATIONAL STANDARDS: United States - BUSPROG: Technology
TOPICS: Using Pseudo-Classes and Pseudo-Elements

 KEYWORDS:
 Bloom's: Understand

 DATE CREATED:
 10/12/2015 1:18 AM

 DATE MODIFIED:
 10/12/2015 1:19 AM

103. Identify the format to add new content before an element with Cascading Style Sheets (CSS).

a. element:before open-quote;

b. element::before {content: open-quote;}

c. element:before text;

Name	Class	Dat
		۵.

d. element::before {content: text;}

ANSWER: d POINTS: 1

DIFFICULTY: Moderate

REFERENCES: HTML 152

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.12 - Insert page content with CSS

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Generating Content with CSS

 KEYWORDS:
 Bloom's: Understand

 DATE CREATED:
 10/12/2015 1:21 AM

 DATE MODIFIED:
 10/12/2015 1:22 AM

104. Identify an element used for quoted material.

a. a
 b. q
 c. wbr
 d. content

ANSWER: b POINTS: 1

DIFFICULTY: Easy REFERENCES: HTML 154

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.12 - Insert page content with CSS NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Inserting Quotation Marks

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/12/2015 1:24 AM

 DATE MODIFIED:
 10/12/2015 1:24 AM

105. Decorative opening and closing quotation marks can be inserted using the property.

a. labelb. typec. contentd. deco

ANSWER: c POINTS: 1

DIFFICULTY: Easy

REFERENCES: HTML 154

Name	Class	Dat
:	:	e:

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: 02.12 - Insert page content with CSS

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Inserting Quotation Marks

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/12/2015 1:27 AM

 DATE MODIFIED:
 10/12/2015 1:27 AM

Case-Based Critical Thinking Questions

Case 3-1

Alex's woodworking shop is trying to design a web page with Cascading Style Sheets (CSS). Alex would like create the new design based on the latest elements and styles from Hypertext Markup Language (HTML) and CSS. He has created a few sample pages:

home.htm ---describes the business and contact information

Product.htm ---displays a list of product descriptions
Custom.htm ---displays a list of custom products

106. Alex wants to create styles that apply only to the HTML document in which they are created. Help Alex in selecting an appropriate style to be used for this purpose.

a. External styleb. Inline style

c. Embedded styled. User-defined style

ANSWER: c
POINTS: 1

DIFFICULTY: Easy
REFERENCES: HTML 87
OUESTION TYPE: Multiple Choice

HAS VARIABLES: False
PREFACE NAME: case 3-1

LEARNING OBJECTIVES: 02.02 - Study different types of style sheets NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Introducing CSSKEYWORDS:Bloom's: ApplyDATE CREATED:10/12/2015 1:37 AMDATE MODIFIED:10/12/2015 1:39 AM

107. Alex had forgotten to give any style for all of his pages. In this case, identify the style that would be applied to his pages.

a. User defined style

b. External style

Name :				Class :
Tutorial ()2: Ge	tting Sta	rted with CSS	
		c.	User agent style	
		d.	View render style	
ANSWER:				c
POINTS:				1
DIFFICUL	TY:			Moderate
REFEREN	CES:			HTML 87
QUESTION	V TYPE	Z:		Multiple Choice
HAS VARIA	4BLES	<i>:</i>		False
PREFACE	NAME	:		case 3-1
LEARNING	G OBJE	ECTIVES:		02.02 - Study different types of style sheets
NATIONAL	L STAN	DARDS:		United States - BUSPROG: Technology
TOPICS:				Introducing CSS
KEYWORL	OS:			Bloom's: Apply
DATE CRE	EATED	:		10/12/2015 1:40 AM
DATE MO	DIFIEI	D:		10/12/2015 1:44 AM
108. Alex's	s produ	ct style ru	les can be imported	into a single file by adding the command
	a.	@import	url (css.product);	
	b.	@import	url (product.css);	
	c.	@import	css (product.css);	
	d.	@import	(type: css url: prod	luct);
ANSWER:				b
POINTS:				1
DIFFICUL	TY:			Moderate
REFEREN	CES:			HTML 97
QUESTION	V TYPE	Z:		Multiple Choice
HAS VARIA	4BLES	:		False
PREFACE	NAME	: :		case 3-1
LEARNING	G OBJE	ECTIVES:		02.02 - Study different types of style sheets
NATIONAL	L STAN	DARDS:		United States - BUSPROG: Technology
TOPICS:				Creating a Style Sheet

Case-Based Critical Thinking Questions

Case 3-2

KEYWORDS:

DATE CREATED:

DATE MODIFIED:

Terry is building a web site and wants to have three main links called Home, Product Info, and Contact Us. She will create a hierarchy of page elements and revise the style sheets.

Bloom's: Apply

10/12/2015 1:45 AM

10/12/2015 1:46 AM

109. In this case, the Home page contains two _____ elements.

Dat e:

Name :				Class :	Dat e:
Tutorial 0	2: Getti	ing Started	with CSS		
		a.	child		
		b.	parent		
		c.	sibling		
		d.	descendan	t	
ANSWER:				a	
POINTS:				1	
DIFFICUL:	TY:			Challenging	
REFERENC	CES:			HTML 108	
QUESTION	TYPE:			Multiple Choice	
HAS VARIA	IBLES:			False	
PREFACE I	NAME:			case 3-2	
LEARNING	OBJEC	TIVES:		02.05 - Use contextual selectors	
NATIONAL	STAND	ARDS:		United States - BUSPROG: Technological	ogy
TOPICS:				Exploring Selector Patterns	
KEYWORD	S:			Bloom's: Apply	
DATE CRE	ATED:			10/12/2015 1:49 AM	
DATE MOL	OIFIED:			10/12/2015 1:50 AM	
110 T 1			.1		
110. Terry f should be		led to display	the text of all h	11 headings found within the page heade	er in green. The style rule applied
	· a.	header h1	{shade: green;}		
	b.		{green: shade;}		
	c.		{green: color;}		
	d.		{color: green;}		
ANSWER:	С.	1100001 111		d	
POINTS:				1	
DIFFICUL'	TY:			Challenging	
REFERENC				HTML 90	
OUESTION				Multiple Choice	
HAS VARIA				False	
PREFACE I				case 3-2	
LEARNING		TIVES:		02.02 - Study different types of style sh	eets
NATIONAL				United States - BUSPROG: Technology	
TOPICS:				Exploring Style Rules	,
KEYWORD	S:			Bloom's: Apply	
DATE CRE				10/12/2015 1:51 AM	
DATE MOL				10/12/2015 1:54 AM	
-	·				
111. То арр	oly a style	e to all eleme	nts in a docume	ent, Terry should use the selector.	
			a	e	

f

b. c.

Name :	Class	Dat e:
Tutorial 02: Getting Started with CSS		
d.	+	
ANSWER:	c	
POINTS:	1	
DIFFICULTY:	Easy	
REFERENCES:	HTML 109	
QUESTION TYPE:	Multiple Choice	
HAS VARIABLES:	False	
PREFACE NAME:	case 3-2	
LEARNING OBJECTIVES:	02.05 - Use contextual selectors	
NATIONAL STANDARDS:	United States - BUSPROG: Technology	
TOPICS:	Exploring Selector Patterns	
KEYWORDS:	Bloom's: Apply	
DATE CREATED:	10/12/2015 1:54 AM	

112. If Terry decides to select all elements belonging to the main class, he should use the _____ selector.

10/12/2015 1:55 AM

a. .mainb. p.mainc. #main.introd. main[href]

ANSWER: a POINTS: 1

DIFFICULTY: Moderate

REFERENCES: HTML 112

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False
PREFACE NAME: case 3-2

LEARNING OBJECTIVES: 02.05 - Use contextual selectors

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Exploring Selector Patterns

 KEYWORDS:
 Bloom's: Apply

 DATE CREATED:
 10/12/2015 1:57 AM

 DATE MODIFIED:
 10/12/2015 1:58 AM

Case-Based Critical Thinking Questions

Case 3-3

DATE MODIFIED:

Tim is creating a web page to display his poker club's set of rules. He has main categories and subcategories along with about a paragraph or more of explanation for each.

113. Tim should use what type of font for the body text of his page?

a. serif

b. monospace

Name	Class	Dat
	•	۵.
	•	℧.

c. cursived. fantasy

ANSWER: a POINTS: 1

DIFFICULTY: Challenging
REFERENCES: HTML 116
OUESTION TYPE: Multiple Choice

HAS VARIABLES: False
PREFACE NAME: case 3-3

LEARNING OBJECTIVES: 02.08 - Use a web font

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Working with FontsKEYWORDS:Bloom's: ApplyDATE CREATED:10/12/2015 2:01 AMDATE MODIFIED:10/12/2015 2:02 AM

114. Tim wants to display the subcategories in capital letters but does not want them to appear more important than the main categories, so he small capital letters. Which style should he use?

a. text-transformb. font-transformc. font-variantd. text-variant

ANSWER: c POINTS: 1

DIFFICULTY: Challenging
REFERENCES: HTML 127
QUESTION TYPE: Multiple Choice

HAS VARIABLES: False
PREFACE NAME: case 3-3

LEARNING OBJECTIVES: 02.07 - Apply text and font styles

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Working with Font Styles

 KEYWORDS:
 Bloom's: Apply

 DATE CREATED:
 10/12/2015 2:04 AM

 DATE MODIFIED:
 10/12/2015 2:05 AM

115. Tim wants to align the top of the element with the top of the font of the surrounding content. Which value of the vertical-align property should he use?

a. baselineb. superc. topd. text-top

Name :	Class :	Dat e:
Tutorial 02: Getting Started with	CSS	
ANSWER:	d	
POINTS:	1	
DIFFICULTY:	Challenging	
REFERENCES:	HTML 128	
QUESTION TYPE:	Multiple Choice	
HAS VARIABLES:	False	
PREFACE NAME:	case 3-3	
LEARNING OBJECTIVES:	02.07 - Apply text and font sty	les
NATIONAL STANDARDS:	United States - BUSPROG: Te	
TOPICS:	Working with Font Styles	
KEYWORDS:	Bloom's: Apply	
DATE CREATED:	10/12/2015 2:08 AM	
DATE MODIFIED:	10/12/2015 2:09 AM	
Completion		
116 styles are added as eleapply to that element alone.	ement attributes within a Hypertext Markup	Language (HTML) document and thus
ANSWER:	Inline	
POINTS:	1	
DIFFICULTY:	Easy	
REFERENCES:	HTML 87	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	
LEARNING OBJECTIVES:	02.02 - Study different types of s	tyle sheets
NATIONAL STANDARDS:	United States - BUSPROG: Tech	nnology
TOPICS:	Introducing CSS	
KEYWORDS:	Bloom's: Remember	
DATE CREATED:	10/12/2015 2:11 AM	
DATE MODIFIED:	10/12/2015 2:11 AM	
	pport, which are numerical expr	essions that precisely describe colors.
ANSWER:	color values	
POINTS:	1	
DIFFICULTY:	Easy	
REFERENCES:	HTML 98	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	
LEARNING OBJECTIVES:	02.04 - Apply colors in CSS	
NATIONAL STANDARDS:	United States - BUSPROG: Te	echnology
TOPICS:	Working with Color in CSS	
KEYWORDS:	Bloom's: Remember	

Name :	Class	Dat e:
Tutorial 02: Getting Started with	CSS	
DATE CREATED:	10/12/2015 2:14 AM	
DATE MODIFIED:	10/12/2015 2:14 AM	
118. Each color is represented by a set	of numbers called a(n) that repre	esents the intensity of its red, green,
and blue components.		
ANSWER:	RGB triplet	
POINTS:	1	
DIFFICULTY:	Easy	
REFERENCES:	HTML 98	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	
LEARNING OBJECTIVES:	02.04 - Apply colors in CSS	
<i>NATIONAL STANDARDS:</i>	United States - BUSPROG: Ted	chnology
TOPICS:	Working with Color in CSS	
KEYWORDS:	Bloom's: Remember	
DATE CREATED:	10/12/2015 2:16 AM	
DATE MODIFIED:	10/12/2015 2:16 AM	
	ber expressed in the base 16 numbering syst	em rather than in the commonly used
base 10 system.		
ANSWER:	hexadecimal	
POINTS:	1	
DIFFICULTY:	Easy	
REFERENCES:	HTML 99	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	
LEARNING OBJECTIVES:	02.04 - Apply colors in CSS	
NATIONAL STANDARDS:	United States - BUSPROG: Ted	chnology
TOPICS:	Working with Color in CSS	
KEYWORDS:	Bloom's: Remember	
DATE CREATED:	10/12/2015 2:18 AM	
DATE MODIFIED:	10/12/2015 2:19 AM	
	s two hues separated by 180° on the color w	
_	but can be misused and might distract users	from the page content.
ANSWER:	complementary	
POINTS:	1	
DIFFICULTY:	Moderate	
REFERENCES:	HTML 104	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	

02.04 - Apply colors in CSS

LEARNING OBJECTIVES:

Name :	Class :	Dat e:
Tutorial 02: Getting Started with	CSS	
NATIONAL STANDARDS:	United States - BUSPROG: Tech	nology
TOPICS:	Exploring Progressive Enhancement	ent
KEYWORDS:	Bloom's: Analyze	
DATE CREATED:	10/12/2015 2:21 AM	
DATE MODIFIED:	10/12/2015 2:21 AM	
121. Each child element may contain cl are all descended from a common parer	hildren of its own and so forth down the hierarnt.	rchy, creating a set of tha
ANSWER:	descendant elements	
POINTS:	1	
DIFFICULTY:	Moderate	
REFERENCES:	HTML 108	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	
LEARNING OBJECTIVES:	02.05 - Use contextual selectors	
NATIONAL STANDARDS:	United States - BUSPROG: Technology	nology
TOPICS:	Exploring Selector Patterns	
KEYWORDS:	Bloom's: Remember	
DATE CREATED:	10/12/2015 2:23 AM	
DATE MODIFIED:	10/12/2015 2:23 AM	
122 matches any element i	n the hierarchy.	
ANSWER:	*, wildcard selector	
POINTS:	1	
DIFFICULTY:	Easy	
REFERENCES:	HTML 109	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	
LEARNING OBJECTIVES:	02.05 - Use contextual selectors	
NATIONAL STANDARDS:	United States - BUSPROG: Technology	nology
TOPICS:	Exploring Selector Patterns	
KEYWORDS:	Bloom's: Remember	
DATE CREATED:	10/12/2015 2:25 AM	
DATE MODIFIED:	10/12/2015 2:26 AM	
123. To select all elements with the class	ss value run, the attribute selector	must be used.
ANSWER:	.run	
POINTS:	1	
DIFFICULTY:	Moderate	
REFERENCES:	HTML 112	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	

Name :	Class :	Dat e:
Tutorial 02: Getting Started with	CSS	
LEARNING OBJECTIVES:	02.05 - Use contextual selector	rs
NATIONAL STANDARDS:	United States - BUSPROG: Te	
TOPICS:	Exploring Selector Patterns	
KEYWORDS:	Bloom's: Understand	
DATE CREATED:	10/12/2015 2:27 AM	
DATE MODIFIED:	10/12/2015 2:28 AM	
124. A font describes the g definition file.	eneral appearance of the characters in a tex	t but does not specify any particular font
ANSWER:	generic	
POINTS:	1	
DIFFICULTY:	Easy	
REFERENCES:	HTML 115	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	
LEARNING OBJECTIVES:	02.07 - Apply text and font sty	les
NATIONAL STANDARDS:	United States - BUSPROG: Te	chnology
TOPICS:	Working with Fonts	
KEYWORDS:	Bloom's: Remember	
DATE CREATED:	10/12/2015 2:30 AM	
DATE MODIFIED:	10/12/2015 2:36 AM	
is the art of designing	the appearance of characters and letters on	a page.
ANSWER:	Typography	
POINTS:	1	
DIFFICULTY:	Easy	
REFERENCES:	HTML 115	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	
LEARNING OBJECTIVES:	02.07 - Apply text and font sty	les
NATIONAL STANDARDS:	United States - BUSPROG: Te	chnology
TOPICS:	Working with Fonts	.
KEYWORDS:	Bloom's: Remember	
DATE CREATED:	10/12/2015 2:35 AM	
DATE MODIFIED:	10/12/2015 2:35 AM	
126 is a typeface without a	any serif ornamentation.	
ANSWER:	Sans-serif	
D 0 11 17 16	sans-serif	
POINTS:	1	
DIFFICULTY:	Easy	
REFERENCES:	HTML 116	

Name :	Class :	Dat e:
Tutorial 02: Getting Started with CSS	<u> </u>	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	
LEARNING OBJECTIVES:	02.07 - Apply text and font styl	les
NATIONAL STANDARDS:	United States - BUSPROG: Te	
TOPICS:	Working with Fonts	
KEYWORDS:	Bloom's: Remember	
DATE CREATED:	10/12/2015 2:37 AM	
DATE MODIFIED:	10/12/2015 2:38 AM	
127 units are units that are fixed	l in size regardless of the device rende	ring the web page.
ANSWER:	Absolute	
POINTS:	1	
DIFFICULTY:	Easy	
REFERENCES:	HTML 121	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	
LEARNING OBJECTIVES:	02.07 - Apply text and font styl	les
NATIONAL STANDARDS:	United States - BUSPROG: Te	chnology
TOPICS:	Setting the Font Size	
KEYWORDS:	Bloom's: Remember	
DATE CREATED:	10/12/2015 2:40 AM	
DATE MODIFIED:	10/12/2015 2:40 AM	
128. To cope with the uncertainty about how		
units, which are expressed relative to the siz <i>ANSWER</i> :		•
POINTS:	1	
DIFFICULTY:	Easy	
REFERENCES:	HTML 121	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	
LEARNING OBJECTIVES:	02.07 - Apply text and font style	
NATIONAL STANDARDS:	United States - BUSPROG: - Te	
TOPICS:	Setting the Font Size	cimology
KEYWORDS:	Bloom's: Understand	
DATE CREATED:	10/12/2015 2:42 AM	
DATE MODIFIED:	10/12/2015 2:42 AM	
DATE MODIFIED.	10/12/2013 2.42 PMVI	
129. The text size is defined using the	property.	
ANSWER:	font-size	
POINTS:	1	
DIFFICULTY:	Easy	

Name :	Class :	Dat e:
Tutorial 02: Getting Started with	CSS	
REFERENCES:	HTML 121	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	
LEARNING OBJECTIVES:	02.07 - Apply text and font styl	les
NATIONAL STANDARDS:	United States - BUSPROG: Tec	chnology
TOPICS:	Setting the Font Size	
KEYWORDS:	Bloom's: Remember	
DATE CREATED:	10/12/2015 2:44 AM	
DATE MODIFIED:	10/12/2015 2:45 AM	
	w the exact properties of a user's device, the drelative to a default font size.	e common practice is to make the text
ANSWER:	scalable	
POINTS:	1	
DIFFICULTY:	Easy	
REFERENCES:	HTML 122	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	
LEARNING OBJECTIVES:	02.07 - Apply text and font styl	es
NATIONAL STANDARDS:	United States - BUSPROG: Ted	chnology
TOPICS:	Setting the Font Size	
KEYWORDS:	Bloom's: Remember	
DATE CREATED:	10/12/2015 2:47 AM	
DATE MODIFIED:	10/12/2015 2:47 AM	
	es are always expressed relative to the font	size used in the html element.
ANSWER:	rem root em	
POINTS:	1	
DIFFICULTY:	Easy	
REFERENCES:	HTML 122	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	
LEARNING OBJECTIVES:	02.07 - Apply text and font styl	les
NATIONAL STANDARDS:	United States - BUSPROG: Tec	
TOPICS:	Setting the Font Size	
KEYWORDS:	Bloom's: Remember	
DATE CREATED:	10/12/2015 3:33 AM	
DATE MODIFIED:	10/12/2015 3:33 AM	
132, a typographic feature,	measures the amount of space between line	es of text.
ANSWER:	Leading	

Name :	Class :	Dat e:
Tutorial 02: Getting Started with	CSS	
POINTS:	1	
DIFFICULTY:	Easy	
REFERENCES:	HTML 125	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	
LEARNING OBJECTIVES:	02.10 - Work with margins and padding space	
NATIONAL STANDARDS:	United States - BUSPROG: Technology	
TOPICS:	Controlling Space and Indentation	
KEYWORDS:	Bloom's: Remember	
DATE CREATED:	10/12/2015 3:38 AM	
DATE MODIFIED:	10/12/2015 3:38 AM	
	measures the amount of space between words.	
ANSWER:	Tracking	
POINTS:	1	
DIFFICULTY:	Moderate	
REFERENCES:	HTML 125	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	
LEARNING OBJECTIVES:	02.10 - Work with margins and padding space	
NATIONAL STANDARDS:	United States - BUSPROG: Technology	
TOPICS:	Controlling Space and Indentation	
KEYWORDS:	Bloom's: Understand	
DATE CREATED:	10/12/2015 3:41 AM	
DATE MODIFIED:	10/12/2015 3:42 AM	
134. Block-level elements like paragraphis enclosed within a series of concentric <i>ANSWER</i> :	bhs or headings or lists follow the structure of thee boxes. box model	in which the content
POINTS:	1	
DIFFICULTY:	Easy	
REFERENCES:	HTML 139	
QUESTION TYPE:	Completion	
HAS VARIABLES:	False	
LEARNING OBJECTIVES:	02.10 - Work with margins and padding space	
NATIONAL STANDARDS:	United States - BUSPROG: Technology	
TOPICS:	Working with Margins and Padding	
KEYWORDS:	Bloom's: Remember	
DATE CREATED:	10/12/2015 3:44 AM	
DATE MODIFIED:	10/12/2015 3:44 AM	
135. The in the box model	extends from the element's content to a border.	

Name	Class	Dat
	•	₽.

ANSWER: padding space

POINTS:

QUESTION TYPE: Completion

HAS VARIABLES: False

DATE CREATED: 10/12/2015 3:47 AM *DATE MODIFIED:* 10/12/2015 3:47 AM

Matching

Identify the letters of the choices that best match the phrases or definitions.

a. Color value

b. RGB triplet

c. Style rule

d. Absolute units

e. Hexadecimal

f. Saturation

g. Relative units

h. Pixel

i. Tracking

j. Kerning

k. Leading

1. ems

DIFFICULTY: Easy

REFERENCES: HTML 121

HTML 122

HTML 125

HTML 90

HTML 98

HTML 99

QUESTION TYPE: Matching

HAS VARIABLES: False

LEARNING OBJE 02.02 - Study different types of style sheets

CTIVES: 02.04 - Apply colors in CSS

02.07 - Apply text and font styles

02.10 - Work with margins and padding space

NATIONAL STANDUnited States - BUSPROG: Technology

ARDS:

TOPICS: Controlling Spacing and Indentation

Exploring Style Rules

Setting the Font Size

Working with Color in CSS

KEYWORDS: Bloom's: Remember | Bloom's: Understand

DATE CREATED: 10/12/2015 3:48 AM *DATE MODIFIED:* 10/12/2015 3:56 AM

Copyright Cengage Learning. Powered by Cognero.

Name	Class	Dat
:	:	e:

Tutorial 62. Getting Started with C35	
136. It defines the styles applied to an element or group of elements. ANSWER: POINTS:	c 1
137. It is a numerical representation that precisely describes a color. ANSWER: POINTS:	a 1
138. They are numbers that represent a color according to the intensity of its red, green, and blue components <i>ANSWER</i> : <i>POINTS</i> :	s. b 1
139. It is a number expressed in the base-16 numbering system. ANSWER: POINTS:	e 1
140. It measures the intensity of a chosen color and ranges from 0% (no color) to 100% (full color). ANSWER: POINTS:	f 1
141. They are the units expressed relative to the size of other objects within a web page. ANSWER: POINTS:	g 1
142. They are specified in one of five standard units of measurement. ANSWER: POINTS:	d 1
143. It represents a single dot on an output device. ANSWER: POINTS:	h 1
144. It is a relative measurement to provide scalability. ANSWER: POINTS:	1 1
145. It measures the amount of space between words. ANSWER: POINTS:	i 1
146. It measures the amount of space between lines of text. ANSWER: POINTS:	k 1

Name	Class	Dat
:	::	e:
Tutorial 02: Getting Started with CSS		

147. It measures the amount of space between characters.

ANSWER: j
POINTS: 1

Essay

148. Explain the styles to control some basic typographic attributes, such as kerning, tracking, and leading. Also, mention when a hanging indent is created.

ANSWER:

Kerning measures the amount of space between characters, while **tracking** measures the amount of space between words. The properties to control an element's kerning and tracking are

letter-spacing: *value*; word-spacing: *value*;

where *value* is the size of space between individual letters or words. These sizes can be specified with the same units as used for font sizing. The default value for both kerning and tracking in 0 pixels. A positive value increases the letter and word spacing, while a negative value reduces the space between letters and words.

Leading measures the amount of space between lines of text and is set using the following line-height property:

line-height: size;

where *size* is a value or a percentage of the font size of the text on the affected lines. If no unit is specified, the size value represents the ratio of the line height to the font size. The default value is 1.2 or 1.2em so that the line height is 20% larger than the font size. By contrast, the following style sets the line height to twice the font size, making the text appear double-spaced:

line-height: 2em;

An additional way to control text spacing is to set the indentation for the first line of a text block by using the following text-indent property:

text-indent: size:

where size is expressed in absolute or relative units, or as a percentage of the width of the text block. For example, an indentation value of 5% indents the first line by 5% of the width of the block. The indentation value can be negative, extending the first line to the left of the text block to create a **hanging indent.**

POINTS: 1

DIFFICULTY: Moderate

REFERENCES: HTML 125 - HTML 126

QUESTION TYPE: Essay HAS VARIABLES: False

LEARNING OBJE 02.10 - Work with margins and padding space

CTIVES:

NATIONAL STANDUnited States - BUSPROG: Technology

ARDS:

TOPICS: Controlling Spacing and Indentation

KEYWORDS: Bloom's: Understand DATE CREATED: 10/12/2015 4:08 AM DATE MODIFIED: 10/12/2015 4:13 AM

Name	Class	Dat
	·	Φ.
•	•	Ե.