MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Solve the problem.

- 1) The height of a baseball (in feet) at time t (in seconds) is given by $y = -16x^2 + 80x + 5$. Which one of 1) the following points is not on the graph of the equation?
 - A) (1, 69)
- B) (4, 69)
- C) (2, 117)
- D) (3, 101)

Answer: C

Explanation: A)

- B)
- C)
- D)

Find the slope-intercept form of the equation of the line with the given properties.

2) Slope = 6; containing the point (-2, -7)

- A) y = -6x 5
- B) y = 6x + 5
- C) y = 6x 5 D) y = -6x + 5

Answer: B

Explanation: A)

- B)
- C)
- D)

Find the midpoint of the line segment joining the points P₁ and P₂.

3)
$$P_1 = (0.5, -0.8); P_2 = (1.3, -2.7)$$

- A) (0.9, -1.75) B) (-1.75, 0.9)
- C) (-0.95, 0.4)
- D) (0.4, -0.95)

Answer: A

Explanation: A)

- B)
- C)
- D)

List the intercepts for the graph of the equation.

4)
$$x^2 + y - 16 = 0$$

A) (-4, 0), (0, -16), (4, 0)

B) (4, 0), (0, 16), (0, -16)

(0, -4), (16, 0), (0, 4)

D) (-4, 0), (0, 16), (4, 0)

Answer: D

Explanation: A)

- B)
- C)
- D)

Find the general form of the equation for the line with the given properties.

5) Slope = $\frac{3}{4}$; y-intercept = $\frac{3}{4}$


- A) 3x + 4y = -3 B) $y = \frac{3}{4}x \frac{3}{4}$ C) 3x 4y = -3 D) $y = \frac{3}{4}x + \frac{3}{4}$

Answer: C

- Explanation:
 - A) B)
 - C)
 - D)

List the intercepts of the graph. Tell whether the graph is symmetric with respect to the x-axis, y-axis, origin, or none of these.

6)



- A) intercept: (0, 2) symmetric with respect to origin
- C) intercept: (2, 0) symmetric with respect to x-axis

Answer: B

- Explanation: A)
 - B)
 - C)
 - D)

- B) intercept: (0, 2)
 - symmetric with respect to y-axis
- D) intercept: (2, 0)

symmetric with respect to y-axis

Solve.

7) Each month a beauty salon gives x manicures for \$12.00/manicure. The cost to the owner of the beauty salon for each manicure is \$7.35. The monthly fixed cost to maintain a manicure station is \$120.00. Write an equation that relates the monthly profit, in dollars, to the number of manicures given each month. Then use the equation to find the monthly profit when 200 manicures are given in a month.

7)

A) P = 4.65x - 120; \$810

B) P = 4.65x; \$930

C) P = 7.35x - 120; \$1350

D) P = 12x - 120; \$2280


Answer: A

- Explanation: A)
 - B)
 - C)
 - D)


Graph the line containing the point P and having slope m.

8)
$$P = (-1, -10); m = 0$$


8)




A)




B)



C)



D)



Answer: A

Explanation: A)

B)

C)

D)

Find an equation for the line, in the indicated form, with the given properties.

9) Containing the points (-3, 9) and (0, -7); general form

ontaining the points (-3, 9) and (0, -7); general 1
$$m A)$$
 12x - 7y = -49

B)
$$-16x - 3y = 21$$

C)
$$-12x + 7y = -49$$

D)
$$16x - 3y = 21$$

Answer: B

Explanation: A)

B)

C)

D)

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

10)
$$y = -8x^3 + 3x$$

10)

A) x-axis

B) origin

C) y-axis

D) x-axis, y-axis, origin

E) none

Answer: B

Explanation: A)

B)

C)


D)

E)


Graph the equation by plotting points.

11) y = x - 4


11) ____



A)



C)




Answer: A


Explanation: A)

- B) C)
- D)

B)



D)



List the intercepts and type(s) of symmetry, if any.

12) $y^2 = -x + 4$

12)

- $A) \ \ intercepts: (0, -4), (2, 0), (-2, 0) \\ symmetric \ with \ respect \ to \ y-axis$
- C) intercepts: (0, 4), (2, 0), (-2, 0) symmetric with respect to y-axis

B) intercepts: (4, 0), (0, 2), (0, -2) symmetric with respect to x-axis

D) intercepts: (-4, 0), (0, 2), (0, -2) symmetric with respect to x-axis

Answer: B

Explanation: A)

- B)
- C)
- D)

List the intercepts for the graph of the equation.

13) $y = x^3 - 8$

13)

14)

- A) (0, -8), (2, 0)
- B) (0, -2), (0, 2)
- C) (-8, 0), (0, 2)

D) (0, -2), (-2, 0)

Answer: A

Explanation: A

- A)
- B)
- C)
- D)

Solve.

14) A vendor has learned that, by pricing caramel apples at \$1.00, sales will reach 119 caramel apples per day. Raising the price to \$1.75 will cause the sales to fall to 83 caramel apples per day. Let y be the number of caramel apples the vendor sells at x dollars each. Write a linear equation that relates the number of caramel apples sold per day to the price x.

A)
$$y = -\frac{1}{48}x + \frac{5711}{48}$$

B)
$$y = -48x - 167$$

C)
$$y = -48x + 167$$

D)
$$y = 48x + 71$$

Answer: C

Explanation: A)

- B)
- C)
- D)

Find the distance $d(P_1, P_2)$ between the points P_1 and P_2 .

15)
$$P_1 = (-3, -2); P_2 = (1, 4)$$

15)

A) 20

B) 2

- C) $20\sqrt{5}$
- D) $2\sqrt{13}$

Answer: D

Explanation:

- A)
- B)
- C)
- D)

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

16) $4x^2 + 9y^2 = 36$

16)

- A) origin
- B) y-axis
- C) x-axis
- D) x-axis, y-axis, origin
- E) none

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)
 - E)

Solve the problem.

17) If a satellite is placed in a circular orbit of 420 kilometers above the Earth, what is the equation of 17) the path of the satellite if the origin is placed at the center of the Earth (the diameter of the Earth is approximately 12,740 kilometers)?

A)
$$x^2 + y^2 = 176,400$$

B)
$$x^2 + y^2 = 173,185,600$$

C)
$$x^2 + y^2 = 40,576,900$$

D)
$$x^2 + y^2 = 46,104,100$$

Answer: D

Explanation: A)

- B)
- C)
- D)

Write the equation in slope-intercept form.

18)
$$6x + 7y = 1$$

A) $y = \frac{6}{7}x + \frac{1}{7}$ B) $y = \frac{7}{6}x - \frac{1}{6}$ C) $y = \frac{12}{7}x + \frac{1}{7}$ D) $y = 6x + 12$

Answer: A

Explanation: A)

- B)
- C)
- D)

Find the general form of the equation of the the circle.

19) Center at the point (-4, -3); containing the point (-3, 3)

19)

A) $x^2 + y^2 + 6x - 6y - 17 = 0$

B) $x^2 + y^2 + 6x + 8y - 17 = 0$

C) $x^2 + y^2 - 6x + 6y - 12 = 0$

D) $x^2 + y^2 + 8x + 6y - 12 = 0$

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

20) $y^2 - x - 81 = 0$

20)

- A) origin
- B) x-axis
- C) y-axis
- D) x-axis, y-axis, origin
- E) none


Answer: B

- Explanation: A)
 - B)
 - C)
 - D)
 - E)


Find the slope of the line and sketch its graph.

21) 4x - 5y = 2


21) _



A) slope = $-\frac{5}{4}$



C) slope = $-\frac{4}{5}$



Answer: B


- B)
- C)
- D)
- Find the slope and y-intercept of the line.

22)
$$y = 2x + 3$$


- A) slope = 2; y-intercept = 3
- C) slope = 2; y-intercept = 3
- Answer: A

- B)
- C)
- D)

B) slope = $\frac{4}{5}$



D) slope = $\frac{5}{4}$




22)

D) slope =
$$\frac{1}{2}$$
; y-intercept = -3

B) slope = 3; y-intercept = 2

Identify the points in the graph for the ordered pairs.



23) (-3, 4), (2, 0), (4, -5)

A) A, B, and F

B) B, C, and L

C) F, K, and L

D) B, F, and L

23)

24)

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the problem.

24) A wildlife researcher is monitoring a black bear that has a radio telemetry collar with a transmitting range of 30 miles. The researcher is in a research station with her receiver and tracking the bear's movements. If we put the origin of a coordinate system at the research station, what is the equation of all possible locations of the bear where the transmitter would be at its maximum range?

A) $x^2 + y^2 = 30$

- B) $x^2 y^2 = 30$ C) $x^2 + y^2 = 900$ D) $x^2 + y^2 = 60$


Answer: C

Explanation: A)

- B)
- C)
- D)

25)

25)



- A) -2; for every 1-unit increase in x, y will decrease by 2 units
- B) $\frac{1}{2}$; for every 2-unit increase in x, y will decrease by 1 unit
- C) $\frac{1}{2}$; for every 2-unit increase in x, y will increase by 1 unit
- $D) \ 2; \ \mbox{for every 1-unit increase in x, y will increase by 2 units}$

Answer: C

Explanation: A)

- B)
- C)
- (C)

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

26) y = (x - 8)(x - 5)

26)

- A) x-axis
- $B) \ \text{origin} \\$
- C) y-axis
- D) x-axis, y-axis, origin
- E) none

Answer: E

Explanation: A)

- B)
- C)
- D)
- E)

- 27) If (-2, -2) is the endpoint of a line segment, and (-1, 1) is its midpoint, find the other endpoint.
 - A) (4, 0)
- B) (0, -5)
- C) (-4, -8)
- D) (0, 4)

Answer: D


- Explanation: A)
 - B)
 - C)
 - D)

Plot the point in the xy-plane. Tell in which quadrant or on what axis the point lies.


28) (2, -6)

28)

27)




A)




Quadrant II

B)




Quadrant I

C)



Quadrant IV

D)



Quadrant III

Answer: C

Explanation: A)

- B)
- C)
- D)

List the intercepts for the graph of the equation.

29) $4x^2 + 9y^2 = 36$

- A) (-4, 0), (-9, 0), (9, 0), (4, 0)
- (-2,0),(-3,0),(3,0),(2,0)

B) (-9, 0), (0, -4), (0, 4), (9, 0)

D) (-3, 0), (0, -2), (0, 2), (3, 0)

Answer: D

Explanation: A)

- B)
- C)
- D)

Find the slope-intercept form of the equation of the line with the given properties.

ne slope-intercept form of the S_{12} = 30) Horizontal; containing the point $\left(-\frac{1}{2}, 2\right)$

30)

29)

- A) y = 0
- B) $y = -\frac{1}{2}$
- C) y = -2
- D) y = 2

Answer: D

Explanation: A)


- B)
- C)
- D)

Graph the circle with radius r and center (h, k).


31) r = 4; (h, k) = (-1, 3)

31)


A)




B)



C)



D)



Answer: B

Explanation: A)


B)

C)


D)

Graph the line containing the point P and having slope m.


32) ___









B)



C)



D)




Answer: B Explanation: A)

- B)
- C) D)

Solve the problem.

33) A Ferris wheel has a diameter of 320 feet and the bottom of the Ferris wheel is 9 feet above the ground. Find the equation of the wheel if the origin is placed on the ground directly below the cent the wheel, as illustrated.



A)
$$x^2 + (y - 169)^2 = 25,600$$

C)
$$x^2 + y^2 = 25,600$$

B)
$$x^2 + (y - 160)^2 = 25,600$$

D)
$$x^2 + (y - 160)^2 = 102,400$$

Answer: A

Explanation: A)

- B)
- C)
- D)

Find an equation for the line, in the indicated form, with the given properties.

34) Containing the points (3, 0) and (0, -7); general form

A)
$$7x + 3y = -21$$

B)
$$-7x + 3y = -21$$
 C) $-3x - 7y = -49$ D) $3x + 7y = -49$

D)
$$3x + 7y = -49$$

34)

35)

33)

Answer: B

Explanation: A)

- B)
- C)
- D)

Find the slope and y-intercept of the line.

35)
$$x + y = -12$$

- A) slope = 1; y-intercept = -12
- C) slope = -1; y-intercept = -12
- B) slope = -1; y-intercept = 12
- D) slope = 0; y-intercept = -12


Answer: C

Explanation: A)

- B)
- C)
- D)

36)

36)



- A) (0, -3), (0, 3), (1, 0)
- C) (0, -3), (3, 0), (0, 1)

- B) (-3, 0), (0, 3), (1, 0)
- D) (-3, 0), (0, 3), (0, 1)

Answer: B

Explanation: A)

- B)
- C)
- D)

Solve the problem.

37) Find all the points having an x-coordinate of 9 whose distance from the point (3, -2) is 10.

37)

- A) (9, -12), (9, 8)
- B) (9, 2), (9, -4)
- C) (9, 13), (9, -7)
- D) (9, 6), (9, -10)

Answer: D

Explanation: A)

- B)
- C)
- D)


Find the slope of the line.

38)

38)

39)

40)



A) 1

B) 7

C) -7

D) -1

Answer: A

Explanation: A)

B)

C)

D)

Find the slope and y-intercept of the line.

39)
$$-x + 5y = 15$$

A) slope = -1; y-intercept = 15

C) slope = $\frac{1}{5}$; y-intercept = 3

B) slope = 5; y-intercept = -15

D) slope = $-\frac{1}{5}$; y-intercept = 3

Answer: C

Explanation: A)

B)

C)

D)

Find the distance $d(P_1, P_2)$ between the points P_1 and P_2 .

40)
$$P_1 = (1, 1); P_2 = (1, 3)$$

A) 3

B) $\sqrt{2}$

C) 2

D) 1

Answer: C

Explanation: A


A)

B)


C)

D)


Draw a complete graph so that it has the given type of symmetry.



A)



C)




Answer: D


Explanation: A)

- B)
- C)
- D)

B)



D)



Find the slope and y-intercept of the line.

42)
$$y = 10$$

- A) slope = 0; no y-intercept
- C) slope = 0; y-intercept = 10

B) slope = 10; y-intercept = 0

D) slope = 1; y-intercept = 10

Answer: C

Explanation: A)

- B)
- C)
- D)

List the intercepts for the graph of the equation.

43)
$$4x^2 + y^2 = 4$$

- A) (-4, 0), (0, -1), (0, 1), (4, 0)
- (-1, 0), (0, -4), (0, 4), (1, 0)

- B) (-1, 0), (0, -2), (0, 2), (1, 0)
- D) (-2, 0), (0, -1), (0, 1), (2, 0)

Answer: B

Explanation: A)

- B)
- C)
- D)


Find the slope of the line and sketch its graph.

44)
$$y + 2 = 0$$


44) ____

42)


43)




A) slope is undefined




B) slope = -2



C) slope =
$$-\frac{1}{2}$$



D) slope = 0



Answer: D

Explanation: A)

- B)
- C)
- D)

Find an equation for the line with the given properties.

45) Perpendicular to the line x - 8y = 7; containing the point (2, 3)

A)
$$y = -8x - 19$$
 B) $y = -8x + 19$ C) $y = 8x - 19$

C)
$$y = 8x - 19$$
 D) $y = -\frac{1}{8}x - \frac{19}{8}$

45)

Answer: B


Explanation: A)

- B)
- C)
- D)

46)

46)

47)



A)
$$(x - 6)^2 + (y - 4)^2 = 3$$

C)
$$(x - 6)^2 + (y - 4)^2 = 9$$

B)
$$(x + 6)^2 + (y + 4)^2 = 3$$

D)
$$(x + 6)^2 + (y + 4)^2 = 9$$

Answer: C

Explanation: A)

- B)
- C)
- D)

Solve the problem.

47) Find the equation of a circle in standard form with center at the point (-3, 2) and tangent to the line y = 4.

A)
$$(x - 3)^2 + (y + 2)^2 = 16$$

C)
$$(x + 3)^2 + (y - 2)^2 = 16$$

B)
$$(x - 3)^2 + (y + 2)^2 = 4$$


D)
$$(x + 3)^2 + (y - 2)^2 = 4$$


Answer: D


Explanation: A)

- B)
- C)
- D)


Plot the point A. Plot the point B that has the given symmetry with point A.








C)



D)



Answer: C

Explanation: A)

B)

C)

D)

Decide whether or not the points are the vertices of a right triangle.

A) Yes

B) No

49)

Answer: B


Explanation: A)

B)

Graph the line containing the point P and having slope m.

50) P = (-8, -4);
$$m = \frac{2}{3}$$






A)



C)




Answer: D


- Explanation: A)
 - B) C)

 - D)





D)



Find the center (h, k) and radius r of the circle with the given equation.

51)
$$x^2 + 4x + 4 + y^2 - 10y + 25 = 9$$

A) (h, k) = (-5, 2); r = 9

B) (h, k) = (5, -2); r = 3


C) (h, k) = (2, -5); r = 9

D) (h, k) = (-2, 5); r = 3

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

Identify the points in the graph for the ordered pairs.



- 52) (3, 5), (-3, 0)
 - A) I and G
- B) D and J
- C) L and J
- D) D and G

52)

53)

51)

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

Find the center (h, k) and radius r of the circle with the given equation.

53)
$$2(x + 5)^2 + 2(y + 4)^2 = 26$$

A)
$$(h, k) = (-5, -4); r = 2\sqrt{13}$$

C) (h, k) = (5, 4);
$$r = 2\sqrt{13}$$

B)
$$(h, k) = (5, 4); r = \sqrt{13}$$

D)
$$(h, k) = (-5, -4); r = \sqrt{13}$$

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

Find the distance $d(P_1, P_2)$ between the points P_1 and P_2 .

54) $P_1 = (0.6, -0.9)$; $P_2 = (2.6, 1.5)$ Round to three decimal places, if necessary.

54)

- A) 3.124
- B) 22

- C) 3.224
- D) 9.879

Answer: A

- Explanation: A)
 - B)
 - C)
 - D)

Write the equation in slope-intercept form.

55) 4x - 5y = 1

55)

- A) $y = \frac{4}{5}x \frac{1}{5}$ B) $y = \frac{5}{4}x + \frac{1}{4}$ C) $y = \frac{4}{5}x + \frac{1}{5}$ D) y = 4x 1

Answer: A

- Explanation: A)
 - B)
 - C)
 - D)

Solve.

56) Each month a gas station sells x gallons of gas at \$1.92/gallon. The cost to the owner of the gas station for each gallon of gas is \$1.32. The monthly fixed cost for running the gas station is \$37,000. Write an equation that relates the monthly profit, in dollars, to the number of gallons of gasoline sold. Then use the equation to find the monthly profit when 75,000 gallons of gas are sold in a month.

56)

A) P = 1.92x - 37,000; \$107,000

B) P = 1.32x - 37,000; \$62,000

C) P = 0.60x - 37,000; \$8000


D) P = 0.60x + 37,000; \$82,000

Answer: C


- Explanation: A)
 - B)
 - C)
 - D)

Graph the line containing the point P and having slope m.


57)
$$P = (0, 4); m = -1$$




A)




B)



C)



D)



Answer: B

Explanation: A)

B)


C)

D)


Plot the point in the xy-plane. Tell in which quadrant or on what axis the point lies.

58) (3, 0)

58)




A)



x-axis

C)



x-axis

Answer: A

Explanation: A)

B)

C)

D)

59)
$$(x + 10)^2 + (y - 2)^2 = 121$$

A)
$$(h, k) = (2, -10); r = 121$$

C) (h, k) = (-10, 2); r = 121

C)
$$(h, k) = (-10.2)$$
; $r = 121$

Answer: D


Explanation: A)

B)

C)


D)

B)



y-axis

D)



Quadrant II

Find the center (h, k) and radius r of the circle with the given equation.

B)
$$(h, k) = (2, -10); r = 11$$


59)

D)
$$(h, k) = (-10, 2); r = 11$$

List the intercepts of the graph.

60)

60)



- A) (4, 0), (1, 0), (5, 0), (0, -4)
- C) (-4, 0), (0, -4), (0, 1), (0, -5)

- B) (-4, 0), (1, 0) (-5, 0), (0, -4)
- D) (-4, 0), (0, 4), (0, 1), (0, 5)

Answer: B

Explanation: A)

- B)
- C)
- D)

Determine whether the given point is on the graph of the equation.

61) Equation: $y = x^3 - \sqrt{x}$

Point: (-1, -2)

A) No

B) Yes

Answer: A

Explanation: A)

B)

Find an equation for the line with the given properties.

62) Perpendicular to the line $y = \frac{1}{9}x + 3$; containing the point (2, -4)

A) y = 9x - 14B) $y = -\frac{1}{9}x - \frac{14}{9}$ C) y = -9x + 14D) y = -9x - 14

62)

61)

A)
$$y = 9x - 14$$

B)
$$y = -\frac{1}{9}x - \frac{14}{9}$$

C)
$$y = -9x + 14$$

D)
$$y = -9x - 1$$

Answer: C

Explanation: A)

- B)
- C)
- D)

Decide whether the pair of lines is parallel, perpendicular, or neither.

63) 3x - 4y = -8

8x + 6y = -17

A) parallel

B) perpendicular

C) neither

Answer: B

Explanation: A)

B)

C)

Find an equation for the line with the given properties.

64) Perpendicular to the line 3x + 5y = 2; y-intercept = 3

64)

63)

A) 5x - 3y = 15

B) 5x - 3y = -9

C) 3x + 5y = 15

D) 3x + 5y = 9

Answer: B

Explanation: A)

B)

C)

D)

Find the slope and y-intercept of the line.

65) x = 2A) slope = 2; y-intercept = 0

 $B) \ \text{slope undefined}; \ \text{no y-intercept}$

C) slope = 0; y-intercept = 2

D) slope undefined; y-intercept = 2

Answer: B

Explanation: A)

B)

C)

C)

D)

Solve the problem.

66) A middle school's baseball playing field is a square, 80 feet on a side. How far is it directly from home plate to second base (the diagonal of the square)? If necessary, round to the nearest foot.

66)

65)

A) 113 feet

B) 120 feet

C) 112 feet

D) 114 feet

Answer: A

Explanation: A)

B)

C)

D)

Find an equation for the line, in the indicated form, with the given properties.

67) Containing the points (6, 0) and (0, -5); general form

67)

- A) 5x + 6y = 30
- B) 5x 6y = 30 C) $y = -\frac{5}{6}x + 6$ D) $y = -\frac{5}{6}x 5$

Answer: B

- Explanation: A)
 - B)
 - C)
 - D)
- 68) Containing the points (7, -4) and (-5, 9); general form

68)

A) 13x + 12y = 43

B) -11x + 14y = -71

C) -13x + 12y = 43

D) 11x - 14y = -71

Answer: A

- Explanation: A)
 - B)
 - C)
 - D)

Solve.

69) 69) A vendor has learned that, by pricing pretzels at \$1.75, sales will reach 113 pretzels per day. Raising the price to \$2.50 will cause the sales to fall to 83 pretzels per day. Let y be the number of pretzels the vendor sells at x dollars each. Write a linear equation that relates the number of pretzels sold per day, y, to the price x.

A)
$$y = -40x - 183$$

B)
$$y = 40x + 43$$

C)
$$y = -40x + 183$$

D)
$$y = -\frac{1}{40}x + \frac{18073}{160}$$

Answer: C

- Explanation: A)
 - B)
 - C)
 - D)

Solve the problem.

- 70) If a graph is symmetric with respect to the origin and it contains the point (-4, 7), which of the 70) following points is also on the graph?
 - A) (4, 7)
- B) (4, -7)
- C) (7, -4)
- D) (-4, -7)

Answer: B

- Explanation: A)
 - B)
 - C)
 - D)


List the intercepts of the graph.

71)

71)

72)

73)



- A) (0, 6)
- B) (6, 0)
- C) (-6, 0)
- D) (0, -6)

Answer: C

Explanation: A)

- B)
- C)
- D)

Find an equation for the line with the given properties.

- 72) Parallel to the line y = 3; containing the point (6, 4)
 - A) y = 4
- B) y = 6
- C) y = 3
- D) y = -4

Answer: A

Explanation: A)

- Λ)
- B)
- C)
- D)

Find the distance $d(P_1, P_2)$ between the points P_1 and P_2 .

- 73) $P_1 = (2, -7); P_2 = (5, -1)$
 - A) $3\sqrt{5}$
- B) 27

C) 3

D) $27\sqrt{3}$

Answer: A

Explanation: A)

- B)
- C)
- D)

Find an equation for the line with the given properties.

74) Perpendicular to the line y = -2x - 4; containing the point (-3, 1)

- 74)
- A) $y = -\frac{1}{2}x + \frac{5}{2}$ B) $y = \frac{1}{2}x + \frac{5}{2}$ C) $y = 2x + \frac{5}{2}$

Answer: B

- Explanation: A)
 - B)
 - C)
 - D)

Write the standard form of the equation of the circle with radius r and center (h, k).

75) $r = \sqrt{17}$; (h, k) = (-1, 5)

75)

A) $(x - 1)^2 + (y + 5)^2 = 17$

B) $(x - 5)^2 + (y + 1)^2 = 289$

C) $(x + 5)^2 + (y - 1)^2 = 289$

D) $(x + 1)^2 + (y - 5)^2 = 17$


Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

Find the slope of the line.

76)

76)



B) 6

- C) -6
- D) $\frac{1}{6}$

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

Solve.

- 77) The average value of a certain type of automobile was \$15,960 in 1991 and depreciated to \$7440 in 1994. Let y be the average value of the automobile in the year x, where x = 0 represents 1991. Write a linear equation that relates the average value of the automobile, y, to the year x.
 - A) y = -2840x + 15,960

B) y = -2840x - 1080

C) $y = -\frac{1}{2840}x - 7440$


D) y = -2840x + 7440

Answer: A

- Explanation: A)
 - B)
 - C)
 - D)

List the intercepts of the graph. Tell whether the graph is symmetric with respect to the x-axis, y-axis, origin, or none of these.

78)




- A) intercepts: (-1, 0), (0, 0), (1, 0) symmetric with respect to x-axis, y-axis, and origin
- B) intercepts: (-1, 0), (0, 0), (1, 0) symmetric with respect to origin
- C) intercepts: (-1, 0), (0, 0), (1, 0) symmetric with respect to y-axis
- D) intercepts: (-1, 0), (0, 0), (1, 0) symmetric with respect to x-axis

Answer: B

- Explanation: A)
 - B)
 - C)
 - D)

Identify the points in the graph for the ordered pairs.



- 79) (-5, -4), (0, -3)
 - A) G and I
- B) A and J
- C) A and G
- D) I and J

Answer: D

Explanation: A)

- B)
- C)
- D)

Solve the problem.

80) Find the area of the right triangle ABC with A = (-2, 7), B = (7, -1), C = (3, 9).

80)

79)

A) 58 square units

B) 29 square units

C) $\frac{\sqrt{58}}{2}$ square units

D) $\frac{\sqrt{29}}{2}$ square units

Answer: B


Explanation: A)

- B)
- C)
- D)


Find the center (h, k) and radius r of the circle. Graph the circle.

81)
$$x^2 + y^2 - 6x - 4y + 9 = 0$$


81)




A)
$$(h, k) = (-3, -2); r = 2$$




C)
$$(h, k) = (-3, 2); r = 2$$



B)
$$(h, k) = (3, -2); r = 2$$



D)
$$(h, k) = (3, 2); r = 2$$



82)

Answer: D

Explanation: A)

B)

C)

D)

Write the standard form of the equation of the circle with radius r and center (h, k).

82)
$$r = \sqrt{14}$$
; (h, k) = (0, 10)

A)
$$(x + 10)^2 + y^2 = 196$$

C)
$$(x - 10)^2 + y^2 = 196$$

B)
$$x^2 + (y + 10)^2 = 14$$

D)
$$x^2 + (y - 10)^2 = 14$$

Answer: D

Explanation: A)

B)

C)

Find an equation for the line with the given properties.

83) Slope undefined; containing the point $\left(-\frac{5}{8}, 6\right)$

83)

85)

- A) x = 6
- B) y = 6
- C) $y = -\frac{5}{8}$ D) $x = -\frac{5}{8}$


Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

Find the distance $d(P_1, P_2)$ between the points P_1 and P_2 .

84)





A) 70

B) 3

- C) $\sqrt{149}$
- D) $\sqrt{51}$

Answer: C

- Explanation: A)
 - B)
 - C)
 - D)

Decide whether or not the points are the vertices of a right triangle.

- 85) (-2, 2), (0, 2), (0, 11)
 - A) Yes

B) No

Answer: A

- Explanation: A)
 - B)

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

 $86) y = \frac{9x}{x^2 + 81}$

86)

- A) y-axis
- B) x-axis
- C) origin
- D) x-axis, y-axis, origin
- E) none

Answer: C

Explanation: A)

- B)
- C)
- D)
- E)

Find the midpoint of the line segment joining the points P₁ and P₂.

87) $P_1 = (4b, 6); P_2 = (5b, 9)$

87)

- A) (9b, 15)
- B)(b,3)
- $C)\left[\frac{9b}{2}, \frac{15}{2}\right] \qquad \qquad D)\left[\frac{15b}{2}, \frac{9}{2}\right]$

Answer: C

Explanation: A)

- B)
- C)
- D)

Find the slope and y-intercept of the line.

88) 7x + 4y = 11

88)

- A) slope = $\frac{7}{4}$; y-intercept = $-\frac{11}{4}$
- C) slope = $\frac{7}{4}$; y-intercept = $\frac{11}{4}$

- B) slope = 7; y-intercept = 11
- D) slope = $-\frac{7}{4}$; y-intercept = $\frac{11}{4}$

Answer: D

Explanation: A)

- B)
- C)
- D)

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

89) $y = x^2 + 7x + 12$

89)

- A) y-axis
- B) origin
- C) x-axis
- D) x-axis, y-axis, origin
- E) none

Answer: E

Explanation: A)

- B)
- C)
- D)
- E)

Find the slope of the line containing the two points.

90) (9, 3); (-8, 3)

90)

- A) -17
- B) 0

- C) $\frac{1}{17}$
- D) undefined

Answer: B

Explanation: A)

- B)
- C)
- D)

Find the slope-intercept form of the equation of the line with the given properties.

91) Slope = 0; containing the point (-8, -6)

91)

- A) x = -8
- B) y = -8
- C) y = -6
- D) x = -6

Answer: C

Explanation: A)

- B)
- C)
- D)

92) x-intercept = 5; y-intercept = 8

92)

A)
$$y = -\frac{8}{5}x + 8$$
 B) $y = -\frac{8}{5}x + 5$ C) $y = -\frac{5}{8}x + 5$ D) $y = \frac{8}{5}x + 8$

B)
$$y = -\frac{8}{5}x + 5$$

C)
$$y = -\frac{5}{8}x + 5$$

D)
$$y = \frac{8}{5}x + 8$$

Answer: A

Explanation: A)

- B)
- C)
- D)

Find the midpoint of the line segment joining the points P₁ and P₂.

93) $P_1 = (4, 5); P_2 = (2, 9)$

93)

- A) (6, 14)
- B) (3, 7)
- C)(2,-4)
- D) (7, 3)

Answer: B

Explanation: A)

- B)
- C)
- D)

Solve the problem.

94) The medians of a triangle intersect at a point. The distance from the vertex to the point is exactly two-thirds of the distance from the vertex to the midpoint of the opposite side. Find the exact distance of that point from the vertex A(3, 4) of a triangle, given that the other two vertices are at (0, 0) and (8, 0).

94)

A) 2

- B) $\frac{8}{3}$
- C) $\frac{\sqrt{17}}{3}$
- D) $\frac{2\sqrt{17}}{3}$

Answer: D

Explanation: A)

- B)
- C)
- D)

Find the slope and y-intercept of the line.

95) 4x - 3y = 1

95)

- A) slope = $\frac{4}{3}$; y-intercept = $\frac{1}{3}$
- C) slope = $\frac{3}{4}$; y-intercept = $\frac{1}{4}$

B) slope = $\frac{4}{3}$; y-intercept = $-\frac{1}{3}$ D) slope = 4; y-intercept = 1

Answer: B

Explanation: A)

- B)
- C)
- D)

Solve the problem.

96) If a graph is symmetric with respect to the y-axis and it contains the point (5, -6), which of the following points is also on the graph?

96)

- A) (5, -6)
- B) (-5, 6)
- C) (-6, 5)
- D) (-5, -6)

Answer: B


Explanation: A)

- B)
- C)
- D)

Find the equation of the line in slope-intercept form.

97)

97)



A)
$$y = -2x + 9$$

B)
$$y = -2x - 9$$

B)
$$y = -2x - 9$$
 C) $y = -\frac{1}{2}x - \frac{2}{3}$ D) $y = -2x - 3$

D)
$$y = -2x - 3$$

Answer: B

Explanation: A)

- B)
- C)
- D)

Decide whether or not the points are the vertices of a right triangle.

98)

A) Yes

B) No

Answer: B

Explanation: A)

B)

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

99)
$$y = \frac{x^2 - 25}{5x^4}$$

- A) x-axis
- B) y-axis
- C) origin
- D) x-axis, y-axis, origin
- E) none

Answer: B

Explanation: A)

- B)
- C)
- D)
- E)

Name the quadrant in which the point is located.

100) (3, -14)

A) |

B) 11

C) III

D) IV

Answer: D

Explanation: A)

B)

C)

D)

Find the slope-intercept form of the equation of the line with the given properties.

101) Slope = 9; y-intercept = 20

101)

100)

A) y = 9x - 20

B) y = 9x + 20

C) y = 20x - 9

D) y = 20x + 9

Answer: B

Explanation: A)

B)

C)

D)

Find the general form of the equation for the line with the given properties.

102) Slope = $-\frac{3}{4}$; containing the point (0, 4)

102)

A) 3x + 4y = 16

B) 4x + 3y = -16 C) 3x + 4y = -16 D) 3x - 4y = 16

Answer: A

Explanation: A)

B)

C)

D)

List the intercepts for the graph of the equation.

103) y = 5x

103)

A) (5, 5)

B) (0, 5)

(0, 0)

D) (5, 0)

Answer: C

Explanation: A)

B)

C)

104)
$$y = \frac{x^2 - 36}{6x^4}$$

104)

A) (-6, 0), (6, 0)

B) (-36, 0), (0, 0), (36, 0)

C) (0, 0)

D) (0, -6), (0, 6)

Answer: A

Explanation: A)

- B)
- C)
- D)

Solve the problem.

105) If (3, b) is a point on the graph of 3x - 2y = 17, what is b?

105)

- A) $\frac{11}{3}$
- B) -4
- C) 4

D) $\frac{23}{3}$

Answer: B

Explanation: A)

- B)
- C)
- D)

Find the slope and y-intercept of the line.

106)
$$3x + y = -10$$

A) slope = 3; y-intercept = -10

- B) slope = -3; y-intercept = -10
- C) slope = $-\frac{3}{10}$; y-intercept = $-\frac{1}{10}$
- D) slope = $-\frac{1}{3}$; y-intercept = $-\frac{10}{3}$

Answer: B

Explanation: A)


- B)
- C)
- D)

Graph the line containing the point P and having slope m.


107)
$$P = (0, 4); m = \frac{1}{2}$$

107)


A)




B)



C)



D)



Answer: B

Explanation: A)

B)


C)

D)


Find the slope of the line and sketch its graph.

$$108) 2x + 3y = 13$$


108)



A) slope = $\frac{3}{2}$




C) slope = $-\frac{3}{2}$




- Answer: D
- Explanation: A)
 - B)
 - C)
 - D)

B) slope = $\frac{2}{3}$



D) slope = $-\frac{2}{3}$



B) $(x - 4)^2 + (y - 4)^2 = 16$ D) $x^2 + y^2 = 4$

Write the standard form of the equation of the circle with radius r and center (h, k).

109)
$$r = 4$$
; $(h, k) = (0, 0)$

A)
$$(x - 4)^2 + (y - 4)^2 = 4$$


C)
$$x^2 + y^2 = 16$$

- Answer: C
- Explanation: A)
 - B)
 - C)
 - D)

Solve.

110) A school has just purchased new computer equipment for \$23,000.00. The graph shows the depreciation of the equipment over 5 years. The point (0, 23,000) represents the purchase price and the point (5, 0) represents when the equipment will be replaced. Write a linear equation in slope-intercept form that relates the value of the equipment, y, to years after purchase x . Use the





- A) y = 23,000x + 5; value after 1 years is \$18,400.00
- C) y = -4600x + 23,000; value after 1 years is \$18,400.00;
- B) y = 23,000x + 23,000; value after 1 years is \$0.00
- D) y = 4600x 23,000; value after 1 years is \$18,400.00

Answer: C

- Explanation: A)
 - B)
 - C)
 - D)

Solve the problem.

- 111) If (-4, 2) is the endpoint of a line segment, and (-9, -2) is its midpoint, find the other endpoint.
- 111)


- A) (6, 10)
- B) (-12, -8)
- C) (-14, 6)
- D) (-14, -6)

Answer: D


- Explanation: A)
 - B)
 - C)
 - D)

Graph the equation.


112)



A)



C)





Answer: B

Explanation: A)

- B)
- C)
- D)







Find an equation for the line with the given properties.

- 113) Parallel to the line x = 8; containing the point (2, 5)
 - A) x = 2
- B) y = 5
- C) y = 8
- D) x = 5

Answer: A


- Explanation: A)
 - B)
 - C)
 - D)

Plot the point A. Plot the point B that has the given symmetry with point A.


114) A = (0, -4); B is symmetric to A with respect to the origin

114)


113)




A)








C)



D)



Answer: C

Explanation: A)

- B) C) D)

Find the slope of the line containing the two points.

115) (5, 0); (0, 3)

- A) $-\frac{5}{3}$
- B) $\frac{5}{3}$

- C) $\frac{3}{5}$
- D) $-\frac{3}{5}$

115)

117)

Answer: D


Explanation: A)

- B)
- C)
- D)

Find the slope of the line.

116)

116) _



A) -3

B) 1

- C) -1
- D) 3

Answer: C

Explanation: A)

- D)
- B)
- C)
- D)

Find the slope-intercept form of the equation of the line with the given properties.

117) Slope =
$$0$$
; containing the point $(-8, 7)$

- A) x = 7
- B) x = -8
- C) y = -8
- D) y = 7

Answer: D

Explanation: A)

- B)
- C)
- D)


Graph the equation by plotting points.

118) $4x^2 + y = 4$


118)

5 | 5 | 5 | 10 | x | -5 | 5 | 10 | x |

A)



C)





Answer: D

Explanation: A)

- B)
- C)
- D)

B)





Find the slope of the line containing the two points.

119) (-8, -4); (-8, -3)

A) - 1

B) 1

C) 0

D) undefined

Answer: D

Explanation: A)

B)

C)

D)

Solve the problem.

120) If (-3, -2) is the endpoint of a line segment, and (-4, 1) is its midpoint, find the other endpoint.

120)

119)

A) (-5, 4)

B) (3, -4)

C) (-5, -5)

D) (-1, -8)

Answer: A

Explanation: A)

B)

C)

D)

Find the midpoint of the line segment joining the points P₁ and P₂.

121) $P_1 = (-2, -2); P_2 = (4, 5)$

121)

122)

A) (-6, -7)

 $B)\left[-3,-\frac{7}{2}\right] \qquad C)\left[1,\frac{3}{2}\right]$

D)(2,3)

Answer: C

Explanation: A)

B)

C)

D)

Decide whether the pair of lines is parallel, perpendicular, or neither.

122) 9x + 3y = 12

27x + 9y = 38

A) parallel

B) perpendicular

C) neither

Answer: A

Explanation: A)


B)

C)

List the intercepts of the graph. Tell whether the graph is symmetric with respect to the x-axis, y-axis, origin, or none of these.

123)

123)



- A) intercepts: (0, 4) and (0, -4) symmetric with respect to x-axis, y-axis, and origin
- B) intercepts: (4, 0) and (-4, 0) symmetric with respect to x-axis, y-axis, and origin
- C) intercepts: (0, 4) and (0, -4) symmetric with respect to origin
- D) intercepts: (4, 0) and (-4, 0 symmetric with respect to y-axis

Answer: A

Explanation: A)

- B)
- C)
- D)

Find the distance $d(P_1, P_2)$ between the points P_1 and P_2 .

124) $P_1 = (0, -8); P_2 = (9, -8)$

124)

- A) 81
- B) 9

C) 8

D) $\sqrt{145}$

Answer: B

Explanation: A)

- B)
- C)
- D)

Find an equation for the line with the given properties.

125) Vertical line; containing the point (-6.2, 8.7)

125)

- A) x = -6.2
- B) x = 0
- C) x = 2.5
- D) x = 8.7


Answer: A

Explanation: A)


- B)
- C)
- D)

126)
$$y = \sqrt{x}$$


126)



A)



C)



Answer: C


Explanation: A)


B)

C)

D)








Give the coordinates of the points shown on the graph.

127)

127)



A)
$$C = (-5, 7), D = (-6, 4)$$

C)
$$C = (7, -5), D = (-6, 4)$$

B)
$$C = (-5, 7), D = (4, -6)$$

D)
$$C = (-5, -6), D = (7, -6)$$

Answer: B

Explanation: A)

- B)
- C)
- D)

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

128)
$$y = 2x^2 - 4$$

- A) x-axis
- B) y-axis
- C) origin
- D) x-axis, y-axis, origin
- E) none

Answer: B


Explanation: A)

- B)
- C)
- D)
- E)


Graph the circle with radius r and center (h, k).

129) r = 2; (h, k) = (1, 0)


129)



A)



C)



Answer: C

Explanation: A)


B)


C)

D)

Graph the equation by plotting points.


B)






130) $y = \frac{1}{x}$


130)



A)



C)





Answer: C

Explanation: A)

B) C) D)

B)






List the intercepts of the graph.

131)

131)

132)

133)



A)
$$\left[0, -\frac{\pi}{2}\right]$$
, $(3, 0)$, $\left[0, \frac{\pi}{2}\right]$
C) $\left[0, -\frac{\pi}{2}\right]$, $(0, 3)$, $\left[0, \frac{\pi}{2}\right]$

B) $\left[-\frac{\pi}{2}, 0\right]$, (0, 3), $\left[\frac{\pi}{2}, 0\right]$ D) $\left[-\frac{\pi}{2}, 0\right]$, (3, 0), $\left[\frac{\pi}{2}, 0\right]$

Answer: B

Explanation: A)

B)

C)

D)

List the intercepts for the graph of the equation.

132)
$$y = x^2 + 9x + 14$$

A) (2, 0), (7, 0), (0, 14)

C) (0, 2), (0, 7), (14, 0)

B) (0, -2), (0, -7), (14, 0)

D) (-2, 0), (-7, 0), (0, 14)

Answer: D

Explanation: A)

B)

C)

D)

Write the standard form of the equation of the circle with radius r and center (h, k).

133)
$$r = 2$$
; $(h, k) = (-4, 1)$

A) $(x + 4)^2 + (y - 1)^2 = 4$

B) $(x - 4)^2 + (y + 1)^2 = 4$

C) $(x - 4)^2 + (y + 1)^2 = 2$

D) $(x + 4)^2 + (y - 1)^2 = 2$

Answer: A

Explanation: A)

B)

C)

Find the slope and y-intercept of the line.

134)
$$y = -4x$$

134)

A) slope =
$$-\frac{1}{4}$$
; y-intercept = 0

B) slope = 0; y-intercept = -4

D) slope = -4; y-intercept = 0

Answer: D

Explanation: A)

B)

C)

D)

Find the center (h, k) and radius r of the circle with the given equation.

135) $x^2 + y^2 - 18x + 12y + 117 = 4$

135)

A)
$$(h, k) = (-9, 6); r = 4$$

B) (h, k) = (6, -9); r = 4

C)
$$(h, k) = (9, -6); r = 2$$

D) (h, k) = (-6, 9); r = 2

Answer: C

Explanation: A)

B)


C)

D)


Plot the point in the xy-plane. Tell in which quadrant or on what axis the point lies.

136) (-4, -1)

136)




A)



Quadrant III

C)



Quadrant II

Answer: A


Explanation: A)

B)

C)


D)

B)



Quadrant IV


D)



Quadrant III

137)





A) $\frac{1}{6}$

- B) $\frac{1}{6}$
- C) 6

D) - 6

Answer: D


Explanation: A)

- B)
- C)
- D)

List the intercepts of the graph. Tell whether the graph is symmetric with respect to the x-axis, y-axis, origin, or none of these.

138)

138)



- A) intercept: (8, 0)
 - no symmetry
- C) intercept: (8, 0) symmetric with respec
 - symmetric with respect to y-axis

Answer: D

Explanation: A)

- B)
- C)
- D)

B) intercept: (0, 8)

symmetric with respect to x-axis

D) intercept: (0, 8) no symmetry

139)

139) Earth is represented on a map of the solar system so that its surface is a circle with the equation $x^2 + y^2 + 8x + 4y - 4205 = 0$. A weather satellite circles 0.5 units above the Earth with the center of its circular orbit at the center of the Earth. Find the general form of the equation for the orbit of the satellite on this map.

A) $x^2 + y^2 + 8x + 4y - 44.75 = 0$

B) $x^2 + y^2 - 8x - 4y - 4270.25 = 0$

- C) $x^2 + y^2 + 8x + 4y + 19.75 = 0$
- D) $x^2 + y^2 + 8x + 4y 4270.25 = 0$

Answer: D

Explanation: A)

- B)
- C)
- D)

Find an equation for the line with the given properties.

140) Parallel to the line 5x + 3y = 14; containing the point (4, -6)

140)

- A) 3x + 5y = -6
- B) 5x 3y = 2
- C) 4x + 3y = 14
- D) 5x + 3y = 2

Answer: D


Explanation: A)


- B)
- C)
- D)

Graph the equation by plotting points.


141) $y = -x^2 + 4$

141)







B)



C)



D)



Answer: A

Explanation: A)

B)

C)

D)

Find an equation for the line with the given properties.

142) Perpendicular to the line y = -7; containing the point (6, 8)

142) ____

A)
$$y = 8$$

B)
$$x = 8$$

C)
$$y = 6$$

D)
$$x = 6$$

Answer: D

Explanation: A)

A) B)


C)

D)


Graph the equation by plotting points.

143) $x = y^2$


143)




A)




B)



C)



D)



Answer: C

Explanation: A)

B)

C)

D)

Find an equation for the line with the given properties.

144) Perpendicular to the line -3x - y = 6; containing the point (0, -2)A) $y = \frac{1}{3}x - 2$ B) $y = -\frac{1}{3}x - 2$ C) $y = \frac{1}{3}x + 6$ D) $y = -\frac{5}{3}$

A)
$$y = \frac{1}{3}x - 2$$

B)
$$y = -\frac{1}{3}x - 2$$

C)
$$y = \frac{1}{3}x + 6$$

D)
$$y = -\frac{5}{3}$$

144)

Answer: A

Explanation: A)

B)

C)

Find the center (h, k) and radius r of the circle with the given equation.

145) $(x + 7)^2 + y^2 = 9$

B)
$$(h, k) = (-7, 0); r = 3$$

C) (h, k) = (0, -7); r = 3

A)
$$(h, k) = (-7, 0); r = 9$$

D)
$$(h, k) = (0, -7); r = 9$$

Answer: B

Explanation:

A)

B)

C)

D)

Determine whether the given point is on the graph of the equation.

146) Equation: $x^2 + y^2 = 36$

146)

145)

Point: (6, 6)

A) No

B) Yes

Answer: A

Explanation: A)

B)

Find an equation for the line with the given properties.

147)

147) Perpendicular to the line x = -9; containing the point (1, 8) A) x = 8

B) y = 8

C) x = 1

D) y = 1

Answer: B

Explanation: A)

B)

C)


D)

Graph the circle with radius r and center (h, k).


148) r = 3; (h, k) = (0, 0)

148)


A)




B)



C)



D)



149)

Answer: C

Explanation: A)

B)

C)

D)

Find the center (h, k) and radius r of the circle with the given equation.

149)
$$x^2 + y^2 - 4x + 8y = 29$$

A)
$$(h, k) = (2, -4); r = 7$$

C)
$$(h, k) = (-4, 2); r = 7$$

B)
$$(h, k) = (4, -2); r = 49$$

D)
$$(h, k) = (-2, 4); r = 49$$

Answer: A

Explanation: A)

B)

C)

Solve the problem.

- 150) If a circle of radius 5 is made to roll along the x-axis, what is the equation for the path of the center of the circle?
- 150)

- A) y = 0
- B) y = 10
- C) y = 5
- D) x = 5

Answer: C

- Explanation: A)
 - B)
 - C)
 - D)

Find the midpoint of the line segment joining the points P₁ and P₂.

151) $P_1 = (a, 1); P_2 = (0, 2)$

151)

- $B)\left[-\frac{a}{2},1\right] \qquad C)\left[a,\frac{3}{2}\right]$
- D)(a,3)

Answer: A

- Explanation: A)
 - B)
 - C)
 - D)

Solve the problem.

- 152) A rectangular city park has a jogging loop that goes along a length, width, and diagonal of the 152) park. To the nearest yard, find the length of the jogging loop, if the length of the park is 125 yards and its width is 75 yards.
 - A) 145 yards
- B) 346 yards
- C) 146 yards
- D) 345 yards

Answer: B

- Explanation: A)
 - B)
 - C)
 - D)

Find the general form of the equation of the the circle.

153) Center at the point (2, -3); containing the point (5, -3)

153)

A) $x^2 + y^2 - 4x + 6y + 4 = 0$

B) $x^2 + y^2 - 4x + 6y + 22 = 0$

C) $x^2 + y^2 + 4x - 6y + 4 = 0$

D) $x^2 + y^2 + 4x - 6y + 22 = 0$


Answer: A


- Explanation: A)
 - B)
 - C)
 - D)

Graph the line containing the point P and having slope m.


154) $P = (-2, -10); m = \frac{1}{3}$

154)





C)




Answer: A

Explanation: A)


B)


C)

D)




B)






155) y = 3x + 6


155)



A)



C)



Answer: D


Explanation: A)


B)

C)

D)

B)





Find the slope and y-intercept of the line.

156)
$$x + 14y = 1$$

156)

A) slope = 1; y-intercept = 1

- B) slope = -14; y-intercept = 14
- C) slope = $\frac{1}{14}$; y-intercept = $\frac{1}{14}$
- D) slope = $-\frac{1}{14}$; y-intercept = $\frac{1}{14}$

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

Find an equation for the line, in the indicated form, with the given properties.

157) Containing the points (6, -6) and (7, 3); slope-intercept form

157)

- A) y = mx 60
- B) y = -9x 60
- C) y + 6 = 9(x 6) D) y = 9x 60

Answer: D

- Explanation:
 - A)
 - B)
 - C)
 - D)

Find the midpoint of the line segment joining the points P₁ and P₂.

158) $P_1 = (7, 1); P_2 = (-16, -16)$

158)

- B) $\left(-\frac{9}{2}, -\frac{15}{2}\right)$ C) $\left(-9, -15\right)$ D) $\left(9, 15\right)$

Answer: B

- Explanation: A)
 - B)
 - C)
 - D)

Name the quadrant in which the point is located.

159) (19, 4)

159)

A) I

B) II

- C) III
- D) IV

Answer: A

- Explanation: A)
 - B)
 - C)
 - D)

Solve the problem.

- 160) If (-10, 8) is the endpoint of a line segment, and (-6, 5) is its midpoint, find the other endpoint.
- 160)

- A) (-2, 2)
- B) (-16, 16)
- C) (-18, 14)
- D) (-2, 11)

Answer: A

- Explanation: A)
 - B)
 - C)
 - D)

Find an equation for the line with the given properties.

161) Slope undefined; containing the point (2, -5)

161)

- \dot{A}) x = -5
- B) y = 2
- C) y = -5
- D) x = 2


Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

Find the distance $d(P_1, P_2)$ between the points P_1 and P_2 .

162)

162)



A) 27

B) 3

- C) $3\sqrt{5}$
- D) $27\sqrt{3}$


Answer: C

- Explanation: A)
 - B)
 - C)
 - D)

163)

164)

165)



A) $\sqrt{13}$

B) 6

C) $\sqrt{5}$

D) 4

Answer: A

Explanation: A)

B)

C)

D)

Solve.

164) A faucet is used to add water to a large bottle that already contained some water. After it has been filling for 3 seconds, the gauge on the bottle indicates that it contains 9 ounces of water. After it has been filling for 10 seconds, the gauge indicates the bottle contains 23 ounces of water. Let y be the amount of water in the bottle x seconds after the faucet was turned on. Write a linear equation that relates the amount of water in the bottle,y, to the time x.

A)
$$y = -2x + 15$$

B)
$$y = 2x + 3$$

C)
$$y = 2x + 13$$

D)
$$y = \frac{1}{2}x + \frac{15}{2}$$

Answer: B

Explanation: A)

B)

C)

D)

List the intercepts for the graph of the equation.

165) y = x - 6

A) (6, 0), (0, -6)

B) (-6, 0), (0, -6)

C) (-6, 0), (0, 6)

D) (6, 0), (0, 6)

Answer: A

Explanation: A)

B)

C)

166) $y^2 = x + 36$

A) (0, -6), (36, 0), (0, 6)

C) (0, -6), (-36, 0), (0, 6)

B) (6, 0), (0, 36), (0, -36) D) (-6, 0), (0, -36), (6, 0)

Answer: C

Explanation: A)

- B)
- C)
- D)

List the intercepts and type(s) of symmetry, if any.

167)
$$y = \frac{-x^3}{x^2 - 6}$$

- A) intercepts: $(\sqrt{6}, 0)$, $(-\sqrt{6}, 0)$, (0, 0) symmetric with respect to origin
- C) intercept: (0, 0) symmetric with respect to y-axis

Answer: B

Explanation: A)

- B)
- D)
- C)
- D)

166)

167)

168)

- B) intercept: (0, 0) symmetric with respect to origin
- D) intercept: (0, 0) symmetric with respect to x-axis

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

168)
$$16x^2 + y^2 = 16$$

- A) x-axis
- B) origin
- C) y-axis
- D) x-axis, y-axis, origin
- E) none

Answer: D

Explanation: A)

- B)
- C)
- D)
- E)

- 169)
- 169) An investment is worth \$2629 in 1991. By 1995 it has grown to \$4121. Let y be the value of the investment in the year x, where x = 0 represents 1991. Write a linear equation that relates the value of the investment, y, to the year x.
 - A) y = -373x + 2629

B) y = -373x + 5613

C) y = 373x + 2629

D) $y = \frac{1}{373}x + 2629$


Answer: C

- Explanation: A)
 - B)
 - C)
 - D)


Plot the point in the xy-plane. Tell in which quadrant or on what axis the point lies.

170) (0, -3)


170)



A)




B)



y-axis

C)



Quadrant II


Answer: A

Explanation:

A) B)

C)


D)



x-axis

Give the coordinates of the points shown on the graph.

171)



A)
$$E = (-6, -4), F = (3, -4)$$

C)
$$E = (-6, -4), F = (-6, 3)$$

Answer: B

Explanation:

A)

B)

C)

D)

171)

B)
$$E = (-6, 3), F = (-6, -4)$$

D)
$$E = (3, -6), F = (-4, -6)$$

List the intercepts for the graph of the equation.

172)
$$y = x^2 + 1$$

A) (1, 0)

B) (1, 0), (0, -1), (0, 1)

172)

173)

174)

175)

C) (0, 1)

D) (0, 1), (-1, 0), (1, 0)

Answer: C

Explanation: A)

- B)
- C)
- D)

Write the standard form of the equation of the circle with radius r and center (h, k).

173) r = 4; (h, k) = (4, 0)

A) $x^2 + (y - 4)^2 = 4$

B) $x^2 + (y + 4)^2 = 4$

C) $(x - 4)^2 + y^2 = 16$

D) $(x + 4)^2 + y^2 = 16$

Answer: C

Explanation: A)

- B)
- C)
- D)

Find an equation for the line, in the indicated form, with the given properties.

174) Containing the points (-6, 6) and (-1, -7); general form

A) 13x - 5y = 48

B) -13x - 5y = 48

C) -12x + 6y = -54

D) 12x - 6y = -54

Answer: B

Explanation: A)

- B)
- C)
- D)

Solve the problem.

175) If (a, 3) is a point on the graph of y = 2x - 5, what is a?

A) -1

- B) -4
- C) 1


D) 4

Answer: D


Explanation: A)

- B)
- C)
- D)


Draw a complete graph so that it has the given type of symmetry.







C)





Answer: D

Explanation: A)

- B) C)
- D)








177)

178)

179)



A) 3

B) 45

C) $45\sqrt{5}$

D) $3\sqrt{13}$

Answer: D

Explanation: A)

B)

C)

D)

Solve.

178) Each day the commuter train transports x passengers to or from the city at \$1.75/passenger. The daily fixed cost for running the train is \$1200. Write an equation that relates the daily profit, P, in dollars to the number of passengers each day. Then use the equation to find the daily profit when the train has 920 passengers in a day.

A) P = 1.75x - 1200; \$410

B) P = 1.75x + 1200; \$2810

C) P = 1200 - 1.75x; \$410

D) P = 1.75x; \$1610

Answer: A

Explanation: A)

B)

C)

- '

D)

Solve the problem.

179) A power outage affected all homes and businesses within a 19 mi radius of the power station. If the power station is located 10 mi north of the center of town, find an equation of the circle consisting of the furthest points from the station affected by the power outage.

A)
$$x^2 + (y - 10)^2 = 361$$

B)
$$x^2 + y^2 = 361$$

C)
$$x^2 + (y + 10)^2 = 361$$

D)
$$x^2 + (y - 10)^2 = 19$$


Answer: A

Explanation: A)

B)

C)

182)



A)
$$x^2 + y^2 + 2x - 4y - 4 = 0$$

C)
$$(x - 1)^2 + (y + 2)^2 = 9$$

B)
$$(x + 1)^2 + (y - 2)^2 = 9$$

D)
$$x^2 + y^2 - 2x + 4y - 4 = 0$$

Answer: B

Explanation: A)

- B)
- C)
- D)

Find the slope-intercept form of the equation of the line with the given properties.

181) Horizontal; containing the point (-8, 10)

A)
$$y = 10$$

B)
$$x = -8$$

C)
$$y = -8$$

D)
$$x = 10$$

Answer: A

Explanation: A)

- B)
- C)
- D)

Find an equation for the line with the given properties.

182) Parallel to the line x - 3y = 6; containing the point (0, 0)


- A) $y = -\frac{5}{3}$
- B) $y = \frac{1}{3}x + 6$ C) $y = -\frac{1}{3}x$ D) $y = \frac{1}{3}x$

Answer: D

Explanation: A)

- B)
- C)
- D)

183)



- A) (0, 0)
- B) (0, -1)
- C) (-1, -1)
- D) (-1, 0)

Answer: B


Explanation: A)

- B)
- C)
- D)


Graph the equation.


184)
$$x^2 + (y - 2)^2 = 16$$

184)




A)






C)



D)



Answer: C

Explanation: A)


B)

C)

D)

List the intercepts of the graph.

185)



185) __

A) (-2,0), (2,0)

C) (-2, 0), (0, 4), (2, 0)

Answer: D

Explanation: A)

B)

C)

Find an equation for the line with the given properties.

186) Perpendicular to the line 8x + 9y = 84; containing the point (6, 1)

186)

- A) 9x + 8y = 84
- B) 9x + 8y = 46
- C) 8x 9y = 46
- D) 9x 8y = 46

Answer: D

Explanation: A)

- B)
- C)
- D)

187) Parallel to the line -2x - y = 2; containing the point (0, 0)

187)

A)
$$y = -2x$$

B)
$$y = \frac{1}{2}x$$

D)
$$y = -\frac{1}{2}$$

Answer: A

Explanation: A)

- B)
- C)
- D)

List the intercepts and type(s) of symmetry, if any.

188) $16x^2 + y^2 = 16$

188)

- A) intercepts: (1, 0), (-1, 0), (0, 4), (0, -4)symmetric with respect to x-axis and y-axis
- B) intercepts: (4, 0), (-4, 0), (0, 1), (0, -1) symmetric with respect to x-axis and y-axis
- C) intercepts: (4, 0), (-4, 0), (0, 1), (0, -1) symmetric with respect to the origin
- D) intercepts: (1, 0), (-1, 0), (0, 4), (0, -4) symmetric with respect to x-axis, y-axis, and origin


Answer: D

Explanation: A)

- B)
- C)
- D)

List the intercepts of the graph. Tell whether the graph is symmetric with respect to the x-axis, y-axis, origin, or none of these.

189)



- A) intercepts: (0, -4) and (0, 4) symmetric with respect to y-axis
- B) intercepts: (-4, 0) and (4, 0) symmetric with respect to origin
- C) intercepts: (-4, 0) and (4, 0) symmetric with respect to x-axis, y-axis, and origin
- D) intercepts: (0, -4) and (0, 4) symmetric with respect to x-axis, y-axis, and origin

Answer: C

Explanation: A)

- B)
- C)
- D)

Find the center (h, k) and radius r of the circle with the given equation.

190)
$$4x^2 + 4y^2 - 12x + 16y - 5 = 0$$

A) (h, k) =
$$(\frac{3}{2}, -2)$$
; $r = \frac{\sqrt{30}}{2}$

C) (h, k) =
$$(-\frac{3}{2}, 2)$$
; $r = \frac{\sqrt{30}}{2}$

B)
$$(h, k) = (\frac{3}{2}, -2); r = \frac{3\sqrt{5}}{2}$$

190)


D) (h, k) =
$$(-\frac{3}{2}, 2)$$
; $r = \frac{3\sqrt{5}}{2}$

Answer: A

Explanation: A)

- B)
- C)
- D)

Identify the points in the graph for the ordered pairs.



191) (0, 2), (4, 3)

A) C and K

B) C and E

C) F and E

D) B and C

Answer: B

Explanation: A)

B)

C)

D)

Solve the problem.

192) Find all values of k so that the given points are $\sqrt{29}$ units apart.

192)

191)

(-5, 5), (k, 0)

A) -3, -7

B) 3, 7

C) -7

D) 7

Answer: A

Explanation: A)

B)

C)

D)

Solve.

193) 193) A truck rental company rents a moving truck one day by charging \$35 plus \$0.11 per mile. Write a linear equation that relates the cost C, in dollars, of renting the truck to the number x of miles driven. What is the cost of renting the truck if the truck is driven 220 miles?

A) C = 35x + 0.11; \$7700.11

B) C = 0.11x + 35; \$59.20

C) C = 0.11x - 35; \$10.80

D) C = 0.11x + 35; \$37.42

Answer: B

Explanation: A)

B)


C)

D)


Graph the circle with radius r and center (h, k).

194) r = 3; (h, k) = (0, 1)


194)



A)



C)



Answer: C


Explanation: A)


B)

C)


D)

B)





195) Find an equation in general form for the line graphed on a graphing utility.



- A) y = -2x 1

- B) 2x + y = -1 C) x + 2y = -2 D) $y = -\frac{1}{2}x 1$

Answer: C

Explanation: A)

- B)
- C)


D)

Write the standard form of the equation of the circle.

196)

196)

195)



A)
$$(x + 3)^2 + (y + 1)^2 = 9$$

C)
$$(x + 1)^2 + (y + 3)^2 = 9$$

B) $(x - 3)^2 + (y - 1)^2 = 9$

D)
$$(x - 1)^2 + (y - 3)^2 = 9$$

Answer: D


Explanation: A)

- B)
- C)
- D)


Graph the line containing the point P and having slope m.

197) P = (-5, 0); m = 1


197)



A)



C)





Answer: B

Explanation: A)

- B)
- C)
- D)

B)





Write the standard form of the equation of the circle with radius r and center (h, k).

198)
$$r = 10$$
; $(h, k) = (0, -7)$

A)
$$(x - 7)^2 + y^2 = 100$$

C)
$$x^2 + (y - 7)^2 = 10$$

B)
$$(x + 7)^2 + y^2 = 100$$

D)
$$x^2 + (y + 7)^2 = 100$$


Answer: D

Explanation: A)

- B)
- C)
- D)

Find an equation for the line with the given properties.

199) The solid line L contains the point (3, 1) and is parallel to the dotted line whose equation is y = 2x. Give the equation for the line L in slope-intercept form.



- A) y 1 = 2(x 3)
- B) y = 2x + b
- C) y = 2x 2 D) y = 2x 5

198)

Answer: D


Explanation: A)

- B)
- C)
- D)


Graph the equation by plotting points.

200)
$$4x + 2y = 8$$


200)



A)




C)




Answer: B Explanation: A)

- B)
- C) D)


201) $y = x^3$



B)




D)




201) ____


A)




B)



C)



D)



202)

Answer: D

Explanation: A)

B)

C)

D)

Solve.

202) When making a telephone call using a calling card, a call lasting 5 minutes cost \$0.85. A call lasting 13 minutes cost \$1.65. Let y be the cost of making a call lasting x minutes using a calling card. Write a linear equation that relates the cost of a making a call, y, to the time x.

A)
$$y = -0.1x + 1.35$$

B)
$$y = 10x - \frac{983}{20}$$

C)
$$y = 0.1x - 11.35$$

D)
$$y = 0.1x + 0.35$$

Answer: D

Explanation: A)

B)

C)

Find an equation for the line with the given properties.

203) Perpendicular to the line
$$6x - 7y = 16$$
; containing the point $(5, -2)$

203)

$$\dot{A}$$
) 5x + 7y = 16

B)
$$7x + 6y = 23$$

C)
$$7x - 6y = 23$$

D)
$$6x + 7 = 6$$

Answer: B

Explanation: A)

B)

C)


D)

Give the coordinates of the points shown on the graph.

204)

204)

205)



A)
$$A = (5, 1), B = (1, 1)$$

B)
$$A = (5, 1), B = (-3, 1)$$

C)
$$A = (1, 26), B = (1, -3)$$

D)
$$A = (5, 1), B = (1, -3)$$

Answer: B

Explanation: A)

B)

C)

D)

Find the center (h, k) and radius r of the circle with the given equation.

205)
$$x^2 + (y + 3)^2 = 121$$

A)
$$(h, k) = (-3, 0); r = 11$$

B)
$$(h, k) = (-3, 0); r = 121$$

C)
$$(h, k) = (0, -3); r = 121$$

D)
$$(h, k) = (0, -3); r = 11$$

Answer: D

Explanation: A)


B)

C)


D)

Graph the equation.


206)
$$(x - 1)^2 + y^2 = 25$$



A)



C)





Answer: C

Explanation: A)

B)

C) D) B)





Find the slope of the line containing the two points.

A) - $\frac{1}{9}$

B) - 9

C) $\frac{1}{9}$

D) 9

207)

Answer: C

Explanation: A)

B)

C)

D)

Solve the problem.

208) Find the length of each side of the triangle determined by the three points P₁, P₂, and P₃. State whether the triangle is an isosceles triangle, a right triangle, neither of these, or both.

 $P_1 = (-5, -4), P_2 = (-3, 4), P_3 = (0, -1)$

A) $d(P_1, P_2) = 2\sqrt{17}$; $d(P_2, P_3) = \sqrt{34}$; $d(P_1, P_3) = \sqrt{34}$ isosceles triangle

B) $d(P_1, P_2) = 2\sqrt{17}$; $d(P_2, P_3) = \sqrt{34}$; $d(P_1, P_3) = 5\sqrt{2}$ right triangle

C) $d(P_1, P_2) = 2\sqrt{17}$; $d(P_2, P_3) = \sqrt{34}$; $d(P_1, P_3) = \sqrt{34}$

D) $d(P_1, P_2) = 2\sqrt{17}$; $d(P_2, P_3) = \sqrt{34}$; $d(P_1, P_3) = 5\sqrt{2}$ neither

Answer: C

Explanation: A)

B)


- */*

C)


D)

Draw a complete graph so that it has the given type of symmetry.


209) origin 209)




A)




B)



C)



D)



Answer: B

Explanation: A)

B)

C)

D)

Name the quadrant in which the point is located.

A) I

B) II

C) III

D) IV

210)

Answer: C

Explanation: A)

B)

C)

List the intercepts for the graph of the equation.

211) $y = \sqrt[9]{x}$

A) (0, 1)

B) (0, 0)

C) (1, 0)

D) (1, 1)

Answer: B

Explanation: A)

B)

C)

D)

Find the distance $d(P_1, P_2)$ between the points P_1 and P_2 .

212) $P_1 = (0, 0); P_2 = (5, -7)$

212)

211) ____

A) 2

B) $\sqrt{35}$

C) $\sqrt{74}$

D) 74

Answer: C

Explanation: A)

B)

C)

D)

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

213) $y = 9x^4 - 7x + 7$

213)

A) x-axis

B) origin

C) y-axis

D) x-axis, y-axis, origin

E) none

Answer: E

Explanation: A)

B)

C)

D)

E)

Find the general form of the equation of the the circle.

214) Center at the point (2, 4); tangent to y-axis

214) ___

A)
$$x^2 + y^2 + 4x + 8y + 16 = 0$$

C)
$$x^2 + y^2 - 4x - 8y + 16 = 0$$

B)
$$x^2 + y^2 - 4x - 8y + 24 = 0$$

D) $x^2 + y^2 - 4x - 8y + 4 = 0$

Answer: C

Explanation: A)

B)

C)

Name the quadrant in which the point is located.

215) (-3, 2)

A) I

B) ||

C) III

D) IV

Answer: B

Explanation: A)

B)

C)

D)

Find the center (h, k) and radius r of the circle with the given equation.

216) $x^2 + y^2 = 9$

A) (h, k) = (3, 3); r = 3

B) (h, k) = (0, 0); r = 3

C) (h, k) = (3, 3); r = 9

D) (h, k) = (0, 0); r = 9

Answer: B

Explanation: A)

B)

C)

D)


Graph the line containing the point P and having slope m.


217)
$$P = (-5, -6); m = -2$$


217)

215)


216)








C)



D)



Answer: A

Explanation: A)

- B)
- C)
- D)

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

218)
$$y = x + 3$$

218)

219)

- A) origin
- B) x-axis
- C) y-axis
- D) x-axis, y-axis, origin
- E) none

Answer: E

Explanation: A)

- B)
- C)
- D)
- E)

Solve.

219) The relationship between Celsius (°C) and Fahrenheit (°F) degrees of measuring temperature is linear. Find an equation relating °C and °F if 10°C corresponds to 50°F and 30°C corresponds to 86°F. Use the equation to find the Celsius measure of 18°F.

A)
$$C = \frac{5}{9}F + \frac{160}{9}; \frac{250}{9} °C$$

C)
$$C = \frac{5}{9}F - 10$$
; 0 °C

B)
$$C = \frac{9}{5}F - 80$$
; $-\frac{238}{5}$ °C

D)
$$C = \frac{5}{9}F - \frac{160}{9}; -\frac{70}{9} ^{\circ}C$$

Answer: D

Explanation: A)

- B)
- C)
- D)

Find an equation for the line with the given properties.

220) Vertical line; containing the point (10, -9)

- A) y = -9
- B) y = 10
- C) x = -9
- D) x = 10

Answer: D

Explanation: A)

- B)
- C)
- D)

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

221) y = 3x

221)

220)

- A) x-axis
- B) y-axis
- C) origin
- D) x-axis, y-axis, origin
- E) none

Answer: C

Explanation: A)

- B)
- C)
- D)
- E)

List the intercepts for the graph of the equation.

222) $y = \frac{8x}{x^2 + 64}$

222) _

A) (-64, 0), (0, 0), (64, 0)

B) (0, 0)

(-8, 0), (0, 0), (8, 0)

D) (0, -8), (0, 0), (0, 8)

Answer: B

Explanation: A)

- B)
- C)
- D)

Find an equation for the line, in the indicated form, with the given properties.

223) Containing the points (7, 0) and (2, -6); general form

223)

- A) -6x + 5y = -42
- B) -7x 8y = -62
- C) 6x + 5y = -42
- D) 7x + 8y = -62

Answer: A

Explanation: A)

- B)
- C)

Solve the problem.

- 224) A power outage affected all homes and businesses within a 3 mi radius of the power station. If the power station is located 3 mi west and 4 mi north of the center of town, find an equation of the circle consisting of the furthest points from the station affected by the power outage.
- 224)

225)

226)

- A) $(x 3)^2 + (y 4)^2 = 9$
- C) $(x + 3)^2 + (y + 4)^2 = 9$

B) $(x + 3)^2 + (y - 4)^2 = 9$ D) $(x - 3)^2 + (y + 4)^2 = 9$

Answer: B

- Explanation: A)
 - B)
 - C)
 - D)

Find the slope and y-intercept of the line.

225)
$$7x - 6y = 42$$

- A) slope = $\frac{6}{7}$; y-intercept = 6
- C) slope = $-\frac{7}{6}$; y-intercept = 7


- B) slope = 7; y-intercept = 42
- D) slope = $\frac{7}{6}$; y-intercept = -7

Answer: D

- Explanation: A)
 - B)
 - C)
 - D)

List the intercepts of the graph.

226)



- A) (-2, 0), (2, 0)
- B) (-2, 0), (0, 2)
- C) (0, -2), (2, 0)
- D) (0, -2), (0, 2)

Answer: A

- Explanation: A)
 - B)
 - C)
 - D)

Find an equation for the line with the given properties.

227) Parallel to the line
$$5x - 2y = -2$$
; x-intercept = -6

A)
$$-2x - 5y = 30$$

B)
$$5x - 2y = 12$$

C)
$$-2x - 5y = 12$$

D)
$$5x - 2y = -30$$

Answer: D

Explanation: A)


- B)
- C)
- D)

List the intercepts of the graph.

228)

228)

227)



A)
$$(-3, 0)$$
, $(0, -3)$, $(0, 3)$, $(3, 0)$

Answer: A

Explanation: A)


- B)
- C)
- D)

B) (-3,0), (0, -3), (0,0), (0,3), (3,0)


D) (-3, 0), (0, 3)

Plot the point in the xy-plane. Tell in which quadrant or on what axis the point lies.

229)




A)



Quadrant II

C)



Quadrant I

Answer: A

Explanation: A)

B)

C)

D)

Find the distance d(P₁, P₂) between the points P₁ and P₂.

230)
$$P_1 = (2, 5); P_2 = (-2, -4)$$

Answer: C


B) 5

C) $\sqrt{97}$

D) $\sqrt{65}$


230)

B)



Quadrant III

D)



Quadrant IV

A) 36

Explanation:

A)

B)

C)

Write the equation in slope-intercept form.

$$231) x = 6y + 5$$

$$A) y = \frac{1}{6}x -$$

A)
$$y = \frac{1}{6}x - 5$$
 B) $y = \frac{1}{6}x - \frac{5}{6}$ C) $y = 6x - 5$ D) $y = x - \frac{5}{6}$

C)
$$y = 6x - 5$$

D)
$$y = x - \frac{5}{6}$$


231)

233)

Answer: B

Find an equation for the line with the given properties.

232) 232) The solid line L contains the point (4, 2) and is perpendicular to the dotted line whose equation is y = 2x. Give the equation of line L in slope-intercept form.



A)
$$y - 2 = 2(x - 4)$$

C)
$$y - 2 = -\frac{1}{2}(x - 4)$$

B)
$$y = -\frac{1}{2}x + 4$$

D)
$$y = \frac{1}{2}x + 4$$

Answer: B

- B)
- C)
- D)

List the intercepts for the graph of the equation.

the intercepts for the graph of the equation.
$$233) y = x^4 - 16$$

- A) (0, -16)
- (0, -16), (-2, 0), (2, 0)

Answer: C

Explanation: A)

- B)
- C)
- D)

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

234) $x^2 + y - 64 = 0$

234)

- A) origin
- B) x-axis
- C) y-axis
- D) x-axis, y-axis, origin
- E) none

Answer: C

Explanation: A)

- B)
- C)
- D)
- E)

Find the slope of the line containing the two points.

235) (7, -9); (-7, 8)

235)

- A) $\frac{17}{14}$
- B) 14
- C) $\frac{14}{17}$
- D) $\frac{17}{14}$

Answer: D

Explanation: A)

- B)
- C)
- D)

Find the slope-intercept form of the equation of the line with the given properties.

236) Horizontal; containing the point (-7.7, 1.8)

236)

- A) y = 0
- B) y = 5.9
- C) y = 1.8
- D) y = -7.7

Answer: C

Explanation: A)

- B)
- C)
- D)

Find the general form of the equation for the line with the given properties.

237) Slope = $\frac{3}{4}$; containing (0, 4)

237)

- A) -3x 4y = 16 B) 4x 3y = -16 C) -3x + 4y = 16 D) -3x + 4y = -16

Answer: C

Explanation: A)

- B)
- C)
- D)

Solve the problem.

238) Find an equation of the line containing the centers of the two circles

$$x^{2} + y^{2} - 2x - 10y + 25 = 0$$
 and
 $x^{2} + y^{2} + 12x - 2y + 33 = 0$

A)
$$4x - 7y + 31 = 0$$

B)
$$-4x - 7y + 31 = 0$$

C)
$$6x + 5y + 31 = 0$$

D)
$$4x + 7y + 31 = 0$$

Answer: A

Explanation: A)

- B)
- C)
- D)

Find the slope and y-intercept of the line.

239)
$$-5x + 7y = 1$$

A) slope = 5; y-intercept = 13

C) slope = $\frac{13}{7}$; y-intercept = $\frac{1}{7}$

B) slope = $\frac{5}{7}$; y-intercept = $\frac{1}{7}$

D) slope = $\frac{7}{5}$; y-intercept = $-\frac{1}{5}$


Answer: B

Explanation: A)

- B)
- C)
- D)


Find the center (h, k) and radius r of the circle. Graph the circle.

240)
$$x^2 + y^2 + 4x + 8y + 16 = 0$$




238)


A) (h, k) = (-2, 4); r = 2




C) (h, k) = (2, 4); r = 2



B) (h, k) = (-2, -4); r = 2



D) (h, k) = (2, -4); r = 2



Answer: B

Solve the problem.

241) Find the equation of a circle in standard form that is tangent to the line x = -3 at (-3, 5) and also tangent to the line x = 9.

B)
$$(x + 3)^2 + (y - 5)^2 = 36$$

241)

A)
$$(x - 3)^2 + (y - 5)^2 = 36$$

C) $(x + 3)^2 + (y + 5)^2 = 36$

D)
$$(x - 3)^2 + (y + 5)^2 = 36$$

242) Each week a soft drink machine sells x cans of soda for \$0.75/soda. The cost to the owner of the soda machine for each soda is \$0.10. The weekly fixed cost for maintaining the soda machine is \$25/week. Write an equation that relates the weekly profit, P, in dollars to the number of cans sold each week. Then use the equation to find the weekly profit when 92 cans of soda are sold in a week.

A)
$$P = 0.65x - 25$$
; \$34.80

B)
$$P = 0.75x + 25$$
; \$94.00

C)
$$P = 0.75x - 25$$
; \$44.00

D)
$$P = 0.65x + 25$$
; \$84.80

Answer: A

Explanation: A)

B)


C)

D)


Graph the equation.


243)
$$x^2 + y^2 = 16$$

243) _




A)






C)



D)



Answer: A


Explanation: A)

- B)
- C)
- D)


Graph the line containing the point P and having slope m.


244) P = (10, -7); slope undefined

244)




A)






C)



D)



Answer: C

Explanation: A)

B)

C)

D)

Write the equation in slope-intercept form.

245)
$$5x + 8y = 5$$

A)
$$y = -\frac{5}{8}x + \frac{5}{8}$$
 B) $y = \frac{5}{8}x - \frac{5}{8}$ C) $y = \frac{5}{8}x + \frac{5}{8}$ D) $y = 5x - 5$

B)
$$y = \frac{5}{8}x - \frac{5}{8}$$

C)
$$y = \frac{5}{8}x + \frac{5}{8}$$

245)

246)

247)

Answer: A

Explanation: A)

B)

C)

D)

Solve the problem.

246) Find the equation of a circle in standard form where C(6, -2) and D(-4, 4) are endpoints of a diameter.

A)
$$(x - 1)^2 + (y - 1)^2 = 34$$

B)
$$(x + 1)^2 + (y + 1)^2 = 136$$

C)
$$(x + 1)^2 + (y + 1)^2 = 34$$

D)
$$(x - 1)^2 + (y - 1)^2 = 136$$

Answer: A

Explanation: A)

B)

C)


D)

Decide whether or not the points are the vertices of a right triangle.


Answer: A

Explanation: A)

248) (5, 2)




A)



Quadrant IV

C)




Quadrant II

Answer: D

Explanation: A)


- B)
- C)
- D)

B)



Quadrant I

D)



Quadrant I

Solve the problem.

- 249) A motorcycle and a car leave an intersection at the same time. The motorcycle heads north at an average speed of 20 miles per hour, while the car heads east at an average speed of 48 miles per hour. Find an expression for their distance apart in miles at the end of t hours.
- 249)

- A) 52t miles
- B) $52\sqrt{t}$ miles
- C) $t\sqrt{68}$ miles
- D) $2t\sqrt{13}$ miles

Answer: A


Explanation: A)

- B)
- C)
- D)

Give the coordinates of the points shown on the graph.

250)





A)
$$G = (3, 4), H = (2, -3)$$

C) G = (4, 3), H = (2, -3)

Answer: D

Explanation: A)

- B)
- C)
- D)

Find the distance $d(P_1, P_2)$ between the points P_1 and P_2 .

251)
$$P_1 = (1, 5); P_2 = (-4, -7)$$

251)

A) 13

B) 14

C) 26

D) 169

Answer: A

Explanation: A)

- B)
- C)
- D)

Find an equation for the line with the given properties.

252) Parallel to the line y = 3x; containing the point (6, 8)

- B) y = 3x + 10
- C) y = 3x 10 D) y 8 = 3x 6

Answer: C

A) y = 3x

Explanation: A)

- B)
- C)
- D)

Find the center (h, k) and radius r of the circle with the given equation.

253) $x^2 + 10x + 25 + (y + 6)^2 = 16$

253)

A) (h, k) = (-6, -5); r = 4

B) (h, k) = (6, 5); r = 16

- C) (h, k) = (-5, -6); r = 4
- D) (h, k) = (5, 6); r = 16

Answer: C

Explanation: A)

- B)
- C)
- D)

Find the general form of the equation for the line with the given properties.

254) Slope = $-\frac{3}{5}$; containing the point (2, 5)

254)

255)

252)

- A) 3x + 5y = 31 B) 5x + 3y = -31 C) 3x + 5y = -31
- D) 3x 5y = 31

Answer: A

Explanation: A)

- B)
- C)
- D)

Decide whether the pair of lines is parallel, perpendicular, or neither.

255) 3x - 8y = 18

32x + 12y = 1

A) parallel

- B) perpendicular
- C) neither

Answer: B

Explanation: A)

- B)
- C)

- 1) C
- 2) B
- 3) A
- 4) D
- 5) C
- 6) B
- 7) A
- 8) A
- 9) B
- 10) B
- 11) A
- 12) B
- 13) A
- 14) C
- 15) D
- 16) D
- 17) D
- 18) A
- 19) D
- 20) B
- 21) B
- 22) A
- 23) D
- 24) C
- 25) C
- 26) E
- 27) D
- 28) C
- 29) D
- 30) D
- 31) B
- 32) B
- 33) A
- 34) B
- 35) C
- 36) B
- 37) D
- 38) A
- 39) C
- 40) C
- 41) D
- 42) C

- 43) B
- 44) D
- 45) B
- 46) C
- 47) D
- 48) C
- 49) B
- 50) D
- 51) D
- 52) D
- 53) D
- 54) A
- 55) A
- 56) C
- 57) B
- 58) A
- 59) D
- 60) B
- 61) A
- 62) C
- 63) B
- 64) B
- 65) B
- 66) A
- 67) B
- 68) A
- 69) C
- 70) B
- 71) C
- 72) A
- 73) A
- 74) B
- 75) D
- 76) D
- 77) A
- 78) B
- 79) D
- 80) B
- 81) D
- 82) D
- 83) D
- 84) C

85) A

86) C

87) C

88) D

89) E

90) B

91) C 92) A

93) B

94) D

95) B

96) B

97) B

98) B

99) B

100) D

101) B

102) A

103) C

104) A

105) B

106) B

107) B

108) D

109) C

110) C

111) D

112) B

113) A

114) C

115) D

116) C

117) D

118) D

119) D

120) A

121) C

122) A

123) A

124) B

125) A

126) C

- 127) B
- 128) B
- 129) C
- 130) C
- 131) B
- 132) D
- 133) A
- 134) D
- 135) C
- 136) A
- 137) D
- 138) D
- 139) D
- 140) D
- 141) A
- 142) D
- 143) C
- 144) A
- 145) B
- 146) A
- 147) B
- 148) C
- 149) A
- 150) C
- 151) A
- 152) B
- 153) A
- 154) A
- 155) D
- 156) D
- 157) D
- 158) B 159) A
- 160) A
- 161) D 162) C
- 163) A
- 164) B
- 165) A
- 166) C
- 167) B
- 168) D

169) C

170) A

171) B

172) C

173) C

174) B

175) D

176) D

177) D

178) A

179) A

180) B

181) A

182) D

183) B

184) C

185) D

186) D

187) A

188) D

189) C

190) A

191) B

192) A

193) B

194) C

195) C

196) D

197) B

198) D

199) D

200) B

201) D

202) D

203) B

204) B

205) D

206) C

207) C

208) C

209) B

210) C

211) B

212) C

213) E

214) C

215) B

216) B

217) A

218) E

219) D

220) D

221) C

222) B

223) A

224) B

225) D

226) A

227) D

228) A

229) A

230) C

231) B

232) B

233) C

234) C

235) D

236) C

237) C

238) A

239) B

240) B

241) A

242) A

243) A

244) C

245) A

246) A

247) A

248) D

249) A

250) D

251) A

252) C

253) C

254) A

255) B