Chapter 2


1. A roof has a rise of 5 feet for every horizontal change of 7 feet (see figure). Find the inclination of the roof. Round your answers to one decimal place.



$$a = 5, b = 7$$

2. Graphically estimate the *x*- and *y*-intercepts of the graph.

$$y = 2 - 2x^3$$



e:

Chapter 2

3. The parent function $f(x) = \sqrt{x}$ is related to g. Describe the sequence of transformations from f to g.

$$g(x) = \sqrt{x-3}$$

- 4. From the graph of the quadratic function $f(x) = -x^2 4x 9$, determine the equation of the axis of symmetry.
- 5. Find the distance between the point and the line. Round your answer to four decimal places.

Point Line

$$(5, 6)$$
 $7x + y = 1$

6. Write an equation for the function that is described by the following characteristics.

The shape of $f(x) = x^2$, but moved eight units down, two units to the left, and then reflected in the x-axis.

7. Find the inclination Θ (in degrees) of the line with a slope of m. Round your answer to one decimal places.

m = 0.6666666667

8. Find all real value of x such that f(x) = 0.

$$f(x) = \frac{8x+3}{5}$$

- 9. Evaluate g(s+10) if g(y) = 11-4y.
- 10. Use algebraic tests to check the following for symmetry with respect to the axes and the origin.

$$10x + 4y^8 = 0$$

11. Select the graph of g.

$$g(x) = 5(x-4)^3$$

e:

Chapter 2


12. Find the value(s) of x for which f(x) = g(x).

$$f(x) = x^2 + 4x - 26$$

$$g(x) = 7x - 8$$

 $y = \sqrt{49 - x}$ 2. A reatenals is bounded by the x-axis and the semicirals

13. A rectangle is bounded by the x-axis and the semicircle (see figure). Select the area A of the rectangle as a function of x, and determine the domain of the function.



14. Determine the quadrant(s) in which (x, y) is located so that the condition(s) is (are) satisfied.

x > 3 and y < 0

15. Find the angle (in radians and degrees) between the lines. Round your answer to four decimal places for radians and round your answer to one decimal places for degree.

$$x - y = 10$$

$$3x-2y=1$$

e:

Chapter 2

Answer Key

2. *x*-intercept: (1, 0)

y-intercept: (0, 2)

3. Horizontal shift three units to the right.

$$4. x = -2$$

$$_{5}$$
. $d ≈ 5.7540$


$$g(x) = 8 - (x+2)^2$$

$$x = \frac{3}{8}$$

$$g(s+10) = -29-4s$$

10. Symmetric with respect to the *x*-axis.

11.



12.
$$x = -3, 6$$

$$A(x) = 2|x|\sqrt{49 - x^2}, -7 \le x \le 7$$

14. Quadrant IV

Name	Class	Dat
:	• •	e:

Chapter 2

15. $\Theta \approx 0.0588 \text{ radians} \approx 3.4^{\circ}$