1. _____ appear below the header in the navigation area of a webpage.

- a. Copyright labels
- b. Ordered lists
- c. Page links
- d. Bulleted lists

ANSWER:

FEEDBACK: a. Page links appear below the header in the navigation area of a webpage.

- b. Page links appear below the header in the navigation area of a webpage.
- c. Page links appear below the header in the navigation area of a webpage.
- d. Page links appear below the header in the navigation area of a webpage.

POINTS:

DIFFICULTY: Easy

REFERENCES: Designing a Website QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: LO: 02.02 - Describe and use HTML 5 semantic elements

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Designing a Website

KEYWORDS: Bloom's: Remember

DATE CREATED: 10/8/2019 3:03 PM

DATE MODIFIED: 12/12/2019 12:35 PM

- 2. A is located at the top of a webpage and identifies the site, often by displaying the business name or logo.
 - a. footer
 - b. copyright label
 - c. header
 - d. navigation pane

ANSWER: c

FEEDBACK:

- a. The header is located at the top of a webpage and identifies the site, often by displaying the business name or logo.
- b. The header is located at the top of a webpage and identifies the site, often by displaying the business name or logo.
- c. The header is located at the top of a webpage and identifies the site, often by displaying the business name or logo.
- d. The header is located at the top of a webpage and identifies the site, often by displaying the business name or logo.

POINTS: 1
DIFFICULTY: Easy

REFERENCES: Designing a Website QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTILO: 02.02 - Describe and use HTML 5 semantic elements

| · | | :::e: |
|-------------------------|----------|---|
| Chapter 2: Buildin | ng a W | Vebpage Template with HTML 5 |
| VES: | | |
| NATIONAL STANDA RDS: | 1 United | d States - BUSPROG: Technology |
| TOPICS: | Desig | ning a Website |
| KEYWORDS: | Bloon | n's: Remember |
| DATE CREATED: | 10/8/2 | 2019 3:03 PM |
| DATE MODIFIED: | 12/12/ | /2019 12:39 PM |
| 3. The area of | a webp | age contains the copyright and contact information. header |
| | ь. b. | navigation |
| | c. | footer |
| | d. | section |
| ANSWER: | ч. | c |
| FEEDBACK: | | a. The footer area of a webpage contains the copyright and contact information. |
| | | b. The footer area of a webpage contains the copyright and contact information. |
| | | c. The footer area of a webpage contains the copyright and contact information. |
| | | d. The footer area of a webpage contains the copyright and contact information. |
| POINTS: | | 1 |
| DIFFICULTY: | | Easy |
| REFERENCES: | | Using HTML 5 Semantic Elements |
| QUESTION TYPE: | | Multiple Choice |
| HAS VARIABLES: | | False |
| LEARNING OBJECT | TIVES: | LO: 02.05 - Create a webpage template |
| NATIONAL STANDA | | United States - BUSPROG: Technology |
| TOPICS: | | Designing a Website |
| KEYWORDS: | | Bloom's: Remember |
| DATE CREATED: | | 10/8/2019 3:03 PM |
| DATE MODIFIED: | | 12/12/2019 12:43 PM |
| 4. A identifies | the nur | nber of pages in a website and shows how each page is linked to other pages. |
| | a. | wireframe |
| | b. | prototype |
| | c. | mock-up |
| | d. | site map |
| ANSWER: | d | |
| FEEDBACK: | | a. A site map identifies the number of pages in a website and shows how each page is linked to other pages. |
| | | b. A site map identifies the number of pages in a website and shows how each page is linked to other pages. |
| | | c. A site map identifies the number of pages in a website and shows how each page is linked to other pages. |

Class

Dat

Name

| Name | Class | Dat |
|------|-------|-----|
| : | : | e: |

d. A site map identifies the number of pages in a website and shows how each page is linked to other pages.

POINTS: 1

DIFFICULTY: Easy

REFERENCES: Designing a Website QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVLO: 02.04 - Design and build a semantic wireframe

ES:

NATIONAL STANDAR United States - BUSPROG: Technology

DS:

TOPICS: Designing a Website

KEYWORDS: Bloom's: Remember

DATE CREATED: 10/8/2019 3:03 PM

DATE MODIFIED: 12/12/2019 12:46 PM

- 5. A _____ shows the visual layout of a webpage to indicate where elements should appear.
 - a. site map
 - b. site index
 - c. wireframe
 - d. data architecture

ANSWER: c

FEEDBACK:

- a. A wireframe shows the visual layout of a webpage to indicate where elements should appear.
- b. A wireframe shows the visual layout of a webpage to indicate where elements should appear.
- c. A wireframe shows the visual layout of a webpage to indicate where elements should appear.
- d. A wireframe shows the visual layout of a webpage to indicate where elements should appear.

POINTS: 1

DIFFICULTY: Easy

REFERENCES: Designing a Website QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVE LO: 02.04 - Design and build a semantic wireframe

S

 $\it NATIONAL\ STANDARDS$ United States - BUSPROG: Technology

:

TOPICS: Designing a Website

KEYWORDS: Bloom's: Remember

DATE CREATED: 10/8/2019 3:03 PM

DATE MODIFIED: 12/12/2019 12:48 PM

| Name : | | | Class : | Dat e: | | |
|-----------------------------|----------|---|---|--------------------------------------|--|--|
| Chapter 2: Build | ing a W | ebpage Ten | nplate with HTML 5 | | | |
| 6. A element | provides | meaning abou | ut the content of the element. | | | |
| | a. | bo | otstrap | | | |
| | b. | lex | xical | | | |
| | c. | pra | agmatic | | | |
| | d. | ser | mantic | | | |
| ANSWER: | | d | | | | |
| FEEDBACK: | | a. A s | semantic element provides meanin | g about the content of the element. | | |
| | | b. A s | semantic element provides meanin | g about the content of the element. | | |
| | | c. As | semantic element provides meanin | g about the content of the element. | | |
| | | d. A s | semantic element provides meanin | g about the content of the element. | | |
| POINTS: | | 1 | | | | |
| DIFFICULTY: | | Easy | | | | |
| REFERENCES: | | Designing a | a Website | | | |
| QUESTION TYPE: | | Multiple Cl | hoice | | | |
| HAS VARIABLES: | | False | | | | |
| LEARNING OBJEC | CTIVES: | LO: 02.04 - Design and build a semantic wireframe | | | | |
| NATIONAL STAND | ARDS: | United States - BUSPROG: Technology | | | | |
| TOPICS: | | Designing a | a Website | | | |
| KEYWORDS: | | Bloom's: R | emember | | | |
| DATE CREATED: | | 10/8/2019 3 | 3:03 PM | | | |
| DATE MODIFIED: | | 12/12/2019 | 12:51 PM | | | |
| 7. The Hypertext M element. | arkup La | nguage (HTM | (L) elements that define the structu | are of a webpage must be within a(n) | | |
| element. | | a. | div | | | |
| | | b. | nav | | | |
| | | c. | body | | | |
| | | d. | img | | | |
| ANSWER: | c | | | | | |
| FEEDBACK: | a. | | xt Markup Language (HTML) elem est be within a body element. | ents that define the structure of a | | |
| | b | | xt Markup Language (HTML) elem est be within a body element. | ents that define the structure of a | | |
| | c. | | xt Markup Language (HTML) elem lst be within a body element. | ents that define the structure of a | | |
| | d | | xt Markup Language (HTML) elem est be within a body element. | ents that define the structure of a | | |
| POINTS: | 1 | | | | | |
| DIFFICULTY: | Easy | | | | | |
| REFERENCES: | Using I | HTML 5 Sema | antic Elements | | | |
| QUESTION TYPE: | Multipl | Multiple Choice | | | | |

HAS VARIABLES: False

| Name : | | | Class : | Dat e: | |
|-------------------------|------------------|---------------|---------------------------------|---|--|
| Chapter 2: Buildi | ng a Wo | ebpage Tei | mplate with HTML 5 | | |
| LEARNING OBJEC IVES: | <i>T</i> LO: 02. | 02 - Describ | e and use HTML 5 semantic el | ements | |
| NATIONAL STAND. RDS: | AUnited S | States - BUS | PROG: Technology | | |
| TOPICS: | Using H | ITML5 Sem | antic Elements | | |
| KEYWORDS: | Bloom's | : Remember | r | | |
| DATE CREATED: | 10/8/20 | 19 3:03 PM | | | |
| DATE MODIFIED: | 12/12/2 | 019 12:52 P | M | | |
| 8. Hypertext Markup | Langua | ge (HTML) | 4.01 introduced a(n) eler | ment to split a page into separate sections. | |
| | | a. | nav | | |
| | | b. | body | | |
| | | c. | div | | |
| | | d. | img | | |
| ANSWER: FEEDBACK: | | С | | ent to divide a page into separate sections. | |
| | | c. HTN | AL 4.01 introduced the div elem | nent to divide a page into separate sections. The ent to divide a page into separate sections. The ent to divide a page into separate sections. | |
| POINTS: | | 1 | | | |
| DIFFICULTY: | | Easy | | | |
| REFERENCES: | | Using HTM | L 5 Semantic Elements | | |
| QUESTION TYPE: | | Multiple Ch | oice | | |
| HAS VARIABLES: | | False | | | |
| LEARNING OBJEC | TIVES: | LO: 02.02 - | Describe and use HTML 5 sem | antic elements | |
| NATIONAL STAND | ARDS: | United State | es - BUSPROG: Technology | | |
| TOPICS: | | Using HTM | L5 Semantic Elements | | |
| KEYWORDS: | | Bloom's: Re | member | | |
| DATE CREATED: | | 10/8/2019 3 | :03 PM | | |
| DATE MODIFIED: | | 12/12/2019 | 12:56 PM | | |
| 9. A element | contains l | hyperlinks to | o other webpages within a webs | ite. | |
| | | a. | head | | |
| | | b. | title | | |
| | | c. | nav | | |
| | | d. | footer | | |
| ANSWER: | | c | | | |
| FEEDBACK: | | | • • | nks to other webpages within a website. | |
| | | ь. Th | e nav element contains hyperli | nks to other webpages within a website. | |
| | | c. Th | e nav element contains hyperli | nks to other webpages within a website. | |

d. The nav element contains hyperlinks to other webpages within a website.

| Name : | | | Cla : | ass | Dat e: |
|--|----------|-------------|--|---------------------|-------------------------------------|
| Chapter 2: Buildi | ng a W | ebpage T | Template with HTM | L 5 | |
| POINTS: | | 1 | | | |
| DIFFICULTY: | | Easy | | | |
| REFERENCES: | | • | TML 5 Semantic Eleme | ents | |
| QUESTION TYPE: | | Multiple | Choice | | |
| HAS VARIABLES: | | False | | | |
| LEARNING OBJEC | TIVES: | LO: 02.0 |)2 - Describe and use H | TML 5 semantic el | lements |
| NATIONAL STAND | ARDS: | United S | States - BUSPROG: Tec | hnology | |
| TOPICS: | | | TML5 Semantic Element | | |
| KEYWORDS: | | Bloom's | : Remember | | |
| DATE CREATED: | | 10/8/201 | 9 3:03 PM | | |
| DATE MODIFIED: | | 12/12/20 | 019 2:37 PM | | |
| 10. The World Wide browsers or text edit | | | | element after o | ther semantic elements, and not all |
| | | a. | div | | |
| | | b. | section | | |
| | | c. | nav | | |
| | | d. | main | | |
| ANSWER: | d | | | | |
| FEEDBACK: | a. | | introduced the main ele or text editors recognize | | emantic elements, and not all |
| | b. | | introduced the main ele or text editors recognize | | emantic elements, and not all |
| | c. | | introduced the main ele or text editors recognize | | emantic elements, and not all |
| | d. | | introduced the main ele or text editors recognize | | emantic elements, and not all |
| POINTS: | 1 | | | | |
| DIFFICULTY: | Easy | | | | |
| REFERENCES: | Using F | ITML 5 S | emantic Elements | | |
| QUESTION TYPE: | Multipl | e Choice | | | |
| HAS VARIABLES: | False | | | | |
| LEARNING OBJEC IVES: | TLO: 02. | 03 - Deter | rmine the elements to us | se when setting the | structure of a webpage |
| NATIONAL STAND. RDS: | AUnited | States - BU | USPROG: Technology | | |
| TOPICS: | Using F | ITML5 Se | emantic Elements | | |
| KEYWORDS: | Bloom's | s: Rememl | ber | | |
| DATE CREATED: | 10/8/20 | 19 3:03 PI | M | | |
| DATE MODIFIED: | | | | | |
| 11. Each page can h | ave only | one | element because its con | ntent should be uni | que to each page. |
| - | - | a. | nav | | |

| Name | Class | Dat |
|------|-------|-----|
| | : | e: |
| | | |

- b. main
- c. li
- d. div

ANSWER: b

FEEDBACK: a. Each page can have only one main element because its content should be unique

to each page.

b. Each page can have only one main element because its content should be unique

to each page.

 $\ensuremath{c}\xspace$. Each page can have only one main element because its content should be unique

to each page.

d. Each page can have only one main element because its content should be unique

to each page.

POINTS: 1

DIFFICULTY: Easy

REFERENCES: Using HTML 5 Semantic Elements

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVE LO: 02.03 - Determine the elements to use when setting the structure of a webpage

S:

NATIONAL STANDARD United States - BUSPROG: Technology

S:

TOPICS: Using HTML5 Semantic Elements

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/8/2019 3:03 PM

 DATE MODIFIED:
 12/12/2019 2:39 PM

12. A ensures that the webpages in a website share a standard layout.

a. site index

b. template

c. flowchart

d. wireframe

ANSWER: b

FEEDBACK: a. To make sure the webpages in a site share a standard layout, you can create a template,

an HTML document that contains elements that should appear on each page.

b. To make sure the webpages in a site share a standard layout, you can create a template, an HTML document that contains elements that should appear on each page.

c. To make sure the webpages in a site share a standard layout, you can create a template, an HTML document that contains elements that should appear on each page.

d. To make sure the webpages in a site share a standard layout, you can create a template.

an HTML document that contains elements that should appear on each page.

POINTS: 1
DIFFICULTY: Easy

REFERENCES: Creating a Webpage Template

QUESTION TYPE: Multiple Choice

| Name : | | Class : | Dat e: |
|---------------------------------------|--------------------|---------------------------------------|------------------------------------|
| Chapter 2: Building | a Webpage Te | mplate with HTML 5 | |
| HAS VARIABLES: Fal | se | | |
| LEARNING OBJE LO CTIVES: | : 02.05 - Create a | webpage template | |
| <i>NATIONAL STAND</i> Un <i>ARDS:</i> | ited States - BUSI | PROG: Technology | |
| TOPICS: Cre | eating a Webpage | Template | |
| KEYWORDS: Blo | oom's: Remember | | |
| DATE CREATED: 10/ | /8/2019 3:03 PM | | |
| DATE MODIFIED: 12/ | 12/2019 2:41 PM | | |
| 13 is a basic rec | uired Hypertext N | Markup Language (HTML) elemen | nt. |
| | a. | header | |
| | b. | title | |
| | c. | nav | |
| | d. | main | |
| ANSWER: | b | | |
| FEEDBACK: | a. Ti | ne title is a basic required Hyperte | xt Markup Language (HTML) element. |
| | b. TI | ne title is a basic required Hyperte: | xt Markup Language (HTML) element. |
| | c. Tl | ne title is a basic required Hyperte: | xt Markup Language (HTML) element. |
| | d. Ti | ne title is a basic required Hyperte | xt Markup Language (HTML) element. |
| POINTS: | 1 | | |
| DIFFICULTY: | Easy | | |
| REFERENCES: | Creating a | Webpage Template | |
| QUESTION TYPE: | Multiple (| Choice | |
| HAS VARIABLES: | False | | |
| LEARNING OBJECTIV | VES: LO: 02.02 | - Describe and use HTML 5 sema | antic elements |
| NATIONAL STANDAR | DS: United Sta | tes - BUSPROG: Technology | |
| TOPICS: | Creating a | Webpage Template | |
| KEYWORDS: | Bloom's: 1 | Remember | |
| DATE CREATED: | 10/8/2019 | 3:03 PM | |
| DATE MODIFIED: | 12/12/201 | 9 2:45 PM | |
| 14. Which is a Hyperte | xt Markup Langua | age (HTML) structural semantic el | lement? |
| | a. | meta | |
| | b. | nav | |
| | c. | body | |
| | d. | title | |
| ANSWER: | b | | |

a. The nav element is a Hypertext Markup Language (HTML) structural semantic

b. The nav element is a Hypertext Markup Language (HTML) structural semantic

element.

FEEDBACK:

| Name | Class | Dat |
|------|-------|-----|
| • | • | e. |
| · | _• | _0. |

- c. The nav element is a Hypertext Markup Language (HTML) structural semantic element.
- d. The nav element is a Hypertext Markup Language (HTML) structural semantic element.

POINTS: 1

DIFFICULTY: Easy

REFERENCES: Using HTML 5 Semantic Elements

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES:LO: 02.02 - Describe and use HTML 5 semantic elements

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Creating a Webpage Template

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/8/2019 3:03 PM

 DATE MODIFIED:
 12/12/2019 2:47 PM

15. The keys must be used to stop indenting the lines of a document in text editors.

- a. CTRL+TAB
- b. ALT+TAB
- c. SHIFT+TAB
- d. CTRL+SHIFT+TAB

ANSWER:

FEEDBACK:

- a. The SHIFT+TAB keys must be used to stop indenting the lines of a document in text editors.
- b. The SHIFT+TAB keys must be used to stop indenting the lines of a document in text editors.
- c. The SHIFT+TAB keys must be used to stop indenting the lines of a document in text editors
- d. The SHIFT+TAB keys must be used to stop indenting the lines of a document in text editors.

POINTS: 1

DIFFICULTY: Moderate

REFERENCES: Creating a Webpage Template

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVE LO: 02.05 - Create a webpage template

ς.

NATIONAL STANDARDS United States - BUSPROG: Technology

TOPICS: Creating a Webpage Template

KEYWORDS: Bloom's: Remember DATE CREATED: 10/8/2019 3:03 PM

| Name : | | Class : | Dat e: |
|-----------------------------|--------------------------|--|-------------------------------------|
| Chapter 2: Buildin | g a Webpago | e Template with HTML 5 | |
| DATE MODIFIED: | 12/13/201 | 9 1:49 PM | |
| 16. When a webpage i | is displayed in document | a browser, the browser tab displays the | <u>-</u> • |
| b. | file locatio | | |
| c. | | information | |
| d. | html version | | |
| ANSWER: | a | | |
| FEEDBACK: | | When a webpage is displayed in a browser, th document title. | e browser tab displays the |
| | | When a webpage is displayed in a browser, th document title. | e browser tab displays the |
| | | When a webpage is displayed in a browser, th document title. | e browser tab displays the |
| | | When a webpage is displayed in a browser, th document title. | e browser tab displays the |
| POINTS: | 1 | | |
| DIFFICULTY: | Easy | | |
| REFERENCES: | Creating | a Webpage Template | |
| QUESTION TYPE: | Multiple | Choice | |
| HAS VARIABLES: | False | | |
| <i>LEARNING OBJECT</i> : | <i>IVES</i> LO: 02.0 | 95 - Create a webpage template | |
| NATIONAL STANDA | RDS: United S | tates - BUSPROG: Technology | |
| TOPICS: | Creating | a Webpage Template | |
| KEYWORDS: | Bloom's: | Remember | |
| DATE CREATED: | 10/8/201 | 9 3:03 PM | |
| DATE MODIFIED: | 12/12/20 | 19 2:51 PM | |
| 17 are used to | ~ | ons on how to use a template or to identify the | author of a website. |
| | | Comments | |
| | | Headings | |
| | | Word wraps | |
| ANGHED | | Whitespaces | |
| ANSWER: | a | | |
| FEEDBACK: | auth | nments are used to give instructions on how the hor of a website. | • |
| | auth | nments are used to give instructions on how t nor of a website. | |
| | | nments are used to give instructions on how t nor of a website. | o use a template or to identify the |
| | | mments are used to give instructions on how thor of a website. | o use a template or to identify the |

1

POINTS:

| Name | | | Class : | Dat e: |
|---------------------------------|-----------------|---|----------------------------|--|
| Chapter 2: Build | ling a Webp | age Template with H | ITML 5 | |
| DIFFICULTY: | Easy | | | |
| REFERENCES: | • | a Webpage Template | | |
| QUESTION TYPE: | Multiple | Choice | | |
| HAS VARIABLES: | False | | | |
| LEARNING OBJEC ES: | CTIV LO: 02.0 | 06 - Insert comments in a | n HTML document | |
| NATIONAL STANI DS: | DAR United S | tates - BUSPROG: Tech | nnology | |
| TOPICS: | Creating | a Webpage Template | | |
| KEYWORDS: | Bloom's | Understand | | |
| DATE CREATED: | 10/8/201 | 9 3:03 PM | | |
| DATE MODIFIED | : 12/12/20 | 19 2:52 PM | | |
| 18. When is displayed on multip | | | gned a single logical line | e number even though it may be |
| | a. | word wrap | | |
| | b. | word align | | |
| | c. | white-space | | |
| | d. | DOCTYPE | | |
| ANSWER: | a | | | |
| FEEDBACK: | | | | s assigned a single logical line physical lines in Notepad++. |
| | | | | s assigned a single logical line physical lines in Notepad++. |
| | | | | s assigned a single logical line physical lines in Notepad++. |
| | | | | s assigned a single logical line physical lines in Notepad++. |
| POINTS: | 1 | | | |
| DIFFICULTY: | Easy | | | |
| REFERENCES: | Creating a W | ebpage Template | | |
| QUESTION TYPE: | Multiple Cho | ice | | |
| HAS VARIABLES: | False | | | |
| LEARNING OBJE CTIVES: | LO: 02.05 - 0 | Create a webpage templa | te | |
| NATIONAL STANI ARDS: | OUnited States | - BUSPROG: Technolo | ogy | |
| TOPICS: | Creating a W | ebpage Template | | |
| KEYWORDS: | Bloom's: Ren | | | |
| DATE CREATED: | 10/8/2019 3: | 03 PM | | |
| DATE MODIFIED | : 12/12/2019 2 | :54 PM | | |
| 19. In Notepad++, | the text entere | d scrolls continuously to word align | the right unless the | feature is turned on. |
| | u. | 11 01 G G11 511 | | |

| Name : | | | Class : | Dat e: |
|----------------------------------|----------|--|---|--|
| Chapter 2: Buildi | ng a W | ebpage Template w | vith HTML 5 | |
| | b. | DOCTYPE | | |
| | c. | white-space | | |
| | d. | word wrap | | |
| ANSWER: | d | | | |
| FEEDBACK: | a. | If you are using Noter you turn on the word | | olls continuously to the right unless |
| | b | . If you are using Notep you turn on the word v | | olls continuously to the right unless |
| | c. | If you are using Notep you turn on the word | | olls continuously to the right unless |
| | d | . If you are using Notep you turn on the word v | • | olls continuously to the right unless |
| POINTS: | 1 | | | |
| DIFFICULTY: | Easy | | | |
| REFERENCES: | Creatin | g a Webpage Template | e | |
| QUESTION TYPE: | Multipl | le Choice | | |
| HAS VARIABLES: | False | | | |
| LEARNING OBJEC IVES: | TLO: 02 | .05 - Create a webpage | e template | |
| NATIONAL STANDA RDS: | A United | States - BUSPROG: T | echnology | |
| TOPICS: | Creatin | g a Webpage Template | e | |
| KEYWORDS: | Bloom' | s: Remember | | |
| DATE CREATED: | 10/8/20 | 019 3:03 PM | | |
| DATE MODIFIED: | 12/12/2 | 2019 2:56 PM | | |
| 20. When creating a the webpage. | webpage | e template, including _ | provides additional info | formation about how to use the sections of |
| | a. | headings | | |
| | b. | white-spaces | | |
| | c. | word wraps | | |
| | d. | comments | | |
| ANSWER: | d | | | |
| FEEDBACK: | | | age template, including comnections of the webpage. | nents provides additional information |
| | 1 1/ | N/la a la auta a tima a la vi-la ia a | مراورياه والمراوع المحاوم | and may idea additional informs - 4: |

- b. When creating a webpage template, including comments provides additional information about how to use the sections of the webpage.
- c. When creating a webpage template, including comments provides additional information about how to use the sections of the webpage.
- d. When creating a webpage template, including comments provides additional information about how to use the sections of the webpage.

POINTS: 1 DIFFICULTY: Easy

REFERENCES: Creating a Webpage Template

| Name : | | Class : | Dat e: |
|---------------------------------|--------------|---|------------------------------------|
| Chapter 2: Bui | lding a W | ebpage Template with HTML 5 | |
| QUESTION TYPE | E: Multiple | c Choice | |
| HAS VARIABLES | S: False | | |
| LEARNING OBJI CTIVES: | E LO: 02.0 | 06 - Insert comments in an HTML document | |
| NATIONAL STAN ARDS: | VDUnited S | States - BUSPROG: Technology | |
| TOPICS: | Creating | g a Webpage Template | |
| KEYWORDS: | Bloom's | : Remember | |
| DATE CREATED | D: 10/8/201 | 19 3:03 PM | |
| DATE MODIFIE | D: 12/12/20 | 019 2:57 PM | |
| 21. Adding | _ content to | a template saves time. | |
| | a. | wavering | |
| | b. | dynamic | |
| | c. | progressive | |
| ANGHED. | d. | static | |
| ANSWER: | | d | |
| FEEDBACK: | | a. Adding static content to a template | |
| | | b. Adding static content to a template | |
| | | c. Adding static content to a template | |
| | | d. Adding static content to a template | saves time. |
| POINTS: | | 1 | |
| DIFFICULTY: | | Easy | |
| REFERENCES: | Г | Creating a Webpage Template | |
| QUESTION TYPE | | Multiple Choice | |
| HAS VARIABLES | | False | 41-4- |
| LEARNING OBJE | | LO: 02.07 - Add static content to a webpage | temptate |
| NATIONAL STAN TOPICS: | VDAKDS: | United States - BUSPROG: Technology | |
| KEYWORDS: | | Creating a Webpage Template Bloom's: Remember | |
| DATE CREATED |). | 10/8/2019 3:03 PM | |
| DATE MODIFIE | | 12/12/2019 2:59 PM | |
| 22. Inserting a Hy the webpage. | ypertext Ma | arkup Language (HTML) in some HTML code dis | plays a reserved HTML character on |
| | a. | character name | |
| | b. | character vector | |
| | c. | character array | |
| | d. | character entity | |
| ANSWER: | d | | |
| FEEDBACK: | | a. Inserting an HTML character entity in the code display on the webpage. | ays a reserved HTML character |

| Name | Class | Dat |
|------|-------|-----|
| | : | e: |

- b. Inserting an HTML character entity in the code displays a reserved HTML character on the webpage.
- c. Inserting an HTML character entity in the code displays a reserved HTML character on the webpage.
- d. Inserting an HTML character entity in the code displays a reserved HTML character on the webpage.

POINTS: 1

DIFFICULTY: Moderate

REFERENCES: Using Symbol Entities
QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIV LO: 02.08 - Insert symbol codes and other character entities

ES:

NATIONAL STANDARDUnited States - BUSPROG: Technology

S:

TOPICS: Using Symbol Entities KEYWORDS: Bloom's: Remember DATE CREATED: 10/8/2019 3:03 PM DATE MODIFIED: 12/13/2019 2:23 PM

23. All character entities start with

a. & & c. ! d. <<<

ANSWER:

FEEDBACK:

- a. All character entities start with an ampersand (&).
- b. All character entities start with an ampersand (&).
- c. All character entities start with an ampersand (&).
- d. All character entities start with an ampersand (&).

POINTS: 1

DIFFICULTY: Easy

REFERENCES: Using Symbol Entities

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LO: 02.08 - Insert symbol codes and other character entities

NATIONAL STANDARDS: United States - BUSPROG: Technology

a

TOPICS: Using Symbol Entities KEYWORDS: Bloom's: Remember DATE CREATED: 10/8/2019 3:03 PM DATE MODIFIED: 12/12/2019 3:01 PM

| Name : | | Class : | Dat e: |
|--|------------------|--------------------------------------|-------------------------------------|
| Chapter 2: Building a W | ebpage Templa | ate with HTML 5 | |
| 24. All character entities end symbol. | with to sig | nal the browser that everything in | between is an entity representing a |
| • | a. | ; | |
| | b. | ! | |
| | c. | << | |
| | d. | & | |
| ANSWER: | a | | |
| FEEDBACK: | ; | a. All character entities end with a | a semicolon (;). |
| | 1 | b. All character entities end with a | a semicolon (;). |
| | (| e. All character entities end with a | a semicolon (;). |
| | • | d. All character entities end with a | a semicolon (;). |
| POINTS: | 1 | | |
| DIFFICULTY: | Easy | | |
| REFERENCES: | • | Symbol Entities | |
| QUESTION TYPE: | _ | le Choice | |
| HAS VARIABLES: | False | | |
| LEARNING OBJECTIVES: | LO: 02 | .08 - Insert symbol codes and other | er character entities |
| NATIONAL STANDARDS: | | States - BUSPROG: Technology | |
| TOPICS: | Using | Symbol Entities | |
| KEYWORDS: | Bloom | 's: Remember | |
| DATE CREATED: | 10/8/20 | 019 3:03 PM | |
| DATE MODIFIED: | 12/12/2 | 2019 3:02 PM | |
| 25. An is a combination | _ | gn (#) and a numeric code. | |
| a. | entity number | | |
| b. | entity name | | |
| c. | entity type | | |
| d. | entity framework | S | |
| ANSWER: | a | | |
| FEEDBACK: | - | | ound sign (#) and a numeric code. |
| | • | · | ound sign (#) and a numeric code. |
| | - | | ound sign (#) and a numeric code. |
| | d. An entity | number is a combination of the p | ound sign (#) and a numeric code. |
| POINTS: | 1 | | |
| DIFFICULTY: | Easy | | |
| REFERENCES: | Using Symbol E | ntities | |
| QUESTION TYPE: | Multiple Choice | | |
| HAS VARIABLES: | False | | |
| LEARNING OBJECTIVES: | | rt symbol codes and other characte | er entities |
| NATIONAL STANDARDS: | | BUSPROG: Technology | |
| TOPICS: | Using Symbol E | ntities | |

| Name : | | Class : | | Dat e: |
|-----------------------------------|------------|-------------------------------------|----------------------------|--------------------------|
| Chapter 2: Building a V | Vebpage | Template with HTML 5 | 5 | |
| KEYWORDS: | Bloom | s: Remember | | |
| DATE CREATED: | 10/8/20 | 019 3:03 PM | | |
| DATE MODIFIED: | 12/12/2 | 2019 3:03 PM | | |
| 26. The entity number for the | he convris | oht symbol is | | |
| -0. 1110 011010 1101110 11 101 10 | a. | &169#; | | |
| | b. | 169#&; | | |
| | c. | & #169; | | |
| | d. | #169&; | | |
| ANSWER: | | c | | |
| FEEDBACK: | | a. The entity number for | or the copyright symbol i | is & #169;. |
| | | b. The entity number f | or the copyright symbol i | is & #169;. |
| | | c. The entity number f | or the copyright symbol i | is & #169;. |
| | | d. The entity number for | or the copyright symbol i | is & #169;. |
| POINTS: | | 1 | | |
| DIFFICULTY: | | Easy | | |
| REFERENCES: | | Using Symbol Entities | | |
| QUESTION TYPE: | | Multiple Choice | | |
| HAS VARIABLES: | | False | | |
| LEARNING OBJECTIVES: | | LO: 02.08 - Insert symbol co | odes and other character | entities |
| NATIONAL STANDARDS: | | United States - BUSPROG: | Technology | |
| TOPICS: | | Using Symbol Entities | | |
| KEYWORDS: | | Bloom's: Remember | | |
| DATE CREATED: | | 10/8/2019 3:03 PM | | |
| DATE MODIFIED: | | 12/12/2019 3:05 PM | | |
| 27. forces browsers t | to display | a nonbreaking blank space. | | |
| | a. | &bspn | | |
| | b. | | | |
| | c. | | | |
| | d. | &mspe | | |
| ANSWER: | b | - | | |
| FEEDBACK: | | nonbreaking space, & nbsp; pace. | ,, forces browsers to disp | olay a nonbreaking blank |
| | | nonbreaking space, & nbsp; pace. | , forces browsers to disp | olay a nonbreaking blank |
| | c. A | nonbreaking space, & nbsp; | ,, forces browsers to disp | olay a nonbreaking blank |

d. A nonbreaking space, & nbsp;, forces browsers to display a nonbreaking blank

1 Easy

POINTS:

DIFFICULTY:

space.

space.

| Name : | | Class : | Dat e: |
|---|-------------------------------|---|---|
| Chapter 2: Building | a Webpage Template w | ith HTML 5 | |
| REFERENCES: | Using Symbol Entities | | |
| QUESTION TYPE: | Multiple Choice | | |
| HAS VARIABLES: | False | | |
| LEARNING OBJECTIV | ES: LO: 02.08 - Insert symb | ol codes and other character e | ntities |
| NATIONAL STANDARI | OS: United States - BUSPRO | OG: Technology | |
| TOPICS: | Using Symbol Entities | | |
| KEYWORDS: | Bloom's: Remember | | |
| DATE CREATED: | 10/8/2019 3:03 PM | | |
| DATE MODIFIED: | 12/13/2019 2:29 PM | | |
| 28. The is the pre and XML. | ferred character set for seve | ral types of web programming | g languages, such as HTML, JavaScript, |
| a. American St | andard Code for Information | n Interchange (ASCII) | |
| b. Unicode Tra | nsformation Format (UTF)- | 8 | |
| c. Extended Bi | nary Coded Decimal Interch | ange Code (EBCDIC) | |
| d. Binary Trans | sformation Format (BTF)-8 | | |
| ANSWER: b | | | |
| FEEDBACK: | | dely accepted and is the prefe iguages, such as HTML, Java | erred character set for several types Script, and XML. |
| | of web programming lar | iguages, such as HTML, Java | • |
| | of web programming lar | iguages, such as HTML, Java | • |
| | | dely accepted and is the prefe iguages, such as HTML, Java | erred character set for several types Script, and XML. |
| POINTS: 1 | | | |
| DIFFICULTY: Easy | ý | | |
| REFERENCES: Usin | ng Symbol Entities | | |
| QUESTION TYPE: Mul | • | | |
| HAS VARIABLES: Fals | e | | |
| LEARNING OBJE LO: CTIVES: | 02.08 - Insert symbol codes | and other character entities | |
| NATIONAL STANDUnit ARDS: | ted States - BUSPROG: Tec | hnology | |
| TOPICS: Usin | ng Symbol Entities | | |
| KEYWORDS: Bloc | om's: Remember | | |
| DATE CREATED: 10/8 | 3/2019 3:03 PM | | |
| DATE MODIFIED: 12/1 | 2/2019 3:09 PM | | |
| 29. The World Wide We and making it a part of v | | nmends all Hypertext N | Markup Language (HTML) documents |
| | a. validating | | |
| | b. authoring | | |

| Name : | | Class | | Dat e: |
|--------------------------|-----------------|---|--|----------------------|
| Chapter 2: Building | g a Webpage | Template with HTML 5 | | <u> </u> |
| | c. | orienting | | |
| | | repudiating | | |
| ANSWER: | a | | | |
| FEEDBACK: | | V3C recommends validating a vebpage testing. | all HTML documents and makino | g validation part of |
| | | V3C recommends validating a vebpage testing. | all HTML documents and making | g validation part of |
| | | V3C recommends validating | all HTML documents and making | g validation part of |
| | | V3C recommends validating a vebpage testing. | all HTML documents and makino | g validation part of |
| POINTS: | 1 | | | |
| DIFFICULTY: | Easy | | | |
| REFERENCES: | • | ΓML Documents | | |
| QUESTION TYPE: | Multiple Cho | | | |
| HAS VARIABLES: | False | | | |
| LEARNING OBJECTI VES: | LO: 02.10 - Γ | Describe the benefits of valida | ting web documents | |
| NATIONAL STANDAR DS: | ? United States | - BUSPROG: Technology | | |
| TOPICS: | Validating H | ΓML Documents | | |
| KEYWORDS: | Bloom's: Ren | nember | | |
| DATE CREATED: | 10/8/2019 3:0 | 3 PM | | |
| DATE MODIFIED: | 12/12/2019 3 | 10 PM | | |
| | | age (HTML) document is | , it confirms that all of the co $\overline{(W3C)}$. | ode is correct and |
| | a. | validated | | |
| | b. | verified | | |
| | c. | oriented | | |
| | d. | repudiated | | |
| ANSWER: a | | | | |
| FEEDBACK: | | | at, you confirm that all of the code wac, the organization that sets | |
| | | | et, you confirm that all of the code W3C, the organization that sets | |
| | | | it, you confirm that all of the code W3C, the organization that set | |

d. When you validate an HTML document, you confirm that all of the code is correct and follows the established rules set by the W3C, the organization that sets the standards for

HTML.

| Name : | | | Class : | Dat e: |
|--------------------------|---------------------|-----------------|------------------------------|---|
| Chapter 2: Build | ing a Webpage | Template w | rith HTML 5 | |
| DIFFICULTY: | Easy | | | |
| REFERENCES: | Validating HTML | Documents | | |
| QUESTION TYPE: | • | | | |
| HAS VARIABLES: | False | | | |
| LEARNING OBJE CTIVES: | LO: 02.10 - Descr | ribe the benefi | ts of validating web docur | ments |
| NATIONAL STANI ARDS: | OUnited States - BU | JSPROG: Tec | hnology | |
| TOPICS: | Validating HTML | Documents | | |
| KEYWORDS: | Bloom's: Rememb | per | | |
| DATE CREATED: | 10/8/2019 3:03 PM | M | | |
| DATE MODIFIED | : 12/12/2019 3:11 F | PM | | |
| 31. A for a v | | | ss the website, saves the us | ser's time, and eliminates the re-creation of |
| | a. | template | | |
| | b. | site map | | |
| | c. | report | | |
| | d. | checklist | | |
| ANSWER: | a | | | |
| FEEDBACK: | | | | oss the website, saves the user's time, nts such as navigation bars. |
| | | | | oss the website, saves the user's time, nts such as navigation bars. |
| | and elimin | ates the re-cr | eation of repeating eleme | oss the website, saves the user's time, nts such as navigation bars. |
| | | | | oss the website, saves the user's time, nts such as navigation bars. |
| POINTS: | 1 | | | |
| <i>DIFFICULTY:</i> | Moderate | | | |
| REFERENCES: | - | Page Using a | Webpage Template | |
| QUESTION TYPE: | • | | | |
| HAS VARIABLES: | | | | |
| LEARNING OBJE CTIVES: | LO: 02.12 - Create | e a home page | e from an HTML template | |
| NATIONAL STANL ARDS: | OUnited States - BU | JSPROG: Tec | hnology | |
| TOPICS: | Validating HTML | Documents | | |
| KEYWORDS: | Bloom's: Rememb | per | | |
| DATE CREATED: | 10/8/2019 3:03 PM | M | | |
| DATE MODIFIED | : 12/13/2019 2:34 F | PM | | |
| 32. Browsers add s | pace before and aft | er each | element. | |
| 5 510 m5015 add 5 | a. | break | | |

| Name | Class | Dat |
|------|-------|-----|
| : | : | e: |
| | | |

b

b. paragraphc. navigationd. anchor

ANSWER:

FEEDBACK:

- a. Browsers add space before and after each paragraph element to separate paragraphs.
- b. Browsers add space before and after each paragraph element to separate paragraphs.
- c. Browsers add space before and after each paragraph element to separate paragraphs.
- d. Browsers add space before and after each paragraph element to separate paragraphs.

POINTS: 1
DIFFICULTY: Easy

REFERENCES: Creating a Home Page Using a Webpage Template

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

LEARNING OBJECTIVES: LO: 02.12 - Create a home page from an HTML template

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Creating a Home Page Using a Webpage Template

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/8/2019 3:03 PM

 DATE MODIFIED:
 12/12/2019 3:14 PM

33. Semantic elements are also called elements.

a. structuralb. horizontalc. layoutd. navigational

ANSWER: a, c

FEEDBACK:

- a. Because many of the semantic elements help to structure the layout of the page, they are also called structural elements or layout elements.
- b. Because many of the semantic elements help to structure the layout of the page, they are also called structural elements or layout elements.
- c. Because many of the semantic elements help to structure the layout of the page, they are also called structural elements or layout elements.
- d. Because many of the semantic elements help to structure the layout of the page, they are also called structural elements or layout elements.

POINTS: 1

DIFFICULTY: Easy

REFERENCES: Using HTML 5 Semantic Elements

QUESTION TYPE: Multiple Response

HAS VARIABLES: False

| Name : | | | Class : | Dat e: |
|--------------------------|-----------|---------------|--|---------------------------------------|
| Chapter 2: Build | ling a V | Vebpage T | Semplate with HTML 5 | |
| LEARNING OBJE CTIVES: | LO: 02. | 02 - Describ | be and use HTML 5 semantic elements | |
| NATIONAL STANL ARDS: | OUnited | States - BUS | SPROG: Technology | |
| TOPICS: | Using F | HTML5 Sem | nantic Elements | |
| KEYWORDS: | _ | s: Remembe | | |
| DATE CREATED: | 10/8/20 | 19 3:03 PM | | |
| DATE MODIFIED. | :12/12/2 | 019 3:16 PN | M | |
| 34. Common conten | | | ebpage header includes | |
| a. | the bus | siness logo | | |
| b. | the bus | siness name | | |
| c. | busine | ss contacts i | nformation | |
| d. | page li | nks | | |
| ANSWER: | | a, b | | |
| FEEDBACK: | | a. W | eb designers often place a business na | me or logo within the header element. |
| | | b. W | eb designers often place a business na | me or logo within the header element. |
| | | c. W | eb designers often place a business na | me or logo within the header element. |
| | | d. W | eb designers often place a business na | me or logo within the header element. |
| POINTS: | | 1 | | |
| DIFFICULTY: | | Moderate | | |
| REFERENCES: | | Using HT | ML 5 Semantic Elements | |
| QUESTION TYPE: | | Multiple F | Response | |
| HAS VARIABLES: | | False | | |
| LEARNING OBJEC | CTIVES: | LO: 02.02 | 2 - Describe and use HTML 5 semantic e | elements |
| NATIONAL STANL | DARDS: | United Sta | ates - BUSPROG: Technology | |
| TOPICS: | | Using HT | ML5 Semantic Elements | |
| KEYWORDS: | | Bloom's: I | Remember | |
| DATE CREATED: | | 10/8/2019 | 3:03 PM | |
| DATE MODIFIED. | : | 12/12/201 | 9 3:18 PM | |
| 35. Which are cons | idered to | be basic re | quired Hypertext Markup Language (H7 | ΓML) elements? |
| | | a. | meta | |
| | | b. | header | |
| | | c. | main | |
| | | d. | head | |
| ANSWER: | a, d | | | |
| FEEDBACK: | ; | a. The basic | required HTML elements include the Do | OCTYPE declaration and the html, |

head, title, meta, and body elements.

head, title, meta, and body elements.

b. The basic required HTML elements include the DOCTYPE declaration and the html,

 c_{\cdot} The basic required HTML elements include the DOCTYPE declaration and the html,

| Name : | | Class : | Dat e: |
|---|------------------------------|--|--|
| Chapter 2: Buildi | ng a Webpage Tem | plate with HTML 5 | |
| | d. The basic req | eta, and body elements. uired HTML elements include the DC eta, and body elements. | OCTYPE declaration and the html, |
| POINTS: | 1 | | |
| DIFFICULTY: | Moderate | | |
| REFERENCES: | Creating a Webpage T | Cemplate | |
| QUESTION TYPE: | Multiple Response | - | |
| HAS VARIABLES: | False | | |
| LEARNING OBJECT IVES: | TLO: 02.03 - Determine | e the elements to use when setting th | e structure of a webpage |
| NATIONAL STANDA RDS: | 4 United States - BUSP | ROG: Technology | |
| TOPICS: | Using HTML5 Seman | tic Elements | |
| KEYWORDS: | Bloom's: Remember | | |
| DATE CREATED: | 10/8/2019 3:03 PM | | |
| DATE MODIFIED: | 12/12/2019 3:21 PM | | |
| 36. Which are includ ANSWER: FEEDBACK: | a. b. c. d. b, c, d a. The l | p Language (HTML) structural semande head header nav main HTML structural semantic elements and the structural semantic e | are header, nav, main, and footer. are header, nav, main, and footer. |
| | | HTML structural semantic elements រ HTML structural semantic elements រ | |
| POINTS: | 1 | | |
| DIFFICULTY: | Moderate | | |
| REFERENCES: | Creating a W | ebpage Template | |
| <i>QUESTION TYPE:</i> | Multiple Res | ponse | |
| HAS VARIABLES: | False | | |
| LEARNING OBJECT | TIVES: LO: 02.02 - I | Describe and use HTML 5 semantic e | elements |
| NATIONAL STANDA | ARDS: United States | - BUSPROG: Technology | |
| TOPICS: | Using HTML | 25 Semantic Elements | |
| KEYWORDS: | Bloom's: Ren | nember | |
| DATE CREATED: | 10/8/2019 3:0 | 03 PM | |
| DATE MODIFIED: | 12/12/2019 3 | :24 PM | |
| 37. An entity number | r consists of a . | | |

a. b. pound sign

euro sign

| Name | Class | Dat |
|------|-------|-----|
| | • | Δ. |
| • | | Ե. |

c. number coded. dollar sign

ANSWER: a, c

FEEDBACK: a. An entity number is a combination of the pound sign and a numeric code.

b. An entity number is a combination of the pound sign and a numeric code.c. An entity number is a combination of the pound sign and a numeric code.

d. An entity number is a combination of the pound sign and a numeric code.

POINTS: 1
DIFFICULTY: Easy

REFERENCES: Using Symbol Entities
QUESTION TYPE: Multiple Response

HAS VARIABLES: False

LEARNING OBJECTIVES: LO: 02.08 - Insert symbol codes and other character entities

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Using Symbol Entities KEYWORDS: Bloom's: Remember DATE CREATED: 10/8/2019 3:03 PM DATE MODIFIED: 12/12/2019 3:25 PM

38. To create a site map for a website, one must know how many pages to include in the website.

ANSWER: True

FEEDBACK: Correct To create a site map for a website, one must know how many pages to include in

the website.

Incorrect To create a site map for a website, one must know how many pages to include in

the website.

POINTS: 1
DIFFICULTY: Easy

REFERENCES: Designing a Website QUESTION TYPE: Modified True / False

HAS VARIABLES: False *STUDENT ENTRY MOD* Basic

E:

LEARNING OBJECTIVE LO: 02.01 - Explain how to manage website files

S

NATIONAL STANDARDS United States - BUSPROG: Technology

: TOPIC

TOPICS: Designing a Website KEYWORDS: Bloom's: Remember DATE CREATED: 10/8/2019 3:03 PM 12/12/2019 3:27 PM

39. A wireframe indicates how the pages in a website relate to each other.

| Name | Class | Dat |
|------|-------|-----|
| | · | ٥. |
| | | Ե. |

ANSWER: False - site map

FEEDBACK: Correct A site map indicates how the pages in a website relate to each other.

Incorrect A site map indicates how the pages in a website relate to each other.

POINTS: 1
DIFFICULTY: Easy

REFERENCES: Designing a Website

OUESTION TYPE: Modified True / False

HAS VARIABLES: False STUDENT ENTRY MODE: Basic

LEARNING OBJECTIVES: LO: 02.01 - Explain how to manage website files

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Designing a Website KEYWORDS: Bloom's: Remember DATE CREATED: 10/8/2019 3:03 PM DATE MODIFIED: 12/12/2019 3:27 PM

40. A semantic site map uses semantic elements to define the structure of a webpage.

ANSWER: False - wireframe

FEEDBACK: Correct A semantic wireframe uses semantic elements to define the structure of a

webpage.

Incorrect A semantic wireframe uses semantic elements to define the structure of a

webpage.

POINTS: 1

DIFFICULTY: Moderate

REFERENCES: Designing a Website
QUESTION TYPE: Modified True / False

HAS VARIABLES: False STUDENT ENTRY MODE: Basic

LEARNING OBJECTIVES: LO: 02.04 - Design and build a semantic wireframe

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS:Designing a WebsiteKEYWORDS:Bloom's: RememberDATE CREATED:10/8/2019 3:03 PMDATE MODIFIED:12/12/2019 3:29 PM

41. The <u>nav</u> element includes copyright information and page links.

ANSWER: False - footer

FEEDBACK: Correct The footer element includes copyright information.

Incorrect The footer element includes copyright information.

POINTS: 1
DIFFICULTY: Easy

REFERENCES: Using HTML 5 Semantic Elements

OUESTION TYPE: Modified True / False

HAS VARIABLES: False STUDENT ENTRY MODE: Basic

LO: 02.02 - Describe and use HTML 5 semantic elements

NATIONAL STANDARDS: United States - BUSPROG: Technology TOPICS: Using HTML5 Semantic Elements

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/8/2019 3:03 PM

 DATE MODIFIED:
 12/12/2019 3:33 PM

42. The header element includes links to other pages within a website.

ANSWER: False - nav

FEEDBACK: Correct The nav element usually includes links to other pages within the website.

Incorrect The nav element usually includes links to other pages within the website.

POINTS: 1
DIFFICULTY: Easy

REFERENCES: Using HTML 5 Semantic Elements

QUESTION TYPE: Modified True / False

HAS VARIABLES: False STUDENT ENTRY MODE: Basic

LEARNING OBJECTIVES: LO: 02.02 - Describe and use HTML 5 semantic elements

NATIONAL STANDARDS: United States - BUSPROG: Technology TOPICS: Using HTML5 Semantic Elements

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/8/2019 3:03 PM

 DATE MODIFIED:
 12/12/2019 3:34 PM

43. A wireframe is a predefined webpage that contains a specific Hypertext Markup Language (HTML) structure to be used by all pages within the website.

a. Trueb. False

ANSWER: False

FEEDBACK: Correct A template is a predefined webpage that contains a specific HTML structure to be used

by all pages within the website.

Incorrect A template is a predefined webpage that contains a specific HTML structure to be used

by all pages within the website.

POINTS: 1

DIFFICULTY: Moderate
REFERENCES: Introduction
QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECT LO: 02.05 - Create a webpage template

Name Class Dat : e:

Chapter 2: Building a Webpage Template with HTML 5

IVES:

NATIONAL STANDA United States - BUSPROG: Technology

RDS:

TOPICS: Introduction

KEYWORDS: Bloom's: Remember DATE CREATED: 10/8/2019 3:03 PM DATE MODIFIED: 12/12/2019 3:35 PM

44. The page links of a webpage will appear below the header in the navigation area.

a. True

b. False

ANSWER: True

FEEDBACK: Correct The page links of a webpage will appear below the header in the navigation area.

orrect The page links of a webpage will appear below the header in the navigation area.

POINTS:

DIFFICULTY: Easy

REFERENCES: Designing a Website

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: LO: 02.02 - Describe and use HTML 5 semantic elements

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Designing a Website KEYWORDS: Bloom's: Remember DATE CREATED: 10/8/2019 3:03 PM DATE MODIFIED: 12/12/2019 9:38 PM

45. The Hypertext Markup Language (HTML) 5 semantic element tag names reflect the purpose of their elements.

a. True

b. False

ANSWER: True

FEEDBACK: Correct The name of each Hypertext Markup Language (HTML) 5 semantic element tag reflects

the purpose of the element.

Incorrect The name of each Hypertext Markup Language (HTML) 5 semantic element tag reflects

the purpose of the element.

POINTS: 1

DIFFICULTY: Easy

REFERENCES: Using HTML 5 Semantic Elements

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTILO: 02.02 - Describe and use HTML 5 semantic elements

VES:

NATIONAL STANDA United States - BUSPROG: Technology

| Name | Class | Dat |
|------|-------|-----|
| i | | ۵. |
| | | С. |

RDS:

TOPICS: Using HTML5 Semantic Elements

KEYWORDS: Bloom's: Remember *DATE CREATED:* 10/8/2019 3:03 PM *DATE MODIFIED:* 12/13/2019 4:08 PM

46. Semantic elements are also known as structural elements.

a. Trueb. False

ANSWER: True

FEEDBACK: Correct Semantic elements are also known as structural elements.

Incorrect Semantic elements are also known as structural elements.

POINTS: 1
DIFFICULTY: Easy

REFERENCES: Using HTML 5 Semantic Elements

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: LO: 02.02 - Describe and use HTML 5 semantic elements

NATIONAL STANDARDS: United States - BUSPROG: Technology TOPICS: Using HTML5 Semantic Elements

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/8/2019 3:03 PM

 DATE MODIFIED:
 12/12/2019 3:38 PM

47. The div element is a semantic element, while the main element is not.

a. Trueb. False

ANSWER: False

FEEDBACK: Correct The main element is a semantic element.

Incorrect The main element is a semantic element.

POINTS:

DIFFICULTY: Moderate

REFERENCES: Using HTML 5 Semantic Elements

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: LO: 02.02 - Describe and use HTML 5 semantic elements

NATIONAL STANDARDS: United States - BUSPROG: Technology TOPICS: Using HTML5 Semantic Elements

KEYWORDS:Bloom's: RememberDATE CREATED:10/8/2019 3:03 PMDATE MODIFIED:12/12/2019 3:40 PM

| Name | Class | Dat |
|------|-------|-----|
| | : | e: |

48. The nav element is a basic required Hypertext Markup Language (HTML) element.

a. True

b. False

ANSWER: False

FEEDBACK: Correct The nav element is not a basic required Hypertext Markup Language (HTML)

element.

Incorrect The nav element is not a basic required Hypertext Markup Language (HTML)

element.

POINTS:

DIFFICULTY: Easy

REFERENCES: Using HTML 5 Semantic Elements

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: LO: 02.02 - Describe and use HTML 5 semantic elements

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Using HTML5 Semantic Elements

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/8/2019 3:03 PM

 DATE MODIFIED:
 12/12/2019 3:42 PM

49. To create a webpage template, a Hypertext Markup Language (HTML) document with the HTML elements that define the webpage structure must be created.

a. Trueb. False

ANSWER: True

FEEDBACK: Correct To create a webpage template, a Hypertext Markup Language (HTML) document with the

HTML elements that define the webpage structure must be created.

Incorrect To create a webpage template, a Hypertext Markup Language (HTML) document with the

HTML elements that define the webpage structure must be created.

POINTS: 1

DIFFICULTY: Easy

REFERENCES: Creating a Webpage Template

OUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJE LO: 02.05 - Create a webpage template

CTIVES:

NATIONAL STANDUnited States - BUSPROG: Technology

ARDS:

TOPICS: Creating a Webpage Template

KEYWORDS: Bloom's: Remember *DATE CREATED:* 10/8/2019 3:03 PM

| Name | Class | Dat |
|------|-------|-----|
| | · | ۵. |
| • | - | ℧. |

DATE MODIFIED: 12/13/2019 4:11 PM

50. The navigation bar appears in the same position on each page and uses the same colors, fonts, and font styles.

a. True

b. False

ANSWER: True

FEEDBACK: Correct The navigation bar appears in the same position on each page and uses the same

colors, fonts, and font styles.

Incorrect The navigation bar appears in the same position on each page and uses the same

colors, fonts, and font styles.

POINTS: 1
DIFFICULTY: Easy

REFERENCES: Creating a Webpage Template

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTI LO: 02.05 - Create a webpage template

VES:

NATIONAL STANDAR United States - BUSPROG: Technology

DS:

TOPICS: Creating a Webpage Template

KEYWORDS: Bloom's: Remember *DATE CREATED:* 10/8/2019 3:03 PM *DATE MODIFIED:* 12/14/2019 1:36 PM

51. Using blank lines between Hypertext Markup Language (HTML) elements is a bad design practice.

a. True

b. False

ANSWER: False

FEEDBACK: Correct Using blank lines between HTML elements is a good design practice.

Incorrect Using blank lines between HTML elements is a good design practice.

Page 29

POINTS: 1

DIFFICULTY: Easy

REFERENCES: Creating a Webpage Template

QUESTION TYPE: True / False

HAS VARIABLES: False

LO: 02.05 - Create a webpage template NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Creating a Webpage Template

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/8/2019 3:03 PM

 DATE MODIFIED:
 12/12/2019 8:29 PM

52. In Notepad++, the text entered in the text area scrolls continuously to the right unless the word wrap feature is *Copyright Cengage Learning. Powered by Cognero.*

Name Class Dat : e:

Chapter 2: Building a Webpage Template with HTML 5

enabled.

a. Trueb. False

ANSWER: True

FEEDBACK: Correct If you are using Notepad++, the text you enter scrolls continuously to the right unless you

turn on the word wrap feature.

Incorrect If you are using Notepad++, the text you enter scrolls continuously to the right unless you

turn on the word wrap feature.

POINTS: 1
DIFFICULTY: Easy

REFERENCES: Creating a Webpage Template

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECT LO: 02.06 - Insert comments in an HTML document

IVES:

NATIONAL STANDA United States - BUSPROG: Technology

RDS:

TOPICS: Creating a Webpage Template

KEYWORDS: Bloom's: Remember *DATE CREATED:* 10/8/2019 3:03 PM *DATE MODIFIED:* 12/12/2019 8:31 PM

53. The comment syntax uses the angle brackets, similar to the Hypertext Markup Language (HTML) tags.

a. Trueb. False

ANSWER: True

FEEDBACK: Correct The comment syntax uses the angle brackets, similar to the Hypertext Markup

Language (HTML) tags.

Incorrect The comment syntax uses the angle brackets, similar to the Hypertext Markup

Language (HTML) tags.

POINTS: 1

DIFFICULTY: Easy

REFERENCES: Creating a Webpage Template

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIV LO: 02.06 - Insert comments in an HTML document

ES:

NATIONAL STANDAR United States - BUSPROG: Technology

DS:

TOPICS: Creating a Webpage Template

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/8/2019 3:03 PM

 DATE MODIFIED:
 12/12/2019 8:32 PM

| Name | Class | Dat |
|------|--------|-----|
| | · · | e: |

54. A comment is closed by adding two dashes followed by an exclamation mark and a closing angle bracket.

a. Trueb. False

ANSWER: False

FEEDBACK: Correct Commenta are closed by adding two dashes, followed by a closing angle bracket.

Incorrect Commenta are closed by adding two dashes, followed by a closing angle bracket.

POINTS:

DIFFICULTY: Easy

REFERENCES: Creating a Webpage Template

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: LO: 02.06 - Insert comments in an HTML document

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Creating a Webpage Template

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/8/2019 3:03 PM

 DATE MODIFIED:
 12/12/2019 8:34 PM

55. Word wrap affects the way a text prints.

a. True

b. False

ANSWER: False

FEEDBACK: Correct Word wrap does not affect the way a text prints.

Incorrect Word wrap does not affect the way a text prints.

POINTS:

DIFFICULTY: Moderate

REFERENCES: Creating a Webpage Template

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: LO: 02.06 - Insert comments in an HTML document

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Creating a Webpage Template

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/8/2019 3:03 PM

 DATE MODIFIED:
 12/12/2019 8:36 PM

56. To add a document title, the title text must be typed between the starting and ending header tags.

a. True

b. False

ANSWER: False

FEEDBACK: Correct To add a document title, type the title text between the starting and ending title

| Name | Class | Dat |
|------|-------|-----|
| | · | ٥. |
| | | ┖. |

tags

Incorrect To add a document title, type the title text between the starting and ending title

tags.

POINTS:

DIFFICULTY: Moderate

REFERENCES: Creating a Webpage Template

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: LO: 02.05 - Create a webpage template *NATIONAL STANDARDS:* United States - BUSPROG: Technology

TOPICS: Creating a Webpage Template

 KEYWORDS:
 Bloom's: Understand

 DATE CREATED:
 10/8/2019 3:03 PM

 DATE MODIFIED:
 12/12/2019 8:37 PM

57. Inserting blank lines before or after HTML elements does not affect the structure of a webpage.

a. True

b. False

ANSWER: True

FEEDBACK: Correct Inserting blank lines before or after HTML elements does not affect the structure of

the webpage.

Incorrect Inserting blank lines before or after HTML elements does not affect the structure of

the webpage.

POINTS: 1

DIFFICULTY: Moderate

REFERENCES: Creating a Webpage Template

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVE LO: 02.06 - Insert comments in an HTML document

S:

NATIONAL STANDARD United States - BUSPROG: Technology

S:

TOPICS: Creating a Webpage Template

KEYWORDS:Bloom's: UnderstandDATE CREATED:10/8/2019 3:03 PMDATE MODIFIED:12/12/2019 8:39 PM

58. Content is the text or other item that is displayed in a browser.

a. True

b. False

ANSWER: True

FEEDBACK: Content is the text or other item that is displayed in a browser.

| Name | Class | Dat |
|------|-------|-----|
| | • | ٥. |
| | | Ե. |

Incorrect Content is the text or other item that is displayed in a browser.

POINTS: 1

DIFFICULTY: Easy

REFERENCES: Creating a Webpage Template

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: LO: 02.07 - Add static content to a webpage template

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Creating a Webpage Template

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/8/2019 3:03 PM

 DATE MODIFIED:
 12/12/2019 8:43 PM

59. An entity number is a combination of the dollar sign (\$) and a numeric code.

a. True

b. False

ANSWER: False

FEEDBACK: Correct An entity number is a combination of the pound sign (#) and a numeric code.

Incorrect An entity number is a combination of the pound sign (#) and a numeric code.

POINTS:

DIFFICULTY: Easy

REFERENCES: Using Symbol Entities

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTIVES: LO: 02.08 - Insert symbol codes and other character entities

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Using Symbol Entities KEYWORDS: Bloom's: Remember 10/8/2019 3:03 PM
DATE MODIFIED: 12/12/2019 8:44 PM

60. The entity name for the copyright symbol is &cprt.

a. True

b. False

ANSWER: False

FEEDBACK: Correct The entity name for the copyright symbol is & copy;.

Incorrect The entity name for the copyright symbol is & copy;.

POINTS: 1

DIFFICULTY: Moderate

REFERENCES: Using Symbol Entities

QUESTION TYPE: True / False

| Name | Class | Dat |
|------|-------|-----|
| | • | ٥. |
| | | Ե. |

HAS VARIABLES: False

LEARNING OBJECTIVES: LO: 02.08 - Insert symbol codes and other character entities

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Using Symbol Entities KEYWORDS: Bloom's: Remember DATE CREATED: 10/8/2019 3:03 PM DATE MODIFIED: 12/12/2019 8:46 PM

61. A reserved symbol can be added in a Hypertext Markup Language (HTML) webpage by inserting its HTML entity name.

a. Trueb. False

ANSWER: True

FEEDBACK: Correct A reserved symbol can be added in a Hypertext Markup Language (HTML) webpage by

inserting its HTML entity name.

Incorrect A reserved symbol can be added in a Hypertext Markup Language (HTML) webpage by

inserting its HTML entity name.

POINTS: 1
DIFFICULTY: Easy

REFERENCES: Using Symbol Entities

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECT LO: 02.08 - Insert symbol codes and other character entities

IVES:

NATIONAL STANDA United States - BUSPROG: Technology

RDS:

TOPICS: Using Symbol Entities KEYWORDS: Bloom's: Remember DATE CREATED: 10/8/2019 3:03 PM DATE MODIFIED: 12/12/2019 8:47 PM

62. When a browser displays a webpage, it ignores extra white spaces, treating multiple spaces, indents, and paragraph breaks as a single space.

a. Trueb. False

ANSWER: True

FEEDBACK: Correct When a browser displays a webpage, it ignores extra white spaces, treating multiple

spaces, indents, and paragraph breaks as a single space.

Incorrect When a browser displays a webpage, it ignores extra white spaces, treating multiple

spaces, indents, and paragraph breaks as a single space.

POINTS: 1
DIFFICULTY: Easy

REFERENCES: Using Symbol Entities

| Name | Class | Dat |
|------|-------|-----|
| | · | ٥. |
| | | Ե. |

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJE LO: 02.08 - Insert symbol codes and other character entities

CTIVES:

NATIONAL STANDUnited States - BUSPROG: Technology

ARDS:

TOPICS: Using Symbol Entities KEYWORDS: Bloom's: Remember DATE CREATED: 10/8/2019 3:03 PM DATE MODIFIED: 12/12/2019 8:51 PM

63. After creating a template for a website, one can save time by using the template to create webpages in the site.

a. True

b. False

ANSWER: True

FEEDBACK: Correct After creating a template for a website, you can save time by using the template to

create the webpages in the site.

Incorrect After creating a template for a website, you can save time by using the template to

create the webpages in the site.

POINTS: 1
DIFFICULTY: Easy

REFERENCES: Creating a Home Page Using a Webpage Template

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJECTI LO: 02.12 - Create a home page from an HTML template

VES:

NATIONAL STANDA United States - BUSPROG: Technology

RDS:

TOPICS: Creating a Home Page Using a Webpage Template

KEYWORDS: Bloom's: Understand
DATE CREATED: 10/8/2019 3:03 PM
DATE MODIFIED: 12/12/2019 8:54 PM

64. Browsers add space before and after each line break.

a. Trueb. False

ANSWER: False

FEEDBACK: Correct For a line break, browsers do not add space before and after the < br>

Incorrect For a line break, browsers do not add space before and after the < br> tag.

POINTS: 1
DIFFICULTY: Easy

REFERENCES: Creating a Home Page Using a Webpage Template

QUESTION TYPE: True / False

| Name Clas | ss Dat | |
|-----------|--------|--|
| | Δ. | |
| • | G. | |

HAS VARIABLES: False

LEARNING OBJECTIVES: LO: 02.12 - Create a home page from an HTML template

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Creating a Home Page Using a Webpage Template

 KEYWORDS:
 Bloom's: Remember

 DATE CREATED:
 10/8/2019 3:03 PM

 DATE MODIFIED:
 12/13/2019 4:24 PM

65. After creating the home page or any other page of a website and adding content to it, one must display it in a browser to view the completed page.

a. Trueb. False

ANSWER: True

FEEDBACK: Correct After creating the home page or any other page of a website and adding content to it,

display it in a browser to view the completed page.

Incorrect After creating the home page or any other page of a website and adding content to it,

display it in a browser to view the completed page.

POINTS: 1
DIFFICULTY: Easy

REFERENCES: Creating a Home Page Using a Webpage Template

QUESTION TYPE: True / False

HAS VARIABLES: False

LEARNING OBJE LO: 02.12 - Create a home page from an HTML template

CTIVES:

NATIONAL STANDUnited States - BUSPROG: Technology

ARDS:

TOPICS: Creating a Home Page Using a Webpage Template

KEYWORDS: Bloom's: Remember DATE CREATED: 10/8/2019 3:03 PM DATE MODIFIED: 12/13/2019 4:27 PM

66. A uses semantic elements to define the structure of a webpage.

ANSWER: semantic wireframe

POINTS:

DIFFICULTY: Moderate

REFERENCES: Designing a Website

OUESTION TYPE: Completion

HAS VARIABLES: False STUDENT ENTRY MODE: Basic

LEARNING OBJECTIVES: LO: 02.04 - Design and build a semantic wireframe

NATIONAL STANDARDS: United States - BUSPROG: Technology

TOPICS: Designing a Website

| Name : | Class D: |
|------------------------------------|---|
| Chapter 2: Building a Webpa | age Template with HTML 5 |
| KEYWORDS: | Bloom's: Remember |
| DATE CREATED: | 10/8/2019 3:03 PM |
| DATE MODIFIED: | 12/12/2019 8:57 PM |
| 67. Web designers place a busines | ss name or logo within the element. |
| ANSWER: | header |
| POINTS: | 1 |
| DIFFICULTY: | Easy |
| REFERENCES: | Using HTML 5 Semantic Elements |
| QUESTION TYPE: | Completion |
| HAS VARIABLES: | False |
| STUDENT ENTRY MODE: | Basic |
| LEARNING OBJECTIVES: | LO: 02.02 - Describe and use HTML 5 semantic elements |
| NATIONAL STANDARDS: | United States - BUSPROG: Technology |
| TOPICS: | Using HTML5 Semantic Elements |
| KEYWORDS: | Bloom's: Remember |
| DATE CREATED: | 10/8/2019 3:03 PM |
| DATE MODIFIED: | 12/12/2019 8:58 PM |
| 68. The element inclu- | des links to other pages within a website. |
| ANSWER: | nav |
| POINTS: | 1 |
| DIFFICULTY: | Easy |
| REFERENCES: | Using HTML 5 Semantic Elements |
| QUESTION TYPE: | Completion |
| HAS VARIABLES: | False |
| STUDENT ENTRY MODE: | Basic |
| LEARNING OBJECTIVES: | LO: 02.02 - Describe and use HTML 5 semantic elements |
| NATIONAL STANDARDS: | United States - BUSPROG: Technology |
| TOPICS: | Using HTML5 Semantic Elements |
| KEYWORDS: | Bloom's: Remember |
| DATE CREATED: | 10/8/2019 3:03 PM |
| DATE MODIFIED: | 10/8/2019 3:03 PM |
| 69. To ensure that the webpages in | n a site share a standard layout, a must be created. |
| ANSWER: | template |
| POINTS: | 1 |
| DIFFICULTY: | Easy |
| REFERENCES: | Creating a Webpage Template |
| QUESTION TYPE: | Completion |

False

Basic

HAS VARIABLES:

STUDENT ENTRY MODE:

Dat

| Name : | Class : | Dat e: |
|-----------------------------|--|--|
| Chapter 2: Building a Webpa | age Template with HTML 5 | |
| LEARNING OBJECTIVES: | LO: 02.05 - Create a webpage | template |
| NATIONAL STANDARDS: | United States - BUSPROG: Te | - |
| TOPICS: | Creating a Webpage Template | |
| KEYWORDS: | Bloom's: Remember | |
| DATE CREATED: | 10/8/2019 3:03 PM | |
| DATE MODIFIED: | 10/8/2019 3:03 PM | |
| title, meta, and elemen | | OCTYPE declaration and the html, head, |
| ANSWER: | body | |
| POINTS: | 1 | |
| DIFFICULTY: | Easy | |
| REFERENCES: | Creating a Webpage Template | |
| QUESTION TYPE: | Completion | |
| HAS VARIABLES: | False | |
| STUDENT ENTRY MODE: | Basic | |
| LEARNING OBJECTIVES: | LO: 02.05 - Create a webpage | template |
| NATIONAL STANDARDS: | United States - BUSPROG: Te | chnology |
| TOPICS: | Creating a Webpage Template | |
| KEYWORDS: | Bloom's: Remember | |
| DATE CREATED: | 10/8/2019 3:03 PM | |
| DATE MODIFIED: | 10/8/2019 3:03 PM | |
| 71. A(n) element defin | nes the navigation area of a webpage. | |
| ANSWER: | nav | |
| POINTS: | 1 | |
| DIFFICULTY: | Easy | |
| REFERENCES: | Using HTML 5 Semantic Elements | |
| QUESTION TYPE: | Completion | |
| HAS VARIABLES: | False | |
| STUDENT ENTRY MODE: | Basic | |
| LEARNING OBJECTIVES: | LO: 02.02 - Describe and use HTML 5 se | emantic elements |
| NATIONAL STANDARDS: | United States - BUSPROG: Technology | |
| TOPICS: | Creating a Webpage Template | |
| KEYWORDS: | Bloom's: Remember | |
| DATE CREATED: | 10/8/2019 3:03 PM | |
| DATE MODIFIED: | 10/8/2019 3:03 PM | |
| 72. The of a webpage | is the text that appears on the browser tab when | the webpage is displayed in a browser. |
| ANSWER: | title | |
| POINTS: | 1 | |
| DIFFICULTY: | Easy | |

| Name : | Class | Dat e: |
|--|---|--|
| Chapter 2: Building a Webpag | ge Template with HTML 5 | |
| REFERENCES: | Creating a Webpage Template | |
| QUESTION TYPE: | Completion | |
| HAS VARIABLES: | False | |
| STUDENT ENTRY MODE: | Basic | |
| LEARNING OBJECTIVES: | LO: 02.05 - Create a webpage ter | mplate |
| NATIONAL STANDARDS: | United States - BUSPROG: Tech | |
| TOPICS: | Creating a Webpage Template | |
| KEYWORDS: | Bloom's: Remember | |
| DATE CREATED: | 10/8/2019 3:03 PM | |
| DATE MODIFIED: | 10/8/2019 3:03 PM | |
| 73. A(n) is closed by ac | lding two dashes, followed by a closing angle bra | acket. |
| POINTS: | 1 | |
| DIFFICULTY: | Easy | |
| REFERENCES: | Creating a Webpage Template | |
| QUESTION TYPE: | Completion | |
| HAS VARIABLES: | False | |
| STUDENT ENTRY MODE: | Basic | |
| LEARNING OBJECTIVES: | LO: 02.06 - Insert comments in an HTM | L document |
| NATIONAL STANDARDS: | United States - BUSPROG: Technology | |
| TOPICS: | Creating a Webpage Template | |
| KEYWORDS: | Bloom's: Remember | |
| DATE CREATED: | 10/8/2019 3:03 PM | |
| DATE MODIFIED: | 10/8/2019 3:03 PM | |
| 74 causes text lines to text is visible in the Notepad++ wir | break at the right edge of a window and appear or adow. | n a new line. Therefore, all the entered |
| ANSWER: | Word wrap | |
| POINTS: | 1 | |
| DIFFICULTY: | Easy | |
| REFERENCES: | Creating a Webpage Template | |
| QUESTION TYPE: | Completion | |
| HAS VARIABLES: | False | |
| STUDENT ENTRY MODE: | Basic | |
| LEARNING OBJECTIVES: | LO: 02 06 - Insert comments in an HTM | L document |

NATIONAL STANDARDS: United States - BUSPROG: Technology

Creating a Webpage Template TOPICS:

KEYWORDS: Bloom's: Remember DATE CREATED: 10/8/2019 3:03 PM DATE MODIFIED: 10/8/2019 3:03 PM

| Name : | Class : | Dat e: |
|-------------------------------------|---|----------------------------------|
| Chapter 2: Building a Webp | age Template with HTML 5 | |
| | rebpage from a template, provide insigh | at on the type of information to |
| include. ANSWER: | a a mamo anto | |
| | comments | |
| POINTS: | 1 | |
| DIFFICULTY: | Easy | |
| REFERENCES: | Creating a Webpage Template | |
| QUESTION TYPE: | Completion | |
| HAS VARIABLES: | False | |
| STUDENT ENTRY MODE: | Basic | |
| LEARNING OBJECTIVES: | LO: 02.06 - Insert comments in an HTM | L document |
| NATIONAL STANDARDS: | United States - BUSPROG: Technology | |
| TOPICS: | Creating a Webpage Template | |
| KEYWORDS: | Bloom's: Remember | |
| DATE CREATED: | 10/8/2019 3:03 PM | |
| DATE MODIFIED: | 12/13/2019 4:32 PM | |
| 76 is the text or other | item that is displayed in a browser. | |
| ANSWER: | Content | |
| POINTS: | 1 | |
| DIFFICULTY: | Moderate | |
| REFERENCES: | Creating a Webpage Template | |
| QUESTION TYPE: | Completion | |
| HAS VARIABLES: | False | |
| STUDENT ENTRY MODE: | Basic | |
| LEARNING OBJECTIVES: | LO: 02.07 - Add static content to a webpa | ige template |
| NATIONAL STANDARDS: | United States - BUSPROG: Technology | |
| TOPICS: | Creating a Webpage Template | |
| KEYWORDS: | Bloom's: Understand | |
| DATE CREATED: | 10/8/2019 3:03 PM | |
| DATE MODIFIED: | 10/8/2019 3:03 PM | |
| 77 All character entities in a sour | rce code start with an ampersand (&) and end with a | o(n) |
| ANSWER: | semicolon | a(II) |
| THYSWER. | : | |
| POINTS: | 1 | |
| DIFFICULTY: | Moderate | |
| REFERENCES: | Using Symbol Entities | |
| QUESTION TYPE: | Completion | |
| HAS VARIABLES: | False | |
| STUDENT ENTRY MODE: | Basic | |
| LEARNING OBJECTIVES: | LO: 02.08 - Insert symbol codes and other cl | naracter entities |
| LEMMING ODOLCTIVED. | 20. 02.00 miser symbol codes and other cl | 14140101 011111103 |

| Name : | C : | lass | Dat e: |
|--|---|--------------------------|-----------------------------------|
| Chapter 2: Building a Webp | age Template with HTM | 1L 5 | |
| NATIONAL STANDARDS: | United States - BUSP | ROG: Technology | |
| TOPICS: | Creating a Webpage | = - | |
| KEYWORDS: | Bloom's: Remember | • | |
| DATE CREATED: | 10/8/2019 3:03 PM | | |
| DATE MODIFIED: | 10/8/2019 3:03 PM | | |
| 78. Inserting a Hypertext Markup on the webpage. | Language (HTML) | in the source code d | isplays a reserved HTML character |
| ANSWER: | character entity | | |
| POINTS: | 1 | | |
| DIFFICULTY: | Easy | | |
| REFERENCES: | Using Symbol Entitie | S | |
| QUESTION TYPE: | Completion | | |
| HAS VARIABLES: | False | | |
| STUDENT ENTRY MODE: | Basic | | |
| LEARNING OBJECTIVES: | LO: 02.08 - Insert syn | nbol codes and other cha | aracter entities |
| NATIONAL STANDARDS: | United States - BUSP | ROG: Technology | |
| TOPICS: | Using Symbol Entitie | S | |
| KEYWORDS: | Bloom's: Remember | | |
| DATE CREATED: | 10/8/2019 3:03 PM | | |
| DATE MODIFIED: | 12/13/2019 4:35 PM | | |
| 79. The entity name for a copyrig | ht symbol is . | | |
| ANSWER: | © | | |
| POINTS: | 1 | | |
| DIFFICULTY: | Moderate | | |
| REFERENCES: | Using Symbol Entitie | S | |
| QUESTION TYPE: | Completion | | |
| HAS VARIABLES: | False | | |
| STUDENT ENTRY MODE: | Basic | | |
| LEARNING OBJECTIVES: | LO: 02.08 - Insert syn | mbol codes and other cha | aracter entities |
| NATIONAL STANDARDS: | United States - BUSP | ROG: Technology | |
| TOPICS: | Using Symbol Entitie | S | |
| KEYWORDS: | Bloom's: Remember | | |
| DATE CREATED: | 10/8/2019 3:03 PM | | |
| DATE MODIFIED: | 10/8/2019 3:03 PM | | |
| 80. To insert two spaces between <i>ANSWER</i> : | each page name, the nonbreaking space ch | | l. |
| POINTS: | 1 | u1 u0 t01 | |
| DIFFICULTY: | Moderate | | |
| DILLICOLLI. | moderate | | |

| Name : | Class : | Dat e: |
|--|--|--------------------------------------|
| Chapter 2: Building a Webp | age Template with HTML 5 | |
| REFERENCES: | Using Symbol Entities | |
| QUESTION TYPE: | Completion | |
| HAS VARIABLES: | False | |
| STUDENT ENTRY MODE: | Basic | |
| LEARNING OBJECTIVES: | LO: 02.08 - Insert symbol codes and other | character entities |
| NATIONAL STANDARDS: | United States - BUSPROG: Technology | |
| TOPICS: | Using Symbol Entities | |
| KEYWORDS: | Bloom's: Remember | |
| DATE CREATED: | 10/8/2019 3:03 PM | |
| DATE MODIFIED: | 10/8/2019 3:03 PM | |
| 81. Legal notices included in a weal ANSWER: | ebsite usually appear in the of a webp | page. |
| POINTS: | 1 | |
| DIFFICULTY: | Moderate | |
| REFERENCES: | Using Symbol Entities | |
| QUESTION TYPE: | Completion | |
| HAS VARIABLES: | False | |
| STUDENT ENTRY MODE: | Basic | |
| LEARNING OBJECTIVES: | LO: 02.08 - Insert symbol codes and other | character entities |
| NATIONAL STANDARDS: | United States - BUSPROG: Technology | |
| TOPICS: | Using Symbol Entities | |
| KEYWORDS: | Bloom's: Remember | |
| DATE CREATED: | 10/8/2019 3:03 PM | |
| DATE MODIFIED: | 12/13/2019 4:40 PM | |
| 82. A validator scans the to see if the code is valid for that | statement to see which version of HTML or 2 version. | XHTML is being used, and then checks |
| ANSWER: | DOCTYPE html | |
| POINTS: | 1 | |
| DIFFICULTY: | Moderate | |
| REFERENCES: | Validating HTML Documents | |
| QUESTION TYPE: | Completion | |
| HAS VARIABLES: | False | |
| STUDENT ENTRY MODE: | Basic | |
| LEARNING OBJECTIVES: | LO: 02.11 - Validate an HTML | template |
| NATIONAL STANDARDS: | United States - BUSPROG: Ted | chnology |
| TOPICS: | Validating HTML Documents | |
| KEYWORDS: | Bloom's: Understand | |

10/8/2019 3:03 PM

DATE CREATED:

| Name : | Class : | Dat e: |
|--|--|-------------------------------------|
| Chapter 2: Building a Webpag | ge Template with HTML 5 | |
| DATE MODIFIED: | 10/8/2019 3:03 PM | |
| 83. If a document has any errors,template to create a webpage. | gives the developer a chance to identify | y and correct them before using the |
| ANSWER: | validating validation | |
| POINTS: | 1 | |
| DIFFICULTY: | Easy | |
| REFERENCES: | Validating HTML Documents | |
| QUESTION TYPE: | Completion | |
| HAS VARIABLES: | False | |
| STUDENT ENTRY MODE: | Basic | |
| LEARNING OBJECTIVES: | LO: 02.10 - Describe the benefits of validating | g web documents |
| NATIONAL STANDARDS: | United States - BUSPROG: Technology | |
| TOPICS: | Validating HTML Documents | |
| KEYWORDS: | Bloom's: Remember | |
| DATE CREATED: | 10/8/2019 3:03 PM | |
| DATE MODIFIED: | 12/13/2019 4:44 PM | |
| 84. Using a saves time i | in coding because the basic wireframe for a page | is already established in it. |
| ANSWER: | template | , |
| POINTS: | 1 | |
| DIFFICULTY: | Easy | |
| REFERENCES: | Creating a Home Page Using a Webpage To | emplate |
| QUESTION TYPE: | Completion | - |
| HAS VARIABLES: | False | |
| STUDENT ENTRY MODE: | Basic | |
| LEARNING OBJECTIVES: | LO: 02.12 - Create a home page from an H | TML template |
| NATIONAL STANDARDS: | United States - BUSPROG: Technology | • |
| TOPICS: | Creating a Home Page Using a Webpage To | emplate |
| KEYWORDS: | Bloom's: Understand | 1 |
| DATE CREATED: | 10/8/2019 3:03 PM | |
| DATE MODIFIED: | 10/8/2019 3:03 PM | |
| 85. Discuss the following Hypertex | t Markup Language (HTML) 5 structural elemen | ts. |
| o header | | |
| o nav | | |
| o main | | |
| footer | | |

ANSWER:

• **Header Element**. The header element structurally defines the header area of a webpage. The header element starts with a <header> tag and ends with a </header> tag. Content placed between these tags appears on the webpage as part of the header element. Web designers often place a business name or

| Name | Class | Dat |
|------|-------|-----|
| | | e: |

logo within the header element.

- Nav Element. The nav element structurally defines the navigation area of a webpage. The nav element starts with a <nav> tag and ends with a </nav> tag. The nav element usually includes links to other pages within the website.
- Main Element. The main element structurally defines the main content area of a webpage. The main element starts with a <main> tag and ends with a </main> tag. Each page can have only one main element because its content should be unique to each page. At the time this book was written, all major browsers supported the main element, with the exception of Internet Explorer 11 and earlier versions. While Internet Explorer 11 will display content within the main element, it does not fully support the element. For example, Internet Explorer 11 might not correctly display formatting applied to the main element.
- **Footer Element**. The footer element structurally defines the bottom, or footer area, of a webpage. The footer element starts with a <footer> tag and ends with a </footer> tag. Common content found within a webpage footer includes copyright information, contact information, and page links.

POINTS: 1

DIFFICULTY: Moderate

REFERENCES: Using HTML 5 Semantic Elements

QUESTION TYPE: Essay HAS VARIABLES: False STUDENT ENTRY Basic

MODE:

LEARNING OBJE LO: 02.02 - Describe and use HTML 5 semantic elements

CTIVES.

NATIONAL STANDUnited States - BUSPROG: Technology

ARDS:

TOPICS: Using HTML5 Semantic Elements

KEYWORDS: Bloom's: Understand DATE CREATED: 10/8/2019 3:03 PM DATE MODIFIED: 12/12/2019 9:27 PM

86. Explain the functions of comments in Hypertext Markup Language (HTML) along with their general syntax.

ANSWER:

As a webpage template is created, comments about the Hypertext Markup Language (HTML) elements used to define the areas within the webpage must be included. Comments provide additional information about these areas and the type of information they include, which is especially helpful if work is stopped on a partially completed page and then returned to later.

Add a comment before a tag using the following syntax:

<!-- Place your comment here -->

The comment syntax uses the angle brackets, similar to the HTML tags. The next character is an exclamation mark followed by two dashes (--). The comment text is added after the first set of dashes. For example, comments can be used to give instructions on how to use the template or to identify the author of the website. Comments can be closed by adding two dashes, followed by a closing angle

| Name | Class | Dat |
|------|-------|-----|
| | · | ۵. |
| | | Ե. |

bracket.

POINTS: 1

DIFFICULTY: Moderate

REFERENCES: Creating a Webpage Template

QUESTION TYPE: Essay HAS VARIABLES: False STUDENT ENTRY Basic

MODE:

LEARNING OBJE LO: 02.06 - Insert comments in an HTML document

CTIVES:

NATIONAL STANDUnited States - BUSPROG: Technology

ARDS:

TOPICS: Creating a Webpage Template

KEYWORDS: Bloom's: Understand DATE CREATED: 10/8/2019 3:03 PM DATE MODIFIED: 12/13/2019 4:48 PM

87. Discuss the purpose of using Hypertext Markup Language (HTML) character entities. Also, define the terms *entity name* and *entity number* with an example for each.

ANSWER:

When adding content to a webpage, often symbols need to be inserted, such as a copyright symbol, ©. Some symbols such as less than (<) or greater than (>) are reserved for other uses, such as signifying the start and end of Hypertext Markup Language (HTML) tags. Other symbols such as © or € are not included on standard keyboards. Rather than inserting reserved symbols directly or avoiding other special symbols, a symbol can be inserted on an HTML webpage by typing its HTML entity name or entity number. Inserting an HTML character entity in the code displays a reserved HTML character on the webpage. All character entities start with an ampersand (&) and end with a semicolon (;) to signal to the browser that everything in between is an entity representing a symbol.

An entity name is an abbreviated name, and an entity number is a combination of the pound sign (#) and a numeric code. For example, the entity name for the copyright symbol is © and the entity number for the copyright symbol is ©. Either an entity's name or number can be used in an HTML code. An entity name is easier to remember than an entity number, though more browsers support entity numbers than names.

POINTS: 1

DIFFICULTY: Moderate

REFERENCES: Using Symbol Entities

QUESTION TYPE: Essay HAS VARIABLES: False STUDENT ENTRY Basic

MODE:

LEARNING OBJE LO: 02.08 - Insert symbol codes and other character entities

CTIVES:

NATIONAL STANDUnited States - BUSPROG: Technology

ARDS:

TOPICS: Using Symbol Entities

| Name | Class | Dat |
|------|-------|-----|
| | : | e: |

KEYWORDS: Bloom's: Understand DATE CREATED: 10/8/2019 3:03 PM DATE MODIFIED: 12/13/2019 4:50 PM

Critical Thinking Questions Case 2-1

Steve is new to web development, and he has been asked to create a website with a minimum of 10 webpages for one of his high school events using Hypertext Markup Language (HTML) 5.

88. Steve wants to insert the copyright information in the webpages for the images used in the website. Where would you recommend him to place this information?

- a. <header>...</header>
- b. <nav>...</nav>
- c. <main>...</main>
- d. <footer>...</footer>

ANSWER: d

FEEDBACK:

- a. The footer element starts with a tag and ends with a tag. Common content found within a webpage footer includes copyright information, contact information, social media links, and policy links.
- b. The footer element starts with a tag and ends with a tag. Common content found within a webpage footer includes copyright information, contact information, social media links, and policy links.
- c. The footer element starts with a tag and ends with a tag. Common content found within a webpage footer includes copyright information, contact information, social media links, and policy links.
- d. The footer element starts with a tag and ends with a tag. Common content found within a webpage footer includes copyright information, contact information, social media links, and policy links.

POINTS: 1

DIFFICULTY: Challenging

REFERENCES: Using HTML 5 Semantic Elements

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False PREFACE NAME: case 2-1

LEARNING OBJE LO: 02.02 - Describe and use HTML 5 semantic elements

CTIVES:

NATIONAL STANDUnited States - BUSPROG: Technology

ARDS:

TOPICS: Using HTML5 Semantic Elements

KEYWORDS: Bloom's: Remember DATE CREATED: 10/8/2019 3:03 PM DATE MODIFIED: 12/12/2019 9:34 PM

Critical Thinking Questions

| Name | Class | Dat |
|------|-------|-----|
| | • | e. |
| • | • | 0. |

Case 2-2

Gigano Mobiles, a smartphone manufacturer, is going to release its new flagship device next month. The Chief Executive Officer (CEO) of Gigano Mobiles asks Maeve, a website developer, to develop an exclusive website for the flagship device.

89. Maeve has created the website, but she is not able to include more than one blank space at a time. Even if she hits the SPACE button twice, the browser displays it as a single space. Which of the following would you suggest Maeve to use to overcome this problem?

a.

b. <

c. ®

d. ®

ANSWER: a

FEEDBACK:

- a. A commonly used character is a nonbreaking space, which forces browsers to display a blank space.
- b. A commonly used character is a nonbreaking space, which forces browsers to display a blank space.
- c. A commonly used character is a nonbreaking space, which forces browsers to display a blank space.
- d. A commonly used character is a nonbreaking space, which forces browsers to display a blank space.

POINTS: 1

DIFFICULTY: Challenging

REFERENCES: Using Symbol Entities

QUESTION TYPE: Multiple Choice

HAS VARIABLES: False
PREFACE NAME: case 2-2

LEARNING OBJECTIV LO: 02.08 - Insert symbol codes and other character entities

ES:

NATIONAL STANDAR United States - BUSPROG: Technology

DS:

TOPICS: Using Symbol Entities KEYWORDS: Bloom's: Remember 10/8/2019 3:03 PM DATE MODIFIED: 12/13/2019 4:55 PM