Exam						
Name						
MULTIPL	_E CHOICE. Ch	oose the one al	ternative that be	est completes the statem	nent or answers the que	stion.
Solve the	problem.					
	In an eye color s does the numbe	•	50 people in the	sample had brown eyes.	In this situation, what	1)
	A) a class perco C) a class relat	•		B) a class frequency D) a class		
	Answer: C					
2)	What class perce	entage correspoi B) 63°		ative frequency of .37? C) .63%	D) 37%	2)
	Answer: D	,				
SHORT A	ANSWER. Write	e the word or ph	rase that best c	ompletes each statemen	t or answers the questic	on.
·	•	institutional (sc	hool or work) ac	er their primary e-mail count, or an account tha data.	·	
	Answer: free acc	count, institutio	nal account, acco	ount paid for personally		
MULTIPL	_E CHOICE. Ch	oose the one al	ternative that b	est completes the statem	nent or answers the que	stion.
4)	What number is	missing from th	ne table?			4)
		x.com/products		-		
/test-	bank-statistics-for-busines Grades	ss-and-economics-13e-m	Relative			
	on Test	Frequency	Frequency			
	Α	6	.24			
	В	7				
	C	9	.36			

est-k	ank-statistics-for-busines	ss-and-economics-13e-m	Relative
	on Test	Frequency	Frequency
·	А	6	.24
	В	7	
	С	9	.36
	D	2	.08
•	F	1	.04

A) .70

B) .07

C) .72

D) .28

Answer: D

5) What number is missing from the table?

Year in		Relative
College	Frequency	Frequency
Freshman	600	.30
Sophomore	560	.28
Junior		.22
Senior	400	.20

A) 520

B) 440

C) 480

D) 220

SHORT ANSWER.	Write the word or phrase	that best completes	each statement or	answers the question.	
6) Complete	the frequency table for the	data shown below.		6)	

green	blue	brown	orange	blue
brown	orange	blue	red	green
blue	brown	green	red	brown
blue	brown	blue	blue	red

Color	Frequency
Green	
Blue	
Brown	
Orange	

Answer:

Color	Frequency
Green	3
Blue	7
Brown	5
Orange	2
Red	3

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Answer the question True or False.


swer the question frue or Faise	•	
7) A frequency table display	s the proportion of observations falling into each class.	7)
A) True	B) False	

Solve the problem.

8) 260 randomly sampled college students were asked, among other things, to state their year in school (freshman, sophomore, junior, or senior). The responses are shown in the bar graph below. How many of the students who responded would be classified as upperclassmen (e.g., juniors or seniors)?

8) _____

Histogram




260 observations

- A) Approximately 100
- C) Approximately 25

B) Approximately 125

D) Approximately 10

Answer: B



9)

The manager of a store conducted a customer survey to determine why customers shopped at the store. The results are shown in the figure. What proportion of customers responded that merchandise was the reason they shopped at the store?

A) $\frac{3}{7}$


B) $\frac{2}{7}$

C) 30

D) $\frac{1}{2}$

Answer: A

10)



The bar graph shows the political affiliation of 1000 registered U.S. voters. What percentage of the voters belonged to one of the traditional two parties (Democratic or Republican)?

A) 25%

B) 40%

C) 35%

D) 75%

Answer: D

11) The data below show the types of medals won by athletes representing the United States in the Winter Olympics.

11) _			
-------	--	--	--

gold	gold	silver	gold	bronze	silver	silver
bronze	gold	silver	silver	bronze	silver	gold
gold	silver	silver	bronze	bronze	gold	silver
gold	gold	bronze	bronze			


- Construct a frequency table for the data.
- Construct a relative frequency table for the data.
- Construct a frequency bar graph for the data.

Answer: a.

Medal	Frequency
Gold	9
Silver	9
Bronze	7

b.

Medal	Relative
	Frequency
Gold	.36
Silver	.36
Bronze	.28



MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Answer the question True or False.

12) The bars in a bar graph can be arranged by height in ascending order from left to right. B) False

12)

A) True

Answer: A

13) Either vertical or horizontal bars can be used when constructing a bar graph.


13)

A) True

B) False

14)

14)



The pie chart shows the classifications of students in a statistics class.


What percentage of the class consists of freshman, sophomores, and juniors?

- A) 44%
- B) 54%
- C) 86%
- D) 14%

Answer: C

15) One of the questions posed to a sample of 286 incoming freshmen at a large public university was, "Do you have any tattoos?" Their responses are shown below in the pie chart. Please note that the values shown represent the number of responses in each category.

15)



Based on the responses shown in the pie chart, what percentage of the freshmen responded with "Yes?"

- A) 73.4%
- B) 26.6%
- C) 76%
- D) 76

16) The table shows the number of each type of book found at an online auction site during a recent search.

16)


Type of Book	Number
Children's	51,033
Fiction	141,114
Nonfiction	253,074
Educational	67,252

- Construct a relative frequency table for the book data.
- Construct a pie chart for the book data.

Answer: a.

Type of Book	Relative		
	Frequency		
Children's	.10		
Fiction	.28		
Nonfiction	.49		
Educational	.13		

b.



MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Answer the question True or False.

17) If 25% of your statistics class is sophomores, then in a pie chart representing classifications of the students in your statistics class the slice assigned to sophomores is 90°.

17)

A) True

B) False

Answer: A

18) The slices of a pie chart must be arranged from largest to smallest in a clockwise direction.

18)

A) True

B) False

Solve the problem.

19) What characteristic of a Pareto diagram distinguishes it from other bar graphs?

19)

Answer: In a Pareto diagram, the bars are arranged by height in a descending order from left to right.

20) The table shows the number of each type of car sold in June.

20)


Car	Number	
compact	7,204	
sedan	9,089	
small SUV	20,418	
large SUV	13,691	
minivan	15,837	
truck	15,350	
Total	81,589	

- a. Construct a relative frequency table for the car sales.
- b. Construct a Pareto diagram for the car sales using the class percentages as the heights of the bars.

Answer: a.

Relative Frequency
Frequency
rrequeries
0.09
0.11
0.25
0.17
0.19
0.19

b.



MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Answer the question True or False.

21) Class relative frequencies must be used, rather than class frequencies or class percentages, when constructing a Pareto diagram.

21) _____

A) True

B) False

Answer: B

22) A Pareto diagram is a pie chart where the slices are arranged from largest to smallest in a counterclockwise direction.

22) _____

A) True

B) False

Answer: B

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.


Solve the problem.

23) An annual survey sent to retail store managers contained the question "Did your store suffer any losses due to employee theft?" The responses are summarized in the table for two years. Compare the responses for the two years using side-by-side bar charts. What inferences can be made from the charts?

23)

Employee	Percentage	Percentage
Theft	in year 1	in year 2
Yes	34	23
No	51	68
Don't know	15	9
Totals	100	100

Answer:




Losses due to employee theft have decreased from year 1 to year 2.

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

24) The payroll amounts for all teams in an international hockey league are shown below using a graphical technique from chapter 2 of the text. How many of the hockey team payrolls exceeded \$20 million (Note: Assume that no payroll was exactly \$20 million)?

24) _____



- A) 18 teams
- B) 23 teams
- C) 10 teams
- D) 8 teams

Answer: B

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

25) The data show the total number of medals (gold, silver, and bronze) won by each country winning at least one gold medal in the Winter Olympics.

25)	
· —	

1 2 3 3 4 9 9 11 11

11 14 14 19 22 23 24 25 29

a. Complete the class frequency table for the data.


Total Medals	Frequency
1-5	
6-10	
11-15	
16-20	
21-25	
26-30	

b. Using the classes from the frequency table, construct a histogram for the data.

Answer: a. 25)

Total Medals	Frequency
1-5	5
6-10	2
11-15	5
16-20	1
21-25	4
26-30	1

b.




26) The total points scored by a basketball team for each game during its last season have 26) ______ been summarized in the table below.

_
Frequency
3
8
12
7

a. Explain why you cannot use the information in the table to construct a stem-and-leaf display for the data.

b. Construct a histogram for the scores.

Answer: a. The exact scores would be needed to construct a stem-and-leaf display but the exact scores are not available in the table given.



iswer :	the question True or False.		
) All class intervals in a histogram	m have the same width.	27)
•	A) True	B) False	,
	Answer: A		
28)	A histogram can be constructed the heights of the bars.	d using either class frequencies or class relative frequencies	as 28)
	A) True	B) False	
	Answer: A		
29)) The bars in a histogram should A) True	be arranged by height in descending order from left to rig B) False	ht. 29)
	Answer: B		
lve th	e problem.		
	•	ermine how people feel about the quality of programming	30)
		dents were asked to rate the overall quality from 0 (no qua	
	·	lity). The stem-and-leaf display of the data is shown below	3
	Stem Leaf 3 3 6 4 0 3 4 7 8 9 9 9		
	5 0 1 1 2 3 4 5 6 1 2 5 6 6 7 0 6 8		
	9 3		
		dents rated overall television quality as very good (regarde	ed as
	ratings of 80 and above)? A) 4% B) 3%	% C) 1% D) 12%	
	Answer: A		
31)) 252 randomly sampled college :	students were asked, among other things, to estimate their	31)
		PA). The responses are shown in the stem-and-leaf plot sh	
		55 would be indicated with a stem of 36 and a leaf of 5 in th	е
	plot. How many of the students	s who responded had GPA's that exceeded 3.55?	
	Stem and Leaf Plot of GPA		
	Leaf Digit Unit = 0.01	Minimum 1.9900	
	19 9 represents 1.99	Median 3.1050	

	Stem	Leaves
1	19	9
5	20	0668
6	21	0
11	22	05567
15	23	0113
20	24	00005
33	25	000000000067
46	26	0000005577789
61	27	000000134455578
79	28	00000000144667799
88	29	002356777
116	5 30	00000000000000000011344559
(19	31	000000000112235666
117	7 32	00000000000000345568
95	33	00000000025557
80	34	00000000000000333444566677889
49	35	000003355566677899
31	36	000005
25	37	022235588899
13	38	00002579
5	39	7
4	40	0000

252 cases included

A) 39

B) 19

C) 31

D) 49

Answer: A

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

32) The scores for a statistics test are as follows:

32)

```
87 76 90 77 92 94 88 85 66 89
79 98 50 98 83 88 82 56 15 69
```

Create a stem-and-leaf display for the data.

Answer:

Stem	L	ea	ıf				
_	5						
2		6 9 7					
3							
4							
5	0	6					
6	6	9)				
7	6	7		9			
8	2	3	5	7 4	8	8	9
9	0	2		4	8	8	

Answer the question True or False. 33) For large data sets, a stem-and-leaf display is a better choice than a histogram. 33) B) False A) True Answer: B Solve the problem. 34) A dot plot of the speeds of a sample of 50 cars passing a policeman with a radar gun is shown 34) below. 63 65 67 47 49 51 53 57 **59** 61 69 45 55 What proportion of the motorists were driving above the posted speed limit of 60 miles per hour? C) 2 D) 0.04 A) 0.22 B) 0.18 Answer: B 35) Which of the graphical techniques below can be used to summarize qualitative data? 35) A) dot plot B) bar graph D) stem-and-leaf plot C) box plot Answer: B 36) Parking at a university has become a problem. University administrators are interested in 36) determining the average time it takes a student to find a parking spot. An administrator inconspicuously followed 260 students and recorded how long it took each of them to find a parking spot. Which of the following types of graphs should not be used to display information concerning the students parking times? A) box plot B) pie chart D) stem-and-leaf display C) histogram Answer: B 37) Fill in the blank. One advantage of the ______ is that the actual data values are retained in 37) the graphical summarization of the data. A) pie chart C) stem-and-leaf plot B) histogram Answer: C 38) The amount spent on textbooks for the fall term was recorded for a sample of five university 38) students - \$400, \$350, \$600, \$525, and \$450. Calculate the value of the sample mean for the data. B) \$450 C) \$465 D) \$400 A) \$600

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Answer: C

39)			•				ıll term was reco 50. Calculate the		•		9	39)
	data.	, ,			, ,	, o = o , o						
	A) \$450	0			B	\$400	C) \$46	55		D) \$600		
	Answer	: A										
40)		for M	ledica	aid bu	ut hav	_	y of senior citize health insuranc					40)
	71	76	69	79	89							
	77	64		68	93							
	72	95		65	84							
	66	71		73	76							
	63	90	78	67	85							
	Find the A) 73	e mec	lian c	of the		rvations.) 77	C) 76			D) 76.5		
	Answer	: C			·		ŕ			·		
41)	The scor	es fo	r a st	atisti	cs tes	st are as follo	WS:					41)
						35 86 89 77 18 78						
	Comput	e the	mea	n sco	re.							
	A) 75.3 Answer:				B) 75	C) 66.	25		D) 78.50		
	Allswei	. A										
42)				•		• .	information above telegraphs in the control of the		•			42)
	•		_			•	ourchased the ne	-				
	9 1 2		11	,	12	$11\frac{1}{2}$						
	$8\frac{1}{2}$					11						
	10		11	9	$\frac{1}{2}$	10						

Answer: D

A) $10\frac{1}{2}$

B) $10\frac{1}{4}$

C) $9\frac{1}{2}$

D) 11

43) Each year advertisers spend billions of dollars purchasing commercial time on network television. In the first 6 months of one year, advertisers spent \$1.1 billion. Who were the largest spenders? In a recent article, the top 10 leading spenders and how much each spent (in million of dollars) were listed:

43) _____

Calculate the mean and median for the data.

Answer: The mean of the data is $x = \frac{\sum x}{n}$

$$n$$

$$72.6 + 61.7 + 57.5 + 54.9 + 30.5 + 27.8 + 26.3 + 21.2 + 21.3 + 20.1$$

$$10$$

$$= \frac{393.9}{10}$$

$$= 39.39 \Rightarrow \$39.39 \text{ million}$$

The median is the average of the middle two observations.

$$M = \frac{30.5 + 27.8}{2} = 29.15 \Rightarrow $29.15 \text{ million}$$

44) The data show the total number of medals (gold, silver, and bronze) won by each country winning at least one gold medal in the Winter Olympics. Find the mean, median, and mode of the numbers of medals won by these countries.

44) _____

Answer: The mean is the sum of the numbers divided by 18:

$$\frac{1+2+3+3+4+9+9+11+11+11+14+19+22+23+24+25+29}{18}$$

$$=\frac{234}{18}=13 \text{ medals}.$$

The median is the mean of the two middle numbers: $\frac{11 + 11}{2} = 11$ medals.

The mode is the most frequent number of medals: 11 medals.

45) Calculate the mean of a sample for which $\sum x = 196$ and n = 8.


45)


Answer: The mean is divided by n:

$$\frac{\sum x}{n} = \frac{196}{8} = 24.5.$$

46) The calculator screens summarize a data set.

46) _____





- a. How many data items are in the set?
- b. What is the sum of the data?
- c. Identify the mean, median, and mode, if possible.

Answer: a. n = 21

b.
$$\sum x = 1679$$

c. mean: $\bar{x} \approx 79.95$; median: Med=82; mode: not possible

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

47) At the U.S. Open Tennis Championship a statistician keeps track of every serve that a player hits during the tournament. The statistician reported that the mean serve speed of a particular player was 103 miles per hour. Suppose that the statistician indicated that the serve speed distribution was skewed to the left. Which of the following values is most likely the value of the median serve speed?

47)

- A) 94 mph
- B) 112 mph
- C) 103 mph
- D) 85 mph

Answer: B

48) The amount spent on textbooks for the fall term was recorded for a sample of five hundred university students. The mean expenditure was calculated to be \$500 and the median expenditure was calculated to be \$425. Which of the following interpretations of the mean is correct?

48) _____

- A) 50% of the students sampled had textbook costs equal to \$500
- B) 50% of the students sampled had textbook costs that were less than \$500
- C) The average of the textbook costs sampled was \$500
- D) The most frequently occurring textbook cost in the sample was \$500

Answer: C

49) The amount spent on textbooks for the fall term was recorded for a sample of five hundred	49)
university students. The mean expenditure was calculated to be \$500 and the median	
expenditure was calculated to be \$425. Which of the following interpretations of the median	is
correct?	
A) 50% of the students sampled had textbook costs equal to \$425	
B) 50% of the students sampled had textbook costs that were less than \$425	
C) The average of the textbook costs sampled was \$425	
D) The most frequently occurring textbook cost in the sample was \$425	
Answer: B	
50) During one recent year, U.S. consumers redeemed 6.48 billion manufacturers' coupons and	50)
saved themselves \$2.41 billion. Calculate and interpret the mean savings per coupon.	
A) The average savings was \$0.37 per coupon.	
B) Half of all coupons were worth more than 268.9 cents in savings.	
C) The average savings was 268.9 cents per coupon.	
D) Half of all coupons were worth more than \$0.37 in savings.	
Answer: A	
51) The output below displays the mean and median for the state high school dropout rates in	51)


	Year 1	Year 5
N	51	51
MEAN	28.02	26.66
MEDIAN	27.57	25.87

year 1 and in year 5.

Interpret the year 5 median dropout rate of 25.87.

- A) Half of the 51 states had a dropout rate below 25.87%.
- B) Half of the 51 states had a dropout rate of 25.87%.
- C) Most of the 51 states had a dropout rate close to 25.87%.
- D) The most frequently observed dropout rate of the 51 states was 25.87%.

Answer: A



For the distribution drawn here, identify the mean, median, and mode.

- A) A = mode, B = median, C = mean
- B) A = mode, B = mean, C = median
- C) A = mean, B = mode, C = median
- D) A = median, B = mode, C = mean

Answer: A

53) In a distribution that is skewed to the right, what is the relationship of the mean, median, and mode?

53)

54)

A) mode > mean > median

B) mode > median > mode

C) mean > median > mode

D) median > mean > mode

Answer: C

- 54) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean of the test scores is 76. Additional information indicated that the median of the test scores was 86. What type of distribution most likely describes the shape of the test scores?
 - A) symmetric
 - B) skewed to the left
 - C) unable to determine with the information given
 - D) skewed to the right

Answer: B

55) A shoe company reports the mode for the shoe sizes of men's shoes is 12. Interpret this result.

55)

- A) Half of all men's shoe sizes are size 12
- B) The most frequently occurring shoe size for men is size 12
- C) Half of the shoes sold to men are larger than a size 12
- D) Most men have shoe sizes between 11 and 13.

Answer: B

56) Which of the following is not a measure of central tendency?

56)

- A) range
- B) mode
- C) mean
- D) median

Answer: A

measu		•	I basketball players is skewe best measure to determine	· ·	·
	edian	B) mode	C) range	D) mean	
Answ		•	, 3	,	
SHORT ANSW	ER. Write the	word or phrase that	best completes each statem	nent or answers th	e question.
in dete admin each o skewe	ermining the avaluation inconsposed inconsposed inconsposed inconsposed inconsposed inconsposed inconsposed inconsposed inconsection inconsposed inconsection inconsposed inconsection inco	verage time it takes a picuously followed 2 a parking spot. The t	olem. University administra student to find a parking sp 280 students and recorded h imes had a distribution that ion, discuss the relationship ollected.	oot. An ow long it took was	58)
Answ	er: Since the dis exceed the r		to the left, we know that the	e median time will	
•	utput below dis n year 1 and in		median for the state high sc	hool dropout	59)
	Year 1	Year 5			
Ν	51	51			
1 1	V 28.82	26.23			
MEAI	V 20.02	20.23			

dropout rates in year 1 and year 5.

Answer: In both year 1 and year 5, the mean dropout rates exceed the median dropout rates. This indicates that both the year 1 and year 5 high school dropout rates have distributions that are skewed to the right.

60) The total points scored by a basketball team for each game during its last season have been summarized in the table below. Identify the modal class of the distribution of scores.

60)	
-----	--

Score	Frequency
41-60	3
61-80	8
81-100	12
101-120	7

Answer: The modal class is the class with the greatest frequency: 81-100 points.


			_	_	
61)	The calculator	screens	summarize	a data	set

⊼=73.6	tats 5217391
Σx=169 Σx²=13 Sx=25.	
σx=24. ↓n=23	60931018

sizes.

A) True

Answer: A



61)

- a. Identify the mean and the median.
- b. Based only on the mean and the median, do you expect that the data set is skewed to the right, symmetric, or skewed to the left? Explain.

Answer: a. mean: $\bar{x} \approx 73.65$; median: Med=81

b. We expect the data to be skewed to the left because the mean is less than the median.

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

62)	The mean and the median are useful meas quantitative data.	sures of central tendency for both qualitative and	62)
	A) True	B) False	
	Answer: B		
63)		ution, we expect the values of the mean, median, and	63)
	mode to differ greatly from one another.	D) Falco	
	A) True	B) False	
	Answer: B		
64)	In symmetric distributions, the mean and	the median will be approximately equal.	64)
	A) True	B) False	•
	Answer: A		
65)	In skewed distributions, the mean is the b	est measure of the center of the distribution since it is	65)
	least affected by extreme observations.		
	A) True	B) False	
	Answer: B		
66)	In practice, the population mean μ is used	to estimate the sample mean \bar{x} .	66)
	A) True	B) False	
	Answer: B		

B) False

Solve	the	prob	lem
Surve	uie	טטוט	тепт.

the problem.				
68) Each year advertisers sp				68)
television. In the first 6	•	•		
million of dollars) were	•	rieading spenders and	how much each spent (in	
Timinon of donars, were	nated.			
Company A \$73.5	Company F \$27.7			
Company B 63.4	Company G 27.6			
Company C 57.6	Company H 21.9			
Company D 57.5	Company I 23.5			
Company E 28.2	Company J 20.2			
Calculate the sample va	riance.			
A) 1976.544	B) 2205.569	C) 413.543	D) 3988.681	
Answer: C				
69) Calculate the range of th	ne following data set:			69)
5, 4, 6, 1, 6, 14, 5, 6, 9				
A) 14	B) 13	C) 1	D) 15	
Answer: B				
70) The top speeds for a sar	nple of five new auton	nobiles are listed belov	v. Calculate the standard	70)
deviation of the speeds.	Round to four decima	I places.		
170, 160, 130, 165, 125				
A) 238.0914	B) 20.9165	C) 133.23	D) 168.8935	
Answer: B				
71) The amount spent on te	xtbooks for the fall ter	m was recorded for a s	ample of five university	71)
students - \$400, \$350, \$6 data.	600, \$525, and \$450. Ca	lculate the value of th	e sample range for the	
A) \$99.37	B) \$250	C) \$98.75	D) \$450	
Answer: B	, , =	· , . · · · ·	· , · · · · ·	
72) The amount spent on te	xtbooks for the fall ter	m was recorded for a s	ample of five university	72)

C) \$450

D) \$250

students - \$400, \$350, \$600, \$525, and \$450. Calculate the value of the sample standard

B) \$99.37

deviation for the data.

A) \$98.75

- 73) The ages of five randomly chosen professors are 58, 56, 69, 70, and 59. Calculate the sample variance of these ages.
- 73) _____

Answer:
$$s^2 = \frac{\sum (x - \bar{x})^2}{n - 1}$$

$$\frac{-}{x} = \frac{\sum x}{n} = \frac{58 + 56 + 69 + 70 + 59}{5} = 62.4$$

$$s^{2} = \frac{(58 - 62.4)^{2} + (56 - 62.4)^{2} + (69 - 62.4)^{2} + (70 - 62.4)^{2} + (59 - 62.4)^{2}}{5 - 1}$$
= 43.30

74) The data show the total number of medals (gold, silver, and bronze) won by each country winning at least one gold medal in the Winter Olympics. Find the range, sample variance, and sample standard deviation of the numbers of medals won by these countries.





Answer: The range is 29 - 1 = 28 medals.

The variance is
$$s^2 = \frac{\sum x^2 - \frac{\left[\sum x\right]^2}{n}}{n-1} = \frac{4372 - \frac{(234)^2}{18}}{17} = \frac{1330}{17} \approx 78.24$$

The standard deviation is $s = \sqrt{s^2} = \sqrt{\frac{1330}{17}} \approx 8.85$

75) The calculator screens summarize a data set.







- a. Identify the smallest measurement in the data set.
- b. Identify the largest measurement in the data set.
- c. Calculate the range of the data set.

Answer: a. minX=30

c.
$$97 - 30 = 67$$

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

76) Calculate the variance of a sample for which n = 5, $\sum x^2 = 1320$, $\sum x = 80$.

76)

- A) 326.00
- B) 3.16
- C) 8.00
- D) 10.00

Answer: D

- 77) Calculate the standard deviation of a sample for which n = 6, $\sum x^2 = 830$, $\sum x = 60$.

- A) 46.00
- B) 6.19
- C) 164.00
- D) 6.78

Answer: D

78) Compute s^2 and s for the data set: -4, -1, -4, -4, -1, -2

78)

- A) 2.27; 1.51
- B) 0.56; 0.75 C) 49.4; 7.03
- D) 0.47; 0.68

Answer: A

79) Compute s² and s for the data set: $\frac{4}{5}$, $\frac{2}{5}$, $\frac{4}{5}$, $\frac{9}{10}$, $\frac{1}{2}$, $\frac{1}{10}$.

- A) 2.366; 1.538
- B) 0.094; 0.306 C) 0.01; 0.1
- D) 9.367; 3.061

Answer: B

80) The range of scores on a statistics test was 42. The lowest score was 57. What was the highest score?

80)

A) 99

B) 70.5

C) 78

D) cannot be determined

Answer: A

81) The temperature fluctuated between a low of 73°F and a high of 89°F. Which of the following could be calculated using just this information?

A) range

B) standard deviation

C) median

D) variance

Answer: A

82) Which of the following is a measure of the variability of a distribution?

82)

- A) skewness
- B) range
- C) sample size
- D) median

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question. 83) Various state and national automobile associations regularly survey gasoline stations 83) to determine the current retail price of gasoline. Suppose one such national association contacts 200 stations in the United States to determine the price of regular unleaded gasoline at each station. In the context of this problem, define the following descriptive measures: μ , σ , x, s. Answer: μ is the mean price of the regular unleaded gasoline prices of all retail gas stations in the United States. σ is the standard deviation of the regular unleaded gasoline prices of all retail gas stations in the United States. x is the mean price of the regular unleaded gasoline prices collected from the 200 stations sampled. s is the standard deviation of the regular unleaded gasoline prices collected from the 200 stations sampled. 84) Given the sample variance of a distribution, explain how to find the standard 84) deviation. Answer: Take the square root of the sample variance to find the sample standard deviation. 85) Which is expressed in the same units as the original data, the variance or the standard deviation? Answer: standard deviation 86) Which measures variability about the mean, the range or the standard deviation? 86) Answer: standard deviation 87) For a given data set, which is typically greater, the range or the standard deviation? Answer: range MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question. 88) The total points scored by a basketball team for each game during its last season have been

summarized in the table below. Which statement following the table must be true?


Score	Frequency
41-60	3
61-80	8
81-100	12
101-120	7

- A) The range is at least 41 but at most 79.
- B) The range is at least 81 but at most 100.
- C) The range is at least 41 but at most 120.
- D) The range is 79.

Answer: A

89)	Which number	on the screen	helow is the	sample standard	deviation o	of the data?
07)	William Hulliber	on the screen	pelow is the	sample standard	deviation of	n the data:

89)



A) 2.67

- B) 408
- C) 5.8

D) 2.82

Answer: D

Answer the question True or False.

90) The range is an insensitive measure of data variation for large data sets because two data sets can have the same range but be vastly different with respect to data variation.

90) _____

A) True

B) False

Answer: A

91) For any quantitative data set, $\sum (x - \overline{x}) = 0$.

 $\sum x$, and the sample size, n.

91)

A) True

B) False

Answer: A

92) The sample variance and standard deviation can be calculated using only the sum of the data,

92) _____

A) True

B) False

Answer: B

93) The sample variance is always greater than the sample standard deviation.

93)

A) True

B) False

Answer: B

94) A larger standard deviation means greater variability in the data.

94)

A) True

B) False

Answer: A

Solve the problem.

95) The mean \bar{x} of a data set is 36.71, and the sample standard deviation s is 3.22. Find the interval representing measurements within one standard deviation of the mean.

95) _____

A) (35.71, 37.71)

B) (33.49, 39.93)

C) (27.05, 46.37)

D) (30.27, 43.15)

96) The following is a list of 25 measurements:

96)

- 12 18 14 17 19 16 14 18 15 17 11
- 13 14 11 16 18 15 13 17 15 14 19
- 12 16 17

How many of the measurements fall within one standard deviation of the mean?

A) 25

B) 18

C) 13

D) 16

Answer: D

97) A standardized test has a mean score of 500 points with a standard deviation of 100 points. Five students' scores are shown below.

97) _____

Adam: 575 Beth: 690 Carlos: 750 Doug: 280 Ella: 440

Which of the students have scores within two standard deviations of the mean?

A) Adam, Beth, Carlos, Ella

B) Carlos, Doug

C) Adam, Beth, Ella

D) Adam, Beth

Answer: C

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.


98) The mean x of a data set is 18, and the sample standard deviation s is 2. Explain what the interval (12, 24) represents.


98) _____

Answer: measurements within three standard deviations of the mean

99) The calculator screens summarize a data set.

99)





- a. Identify the mean and the sample standard deviation. Round to one place after the decimal, where necessary.
- b. Find the interval that corresponds to measurements within two standard deviations of the mean.

Answer: a. mean: $\bar{x} = 5.5$; sample standard deviation: $S_X \approx 3.0$

b. $(5.5 - 2 \times 3.0, 5.5 + 2 \times 3.0) = (-.5, 11.5)$

- 11111 - 11 7 1 1 1 1 1 1 1 1 1 1 1 1 1	Tonnic Championship a c	tatistician koops track of	overy corve that a player	100)
hits during the to per hour (mph) a	nd the standard deviation	n reported that the mean and of the serve speeds was	serve speed was 100 miles 15 mph. Assume that the	100)
mound-shaped a	ave us the information that not symmetric. What percent		ves were between 115 mph	
and 145 mph? A) at most 34%		B) at most 2.5%		
C) approximatel	lv 16%	D) at most 2.3% D) at most 13.5%		
Answer: C		_ ,		
101) At the U.S. Open	Tennis Championship a s	tatistician keeps track of	every serve that a player	101)
· ·		•	serve speed of a particular	
	les per hour (mph) and th		•	
•	•		the distribution of the serve	
between 109 mph	nd-shaped and symmetric	z. what proportion of the	prayer's serves was	
A) 0.317	B) 0.997	C) 0.1585	D) 133	
Answer: C	2, 6.77.	3, 3.1.333	2,	
71137701. 3				
102) The amount of tir	ne workers spend commu	iting to their jobs each da	y in a large metropolitan	102)
•	f 70 minutes and a standa		G	
	mmuting times is known	•		
	se commuting times are b			
A) approximatelC) approximatel		B) approximately D) approximately		
	y 61.5%	D) approximately	y 97.576	
Answer: C				
103) The amount of te	levision viewed by today'	s youth is of primary con	cern to Parents Against	103)
•	ion (PAWT). 300 parents		J	,
	her of hours per week the	or erementary contect ago		
estimate the num	bei of flours per week the	it their child watches telev	vision. The mean and the	
	on for their responses wer	nt their child watches telev		
standard deviatio	on for their responses wer	nt their child watches televe e 12 and 2, respectively. F		
standard deviatio stem-and-leaf dis	on for their responses wer	nt their child watches televe e 12 and 2, respectively. F owed that the distribution	PAWT constructed a of times was a symmetric,	
standard deviation stem-and-leaf dis mound-shaped d television viewing	on for their responses wer splay for the data that sho listribution. Give an inter- g times fell in the distribu	nt their child watches televe e 12 and 2, respectively. F owed that the distribution val where you believe app ation.	PAWT constructed a of times was a symmetric,	
standard deviation stem-and-leaf dist mound-shaped d television viewing A) less than 10 a	on for their responses wer splay for the data that sho listribution. Give an interv	nt their child watches televe e 12 and 2, respectively. F owed that the distribution val where you believe app ation.	PAWT constructed a of times was a symmetric,	
standard deviation stem-and-leaf dist mound-shaped d television viewing A) less than 10 a B) less than 16	on for their responses wer splay for the data that sho listribution. Give an inter- g times fell in the distribu- and more than 14 hours pe	nt their child watches televe e 12 and 2, respectively. F owed that the distribution val where you believe app ation.	PAWT constructed a of times was a symmetric,	
standard deviation stem-and-leaf dist mound-shaped d television viewing A) less than 10 a B) less than 16 C) between 8 an	on for their responses wer splay for the data that sho listribution. Give an inter- g times fell in the distribu	nt their child watches televe e 12 and 2, respectively. F owed that the distribution val where you believe app ation.	PAWT constructed a of times was a symmetric,	

104) A sociologist recently conducted a survey of citiz	ens over 60 years of age who have net worths	104)
too high to qualify for Medicaid but have no privuninsured senior citizens were as follows:	ate health insurance. The ages of the 25	
diffisared serifor citizens were as follows.		
68 73 66 76 86 74 61 89 65 90 69 92 76		
62 81 63 68 81 70 73 60 87 75 64 82		
Suppose the mean and standard deviation are 74	.04 and 9.75, respectively. If we assume that	
the distribution of ages is mound-shaped and syn	mmetric, what percentage of the respondents	
will be between 64.29 and 93.54 years old? A) approximately 84%	B) approximately 68%	
C) approximately 81.5%	D) approximately 95%	
Answer: C		
105) A small computing center has found that the nun	nber of jobs submitted per day to its	105)
computers has a distribution that is approximate		,
mean of 86 jobs and a standard deviation of 12. W distribution to fall?	Vhere do we expect approximately 95% of the	
A) between 62 and 110 jobs per day	B) between 110 and 122 jobs per day	
C) between 50 and 122 jobs per day	D) between 74 and 98 jobs per day	
Answer: A		
106) A study was designed to investigate the effects of	f two variables — (1) a student's level of	106)
mathematical anxiety and (2) teaching method —		
course. Students who had a low level of mathematical traditional expository method. These students ob	3	
deviation of 40 on a standardized test. Assuming		
what percentage of scores exceeded 370?		
A) approximately 84% C) approximately 97.5%	B) approximately 95% D) approximately 100%	
Answer: C	D) approximately 100%	
107) A study was designed to investigate the effects of mathematical anxiety and (2) teaching method —	* *	107)
course. Students who had a low level of mathema		
traditional expository method. These students ob		
deviation of 30 on a standardized test. Assuming in what range would approximately 99.7% of the		
A) above 540	B) below 540	
C) below 360 and above 540	D) between 360 and 540	
Answer: D		
108) A recent survey was conducted to compare the co	ost of solar energy to the cost of gas or electric	108)
energy. Results of the survey revealed that the di		
bill of a 3-bedroom house using gas or electric er deviation of \$10. If the distribution can be consid		
percentage of homes will have a monthly utility by		
A) approximately 95%	B) approximately 84%	
C) approximately 34%	D) approximately 16%	

109)	Many firms use on-the-job training to teach their employees computer program work in the personnel department of a firm that just finished training a employees to program, and you have been requested to review the performation trainees on the final test that was given to all trainees. The mean and standatest scores are 76 and 2, respectively, and the distribution of scores is mound symmetric. What percentage of test-takers scored better than a trainee who A) approximately 95% B) approximately 100% C) approximately 84% D) approximately 97.5% Answer: B	group of its ance of one of the rd deviation of the d-shaped and	109)
SHORT	ANSWER. Write the word or phrase that best completes each statement or	answers the questic	n.
110)	At the U.S. Open Tennis Championship a statistician keeps track of every se player hits during the tournament. The statistician reported that the mean so of a particular player was 103 miles per hour (mph) and the standard deviat serve speeds was 14 mph. Assume that the statistician also gave us the inforthat the distribution of serve speeds was mound-shaped and symmetric. Find percentage of serves that were hit faster than 75 mph. Answer: We use the Empirical Rule to determine the percentage of serves we faster than 75 mph. We do this by first finding the percentage of se speeds between 75 and 103 mph. The Empirical Rule states that ap 34.0% (68%/2) fall between 75 and 103 mph. Because the distribution symmetric about the mean speed of 103 mph, we know 50% of the were faster than 103 mph. We add these findings together to determ 34.0% + 50% = 84.0% of the serves were hit faster than 75 mph.	erve speed tion of the mation nd the with speeds rves with proximately on is serve speeds	
111)	A small computing center has found that the number of jobs submitted per computers has a distribution that is approximately mound-shaped and symwith a mean of 88 jobs and a standard deviation of 8. On what percentage of the number of jobs submitted exceed 96? Answer: The value 96 falls one standard deviation above the mean in the distribution using the Empirical Rule, 68% of the days will have between 80 and submitted. Of the remaining 32% of the days, half, or 32%/2 = 16%, will have more than 96 jobs submitted.	metric, f days do stribution. d 96 jobs	
112)	By law, a box of cereal labeled as containing 36 ounces must contain at least of cereal. The machine filling the boxes produces a distribution of fill weight mound-shaped and symmetric, with a mean equal to the setting on the machine with a standard deviation equal to 0.02 ounce. To ensure that most of the boat least 36 ounces, the machine is set so that the mean fill per box is 36.06 ou percentage of the boxes do, in fact, contain at least 36 ounces? Answer: The value of 36 ounces falls three standard deviations below the machine is set that approximately all of the boxes will contain amounts between 36.00 ounces and 36.12 ounces. Therefore, approach 100% of the boxes contain at least 36 ounces.	ts that is thine and exes contain nces. What ean. The ain cereal	

113	Sup grou perf mea dist best	pose y up of i formar in and ributio	ts emplice of stand on of the	ork in to loyees one of ard descriptions to the traine	the pe s to pr the tr viatio is mou	rsonne ogran ainees n of th ınd-sh	el depa n, and s on the ne test naped	artmen you h e final scores and sy	nt of a ave be test the are 8 ymme	firm tha een reque hat was g 80 and 3, tric. If a f	t just finished training a ested to review the given to all trainees. The respectively, and the firm wanted to give the uld be used to identify the	113)
	Ans	E h	Becaus lave te	e the cest sco	distrib res ab	ution ove 86	is sym	metrio 5, 86 is	c, half the cu	of the re	fall between 74 and 86. maining 5%, or 2.5%, will nt that will identify the	
114	•	follow e is 80	•	•						nts on a s	tatistics exam. The mean	114)
	39	E 1	5 0	4.2	44	40	4.0	4.0	70	71		
	39 71	51 71	59 73	63 74	66 76	68 76	68 76	69 77	70 78	7 1 79		
	7 i 79	79	73 79	80	80	82	83	83	83	85		
	85	86	86	88	88	88	88	89	89	89		
	90	90	91	91	92	95	96	97	97	98		
	star thes sym	idard of se perc imetric swer: 7 s p	deviat entage ? Exp 4% of tanda ercen	ions of es, do lain. the sc rd dev tages a y mou	f the m you be ores li riation are clo	nean? elieve e with s, and se to t	three so that the nin one 198% we those g	standa ne dist e stand within given i	ributi dard o three n the	viations on of sco deviation standard Empirica	of the mean? two of the mean? Based on res is mound-shaped and of the mean, 96% within two d deviations. These I Rule, so the distribution is viously skewed slightly to	
MULTII	PLE C	HOIC	E. Ch	oose t	he on	e alter	rnative	e that	best c	complete	s the statement or answers	the question.
115	68%		score	s fall k	oetwee	en 72 a	and 84		•	•	nmetric with a mean score or ing is most likely to be the	of 78. If 115)
					Ο,	١ ٦				2) 2	D) /	
	A)	12			B,) 3			(C) 2	D) 6	

 116) At the U.S. Open Tennis Championship a statistician keeps track of every serve that a player hits during the tournament. The statistician reported that the mean serve speed was 100 miles per hour (mph) and the standard deviation of the serve speeds was 15 mph. If nothing is known about the shape of the distribution, what percentage of the player's serve speeds are less than 70 mph? A) approximately 2.5% B) approximately 5% C) at most 11% D) at most 12.5% 						
E) at most 25% Answer: E						
117) At the U.S. Open Tennis	•	•	, ,	117)		
hits during the tourname player was 98 miles per h mph. If nothing is know the speeds of at least thre A) 59 mph to 137 mph C) 85 mph to 111 mph Answer: D	nour (mph) and the st n about the shape of t	andard deviation of the she distribution, give an in	erve speeds was 13 nterval that will contain oph			
118) The amount of time work city has a mean of 70 min known about the shape of commuting times are bet A) at least 0%	nutes and a standard of the distribution of c	deviation of 20 minutes. A commuting times, what pe	Assuming nothing is	118)		
Answer: D	,	, , , , , , , , , , , , , , , , , , , ,	,			
119) By law, a box of cereal lacereal. The machine filling to the setting on the machine most of the boxes contain 20.06 ounces. Assuming about the proportion of a A) The proportion is at C) The proportion is at Answer: C	ig the boxes produces hine and with a stand at least 20 ounces, the nothing is known about ereal boxes that contains to the contains of the contains the contains of the contains the contains of the contains	a distribution of fill weighted ard deviation equal to 0.0 he machine is set so that the ut the shape of the distribution.	ghts with a mean equal 02 ounce. To ensure that ne mean fill per box is oution, what can be said less than 2.5%.	119)		
120) A study was designed to mathematical anxiety and course. Students who had traditional expository mediation of 20 on a standard distribution is known, where A) approximately 95% C) at least 75%	d (2) teaching method d a low level of mathe ethod. These students dardized test. Assumi	I — on a student's achieve ematical anxiety were tau obtained a mean score of ing no information concer	ement in a mathematics ght using the 500 with a standard rning the shape of the 460 and 540?	120)		

32

Answer: C

mathematical anxiety and (2) teaching method — on a student's achievement in a mathematics course. Students who had a low level of mathematical anxiety were taught using the traditional expository method. These students obtained a mean score of 300 with a standard deviation of 30 on a standardized test. Assuming a non-mound-shaped distribution, what percentage of the students scored over 390? A) at least 89% B) at most 11% C) at most 5.5% Answer: B 122) A recent survey was conducted to compare the cost of solar energy to the cost of gas or electric energy. Results of the survey revealed that the distribution of the amount of the monthly utility bill of a 3-bodroom house using gas or electric energy had a mean of \$111 and a standard deviation of \$15. If nothing is known about the shape of the distribution, what percentage of homes will have a monthly utility bill of less than \$81? A) at most 25% B) at least 75% C) at least 88.9% D) at most 11.1% Answer: A 123) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 83 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) at most 25% C) approximately 9.5% C) approximately 9.5% C) at least 75% D) approximately 9.5% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% C) at least 75% D) approximately 95% C) both A and B D) neither A nor B Answer: B	121)	A study was designed to	investigate the effects o	of two variables $-$ (1) a	student's level of	121)				
traditional expository method. These students obtained a mean score of 300 with a standard deviation of 30 on a standardized test. Assuming a non-mound-shaped distribution, what percentage of the students scored over 390? A) at least 89% B) at most 11% C) at most 5.5% D) approximately 2.5% Answer: B 122) A recent survey was conducted to compare the cost of solar energy to the cost of gas or electric energy. Results of the survey revealed that the distribution of the amount of the monthly utility bill of a 3-bedroom house using gas or electric energy had a mean of \$111 and a standard deviation of \$15. If nothing is known about the shape of the distribution, what percentage of homes will have a monthly utility bill of less than \$81? A) at most 25% B) at least 75% C) at least 88.9% D) at most 11.1% Answer: A 123) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 33 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) approximately 97.5% B) at least 75% C) approximately 97.5% B) at most 25% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% C) at least 75% D) approximately 95% Answer: C 125) Fill in the blank. G) the proprietal Rule B) Chebyshev's Rule C) both A and B D) neither A nor B Answer: B 126) Chebyshev's Rule C) both A and B D) neither A nor B										
traditional expository method. These students obtained a mean score of 300 with a standard deviation of 30 on a standardized test. Assuming a non-mound-shaped distribution, what percentage of the students scored over 390? A) at least 89% B) at most 11% C) at most 5.5% D) approximately 2.5% Answer: B 122) A recent survey was conducted to compare the cost of solar energy to the cost of gas or electric energy. Results of the survey revealed that the distribution of the amount of the monthly utility bill of a 3-bedroom house using gas or electric energy had a mean of \$111 and a standard deviation of \$15. If nothing is known about the shape of the distribution, what percentage of homes will have a monthly utility bill of less than \$81? A) at most 25% B) at least 75% C) at least 88.9% D) at most 11.1% Answer: A 123) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 33 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) approximately 97.5% B) at least 75% C) approximately 97.5% B) at most 25% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% C) at least 75% D) approximately 95% Answer: C 125) Fill in the blank. G) the proprietal Rule B) Chebyshev's Rule C) both A and B D) neither A nor B Answer: B 126) Chebyshev's Rule C) both A and B D) neither A nor B										
deviation of 30 on a standardized test. Assuming a non-mound-shaped distribution, what percentage of the students scored over 390? A) at least 89% C) at most 5.5% D) approximately 2.5% Answer: B 122) A recent survey was conducted to compare the cost of solar energy to the cost of gas or electric energy. Results of the survey revealed that the distribution of the amount of the monthly utility bill of a 3- bedroom house using gas or electric energy had a mean of \$111 and a standard deviation of \$15\$. It nothing is known about the shape of the distribution, what percentage of homes will have a monthly utility bill of less than \$81? A) at most 25% B) at least 75% C) at least 89.9% D) at most 11.1% Answer: A 123) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 83 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) approximately 97.5% B) at least 75% C) approximately 97.5% B) at least 75% C) approximately 2.5% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% C) at least 75% D) approximately 95% C) at least 75% D) approximately				•						
percentage of the students scored over 390? A) at least 89% B) at most 11% D) approximately 2.5% Answer: B 122) A recent survey was conducted to compare the cost of solar energy to the cost of gas or electric energy. Results of the survey revealed that the distribution of the amount of the monthly utility bill of a 3- bedroom house using gas or electric energy had a mean of \$111 and a standard deviation of \$15. If nothing is known about the shape of the distribution, what percentage of homes will have a monthly utility bill of less than \$81? A) at most 25% B) at least 75% C) at least 88.9% D) at most 11.1% Answer: A 123) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 83 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) approximately 97.5% B) at least 75% C) approximately 97.5% B) at least 75% C) at least 75% D) approximately 95% C) both A and B D) neither A nor B Answer: B 126) Fill in the blank. is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B Chebyshev's Rule C) both A and B D) neither A nor B		, ,								
A) at least 89%			•	ja non modna snapca	distribution, what					
C) at most 5.5% Answer: B 122) A recent survey was conducted to compare the cost of solar energy to the cost of gas or electric energy. Results of the survey revealed that the distribution of the amount of the monthly utility bill of a 3-bedroom house using gas or electric energy had a mean of \$111 and a standard deviation of \$15. If nothing is known about the shape of the distribution, what percentage of homes will have a monthly utility bill of less than \$81? A) at most 25% B) at least 75% C) at least 88.9% D) at most 11.1% Answer: A 123) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 83 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) approximately 97.5% B) at least 75% C) approximately 97.5% D) at most 25% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% C) at least 75% D) approximately 95% C) both A and B D) neither A nor B Answer: B 126) Fill in the blank. B) Chebyshev's Rule C) both A and B D) neither A nor B Chebyshev's Rule C) both A and B D) neither A nor B Chebyshev's Rule C) both A and B D) neither A nor B			s scored over 390?	D) at month 110/						
Answer: B 122) A recent survey was conducted to compare the cost of solar energy to the cost of gas or electric energy. Results of the survey revealed that the distribution of the amount of the monthly utility bill of a 3-bedroom house using gas or electric energy had a mean of \$111 and a standard deviation of \$15. If nothing is known about the shape of the distribution, what percentage of homes will have a monthly utility bill of less than \$81? A) at most 25% B) at least 75% C) at least 88.9% D) at most 11.1% Answer: A 123) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 83 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) approximately 97.5% C) approximately 97.5% B) at least 75% D) at most 25% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% B) approximately 95% C) at least 75% D) approximately 95% C) at least 75% D) approximately 95% Answer: C 125) Fill in the blank gives us a method of interpretting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule C) both A and B D) neither A nor B Answer: B C) D) neither A nor B		•		•	-0.					
122) A recent survey was conducted to compare the cost of solar energy to the cost of gas or electric energy. Results of the survey revealed that the distribution of the amount of the monthly utility bill of a 3-bedroom house using gas or electric energy had a mean of \$111 and a standard deviation of \$15. If nothing is known about the shape of the distribution, what percentage of homes will have a monthly utility bill of less than \$81? A) at most 25% B) at least 75% C) at least 88.9% D) at most 11.1% Answer: A 123) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the traineces on the final test that was given to all trainecs. The mean and standard deviation of the test scores are 83 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) approximately 97.5% B) at least 75% C) approximately 97.5% D) at most 25% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% B) approximately 95% C) at least 75% D) approximately 95% C) at least 75% D) approximately 95% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B Answer: B C) D) neither A nor B		C) at most 5.5%		D) approximately 2.5	0%					
energy. Results of the survey revealed that the distribution of the amount of the monthly utility bill of a 3-bedroom house using gas or electric energy had a mean of \$111 and a standard deviation of \$15. If nothing is known about the shape of the distribution, what percentage of homes will have a monthly utility bill of less than \$81? A) at most 25% B) at least 75% C) at least 88.9% D) at most 11.1% Answer: A 123) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 83 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) approximately 97.5% B) at least 75% C) approximately 97.5% D) at most 25% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% B) approximately 95% C) at least 75% D) approximately 95% C) at least 75% D) approximately 5% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		Answer: B								
bill of a 3-bedroom house using gas or electric energy had a mean of \$111 and a standard deviation of \$15. If nothing is known about the shape of the distribution, what percentage of homes will have a monthly utility bill of less than \$81? A) at most 25% B) at least 75% C) at least 88.9% D) at most 11.1% Answer: A 123) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 83 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) approximately 97.5% B) at least 75% C) approximately 97.5% D) at most 25% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% B) approximately 95% C) at least 75% D) approximately 5% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B	122)	A recent survey was cond	lucted to compare the c	ost of solar energy to th	ne cost of gas or electric	122)				
deviation of \$15. If nothing is known about the shape of the distribution, what percentage of homes will have a monthly utility bill of less than \$81? A) at most 25% B) at least 75% C) at least 88.9% D) at most 11.1% Answer: A 123) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 83 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) approximately 97.5% B) at least 75% C) approximately 97.5% D) at most 25% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% B) approximately 95% C) at least 75% D) approximately 95% C) at least 75% D) approximately 5% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		energy. Results of the sur	vey revealed that the di	istribution of the amou	nt of the monthly utility					
homes will have a monthly utility bill of less than \$81? A) at most 25% B) at least 75% C) at least 88.9% D) at most 11.1% Answer: A 123) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 83 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) approximately 97.5% B) at least 75% C) approximately 97.5% D) at most 25% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% C) at least 75% D) approximately 95% C) at least 75% D) approximately 5% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		bill of a 3-bedroom house	using gas or electric er	nergy had a mean of \$1	11 and a standard					
homes will have a monthly utility bill of less than \$81? A) at most 25% B) at least 75% C) at least 88.9% D) at most 11.1% Answer: A 123) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 83 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) approximately 97.5% B) at least 75% C) approximately 97.5% D) at most 25% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% C) at least 75% D) approximately 95% C) at least 75% D) approximately 5% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		deviation of \$15. If nothing	ng is known about the s	hape of the distribution	, what percentage of					
A) at most 25% B) at least 75% C) at least 88.9% D) at most 11.1% Answer: A 123) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 83 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 917 A) approximately 97.5% B) at least 75% C) approximately 2.5% D) at most 25% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% B) approximately 95% C) at least 75% D) approximately 95% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B			•	•						
Answer: A 123) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 83 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) approximately 97.5% B) at least 75% C) approximately 2.5% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% C) at least 75% D) approximately 95% C) at least 75% D) approximately 5% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule C) both A and B D) neither A nor B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B					D) at most 11.1%					
123) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 83 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) approximately 97.5% B) at least 75% C) approximately 2.5% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% B) approximately 95% C) at least 75% D) approximately 95% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule C) both A and B D) neither A nor B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule D) neither A nor B		·	- , at reast, eve	o, a	_ ,					
you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 83 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) approximately 97.5% B) at least 75% C) approximately 2.5% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% C) at least 75% D) approximately 95% C) at least 75% D) approximately 5% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule C) both A and B D) neither A nor B Answer: B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		Allswei. A								
employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 83 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) approximately 97.5% B) at least 75% C) approximately 2.5% D) at most 25% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% B) approximately 95% C) at least 75% D) approximately 5% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule C) both A and B D) neither A nor B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B	123)	Many firms use on-the-jo	bb training to teach thei	r employees computer	programming. Suppose	123) _				
trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 83 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) approximately 97.5% B) at least 75% C) approximately 2.5% D) at most 25% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% B) approximately 95% C) at least 75% D) approximately 5% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B Answer: B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		you work in the personne	I department of a firm t	that just finished trainir	ng a group of its					
test scores are 83 and 4, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 91? A) approximately 97.5% B) at least 75% C) approximately 2.5% D) at most 25% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% B) approximately 95% C) at least 75% D) approximately 95% C) at least 75% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule C) both A and B D) neither A nor B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule C) both A and B D) neither A nor B		employees to program, ar	nd you have been reque	sted to review the perf	ormance of one of the					
percentage of test-takers scored above 91? A) approximately 97.5% B) at least 75% C) approximately 2.5% D) at most 25% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% C) at least 75% D) approximately 95% C) at least 75% D) approximately 5% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B Answer: B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		trainees on the final test t	hat was given to all trai	nees. The mean and sta	indard deviation of the					
A) approximately 97.5% B) at least 75% C) approximately 2.5% D) at most 25% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% B) approximately 95% C) at least 75% D) approximately 5% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B Answer: B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		test scores are 83 and 4, re	espectively. Assuming r	nothing is known about	the distribution, what					
C) approximately 2.5% Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% B) approximately 95% C) at least 75% D) approximately 5% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B Answer: B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		percentage of test-takers	scored above 91?							
Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% B) approximately 95% C) at least 75% D) approximately 5% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		A) approximately 97.5%		B) at least 75%						
Answer: D 124) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? A) at most 25% B) approximately 95% C) at least 75% D) approximately 5% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		C) approximately 2.5%		D) at most 25%						
within 2 standard deviations of the mean? A) at most 25% B) approximately 95% C) at least 75% D) approximately 5% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B Answer: B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B				·						
within 2 standard deviations of the mean? A) at most 25% B) approximately 95% C) at least 75% D) approximately 5% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B Answer: B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B	104					104)				
A) at most 25% C) at least 75% D) approximately 95% D) approximately 5% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B Answer: B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B	124)	· ·	•	ition, what percentage of	of the observations fall	124) _				
C) at least 75% D) approximately 5% Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B Answer: B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		•	ons of the mean?	->	•					
Answer: C 125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B Answer: B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		A) at most 25%								
125) Fill in the blank gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B Answer: B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		C) at least 75%		D) approximately 5%	, D					
data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B Answer: B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		Answer: C								
data set, regardless of the shape of the distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B Answer: B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B	125)	Fill in the blank.	gives us a method o	f interpreting the stand	ard deviation of any	125)				
A) The Empirical Rule C) both A and B D) neither A nor B Answer: B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule B) Chebyshev's Rule D) neither A nor B	,		•		j	_				
C) both A and B Answer: B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		J								
Answer: B 126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		•								
126) Fill in the blank is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		•		b) ficitificity floid						
have a mound-shaped, symmetric distribution. A) The Empirical Rule B) Chebyshev's Rule C) both A and B D) neither A nor B		Answer: B								
A) The Empirical Rule C) both A and B D) neither A nor B	126)	Fill in the blank.	is a method of inter	preting the standard de	viation of data that	126)				
C) both A and B D) neither A nor B		have a mound-shaped, sy	ymmetric distribution.							
		A) The Empirical Rule		B) Chebyshev's Rule						
Answer: A		C) both A and B		D) neither A nor B						
		Answer: A								

127) Given a data set, which of the following is most likely to be the percentage of data within three standard deviations of the mean?						
	A) 85%	B) 95%	C) 65%	D) 70%		
	Answer: B					
Answer t	the question True (or False.				
128)	•	rule and the empirical ruliations from the mean.	le guarantee that no data	a item will be more than	128)	
	A) True		B) False			
	Answer: B					
129)	Chebyshev's rule a	applies to qualitative data sets.	sets, while the empirica	al rule applies to	129)	
	A) True		B) False			
	Answer: B					
130)	Chebyshev's rule a	applies to large data sets,	while the empirical rule	applies to small data sets.	130)	
	A) True		B) False			
	Answer: B					
131)		ounces that the scores on a	!	•	131)	
	•	nts, so it is reasonable to e		least 70 on the test.		
	A) True		B) False			
	Answer: A					
	e problem.				122)	
132)	•	n-the-job training to teacr ersonnel department of a f		uter programming. Suppose	132)	
	,	•	•	performance of one of the		
		· ·		d standard deviation of the		
		and 4, respectively, and the se the trainee in question		•		
	z-score.	·		•		
	A) $z = -36$	B) $z = 0.82$	C) $z = -9$	D) $z = -2.25$		
	Answer: D					
133)	The amount spent	on textbooks for the fall t	erm was recorded for a	sample of five hundred	133)	
	•	ts. The mean expenditure				
	reported that their	textbook expenditure wa	• •	randomly selected student score for this student's		
	textbook expendit A) -2	B) +3	C) -3	D) +2		
	Answer: D	- , · ·	~ , ~	-, · -		

404					10.1
-	J	•		the cost of gas or electric ount of the monthly utility	134)
	bill of a 3-bedroom hous	e using gas or elect	ric energy had a mean of	\$118 and a standard	
	deviation of \$8. Three so	lar homes reported	monthly utility bills of \$8	4, \$85, and \$90. Which of	
	the following statements	is true?			
	A) The utility bills for honly gas and electric	•	ower are about the same a	s those for homes using	
	B) Homes using solar p electricity.	ower may have low	er utility bills than home	s using only gas and	
	C) Homes using solar p and electricity.	ower may actually	have higher utility bills th	nan homes using only gas	
	D) Homes using solar p electricity.	ower always have I	ower utility bills than hor	nes using only gas and	
	Answer: B				
135)			vertising each hour has a		135)
			en to the radio station for		
		g time is 5 minutes.	Calculate the z-score for	this amount of	
	advertising time.				
	A) $z = 0.29$	B) $z = -4.67$	C) $z = -10.5$	D) $z = 4.67$	
	Answer: B				
136)		•	had a mean price of \$2.09 old milk for \$2.02/gallon. I		136)
	this gas station.	ticulai 1000 store sc	nd fillik for \$2.02/galloff. i	interpret the 2-3core for	
	•	s food store falls 7 s	tandard deviations below	the mean milk price of	
		s food store falls 1 s	tandard deviation above	the mean milk price of all	
	food stores.	3 1000 31010 10113 1 3	ntaridard deviation above	the mean filling price of an	
		s food store falls 1 s	tandard deviation below	the milk gas price of all	
	food stores.			3 • • • • • • • • • • • • • • • • • • •	
	D) The milk price of this	s food store falls 7 s	tandard deviations above	the mean milk price of	
	all food stores.			·	
	Answer: C				
137)	Which of the following is	s a measure of relati	ve standing?		137)
,	A) z-score	B) variance	C) pie chart	D) mean	

Answer: A

138) A study was designed to investigate the effects of two variables — (1) a student's level of mathematical anxiety and (2) teaching method — on a student's achievement in a mathematics course. Students who had a low level of mathematical anxiety were taught using the traditional expository method. These students obtained a mean score of 400 and a standard deviation of 50 on a standardized test. Find and interpret the *z*-score of a student who scored 560 on the standardized test.

138) _____

Answer: The *z*-score is $z = \frac{x - \mu}{\sigma}$.

For a score of 56,
$$z = \frac{560 - 400}{50} = 3.20$$
.

This student's score falls 3.20 standard deviations above the mean score of 400.

139) A recent survey was conducted to compare the cost of solar energy to the cost of gas or electric energy. Results of the survey revealed that the distribution of the amount of the monthly utility bill of a 3-bedroom house using gas or electric energy had a mean of \$102.00 and a standard deviation of \$12.00. Assuming the distribution is mound-shaped and symmetric, would you expect to see a 3-bedroom house using gas or electric energy with a monthly utility bill of \$168.00? Explain.

139) _____

Answer: The *z*-score for the value \$168.00 is:

$$Z = \frac{x - \overline{x}}{s} = \frac{168 - 102}{12} = 5.5$$

An observation that falls 5.5 standard deviations above the mean is very unlikely. We would not expect to see a monthly utility bill of \$168.00 for this home.

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

140) Find the z-score for the value 52, when the mean is 58 and the standard deviation is 9.

140)

A)
$$z = -0.78$$

Answer: C

B)
$$z = 0.74$$

C)
$$z = -0.67$$

D)
$$z = -0.74$$

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

141) Test scores for a history class had a mean of 79 with a standard deviation of 4.5. Test scores for a physics class had a mean of 69 with a standard deviation of 3.7. One student earned a 87 on the history test and a 82 on the physics test. Calculate the z-score for each test. On which test did the student perform better?

141) _____

Answer: history *z*-score = 1.78; physics *z*-score = 3.51; The student performed better on the physics test.

142) The following data represent the scores of 50 students on a statistics exam. The mean 142					142)						
	SCO	re is	80.	02, a	and t	the s	stand	dard	dev	viation is 11.9.	
	20	5 1	50	63	66	60	60	60	70	71	
	71			74							
				80							
	85	86	86	88	88	88	88	89	89	89	
	90	90	91	91	92	95	96	97	97	98	
	Fin	d th	e <i>z-</i>	scor	es fo	or th	ne hi	ghes	st an	nd lowest exam scores.	
	An	swe	r: hi	ighe	st: z	= 1.	51; I	owe	st: z	r = -3.45	
143)								_		ate whether the value of x lies above or below the deviations.	143)
	An	swe	r: Tl	he va	alue	of x	(lies	2.5	stan	ndard deviations below the mean.	
144)	Sup	pos	se th	at 50	0 an	d 75	are	two	eler	ments of a population data set and their z-scores are	144)
	-3	and	2, re	espe	ctive	ely.	Fin	d the	e me	ean and standard deviation.	
	An	swe	r: m	iean:	65;	star	ndar	d de	viat	ion: 5	
MULTIPI	_E (СНС	OICE	E. C	hoos	se th	ne oi	ne al	lterr	native that best completes the statement or answers th	ne question.
Answer t	he d	ques	stior	า Trเ	ue o	r Fa	lse.				
145)	Aco	cord	ing	to th	ne er	mpir	ical	rule	:, Z-S	scores of less than -3 or greater than 3 occur very	145)
		requ) Tru		ly fo	r da	ta fr	om	a mo	ounc	ded and symmetric distribution B) False	
	An	swe	r: A								
146)		<i>z</i> -s) Tru		is 0	or r	near	0, tł	ne m	eası	urement is located at or near the mean. B) False	146)
	An	swe	r: A								
147)			•					star	ndar	d deviation 1, then for every measurement x in the san	nple 147)
		z-sı Trı (of x	15 X	TISE	ell.			B) False	
	•	•	ле r: А							D) Taise	
	ΑΠ	svve	ı. A								

Solve the problem.									
148) When Scholastic Achievement Test scores (SATs) are sent to test-takers, the percentiles	148)								
associated with scores are also given. Suppose a test-taker scored at the 98th percentile on the									
verbal part of the test and at the 29th percentile on the quantitative part. Interpret these results.									
A) This student performed better than 98% of the other test-takers on the verbal part and better than 29% on the quantitative part.									
better than 29% on the quantitative part. B) This student performed better than 2% of the other test-takers on the verbal part and									
B) This student performed better than 2% of the other test-takers on the verbal part and better than 71% on the quantitative part.									
·									
C) This student performed better than 2% of the other test-takers on the verbal part and better than 29% on the quantitative part.									
D) This student performed better than 98% of the other test-takers on the verbal part and									
better than 71% on the quantitative part.									
Answer: A									
149) The amount spent on textbooks for the fall term was recorded for a sample of five hundred	149)								
university students. It was determined that the 75th percentile was the value \$500. Which of	, <u> </u>								
the following interpretations of the 75th percentile is correct?									
A) The average of the 500 textbook costs was \$500.									
B) 75% of the students sampled had textbook costs equal to \$500.									
C) 75% of the students sampled had textbook costs that exceeded \$500.									
D) 25% of the students sampled had textbook costs that exceeded \$500.									
Answer: D									
150) Summary information is given for the weights (in pounds) of 1000 randomly sampled tractor trailers.	150)								
MIN: 4005 25%: 5605									
MAX: 10,605 75%: 8605									
AVE: 7005 Std. Dev.: 1400									
Find the percentage of tractor trailers with weights between 5605 and 8605 pounds. A) 50% B) 25% C) 75% D) 100%									
Answer: A									
151) The test scores of 30 students are listed below. Which number could be the 30th percentile?	151)								
131) The test scores of 30 stadents are fisted below. Willer Hamber could be the sour percentile:									
31 41 45 48 52 55 56 56 63 65									
67 67 69 70 70 74 75 78 79 79									
80 81 83 85 85 87 90 92 95 99									
A) 64 B) 56 C) 90 D) 67									
Answer: A									
SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question	1.								
152) A retail store's customer satisfaction rating is at the 88 th percentile. What percentage of 152) retail stores has higher customer satisfaction ratings than this store?									
Answer: 12%									

153)	In a summary of recent real estate sales, the median home price is given as \$325,000. 153)									
	Answer: 50th percentile									
MULTIPI	LE CHOICE. Choose the one alternative that bes	completes the statement or answers the ques	stion.							
Answer t	he question True or False.									
154)	The mean of a data set is at the 50th percentile.		154)							
	A) True	B) False								
	Answer: B									
155)	Percentile rankings are of practical value only wit	h large data sets.	155)							
	A) True	B) False								
	Answer: A									
156)	The process for finding a percentile is similar to the	ne process for finding the median.	156)							
,	A) True	B) False								
	Answer: A									
Solve the	problem.									
	At the U.S. Open Tennis Championship a statistic	an keeps track of every serve that a player	157)							
,	hits during the tournament. The statistician repor		,							
	player was 101 miles per hour (mph) and the stan	dard deviation of the serve speeds was 13								
	mph. Using the z-score approach for detecting ou									
	would represent outliers in the distribution of the	player's serve speeds?								
	Speeds: 56 mph, 114 mph, and 127 mph									
	A) None of the three speeds is an outlier.									
	B) 56, 114, and 127 are all outliers.									
	C) 56 and 114 are both outliers, but 127 is not.									
	D) 56 is the only outlier.									
	Answer: D									
158)	At the U.S. Open Tennis Championship a statistic	an keeps track of every serve that a player	158)							
	hits during the tournament. The statistician repor	·								
	player was 100 miles per hour (mph) and the stan	•								
	mph. Using the z-score approach for detecting ou would represent outliers in the distribution of the									
	Speeds: 50 mph, 80 mph, and 105 mph									
	A) 50 is the only outlier.	B) 50 and 80 are both outliers, 105 is not.								
	C) None of the three speeds are outliers.	D) 50, 80, and 105 are all outliers.								
	Answer: A									

159	159) The speeds of the fastballs thrown by major league baseball pitchers were measured by radar gun. The mean speed was 87 miles per hour. The standard deviation of the speeds was 3 mph. Which of the following speeds would be classified as an outlier?									159)				
	A) 97 mph B) 92 mph C) 81 mph D) 84 mph Answer: A													
	Ans	wer: A	A											
160		ch of t			g state	ements	conce	erning	the bo	ox plot an	d z-score r	methods for det	ecting	160)
					nod is	less aft	fected	by an	extre	me observ	ation in th	e data set.		
	B)	The z-	-score	meth	od is I	ess aff	ected	by an	extren	ne observa	ation in the	e data set.		
	•		•				•				cting outlie			
	•	ne 2- wer: B		metn	oa use	es the r	nean a	and Sta	andaro	a deviatio	n as a basis	s for detecting o	outilers.	
4 (4							,					6		4 (4)
161) Whi data		the fol	lowin	g state	ements	coulc	d be ar	ı expla	anation to	r the prese	nce of an outlie	r in the	161)
	•					orrect.	It ma	ıy hav	e been	observed	l, recorded	, or entered into	the	
	computer incorrectly. B) The measurement may be correct and from the same population as the rest but represents													
					•		•	•		•		ly ruling out alw hich the rest o		
	•	sampl				iys to a	i pope	ומנוטו	Tunie	rent nom	llial II OIII V	Willett the rest o	i trie	
		•				lanatio	ons fo	r outli	ers.					
	Ans	wer: D)											
SHORT	ANS'	WER.	Write	e the v	vord o	r phra	se tha	at best	comp	oletes each	n statemen	t or answers th	e questic	on.
162) A ra	idio sta	ation (claims	that t	he amo	ount c	of adve	ertisin	g each ho	ur has an a	mean of 15	162)	
												station for 1		
									O	ne is 11.23 station's cl		Based on your		
					•	value				station's C	iaiiii:			
	7113									1.23 minu	tes represe	ents an outlier,		
										is incorre	-			
163) The	follow	ving d	ata rej	oreser	it the s	cores	of 50 s	studen	nts on a sta	atistics exa	m. The mean	163)	
	scor	e is 80	.02, ar	nd the	stand	ard de	viatio	n is 11	1.9.				_	
	39	51	59	63	66	68	68	69	70	71				
	71	71	73	74	76	76	76	77	78	79				
	79	79	79	80	80	82	83	83	83	85				
	85 90	86 90	86 91	88 91	88 92	88 95	88 96	89 97	89 97	89 98				
	70	70	<i>/</i> I	<i>,</i> 1	12	75	70	,,	, ,	70				
	Use	the <i>z</i> -	score	metho	d to i	dentify	potei	ntial o	utliers	s among tl	ne scores.			
	Ans										·	score of 39 is an	1	
			outlier outlier		ther so	cores h	iave z	-score	s betw	veen -3 an	d 3, so the	re are no other		
		U	, a trici	J.										

	the guestion True or Folce	si completes the statement of answers the ques	Stion.
	the question True or False. The z-score uses the quartiles to identify outliers	in a data set	164)
104)	A) True	B) False	
	Answer: B		
165)	An outlier is defined as any observation that falls	•	165)
	A) True	B) False	
	Answer: B		
166)	Box plots are used to detect outliers in qualitative outliers in quantitative data sets.	e data sets, while z-scores are used to detect	166)
	A) True	B) False	
	Answer: B		
167)	An outlier in a data set may have a simple explan	nation such as a scale was not working	167)
107)	properly or the researcher inverted the digits of a A) True	5	
	Answer: A		
168)	An outlier may be caused by accidentally including data representing the heights of 12-year-old boys		168)
	A) True	B) False	
	Answer: A		
169)	The outer fences of a box plot are three standard A) True	deviations from the mean. B) False	169)
	Answer: B		
ما د میداد ۲			
	e problem. At the U.S. Open Tennis Championship a statistic	ian keens track of every serve that a player	170)
170)	hits during the tournament. The lower quartile of reported to be 98 mph. Which of the following into A) 75% of the player's serves were hit at speeds B) 25% of the player's serves were hit at 98 mph C) 98 serves traveled faster than the lower quart D) 75% of the player's serves were hit at speeds Answer: D	a particular player's serve speeds was terpretations of this information is correct? less than 98 mph.	

171)	171) A sociologist recently conducted a survey of citizens over 60 years of age who have net worths too high to qualify for Medicaid but have no private health insurance. The ages of the 25 uninsured senior citizens were as follows: 68 73 66 76 86 74 61 89 65 90 69 92 76 62 81 63 68 81 70 73 60 87 75 64 82 Find the upper quartile of the data. A) 73 B) 92 C) 65.5 D) 81.5 Answer: D HORT ANSWER. Write the word or phrase that best completes each statement or answers the question. 172) The amount of television viewed by today's youth is of primary concern to Parents Against Watching Television (PAWT). Three hundred parents of elementary school-aged children were asked to estimate the number of hours per week that their child watches television. The upper quartile for the distribution was given as 14 hours. Interpret this value. Answer: 75% of the TV viewing times are less than 14 hours per week. 25% of the times exceed 14 hours per week.	orths 171)								
	A) 73	per quart			C) 65.5	D) 81.5				
SHORT	ANSWER. V	Write the	word or phras	e that best co	mpletes each	statement or answers the	question.			
172)	Against Watching Television (PAWT). Three hundred parents of elementary school-aged children were asked to estimate the number of hours per week that their child watches television. The upper quartile for the distribution was given as 14 hours. Interpret this value. Answer: 75% of the TV viewing times are less than 14 hours per week. 25% of the times									
173)	•		•		median is 50, a nd the maximu	and the upper quartile ım is 81.	173)			
	b. Find thec. Find thed. Is either	e inner fer e outer fer r of the m	nces.			n outlier? Explain.				

Answer: a. The interquartile range is 57 - 45 = 12.

- b. The inner fences are 45 1.5(12) = 27 and 57 + 1.5(12) = 75.
- c. The outer fences are 45 3(12) = 9 and 57 + 3(12) = 93.
- d. The maximum of 81 is a potential outlier since it lies outside the inner fences. The minimum is within the inner fence and is not considered to be an outlier.


- a. Identify the lower and upper quartiles of the data set.
- b. Find the interquartile range.
- c. Is there reason to suspect that the data may contain an outlier? Explain.


Answer: a. lower quartile: Q1=75; upper quartile: Q3=90

- b. interquartile range: 90 75 = 15
- c. Yes; the smallest measurement, 30, is three times the interquartile range less than the lower quartile, so it is a suspected outlier.

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

175) The box plot shown below displays the amount of soda that was poured by a filling machine into 12-ounce soda cans at a local bottling company.





Based on the box plot, what shape do you believe the distribution of the data to have?

A) skewed to the left

B) skewed to the center


C) skewed to the right

D) approximately symmetric

Answer: A

176) The box plot shown below was constructed for the amount of soda that was poured by a filling machine into 12-ounce soda cans at a local soda bottling company.

Box and Whisker Plot



We see that one soda can received 12.15 ounces of soda on the plot above. Based on the box plot presented, how would you classify this observation?

A) highly suspect outlier

B) expected observation

C) suspect outlier


D) it has a lot of soda

Answer: C

177) The box plot shown below was constructed for the amount of soda that was poured by a filling machine into 12-ounce soda cans at a local soda bottling company.

177)

Box and Whisker Plot



We see that one soda can received 12.30 ounces of soda on the plot above. Based on the box plot presented, how would you classify this observation?

A) suspect outlier

B) highly suspect outlier

C) expected observation

D) it has a lot of soda

Answer: B

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

178) The following data represent the scores of 50 students on a statistics exam.

178) _____

39	51	59	63	66	68	68	69	70	71
71	71	73	74	76	76	76	77	78	79
79	79	79	80	80	82	83	83	83	85
85	86	86	88	88	88	88	89	89	89
90	90	91	91	92	95	96	97	97	98

- a. Find the lower quartile, the upper quartile, and the median of the scores.
- b. Find the interquartile range of the data and use it to identify potential outliers.
- c. In a box plot for the data, which scores, if any, would be outside the outer fences? Which scores, if any, would be outside the inner fences but inside the outer fences?


Answer: a. The lower quartile is 73, the upper quartile is 89, and the median is 81.

- b. The interquartile range is 89 73 = 16. The score of 39 is a potential outlier since it is less than 73 1.5(16) = 49.
- c. No scores fall outside the outer fences, 25 and 137. Only the score of 39 lies between the inner and outer fences.

179) Use a graphing calculator or software to construct a box plot for the following data set.

179) _____


Answer: The horizontal axis extends from 10 to 20, with each tick mark representing one unit.



MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

180) A sample of professional golfers was taken and their driving distance (measured as the average distance as their drive off the tee) and driving accuracy (measured as the percentage of fairways that their drives landed in) were recorded. A scatterplot of the variables is shown below.

180)



What relationship do these two variables exhibit?


- A) They exhibit no relationship
- B) They exhibit a curvillinear relationship
- C) They exhibit a negative linear relationship
- D) They exhibit a positive linear relationship

Answer: C

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

Student	Number of Absences	Final Grade as a Percent
_		
1	5	79
2	6	78
3	2	86
4	12	56
5	9	75
6	5	90
7	8	78
8	15	48
9	0	92
10	1	78
11	9	81
12	3	86
13	10	75
14	3	89
15	11	65

Answer:




There appears to be a trend in the data. As the number of absences increases, the final grade decreases.

Player	l	1	l	l				l	
Round 1	l	1		l					
Round 2	90	87	85	84	86	78	77	91	82

Construct a scattergram for the data.

Answer:



MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Answer the question True or False.

183) Scatterplots are useful for both qualitative and quantitative data.


183) _____

A) True

Answer: B

184) The scatterplot below shows a negative relationship between two variables.

184)



A) True

B) False

B) False

Answer: A

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question. Solve the problem. 185) What is a time series plot? 185) Answer: A scatterplot with the measurements on the vertical axis and time (or the order in which the measurements were made) on the horizontal axis. 186) What is the primary advantage of a time series plot? 186) Answer: A time series plot describes behavior over time and reveals movement (trend) and changes (variation) in the variable being monitored. 187) 187) Explain how stretching the vertical axis of a histogram can be misleading. Answer: Stretching the vertical axis may overemphasize the differences in the heights of the bars making the taller bars look much taller than the shorter bars. 188) Explain how using a scale break on the vertical axis of a histogram can be misleading. 188) Answer: Using a scale break on the vertical axis may make the shorter bars look disproportionately shorter than the taller bars. 189) Explain how it can be misleading to draw the bars in a histogram so that the width of 189) each bar is proportional to its height rather than have all bars the same width. Answer: The reader may think that the area of the bar represents the quantity rather than the height of the bar, giving a disproportionate emphasis on the taller bars. 190) Explain how it can be misleading to report only the mean of a distribution without any 190) measure of the variability. Answer: When comparing means from two different distributions, the difference between them may be insignificant if the variability in one or both of the distributions is

large.