https://selldocx.com/products/test-bank-welsh-holes-essentials-of-human-anatomy-and-physiology-14e-nan

Stude	Student name:			
if the s	tateme	E - Write 'T' if the statement is true and 'F' ont is false.		
1)		stry is the branch of science that deals with the		
compo	sition o	f matter.		
	<!--</th--><th>true false</th>	true false		
2)	Matter	is anything that has weight and takes up space.		
	<!--</td--><td>true false</td>	true false		
3) The atomic weight of an atom of an element equals the number of neutrons in its nucleus.				
	<!--</td--><td>true false</td>	true false		
4) they ha		n and chloride ions readily combine because osite charges.		
	o	true		
	0	false		
5) electro		alent bond is formed when two atoms share		
	0	true		
	0	false		

9) of ato	A molecular formula represents the numbers and types ms in a molecule.		
		true false	
10) molectorme	ule bre	ng an exchange reaction, the bonds of a reactant eak so that simpler molecules, atoms, or ions are	
	⊙⊙	true false	
11) (reacta	-	ond to form a more complex structure (product).	
	⊚ ⊚	true false	
12) solution		I value indicatesthe hydrogen ion concentration in ch as body fluids.	
	00	true false	
Versio	on 1		3

When two pairs of electrons are shared, the resulting

bond is called a double covalent bond.

Water is an example of a compound.

true

false

true

false

7)

8)

0

0

0

0

		tance that dissociates and releases hydrogen is classified as a base. true false	
14) hydrox		d is defined as an electrolyte that releases s (OH ⁻) in water.	
	⊚ ⊚	true false	
15) when H		a solution, buffers combine with hydrogen ions are in excess or they donate hydroxide ions	when H ⁺ ions are depleted.
	⊚ ⊚	true false	
16) ions.	A saltis	s a compound composed of oppositely charged	
	⊚ ⊚	true false	
17)	Cells u	se oxygen to release energy from glucose.	
	⊚ ⊚	true false	
18) amino		ilding blocks of triglyceride molecules are	
	⊚ ⊚	true false	

<!--</th--><th>true false</th>	true false
	molecules consist of four connected rings of
⊚ ⊚	true false
	ilding blocks of proteins are molecules called
⊚ ⊚	true false
Examp	les of proteins include DNA and RNA.
<!--</th--><th>true false</th>	true false
	n, oxygen, sodium, and hydrogen compose over nt) of the human body.
⊚ ⊚	true false
	of different elements vary in size, weight, and ract with other atoms.
⊚ ⊚	true false
	Steroid atoms. Steroid atoms. The buracids. Carbon over the service of the ser

Cholesterol is a type of protein.

19)

25) Protons are the particles within an atom that determine the atom's bonding

- o true
- false

26)	Proton	s and electrons are similar in size.		
	<!--</th--><th>true false</th><th></th><th></th>	true false		
27) electro		topes of an element have the same number of		
	••	true false		
28) solution		concentration of hydrogen ions increases in a H decreases.		
	©	true false		
29) inorgan		salts, oxygen, and proteins are all examples of stances.		
	00	true false		
	mplete	CHOICE - Choose the one alternative that es the statement or answers the question. the food that we eat, liquids that we drink, and	medications are example	s that we take es of
	/	nemicals tamins	C) D) E)	proteins nucleic acids carbohydrates
31)	Indica	te the substance that is NOT an element.		
	A) It	on	B) C)	Oxygen Water

	D)	Carbon	E)	Hydrogen
32) weigh		ety-five percent (95%) of the human body (by made up of what four elements?		
	A) B) C) D)	Carbon, hydrogen, oxygen, nitrogen Carbon, hydrogen, oxygen, calcium Carbon, hydrogen, calcium, nitrogen Carbon, hydrogen, selenium, sodium	E) calcium, ni selenium	Sodium, trogen,
	, whi	term is defined as the amount of le the term refers to the gravitational matter.		
	A)	mass; weight	B)	weight; mass
34) space,		electrons of an atom occupy one or more areas of ed, around the nucleus.		
	A) B)	pockets shells	C) D) E)	regions zones tracts
35) electro		of an atom is determined by the its outermost shell.		
	A) B) C)	shape weight chemical behavior	D) E)	mass atomic number
36)	Wh	at differs between the isotopes of a particular	element?	

	A)	The shape of the protons	electrons
	B)	The number of protons	E) The number of
	C)	The number of neutrons	electron shells
37)	By	what mechanism does a chemical bond form	
,		ion of potassium (K+) and chloride (Cl-)?	
			other, forming a bond.
	A)	Electrons are shared between ions, forming a	D) Neutrons from
bond.		_	one ion are transferred to
	B)	The opposite charges of the ions cause them to be	the other ion, forming a
attrac		each other, forming a bond.	bond.
	C)	The protons of each nucleus are attracted to each	
38)		first (innermost) electron shell of an atom can	
noia a	ı max	imum of electrons.	
			C) 4
	A)	1	D) 8
	B)	2	E) 16
39)	Wh	at is indicated by the formula H ₂ O?	
			D) A molecule
	A)	An atom that contains 2 hydrogen molecules and	that contains 1 hydrogen
l oxy	_	nolecule	atom and 2 oxygen atoms
OXVGE	B)	An atom that contains 1 hydrogen atom and 2 lecules	E) A molecule that contains 2 hydrogen
OAyge	C)		atomsand no oxygen atoms
oxyge			7.5
			40) What type of
			chemical bond is formed
			by the attraction of the

D) The size of the

9

positive hydrogen end of one polar molecule to the negative nitrogen or oxygen end of another polar molecule?

D)	Hydrogen
D)	Hydrogen

A) Ionic bond

bond

E) Covalent bond

B) Double bondC) Triple bond

41) Based on their subatomic makeup, which atom is actually an ion? Atom 1: 3 protons, 2 neutrons, 3 electrons Atom 2: 3 protons, 3 neutrons, 2 electrons Atom 3: 3

protons, 1 neutron, 3 electrons

A) Atom 1

- B) Atom 2
- C) Atom 3

42) A chemical reaction in which parts of two different molecules trade positions is called a(an) _____ reaction.

C) reversible

A) decomposition

D) synthesis

B) exchange

E) irreversible

43) How would a decomposition reaction be illustrated?

D)
$$C + D \rightarrow AB$$

A)
$$A + B \rightarrow C + D$$

E)
$$AB + CD \rightarrow$$

B)
$$A + B \rightarrow AB$$

C) $AB \rightarrow A + B$

$$AC + BD$$

44) A solution with a pH of 4 is _____ and a solution with a pH of 9 is ____.

D) basic

A) acidic; basic (alkaline)

(alkaline); neutral

B) acidic; neutral

E) neutral; acidic

C) basic (alkaline); acidic

45)	A(n) solution contains more hydroxide		
ions t	han h	ydrogen ions.		
	A)	basic	B) C)	neutral acidic
46)	Eac	h whole number on the pH scale represents afold difference in hydrogen ion concentration.		
	A) B)	2 10	C) D) E)	15 20 100
47) what		hydrogen ion concentration of a solution increases, ge occurs in the pH value?		
	A) B) C)	The pH value increases. The pH value decreases. The pH value stays the same.	D) becomes no E) approaches	The pH value
48) ion co		olution with a pH of 6 has ten times the hydrogen tration of a solution of what pH?		
	A) B)	pH of 0.6 pH of 2	D)	pH of 5 pH of 7 pH of 8
49) alkalo		at blood pH is associated with the condition called		
			A)	Blood pH

betwe	en 7.3	35 and 7.45	D)	Blood pH
	B)	Blood pH below 7.0	below 7.35	
	C)	Blood pH above 7.45		
50) + H +		nsider the chemical reaction: H $_2$ SO $_4 \rightarrow$ HSO $_4$ is reaction, is H $_2$ SO $_4$ an acid or a base?		
	A)	Acid	B)	Base
51) pH of		at type of chemicals function to resist changes in ution?		
	A)	Buffers	C) D)	Acids Bases
	B)	Electrolytes	E)	Ions
52)	At t	he cellular level, physiology becomes the study of		
	A)	organs	D) E)	organ systems human
	B)	chemistry	populations	
	C)	tissues	populations	
53)	Indi	cate the compound that is an organic substance.		
	4)	Water	D) dioxide	Carbon
	A) B)	Protein	E)	Oxygen
	C)	Sodium chloride	E)	Oxygen
54)	Inoı	ganic substances called dissociate in		
water,		asing ions.		

	A) organic compoundsB) non-electrolytes	C) D) E)	electrolytes lipids carbohydrates
55)	Water is the major in the body. A) solvent	В)	solute
56)	Describe carbon dioxide.		
enviro	 A) It is inhaled in large quantities from the onment. B) It is a waste product of metabolic processes. C) It is an element. 	D) E) electrolyte.	It is a salt. It is an
57)	Indicate the inorganic substance.		
	A) GlucoseB) An enzymeC) Cholesterol	D) dioxide E)	Carbon DNA
58)	Indicate the non-carbohydrate molecule.		
	A) MonosaccharideB) DisaccharideC) Protein	D) Polysaccha E)	ride Glucose
59) and th	Neutrons are located in the of an atom, sey have an electrical chargethat is		
	A) nucleus; negative	B) neutral	nucleus;

	C) D)	shells; negative nucleus; positive	E)	shells; neutral
	-,	, F		
60)	Ele	ctrons are located in the of an ato	om	
and th	ey ha	ave an electrical charge that is		
			D)	nucleus;
	A)	nucleus; negative	positive	nacicas,
	B)	_	E)	shells; neutral
	C)	shells; negative		
61)		tons are located in the of an ator	n and	
mey i	ave	nn electrical charge that is		
			D)	nucleus;
	A)		positive	
	B)		E)	shells; neutral
	C)	shells; negative		
62)	The	e branch of science called deals v	with	
the co	mpos	sition of matter.		
			C)	physiology
	A)	histology	D)	biology
	B)	chemistry	E)	cytology
	,	, and the second	,	<i>3 </i>
63)		oms that lose or gain electrons become electric	cally	
charge	ed pa	rticles called		
			C)	protons
	A)	ions	D)	isotopes
	B)	molecules		
64)	Wh	en atoms form bonds by sharing electrons, th	e	
bond		ed is a(an)bond.		

	A) B)	ionic covalent	D)	hydrogen
	onds b	thin a water molecule, the shared electrons forming between the hydrogen atoms and the oxygen atom et ime at the oxygen end of the molecule than at the	hydrogen e examples o bonds.	nd. These are
	A) B)	polar covalent nonpolar covalent	C) D)	ionic hydrogen
66) relativ		at type of chemical bonds are, individually, weak but, collectively, are strong enough to be	responsible tension of v	for the surface water?
	A) B) C)	Ionic bonds Polar covalent bonds Hydrogen bonds	D) covalent bo	Nonpolar onds
67) 3. Wh		ution A has a pH of 6 and Solution B has a pH of tatement is correct?		
A. A.	A) B) C)	Solution B has 3 times more H ⁺ than Solution Solution B has 3 times less H ⁺ than Solution A. Solution B has 30 times more H ⁺ than Solution	Solution A. E)	Solution B has less H + than
68)	Ado	dition of lactic acid to a solution will result in a(n) _ in the pH of the solution.		
	A)	increase	B)	decrease

C) electronic

69)	What is the normal range for blood pH?		
	A) 6.35 — 7.45 B) 6.85 — 7.15	C) D)	7.0 — 7.35 7.35 — 7.45
-	Three atoms have the following subatomic les:Atom 1: 3 protons, 2 neutrons, 3 electronsAtom 2: 3 ns, 3 neutrons, 2 electronsAtom 3: 3 protons, 1 neutron,	3 electrons statement be these three	est describes
	 A) They are all the same element; they are isotopes h other. B) They are three different elements; they are ses of each other. C) They are all the same element; two of the atoms 	are ions. D) the same at and atomic	They all have omic number weight.
71) is alw	Overall, the electrical charge of a nucleus of an atom ays		
	A) neutral	B) C)	positive negative
72)	What is the atomic number for an atom with 12 as and 11 neutrons?		
	A) 11 B) 12	C) D)	23 24
73) and 1	What is the atomic weight for an atom with 12 protons 1 neutrons?		
	A) 11	C) D)	23 24
	B) 12		

An atom of oxygen has an atomic weight of 8. Its be with an atomic weight of 15 would have ons in its nucleus.	
A) 5 B) 7	C) 8 D) 15
Atom X gains one electron, and Atom Y loses one. As alt, Atom X becomes charged, Atom Y mes charged, and a(n) bond orm.	
 A) negatively; positively; ionic B) negatively; positively; polar covalent C) positively; negatively; ionic 	D) positively; negatively; polar covalent
 Which atom will become a positively charged ion? A) An atom that loses an electron B) An atom that gains an electron C) An atom that gains a neutron 	D) An atom that loses a neutron
A is a substance that dissolves in another ance, called the A) solute; solvent	B) solvent; solute
C ₆ H ₁₂ O ₆ is an example of anound.	B) inorganic
	Description of the state of the

79) type o	Sucrose, lactose, and maltose are examples of what of carbohydrate?			
	A) MonosaccharidesB) Polysaccharides		C)	Disaccharides
80) type o	Galactose, glucose, and fructose are examples of what of carbohydrate?			
	A) MonosaccharidesB) Polysaccharides		C)	Disaccharides
81) carbo	Starch and glycogen are examples of what type of ohydrate?			
	A) MonosaccharidesB) Polysaccharides		C)	Disaccharides
82) organ	Ribose and deoxyribose are examples of what type of nic molecule?			
	A) CarbohydratesB) Proteins		C) D)	Lipids Nucleic acids
83) ₆ . Wh	Compare the compounds C ₆ H ₁₂ O ₆ and C ₅₇ H ₁₁₀ O nich is the carbohydrate?			
	A) C ₆ H ₁₂ O ₆	6	B)	C 57H 110O

84)	The	building blocks of	molecules are	fatty aci	ds a	nd glycerol.
	A) B)	triglyceride steroid			C) D)	polysaccharide protein
85) is		hin a phospholipid mole and the fatty acid "t	ecule, the phosphate "head" rails" are			
	A)	hydrophilic; hydropho	bic	hydroph		hydrophobic;
86) hormo		at type of lipid is used in uch as estrogen and test	•			
	A) B)	Steroids Triglycerides			C) D)	Phospholipids Fatty acids
compo	n cha sitior		Based on their chemical saturated fatty acid?Stearic	carbon a	atom	enic acid: 18 as, 30 hydrogen ygen atoms
	A)	Stearic acid]	B)	Linolenic acid
88) betwee		at type of fatty acid will bon atoms within its ca				
	A)	Unsaturated fatty acids	S	acids	B)	Saturated fatty

	A) B)	Proteins Carbohydrates	C) D)	Lipids Nucleic acids
90)	Enz	ymes, receptors, and antibodies are examples of		
what t	ype o	of organic compound?		
	A) B)	Proteins Carbohydrates	C) D)	Lipids Nucleic acids
91) associa		hemical reaction in which bonds are broken is with the of energy.		
	A)	consumption	В)	release
		ids dissolve in water. Thus, they are s being		
	A) B) C)	do; hydrophilic do not; hydrophilic do; hydrophobic	D) hydrophobi	do not;
93) the str		rimary, secondary, and tertiary structure describe e of what type of organic compound?		
	A) B)	Proteins Lipids	C) D)	Nucleic acids Carbohydrates
94) makes		order of amino acids within a polypeptide chain ne structure of the molecule.		
			A)	primary

	B)	secondary	D)	quaternary
	C)	tertiary		
95)	Wh	at is meant by the denaturation of a protein?		
			D)	Larger amino
	A)	Amino acids are removed from the original	acids such	as
polyp	•	e chain, leading to denaturation.	= -	nine are replaced
. 4	B)	5 C 1		er amino acids
the po		otide chain, leading to denaturation.	•	steine, leading to
nolvn	C)	Hydrogen bonds between regions of the e chain are broken, leading to denaturation.	denaturati	on.
poryp	ерии	e chain are broken, leading to denaturation.		
96)		rogenous bases are important components of what		
type o	of org	anic compound?		
			C)	Nucleic acids
	A)	Proteins	D)	Lipids
	B)	Carbohydrates		
97)	The	type of nucleic acid called consists		
of a s	ingle	strand of nucleotides containing the sugar ribose.		
			B)	DNA
	A)	RNA	D)	DIVA
	11)			
98)	Nor	ne the type of chemical bonding that occurs		
,		e two nucleotide chains of a DNA molecule.		
ociwe		e two nucleotide chains of a DIVA molecule.		
			D)	Polar covalent
	A)	Hydrogen bonds	bonds	
	B)	Ionic bonds		
	C)	Nonpolar covalent bonds		

FILL IN THE BLANK.
Write the word or phrase

that best completes each statement or ans question.	structures and functions result from chemical		
99) Understanding is equivalent in the standing anatomy and physiology because and the standing anatomy and physiology because a standard physiology b		changes.	
100) The term is defined a has weight and takes up space.	s anything that		
101) The simplest examples of matter are each of which has specific chemical propert		differentiate them from all others.	
102) When unstable isotopes decompose, in the form of energy or atomic			
103) The atomic of an atom equal to the number of protons plus the num its nucleus.			
104) The atomic for an element number of protons in the nucleus of one atom particular element.			
105) Particles called are the sunits of any element; those of one element v		structure from those of any other element.	
106) Particles within an atom called electrical charge.	lack an		

	Atoms that gain or lose electrons become electrically d and are called
	The type of chemical bond formed when atoms share ns is called a/an bond.
another	When ions with opposite charges are attracted to one c, a type of chemical bond called a/an formed.
	Molecules called are formed when of different elements bond together.
joined a	In order to show how atoms within a molecule are and arranged, a representation called a a is used.
113) B → A	A/an reaction is illustrated as A + B.
114) B.	A/an reaction is illustrated as AB \rightarrow A +
115) decomp	A(n) reaction is the opposite of a position reaction.

	For a solution, a pH value of signifies numbers of hydrogen and hydroxide ions in the n.
	Adding a(an) to a solution will cause the the solution to decrease.
	Chemicals called are those that resist as in pH of a solution.
	Organic substances always contain atoms of hydrogen
	The substance is the most abundant und in living material.
	The primary function of the type of lipid called is to store energy for cellular activities.
	Molecules called are the building blocks eic acids.
numbe	Within an atom, the number of protons plus the r of is approximately equal to the atomic of the atom.

- 1	In an atom, the second electron shell contains a num of electrons.
- 1	The chemical behavior of atoms results from tions between the of each atom.
128)	The smallest subatomic particles are the
- 1	$FX \rightarrow F + X$ This reaction is an example of a(n) reaction.
-	$X + Y \rightarrow XY$ This reaction is an example of a(n) reaction.
131)	In reactions, parts of two different

molecules trade positions.

Answer Key

Test name: chapter 2

- 1) TRUE
- 2) TRUE
- 3) FALSE
- 4) TRUE
- 5) TRUE
- 6) TRUE
- 7) TRUE
- 8) TRUE
- 9) TRUE
- 10) FALSE
- 11) TRUE
- 12) TRUE
- 13) FALSE
- 14) FALSE
- 15) FALSE
- 16) TRUE
- 17) TRUE
- 18) FALSE
- 19) FALSE

- 20) TRUE
- 21) TRUE
- 22) FALSE
- 23) FALSE
- **24) TRUE**
- 25) FALSE
- 26) FALSE
- 27) TRUE
- 28) TRUE
- 29) FALSE
- 30) A
- 31) C
- 32) A
- 33) A
- 34) B
- 35) C
- 36) C
- 37) B
- 38) B
- 39) C
- 40) D

- 41) A
- 42) B
- 43) C
- 44) A
- 45) A
- 46) B
- 47) B
- 48) D
- 49) C
- 50) A
- 51) A
- 52) B
- 53) B
- 54) C
- 55) A
- 56) B
- 57) D
- 58) C
- 59) B
- 60) C
- 61) D

- 62) B
- 63) A
- 64) B
- 65) A
- 66) C
- 67) D
- 68) B
- 69) D
- 70) A
- 71) B
- 72) B
- 73) C
- 74) B
- 75) A
- 76) A
- 77) A
- 78) A
- 79) C
- 80) A
- 81) B
- 82) A

- 83) A
- 84) A
- 85) A
- 86) A
- 87) A
- 88) A
- 89) A
- 90) A
- 91) A
- 92) D
- 93) A
- 94) A
- 95) C
- 96) C
- 97) A
- 98) A
- 99) chemistry
- 100) matter
- 101) elements
- 102) radiation
- 103) weight

- 104) number
- 105) atoms
- 106) neutrons
- 107) electrons
- 108) ions
- 109) covalent
- 110) ionic
- 111) compounds
- 112) structural
- 113) synthesis
- 114) decomposition
- 115) synthesis
- 116) hydrogen
- 117) 7
- 118) acid
- 119) buffers
- 120) carbon
- 121) water
- 122) fats
- 123) nucleotides
- 124) neutrons

- 125) 2
- 126) 8
- 127) electrons
- 128) electron
- 129) decomposition
- 130) synthesis
- 131) exchange